



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc	_
Contact information *	Nicole L Webb (USA)	LYMADK
	Carolina Schattauer Ramnö carolina.ramno @lexmark.se, 08-5225 79 26, 0733-55 90 26	
Internet site *	www.lexmark.se	•
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statements given in this declaration.			
Type of product *	Color Laser Multi-Function Printer		
Commercial name *	Lexmark X500n & X502n		
Model number *	X500n & X502n		
Issue date *	12/17/07		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X500n & X502n		
Issue date *	12/17/07	Logo	

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations	<u> </u>		
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB)	$\boxtimes$		
P1.2*	and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments  Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)		_	
	,		ᆜ	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\square$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	$\overline{\mathbb{X}}$	+	
1 1.5	at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i>		Ш	
	on the use of certain dangerous chemicals 20.12.2002			ļ
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as			$\boxtimes$
	specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
D4.0*	pentachlorophenol and derivatives (EU 76/769/EEC)	_	_	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	Ш	Ш	
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and	$\overline{}$	$\overline{}$	
	labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)	ш	ш	
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in	$\boxtimes$		
	91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous	$\boxtimes$		
	substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)		<u>Ц</u>	
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC	$\boxtimes$		
P3.3*	after June, 20 <sup>th</sup> 2007  If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the			
P3.3	EU R&TTE Directive (1999/5/EC)	$\boxtimes$	Ш	
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations			
1	higher than specified in (76/769/EEC and 91/338/EEC)		ш	ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in	X		
	(76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC,	X		
	and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in		_	_
DE	accordance with (99/45/EC & 2001/58/EC) is available.			
<b>P5</b>	Product packaging  The sum of the generation levels of lead codmium, margury, and havevelent chromium procent in			
P3.1"	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\boxtimes$	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.		$\vdash$	-#-
	1 1 0 0			
P6 1*	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	X500n & X502n		
Issue date *	12/17/07	Logo	

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design		,					
D7 1*	Disassembly, re		y ave agailty agnorable					
P7.1*		ts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.					_ <u>_</u>		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				Щ.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				Щ.	_ <u>_</u>		
P7.5		-	or have inlays that can be removed with commonly available tools.		_Ц			
P7.6*			rement does not apply to safety/regulatory labels).					
P7.7*	Product lifetime		and warmen and and him					
			ssor, memory, cards or drives		井			
P7.8*		e done using commonl		$\boxtimes$				
P7.9.		available after end of pr						
P7.10		ole after end of product	<del>-</del>	_				
P7.11*		bstance requirements	5					
F1.11	Material type: A	using material type:	Material type: HIPS Material type: PC/ABS					
P7.12*			ower cables are halogen free (including PVC)					
P7.13*			gnal cables are halogen free (including PVC)		X			
P7.14		plastic parts >25g are				-		
P7.15			onents) >25g are halogen free					
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:					
P7.17	FR(40)  Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				$\overline{}$	$\overline{}$		
	ISO 1043-4: <i>FR(16), FR(16+40)</i>							
P7.18 P7.19	Weight of recycled material in plastic parts is  Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
	R50/51/53 and R	60/61 (67/548/EEC)	ciardant substantees/preparations above 0.170 diassilled as 14-0/4-0,					
P7.20	Light sources are free from mercury  If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 0.775 mg							
P8	Batteries							
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC			$\boxtimes$				
P8.2*	Battery chemical composition: <i>Lithium ion</i>							
P8.3	Batteries meet the requirements of the following voluntary program/s:							
P9	Energy consum							
9.1	For the product to Power level at		els or energy consumptions have been measured:	Deferen	00/	20		
Mode	* 230 Volts	Time (s) to <mode></mode>	Mode description	Referen Standar		n.a.		
On-max	W		*	*		$\boxtimes$		
On- normal	* <b>625</b> W	to	* Mono Printing	*ESTAR	?			
On-idle	140 W	to	* Ready Mode	*ESTAR	?			
Save 1	* <b>22</b> W	to	* Power Saver / Sleep Mode	*ESTAR				
Save 2	140 W	to	* Low Power Mode	*ESTAR				
Off 1	* 0.01 W	to	* Plugged in Off Mode	*ESTAR				
Off 2	W	to	*	*				
No load	* W		External power supplies/charger plugged in but disconnected *					
TEC	from the product  * 9.55 kWh/y Typical Energy Consumption per year		*ESTAR	?				
P9.2*			tion is provided with the product.			H		
P9.3			nents of the following voluntary program/s:					
	ENERGY STARO Others specify:	• • • •						

Model number *	X500n & X502n		
Issue date *	12/17/07	Logo	

Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Yes No n.a							
P10	Emissions							
		D						
	Noise emission – Declared according to ISO 9296							
P10.1	Mode Mode description Declared Declared A-weighted				•			
	A-weighted sound pressure level L <sub>pAm</sub> (dB)							
			sound power level L <sub>WAd</sub> (B)	Operator position B	ystander positions			
			level L <sub>WAd</sub> (D)	(or	bly if product is not			
				Desktop	nly if product is not operator attended)			
				or Deskside				
	Idle	* Raedy mode	* 5.3	34				
	Operation	* Simplex Mono Printing	* 6.9	54				
	Operation	Omprex meno r rinang	0.0	04		ш		
	Other mode	ADF Mono Copy	6.8	54				
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74						
<b>D</b>				n L <sub>pAm</sub> measurement distan	ice m)			
P10.2	·	ets the acoustic noise requirements of the fo	ollowing voluntary p	orogram/s:				
D40.0*		sions from printing products						
P10.3*		according to ECMA-328 standard, other				Ш		
	The test covers:							
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:							
D40.5	Electromagnetic emissions  Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary							
P10.5	program/s:	y meets the requirement for low frequency of	electromagnetic fle	eids of the following volunta	ry 📙 📙	$\boxtimes$		
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.							
P12		computing products						
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			$\boxtimes$		
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			X		
P13	Packaging and							
P13.1*		ng material type(s): <b>Expanded polystyrene</b>						
		ng material type(s): Expanded polypropyle ng material type(s): Corrugated	weight (kg): 0 weight (kg): 7					
P13.2*		ackaging is halogen free (including PVC)	moight (Ng).		$\square$			
P13.3*	User and product documentation do not contain chlorine bleached paper					Ħ		
P13.4*	User and product documentation contain recycled paper					$\exists$		
P14	Additional infor	, , ,						
		pany information and company environn				om		
		and supply item recycling information t	or your area may	be found at http://lexma	rk.com/recycle			
	Lexmark Swede	en is connected to REPA and El-kretsen						

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.