

Alcatel-Lucent 8242 DECT Handset OmniPCX Office Rich Communication Edition





| <u>1</u> <u>C</u> | GETTING TO KNOW YOUR TELEPHONE | 7 |
|-------------------|---|----------|
| 1.1 | PHONE DESCRIPTION | 7 |
| 1.2 | STATUS ICONS | 9 |
| 1.3 | MENU ICONS | 10 |
| | CALL ICONS | 11 |
| | ACCESSING THE MENU AND NAVIGATING | 12 |
| 1.6 | | 13 |
| <u>2</u> <u>C</u> | GETTING STARTED | 14 |
| 2.4 | ANGTALLING THE DATTERY IN THE TELEPHONE | 1.4 |
| 2.1 | INSTALLING THE BATTERY IN THE TELEPHONE | 14 15 |
| 2.2 | CHARGING YOUR TELEPHONE BATTERY | 17 |
| - | | |
| 2.4 | SWITCHING OFF YOUR TELEPHONE: | 17 |
| <u>3</u> <u>L</u> | JSING YOUR TELEPHONE | 18 |
| 3.1 | MAKING A CALL | 18 |
| 3.2 | CALLING FROM YOUR PERSONAL DIRECTORY | 18 |
| 3.3 | CALLING YOUR CALLER BY NAME (COMPANY DIRECTORY) | 19 |
| 3.4 | RECEIVING A CALL | 19 |
| 3.5 | REDIALING | 20 |
| 3.6 | REQUESTING AUTOMATIC CALLBACK IF INTERNAL NUMBER IS BUSY | 20 |
| 3.7 | DURING A CONVERSATION | 21 |
| <u>4</u> <u>[</u> | DURING A CONVERSATION | 22 |
| 4.1 | Make a second call | 22 |
| 4.2 | RECEIVING A SECOND CALL | 22 |
| 4.3 | SWITCHING BETWEEN TWO CALLS (BROKER CALL) | 23 |
| | TRANSFERRING A CALL | 23 |
| 4.5 | THREE-WAY CONFERENCE WITH INTERNAL AND/OR EXTERNAL CALLERS (CONFERENCE) | 24 |
| 4.6 | PLACING AN OUTSIDE CALL ON HOLD (PARKING) | 24 |
| | ACTIVATE/DEACTIVATE VOICE FREQUENCY | 25 |



| <u>5</u> <u>S</u> | SHARING | <u> 26</u> |
|-------------------|---|------------|
| | | |
| 5.1 | ANSWERING THE GENERAL BELL | 26 |
| 5.2 | CALL PICK-UP | 26 |
| 5.3 | HUNTING GROUPS | 27 |
| 5.4 | DIVERTING HUNTING GROUP CALLS | 27 |
| 5.5 | SENDING A WRITTEN MESSAGE TO AN INTERNAL CALLER | 28 |
| 5.6 | SEND A VOICE MESSAGE COPY | 29 |
| 5.7 | SENDING A RECORDED MESSAGE TO A NUMBER OR A DISTRIBUTION LIST | 30 |
| <u>6</u> <u>k</u> | KEEP IN TOUCH | 32 |
| 6.1 | SELECTING CALLS TO BE FORWARDED | 32 |
| 6.2 | FORWARDING CALLS TO ANOTHER NUMBER (IMMEDIATE FORWARD) | 32 |
| 6.3 | DIFFERENT TYPES OF DIVERSIONS / EXAMPLE OF DIVERSION ON BUSY | 33 |
| 6.4 | DIVERTING CALLS TO YOUR VOICE MAILBOX | 34 |
| 6.5 | CANCELLING ALL FORWARDS | 34 |
| 6.6 | CONSULTING YOUR VOICE MAILBOX | 34 |
| 6.7 | ACTIVATINGDEACTIVATING THE PERSONAL ASSISTANT | 36 |
| 6.8 | PERSONAL ASSISTANT: REACHING YOU WITH ONE NUMBER ONLY | 36 |
| 6.9 | | 38 |
| | | |
| 7 F | PROGRAMMING YOUR TELEPHONE | 39 |
| | | |
| 7.1 | INITIALIZING YOUR VOICE MAILBOX | 39 |
| 7.2 | CUSTOMIZING YOUR VOICE GREETING | 39 |
| 7.3 | CHANGE YOUR VOICE MAILBOX PASSWORD | 40 |
| 7.4 | ADJUSTING THE AUDIO FUNCTIONS | 41 |
| 7.5 | ACTIVATING HEADSET MODE | 42 |
| 7.6 | ADJUSTING YOUR TELEPHONE FUNCTIONS | 43 |
| 7.7 | SELECTING LANGUAGE | 44 |
| 7.8 | PROGRAMMING YOUR PERSONAL DIRECTORY | 44 |
| 7.9 | MODIFYING A RECORD IN THE PERSONAL DIRECTORY | 45 |
| 7.10 | ERASE A RECORD FROM THE PERSONAL DIRECTORY | 45 |
| 7.11 | 1 PROGRAMMING AN APPOINTMENT REMINDER | 46 |
| 7.12 | 2 CONFIGURE THE F1 AND F2 KEYS | 46 |
| 7.13 | 3 CALENDAR | 47 |
| 7.14 | 4 LOCKING YOUR TELEPHONE | 51 |



| <u>8</u> | REGISTERING THE TELEPHONE | 52 |
|-----------|--|----|
| 8.1 | REGISTERING THE TELEPHONE ON A SYSTEM FOR THE FIRST TIME | 52 |
| 8.2 | | 53 |
| 9 | ACCESSORIES | 55 |
| 9.1 | PHONE PACKAGE | 55 |
| 9.2 | CHARGERS AND POWER SUPPLY | 55 |
| 9.3 | Dual Chargers | 57 |
| 9.4 | CHARACTERISTICS OF THE MAINS POWER ADAPTER | 57 |
| 9.5 | PRESENTATION OF THE BATTERY PACK | 58 |
| 9.6 | HEADPHONE / EXTERNAL MICROPHONE | 58 |
| 9.7 | CLEANING YOUR TELEPHONE | 58 |
| 9.8 | TRANSPORTING AND PROTECTING YOUR TELEPHONE | 58 |
| <u>10</u> | GLOSSARY | 59 |
| 11 | DECLARATION OF COMPLIANCE | 60 |



Precautions for use

Coverage area

The DECT functions provided by your Alcatel-Lucent system allow user mobility management via DECT cordless telephones.

Radio coverage of the Alcatel-Lucent system is ensured by a network of radio base stations. The coverage area of a radio base station is called a cell.

Mobility:

A user can make or receive calls in any cell.

• Radio transfer: (Handover)

This function enables the user to move during a conversation and go from one cell to another. The transfer takes place automatically and has no effect on the conversation. In some cases, slight crackling may be audible at the moment of transition.

Use of approved DECT equipment

This DECT telephone is designed to be used with a private automatic branch exchange (PABX) without an Alcatel-Lucent wire. The CE symbol means that this product is compliant with current European Community directives, more especially the following directives:

- 89/336/CEE Electromagnetic Compatibility,
- 73/23/CEE (low voltage),
- 1999/5/CE (R&TTE).

Pursuant to directive 1999/5/CE (R&TTE) published in the Official Journal of the European Community of April 7, 1999, these items of equipment use the DECT harmonized frequency spectrum and can be used in all the countries of the European Community, in Switzerland and Norway.

No guarantee is given concerning possible interference affecting DECT equipment, due to other authorised utilisation of the radio frequencies concerned.

8AL90311USAAed01 5 /61



Operating conditions

This approved DECT telephone is intended to be used with an Alcatel-Lucent cordless PABX. The following conditions must be respected, notably concerning the use of radioelectric frequencies:

- Changes or modifications to the equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- To limit the risk of interference, people with pacemakers must keep the wireless telephone away from their equipment (minimum distance of 15 cm/6 inches).
- It is recommended to follow the standard acceptance procedures before using this equipment in human safety critical areas (hospitals...).
- DECT equipment can only be used to establish links between fixed points if these links are temporary and the equivalent isotropically radiated power at the antenna is less than 250 mW.
- The conditions of access to a DECT equipment telepoint network shall be stipulated by contract with the operator of the authorized telepoint network concerned.
- Do not expose your telephone to severe conditions (rain, sea air, dust, etc.).
- Switch off the telephone before changing the battery.
- You must not switch on or use your telephone near gas or inflammable liquids.
- This equipment complies with radiation exposure limits set by FCC/IC and the European Council.
- There is a danger of explosion if the battery is replaced incorrectly. Use only recommended battery Alcatel-Lucent 3BN67332AA (China Shenzhen DRN Battery Co. Ltd. RTR001FXX / RTX Hong Kong Ltd CE-MB206-5C-XX Li-ion 3.7V 1100mAh 4.1Wh).
- The mains power socket used must be close to the charger/holder and easily accessible, so that it can be used as an "on/off" facility.
- Battery Charge the battery for about 6 hours before initial use.
- Use the following 82x2 DECT Handset charging units:
 - 8232 DECT Handset Desktop charger (3BN67331AA),
 - 82x2 DECT Handset Dual Charger (3BN67341AA).

With the following Power Supply Units:

- 8232 DECT Handset Desktop charger PSU Europe (3BN67335AA),
- Friwo FW7713/XX. (rating I/P:AC 100-240V, 150mA; O/P: DC 5V, 1A),
- 8232 DECT Handset Desktop charger PSU WW (3BN67336AA),
- Friwo FW7712 (rating I/P:AC 100-240V, 125mA; O/P: DC 5V, 0.9A).
- You can charge the device by connecting it to a USB 2.0 port (type A). Use only the cable provided with the 8242 DECT Handset Desktop Charger (USB "A" plug), or the 82x2 DECT Handset Dual Charger.
- To prevent possible hearing damage, do not listen at high volume levels for long periods.

The labels and icons presented in this document are not contractually binding and may be modified without prior warning. The labels and icons displayed on your phone depend on the system to which you are connected and may differ from those specified in this document.

8AL90311USAAed01 6 /61



1 Getting to know your telephone

1.1 Phone description

Your phone can be configured to display icons or labels. All descriptions in this user documentation refer to the handset in icon display mode. To ensure that your set matches the documentation make sure the phone is configured correctly. Refer to chapter: Handset in icon display mode.



8AL90311USAAed01 7 /61




| 11) | Green steady: the phone is on the charger and the battery is fully charged. Red steady: the phone is on the charger and the battery is charging. Slow yellow flashing: Telephonic event such as unread message, missed call, etc. Rapid yellow flashing: Incoming call. Red flashing: Out of coverage. Flashing when the phone is plugged into the charger means the same as when the phone is not plugged into the charger. | | | | | | |
|-----|---|--|--|--|--|--|--|
| 12 | 3.5 mm jack plug for headset and maintenance. | | | | | | |
| 13 | Short press: Decrease the volume of ring tone during an incoming call (4 steps) or decrease volume of loudspeaker during a conversation (8 steps). Long press: Activate/deactivate the mute feature. | | | | | | |
| 14 | Short press: Increase the volume of ring tone during an incoming call (4 steps) or increase volume of loudspeaker during a conversation (8 steps). Long press: Activate/deactivate the loudspeaker. | | | | | | |
| 15 | • Clip to hook your phone on your belt. You can remove the clip and instead use the cover that is provided in the phone package. | | | | | | |
| 16 | USB socket for charging the battery and upgrading the phone. | | | | | | |
| 17 | Press on this key to light up the screen when the phone is in idle state. | | | | | | |
| 18 | Back to homepage. | | | | | | |
| 19 | Programmable keys (F1 and F2 keys). | | | | | | |
| 20 | • Depending on whether the device is in vibrate mode or ring mode, this key will have different effects. It is a shortcut to adjust the vibration/ring effect. Refer to the section about the audio key. | | | | | | |

8AL90311USAAed01 8 /61



1.2 Status icons

The status icons are displayed on the welcome screen and indicate the status of the telephone.



Received messages voice mail and callback request texts and unanswered calls.

Appointment programmed.

Call diversion activated.

Vibrate mode active.

Ringer active.

Ringer disabled.

Radio reception quality.

Loudspeaker on (in conversation).

Mute on (in conversation).

Economy mode activated and used (green).

Economy mode activated (gray).

50 mW power.

You can obtain details on the status icons from the tooltips that appear on the welcome screen when you use the navigator:



8AL90311USAAed01



1.3 MENU icons

The MENU is accessible from the welcome screen by pressing the OK key.



It provides access to all the functions available on your system. All icons are described in their unselected state. When selected, the icons are displayed in a purple.

| 1— 1— | Contacts: Manage your personal directory and access the company directory. |
|------------------|---|
| G | Dialed: Call back the last number dialed. |
| (-> | Forward: Divert your calls to another number. |
| $\succ\!\!\prec$ | Messages: Consult and send voice and text messages. |
| P | Alarms: Access alarm programming. |
| | Lock/unlock the set. |
| • | Services: Access the services configuration of the handset (associate, overflow, password, name, number, etc.). |
| | Settings: Access the general settings of the phone (key sound, economy mode, charger warning, programming of F1 and F2 keys, etc.). |
| | Call pick-up: Answer a call intended for another telephone. |
| • | Manager/Assistant. |
| 3 | Language: Choice of language. |
| | Ring: Ringing setting. |
| | Calendar: Access the calendar. |
| • | Alarm Set.: Alarm settings menu (Password protected). |
| <u>!</u> ~ | Alarm ack: Access the alarm acknowledgment services. |

8AL90311USAAed01 10 /61



1.4 Call icons

| | Making a call. |
|-----------|--|
| | Receiving a call. |
| 50 | Call on hold. |
| <u>i-</u> | Accessing the directories. |
| 1 | Transferring a call. |
| | Switching to DTMF signals. |
| 11 | Setting up a conference. |
| 00 | Forwarding your calls to your voice message service. |
| | Parking an external communication. |
| REC | Record the conversation |
| G | Manual hold |
| <u></u> | Cancel enquiry |

In the event of a multiple call, the icons have symbols (such as numbers) to distinguish between the different callers.

Example: first call is on hold, second call is ongoing 6.



8AL90311USAAed01 11 /61



1.5 Accessing the MENU and navigating

| Access the menu. | Press the OK key when phone displays the welcome screen OR Press the Access menu key. | Routing Voicemail Call log Settings |
|--------------------------------|---|---|
| Select a function in the MENU. | Use the navigator keys and press the OK key to select a function. | Contacts Redial Routing Voicemail Call log Settings |
| Navigating within a function. | You can move vertically along the various labels within the function Press the OK key to validate your choice. | O ENGLISH O ESPANOL O DEUTSCH O FRANCAIS O ITALIANO O NEDERLANDS O PORTUGUES Select |
| | OR You can move horizontally along the various icons within the function Press the OK key to validate your choice. | LISTEN TO VOICEM \$ VOICEMAIL NUMBER |

8AL90311USAAed01 12 /61



1.6 Handset in icon display mode

Your phone can be configured to display icons or labels. All descriptions in this user documentation refer to the handset in icon display mode. To ensure that your set matches the documentation make sure the phone is configured correctly.

To activate the icon display mode:

| (ex) | Access MENU. |
|------|---------------------|
| | • Settings |
| | • Keys |
| | Soft key: icon mode |
| ٠ | • On |

8AL90311USAAed01 13 /61



2 Getting started

In order to have a fully operational Alcatel-Lucent 8242 DECT Handset, make sure that you have the following items: the battery, the AC/DC adapter, the power supply and the USB cable.

2.1 Installing the battery in the telephone

Installing the battery in the telephone:

If the belt clip is installed, you must lift it up and maintain it in this position during the battery installation or replacement. You are advised to proceed with the belt clip lifted rather than turned.

You can also turn the belt clip counterclockwise.

Lift up the cover.

Position the battery "connectors " side as shown in the drawing (A). Terminate the installation of the battery in its compartment by pressing as shown in the drawing (B).

Replace the cover.

Removing the battery from the telephone

If the belt clip is installed, you must lift it up and maintain it in this position during the battery installation or replacement.

You can also turn the belt clip counterclockwise.



8AL90311USAAed01 14 /61



Remove the battery from its compartment as shown in the drawing.

2.2 Charging your telephone battery

2.2.1 Charging the battery on a single charger





Put your phone on its support. Plug the USB cable into the 5V socket of the desktop charger. Plug the other end of the USB cable into the AC/DC adaptor. Plug the AC/DC adaptor into the mains power supply.

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

8AL90311USAAed01 15 /61



2.2.2 Charging the battery on a dual charger





Place the handset front forward into the Dual Charger upper slot. Place a spare Battery Pack in the front slot, charging contacts down.

To remove the spare battery, push down on the front button.

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

2.2.3 How to dock your phone with the USB cable



Plug the USB cable into the USB port of your phone. The other end of the USB cable can be plugged into the AC/DC adaptor or into a computer USB port.

You can also charge your phone from any USB plug, such as a computer USB plug. However, the charging time is longer than charging with the AC/DC adapter.

2.2.4 LED

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

Recharge your telephone battery regularly. The telephone can be on or off when recharging the battery. If the telephone is to remain unused or out of its charger for several weeks, remove the battery and store it separately.

The battery charging time is less than 3 hours. The charging time is longer if charging through the USB plug from a device other than the AC/DC adapter.

8AL90311USAAed01 16 /61



2.2.5 Autonomy of your telephone

On standby in the radio coverage zone. Up to 160 hours.

In continuous conversation. Up to 20 hours if economy mode is activated, 17 hours if economy mode is not activated.

Switch off the telephone before changing the battery.

2.3 Switching on your telephone

- Press the switch on/off key (long press).
- Your telephone is switched on.



If the display fails to light up or the battery icon is flashing, recharge the battery.

If the radio reception icon doesn't appear on the telephone display:

- Check that you're in an area covered (if you're not, move close to a radio base station).
- Check that the telephone is properly installed in the system (consult the PABX manager).

If the display indicates: "System 1 Auto install?", see paragraph "Registering the telephone" or contact your installation technician.

2.4 Switching off your telephone:

- Press the switch on/off key (long press).
- Select the switch off feature.
- Your telephone is switched off.



8AL90311USAAed01 17 /61



3 Using your telephone

3.1 Making a call



• Dial.



• Send the call.


You are in communication:



• Hang up.

To make an external call, dial the outside line access code before dialing your contact number

3.2 Calling from your personal directory



Quick access: (long press).

8AL90311USAAed01 18 /61



3.3 Calling your caller by name (company directory)

| (OR) | • Access MENU. |
|----------|---|
| 1— 1— | • Contacts |
| | • Directory |
| 7 8 | Enter the first letters of your contact's surname.Apply. |
| | Select the desired name. |
| \ | Send the call. |

If several names come up, you can refine the search by entering the successive letters (second, third, etc.) of the name you are looking for.


Press 1 when you do not know one of the letters of the name.



For fast access to this function from the home screen page, press the directory key...

3.4 Receiving a call

You are receiving a call.



The ringer does not ring if:.:

- the vibrate mode is active, the vibrate mode active icon is displayed on the screen saver.
- the ringer is disabled, the ringer disabled icon is displayed on the screen saver.

8AL90311USAAed01 19 /61



3.5 Redialing

3.5.1 Call back one of the last numbers dialed

| \ | Long press. |
|------|--------------------------------|
| OR | |
| (OK) | Access MENU. |
| | • Dialed |
| | Select the number in the list. |
| | Send the call. |

3.6 Requesting automatic callback if internal number is busy

Transfer to voicemail



• Call back.

To cancel the automatic callback request, enter the "Cancel automatic callback" function code.

8AL90311USAAed01 20 /61



3.7 During a conversation

During a call and without losing the connection, there are several ways to access the options offered by your system, using:

- The list of icons at the top of the screen.
- The list of items at the bottom of the screen.

| A | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
|----------|----|--------------|----------------------------|-------------------|----------|------------|-----------|-----------|---------|-----|----|--|
| | 50 | 2 2 2 | 1— 1— 1— 1— 1— | | | | 11 | | 9 | REC | | |
| | 1 | | • Cal | Call in progress. | | | | | | | | |
| | 2 | | • Slo | t for sec | ond call | (Call in p | rogress / | ' Call wa | iting). | | | |
| | 3 | | • Cor | • Contacts. | | | | | | | | |
| | 4 | | Transfer. | | | | | | | | | |
| | 5 | | Put through a second call | | | | | | | | | |
| | 6 | | Voice frequency. | | | | | | | | | |
| | 7 | | Conference. | | | | | | | | | |
| | 8 | | • Mai | Manual hold | | | | | | | | |
| | 9 | | Transfer to voicemail | | | | | | | | | |
| | 10 | | • Red | ord the | conversa | tion | | | | | | |
| | 11 | | • Par | Park the call | | | | | | | | |

8AL90311USAAed01 21 /61



4 During a conversation

4.1 Make a second call

| 0 | You are in conversation with one caller. |
|-----------------|--|
| 4 m 5 m 7 m 8 m | Dial the number. |
| | Send the call. |
| 10 | The first call is on hold. |

Recover the caller on hold:

| <u>*</u> | Hang up. |
|----------|-----------------------------|
| | Your telephone rings. |
| | Recover the caller on hold. |

You can also initiate a second call by using the "Second call" feature.

4.2 Receiving a second call

You are in conversation and a caller is trying to contact you:

A beep is sent and the caller's name is displayed for 3 seconds.



• Answered incoming calls.



• The first call is on hold.

Over 3 seconds, move with the navigate-left-right key to the receiving a second call icon, to see the identity of the second caller (and off-hook if necessary)

8AL90311USAAed01 22 /61



4.3 Switching between two calls (Broker call)

During a call, to recover the caller on hold:



Recover the caller on hold.

You can establish the identity of the waiting call without taking it by using the navigate-left-right key.



• Display the caller's identity.



• Recover the caller on hold.

4.4 Transferring a call

During a conversation, to transfer the call to another number:.

You are in communication with a first caller:



• Call the recipient of the transfer.



• Send the call.

You are in conversation with the destination number:



• Transfer.

The two callers are connected.

After dialing the number of the recipient, you can use "Transfer" to transfer the call directly without waiting for the person to answer. The transfer between two external parties and the transfer action by the on-hook key depends on the system configuration.

8AL90311USAAed01 23 /61



4.5 Three-way conference with internal and/or external callers (conference)

During a conversation, a second call is on hold:



- Conference.
- You are in conference mode.

Cancel conference and return to first caller (If conference is active):



Conference.

End the conference with all participants



) The conference has ended.

4.6 Placing an outside call on hold (parking)

You can park an outside caller in order to take the call on another set.

You are holding an external conversation.



Park



Number to be called.

Your caller is parked and hears the hold melody.

If you on-hook without entering the number of a call park destination set, the call will be parked on your set.

To recover your parked call:



Access MENU.



Pickup



Parking

Dial the number of the handset that originated parking

If the parked call is not recovered within a preset time (by default 1 minute 30), it is directed to the operator. However, this preset time can be modified by your administrator.

8AL90311USAAed01 24 /61



4.7 Activate/deactivate voice frequency

This feature depends on the system configuration. If necessary, contact your administrator. During a call, you sometimes have to send DTMF signals, for example, for a voice message service, an automatic switchboard or when remotely consulting an answering machine:

| O | You are in conversation with one caller. |
|------|--|
| | MFcode ? |
| (N) | • To activate. |
| 7 8 | Sending DTMF signals. |
| | MFcode ? |
| (OK) | To deactivate |

8AL90311USAAed01 25 /61

5 Sharing

5.1 Answering the general bell

When the operator is absent, incoming external calls are diverted to a general bell. You can answer these calls:



5.2 Call pick-up

You hear a telephone ringing in an office where no-one can answer. If authorised, you can answer the call on your own telephone.



If the telephone ringing is not in your pick-up group:



Pick-upGrp

The system can be configured to prevent call pick-up on certain telephones.

8AL90311USAAed01 26 /61



5.3 Hunting groups

5.3.1 Hunting group call:

Some extensions can be associated to form a group. You can contact any one of them by dialling the group number.

Belonging to a group does not affect the management of direct calls. A specific telephone within a group can always be called by using its own number.

5.3.2 Temporary exit from your hunting group:

| 4 5 7 8 | Code of the "Group exit" function |
|------------|-----------------------------------|
| 7 8 | Enter your group number |
| | |

5.3.3 Return into your group:

| 7 8 | Code of the "Return to group" function |
|-----|--|
| 7 8 | Enter your group number |
| | |

Display of exit acceptance

5.4 Diverting hunting group calls

You can divert your own group calls:

| 7 8 | Code of the "Group call diversion" function |
|-----|---|
| 7 8 | No. of diversion telephone |
| | Diversion acknowledgement is displayed |

To cancel this function, refer to chapter 'cancelling all diversions'.

8AL90311USAAed01 27 /61



5.5 Sending a written message to an internal caller

| | Access MENU. |
|---------|---|
| \succ | • Messages |
| | TextmailsConfirm. |
| | SendamsgConfirm. |
| 7 8 | Dial the destination numberConfirm. |
| | Select the message to be sent.Apply. |

The following 27 predefined messages exist:

| 1 | Call me back | 15 | Meeting on (*) |
|----|-------------------------------|-----|---|
| 2 | Call me back tomorrow | 16 | Meeting on at _:_ (*) |
| 3 | Call me back at _:_ (*) | 17 | Out for a while |
| 4 | Call back (*) | 18 | Absent for the rest of the day |
| 5 | Call the attendant | 19 | Absent, back at _:_ (*) |
| 6 | Call the assistant | 20 | Absent, back on at _:_ (*) |
| 7 | I will call back at _:_ (*) | 21 | On vacation, back on (*) |
| 8 | Use paging | 22 | External meeting |
| 9 | Please fetch your fax | 23 | External meeting, back on (*) |
| 10 | Please fetch your mail | 24 | I am in room nr (*) |
| 11 | Please cancel your forwarding | 25 | In a meeting - do not disturb |
| 12 | Visitors are waiting | 26 | At lunch |
| 13 | You are expected at reception | 27 | Indisposed |
| 14 | Meeting at _:_ (*) | (*) | Messages to be completed using numeric keypad |

8AL90311USAAed01 28 /61



If selected message has to be completed:




Confirm access to the message to be completed



- Complete the message.
- Apply.

When editing a message to be completed you can use the delete key to delete any entered characters. The browser lets you move the cursor in an input field.

5.6 Send a voice message copy



8AL90311USAAed01 29 /61



| To record a comment | | |
|-----------------------|--|--|
| © | • Sendcopy | |
| 7 8 | Number or name of the recipient or listConfirm. | |
| (68) | Rec commentConfirm. | |
| 6 | Confirm.Start recording | |
| Recording in progress | | |
| (S) | • Stop | |
| (OR) | Confirm. | |

While the message is being recorded, you can select other functions with the navigate-up-down key.

5.7 Sending a recorded message to a number or a distribution list

| (OK) | Access MENU. |
|-------------------|--|
| $\geq <$ | • Messages |
| ⊚ | Voicemail Confirm access to the voice mailbox. |
| 4 <u>5</u> 7 8 | Personal code.Confirm. |
| (OK) | • Sendamsg |
| 7 8 | No. or name of the recipient or the list (000 - 050) Apply. |
| | Select the message to be sentConfirm. |

8AL90311USAAed01 30 /61



Distribution lists:

- 000: the message is sent to all voice mailboxes
- 001 to 050: the message is sent to a group of voice mailboxes

To record the message



- Reccomment
- Confirm.



- Confirm.
- Start recording

Recording in progress



Stop



- Confirm.
- Send message


While the message is being recorded, you can select other functions with the navigate-up-down key.

8AL90311USAAed01 31 /61




6 Keep in touch

6.1 Selecting calls to be forwarded



6.2 Forwarding calls to another number (immediate forward)

The number can be your home, mobile or car phone, voice mailbox or an internal extension (operator, etc.).



You can continue to make calls while your telephone is diverted.

General remark concerning diversions: you can only activate a single diversion on your telephone. Programming a new diversion will cancel the previous one.

8AL90311USAAed01 32 /61



6.3 Different types of diversions / Example of diversion on busy

6.3.1 Different types of diversions

You can initiate different types of forwarding from the call forward list.

| | Access MENU. | | |
|-------------|---------------------------------------|---|--|
| (-> | Forward | | |
| | Select the "List of diversions" icon. | | |
| | FwdBusy | When you are in conversation, all your calls are diverted to the number you choose. | |
| | FwdDND | Your telephone is momentarily inaccessible to all incoming calls. | |
| | FwdFollow | Your calls follow you when you are at another set. | |
| | FwdtoPag | Your calls are diverted to your portable radio paging receiver. | |
| | FwdTextAns | When a contact tries to call you, the text message you will have selected will be displayed on his or her phone screen. | |

6.3.2 Example of diversion on busy

| (OR) | Access MENU. |
|------------|--|
| (- | • Forward |
| | Select the "List of diversions" icon. |
| (B) | • FwdBusy |
| 7 8 | Dial the destination numberConfirm. |

8AL90311USAAed01 33 /61



6.4 Diverting calls to your voice mailbox



Access MENU.



Forward



FwdImmVMU



• Confirm.

6.5 Cancelling all forwards



Access MENU.



Forward



• Select the "Diversion cancellation" icon.



Confirm.

6.6 Consulting your voice mailbox



When you have received a message, the Message icon is displayed on the welcome screen. The orange LED on your telephone flashes to indicate there is a message.



• The number of new vocal messages is displayed in the phone notification area.

<u>OR</u>



Access MENU.



Messages



Voice Mail



Confirm access to the voice mailbox.



- Enter your personal mailbox password.
- Confirm.



Display number of new and old messages



Playnew

To access voice mail functions

You can move horizontally along the various icons.




8AL90311USAAed01 35 /61



6.7 Activating deactivating the personal assistant

As well as leaving a message in the voice mailbox, the personal assistant directs the caller to an extension number, an outside number, a mobile or the switchboard



If the personal assistant and immediate forwarding are activated simultaneously

6.8 Personal assistant: reaching you with one number only



8AL90311USAAed01 36 /61

Dial the number

Apply



To select the type of forwarding • Menu • InternalNb • Enter the name of a colleague or your assistant or any other name • ExternalNb • Key in an outside number • MobileNb • Key in the number of your mobile • ChoiceON / ChoiceOFF • Activate/deactivate the transfer to the switchboard

8AL90311USAAed01 37 /61



6.9 Consulting text messages



When you have received a message, the Message icon is displayed on the welcome screen. The yellow LED on your telephone flashes to indicate there is a message.



• The number of new vocal messages is displayed in the phone notification area.

<u>OR</u>



Access MENU.



Messages



- Text Mail
- Confirm.

Read the messages:



- Select a message to read.
- Confirm.



Readamsg?

Confirm access to the 'read messages' option



 From the 'options' menu, you can delete the message, callback the message sender, reply to the message or save the message sender's number in your list of personal contacts.



• The message icon disappears once all messages have been read.

8AL90311USAAed01 38 /61



7 Programming your telephone

7.1 Initializing your voice mailbox

Before starting initialization, make sure the adminstrator has created a voice mailbox.

| (B) 00 | You can use the Message icon on the welcome screen to initialize your voice mailbox. |
|--------------------|--|
| <u>OR</u> | |
| | Access MENU. |
| $\succ\!\!\!\prec$ | • Messages |
| 6 | Confirm access to the voice mailbox. |
| 7 8 | Enter your password and record your name in accordance with the spoken instructions |

Your personal code is used to access your voice mailbox and to lock your telephone

A weak personal code with 6 identical digits (000000, 111111, etc.) or a simple sequence of 6 digits (012345, 123456, etc.) will be rejected by the system.

7.2 Customizing your voice greeting

You can replace the greeting message by a personal message

| (OR) | Access MENU |
|----------|---|
| • | • Services |
| ⊕ | MbxgreetingApply |
| © | Custom ?Apply |
| | RecordApply |

While recording a comment you can select other functions using the navigate-up-down key

8AL90311USAAed01 39 /61



To go back to the default message

| (OR) | Access MENU |
|----------|--|
| • | • Services |
| | • Default ? |
| 90 | |
| @ | YesConfirm default message. |

7.3 Change your voice mailbox password

| (CR) | Access MENU. |
|----------|--|
| • | • Services |
| 2 | • Useroptions |
| | • Password |
| 7 8 | Enter the old password.Enter the new password.Apply. |

Until your voice mailbox is initialized, the password is 151515 Each digit of the code is symbolized with an asterisk.

A weak personal code with 6 identical digits (000000, 111111, etc.) or a simple sequence of 6 digits (012345, 123456, etc.) will be rejected by the system.

8AL90311USAAed01 40 /61



7.4 Adjusting the audio functions

You can select the ring tone for your telephone (6 choices) and adjust its volume (4 levels).



Access MENU.



Services



Phoneset

7.4.1 Choose the tune



- Ext. Melody
- Int. Melody
- Select the ring tone for internal or external incoming calls.



- Select the melody of your choice.
- Apply.

7.4.2 Adjusting the ringer volume



• Ring.level



- Select the volume of your choice.
- Apply.

7.4.3 You can adjust the buzzer/ringer mode according to your needs



• Press on the ringer/vibrate key.



- Off:Ringer and buzzer are deactivated.
- Ring only: Rings only.
- Vibrate then ring: The handset vibrates and then rings.
- Vibrate only: The handset vibrates and doesn "t ring.
- Vibrate and ring: The handset vibrates and rings simultaneously.

This key can be used to switch rapidly from the ringer to the vibrate mode and vice-versa.

8AL90311USAAed01 41 /61



7.4.4 The Audio key

The audio key is a shortcut key allowing you to change the vibrate/ring configuration quickly.

Pressing this key will change the vibrate/ring mode: /

| From | То |
|-------------------|------------------|
| Off | Ring only |
| Vibrate then ring | Ring only |
| Vibrate only | Vibrate and ring |
| Vibrate and ring | Ring only |
| Ring only | Off |

7.5 Activating headset mode

This mode allows you to answer calls automatically (without doing anything) and to direct the call to the external headset.

| | Access MENU. |
|---|---|
| • | • Services |
| | • Phoneset |
| | • automatic answer |
| | Select active/inactive as you wishApply. |

8AL90311USAAed01 42 /61



7.6 Adjusting your telephone functions

| | Access MENU. |
|-----|--|
| | • Settings |
| | Select the function* you want and use the On/Off softkeys to activate or deactivate the function. |
| • 0 | R |
| | Select the function* you want and press the OK key to enter the function menu to configure the function. |
| A | Return to idle. |

- * *You can activate or disable the following functions:
- Status To show Handset information such as the software version, the battery level, etc.
- Ascending ringing Activate or deactivate the ascending ringtone (Progressive ringing).
- Coverage warning >To activate or deactivate Bip emission when your phone is out of DECT area coverage.
- Charger warning To activate or deactivate Bip emission when placing handset on charger.
- Low battery warning >To activate or deactivate Bip emission when low battery level is reached.
- *Key sound*)Activate or deactivate the keypad tone.
- Confirmat. sound When a setting is updated, a confirmation sound is played.
- Headset mode Activate or deactivate the headset mode. When activated only the headset rings (if plugged in).
- *ECONOMY mode*)Activate or deactivate the economy mode When the economy mode is activated, the set adjusts its radio emission power according to the distance between the set and the radio base. The closer the set is to the radio base the lower the radio emission from the phone. This means that the phone is not always emitting at full power and thus saves the battery.
- Ring) You can adjust the buzzer/ringer mode according to your needs.
- Lock >To activate or deactivate a timeout to trigger the automatic keylock, change the keylock pin code or lock the function key.
- Reset settings)To reset the setting and go back to the default settings.
- Select System > To select any administrator-defined DECT network for your handset or auto. select.
- System settings)Administrator access to system configuration.
- Keys To access the configuration and programming of handset keys.
- Forced ringing Please contact your administrator. This feature is dedicated to some use cases.

8AL90311USAAed01 43 /61



7.7 Selecting language

| (B) | Access MENU. | |
|-----|---|--|
| • | • Services | |
| | • Useroptions | |
| • | • Languages | |
| (B) | Select the language of your choiceApply. | |

The initial language selection is made automatically by the system.

7.8 Programming your personal directory

Your personal directory can contain up to 42 numbers.

| (CK) | Access MENU. |
|----------------|--|
| 1— 1— 1— | • Contacts |
| | PersSpDial |
| | Select the chosen card. |
| 1 | Confirm (long press) |
| gh Spc | Enter the name.Apply. |
| 4 5 7 8 | Enter the number.Apply. |

To key in the name: the keys in the keypad include letters that you can display by pressing them successively.

Example: press "8" twice to display the letter "U".

Press the # key to switch from lowercase letters mode to uppercase letters mode, and from uppercase letters mode to numbering mode.

To delete a character, briefly press the delete key. To erase a field full of characters, hold down the erase key (long press)

8AL90311USAAed01 44 /61



7.9 Modifying a record in the personal directory

| | Access MENU. |
|----------------|---|
| 1— 1— 1— | • Contacts |
| (SK) | • PersSpDial |
| | Select the record to be modified. |
| 1 | Confirm (long press) |
| gh Spd | Modify the nameApply. |
| 4 5 7 8 | Modify the number.Apply. |

Press the # key to switch from lowercase letters mode to uppercase letters mode, and from uppercase letters mode to numbering mode. Use the browser to position on the character or digit to modify.

To delete a character, briefly press the delete key. To erase a field full of characters, hold down the erase key (long press).

7.10 Erase a record from the personal directory

| (OK) | Access MENU. |
|------------|--|
| 1— 1— | • Contacts |
| | • PersSpDial |
| (CK) | Select the record to erase. |
| 1 | Confirm (long press) |
| (÷ | Delete all charactersApply. |
| (ex) | Delete all numbersApply. |

8AL90311USAAed01 45 /61




7.11 Programming an appointment reminder

| (OK) | Access MENU. |
|------|---|
| | • Alarms |
| | TempAppt: temporary appointment: appointment within the next 24 hours. PermAppt: permanent appointment: daily appointments at the same time. |
| 7 8 | Enter the time of the appointment.Apply. |

At the programmed time, your telephone rings:

Press the 'OK' key to accept the appointment.

To cancel your appointment call-back request:



7.12 Configure the F1 and F2 keys

A lock, speed dial, alarm acknowledgment or notification event (if authorized) feature can be associated with the F1 and F2 keys. Once configured these features can be accessed by a short or a long press.

7.12.1 Define the feature to associate with the F key.

| (CK) | • Access MENU. |
|--|---|
| | • Settings |
| (in the second s | • Keys |
| (in the second s | Set the kind of feature (call or lock feature) you want to associate with each key and key press (short or long). |

8AL90311USAAed01 46 /61



7.12.2 Set the numbers to be called

| (CR) | Access MENU. |
|------|--|
| | • Settings |
| | • Keys |
| (B) | Call Configuration |
| (K) | For each key and the kind of press (short or long), enter the name and the number of the contact you wish to associate with the F key. |

7.13 Calendar

You can consult and manage an agenda on your phone.

7.13.1 Modify the agenda format

| (OK) | Access MENU. |
|------|--|
| | Access the agenda menu. |
| | More View week > View of the week. View month > View of the month. |

7.13.2 Programming an appointment reminder

| | Access MENU. |
|-----|--|
| | Access the agenda menu. |
| (S) | • Add |
| 7 8 | Enter date. Save Enter the beginning time. Save |

8AL90311USAAed01 47 /61



| (in the second s | Choose the duration of the appointment: Select |
|--|--|
| gh Sh | Enter the subject of the appointment *: Save Enter the place of the appointment *: Save |
| | Define when the reminder will be activated before the appointment: Select |

When entering a text, a minimum of one character is required. Symbols can be inserted using the symbol software key and characters can be deleted using the back key or the clear software key.

7.13.3 View the details of an appointment

| | Access MENU. |
|---|--|
| | Access the agenda menu. |
| | Select a date (Month view only). |
| ٠ | View (Month view only). View the agenda for the selected date (Month view only). |
| | Select the appointment of the day (in month view) or the appointment of the week (in week view). |
| • | • View |

A scheduled date is framed and has a checkmark.

8AL90311USAAed01 48 /61



7.13.4 Modify an appointment reminder

| | Access MENU. |
|---|--|
| • | Access the agenda menu. |
| | Select a date ((Month view only)). |
| ٠ | View ((Month view only)). View the agenda for the selected date ((Month view only)). |
| | Select the appointment of the day (in month view) or the appointment of the week (in week view). |
| • | ViewEdit |
| Change the appointment by filling in the fields as described in the creation of appointments. | |

7.13.5 Copying an appointment reminder

| (CR) | Access MENU. |
|--|--|
| :::: | Access the agenda menu. |
| | Select a date (Month view only). |
| | View (Month view only). |
| • | View the agenda for the selected date (Month view only). |
| | Select the appointment of the day (in month view) or the appointment of the week (in week view). |
| | View |
| | More |
| | • Copy |
| Change the appointment by filling in the fields as described in the creation of appointments | |

8AL90311USAAed01 49 /61



7.13.6 Delete an appointment reminder

| | Access MENU. |
|---|--|
| | Access the agenda menu. |
| | Select a date (Month view only). |
| ٠ | View (Month view only). View the agenda for the selected date (Month view only). |
| | Select the appointment of the day (in month view) or the appointment of the week (in week view). |
| • | ViewMoreDelete |

7.13.7 Delete an appointment reminder

| | Access MENU |
|------|------------------------|
| :::: | Access the agenda menu |
| • | More |
| (OR) | • Delete |
| (OR) | Select the appointment |
| • | Confirm deletion |

8AL90311USAAed01 50 /61


7.14 Locking your telephone

Locking features on your terminal

This service enables you to prohibit outside calls and any programming changes on your telephone:

| (OK) | • | Access MENU. |
|------|---|--------------|
| | • | Lock |
| | • | Apply. |

Unlocking features on your terminal:



Locking your terminal

This service enables you to prevent your phone being used.

Press the switch on/off key (long press)



• Select the lock option.

Unlock your terminal:

Press the switch on/off key (long press)

8AL90311USAAed01 51 /61



8 Registering the telephone

8.1 Registering the telephone on a system for the first time

For the mobile telephone to function, it must be registered on at least one Alcatel-Lucent or GAP system (registration operation). If when first switched on the display indicates: "Auto install?" your telephone has not been registered on any system.

| (OK) | Access MENU. |
|-----------|---|
| | • Settings |
| (OK) | System settings |
| 7 8 | Enter the PIN Code (The default is 0000).Apply. |
| Registrat | ion can begin |
| A- If the | system does not use an AC code |
| (OK) | Launch subscription. |
| B- If the | system uses an AC (authentication code) |
| (e) | • Register |
| | Select a system (It is recommended that the first empty system is selected). |
| 4 5 | Enter PARK indentifier (optional). |
| 7 8 | Press the 'OK' key to confirm. |
| 4 5 | Enter access code. |
| 7 8 | Press the 'OK' key to confirm. |
| | Select Power mode (You are advised not to select the 50 mW power mode unless required. The "50mW power mode" is intended for hazardous sites such as nuclear plants where it is requested that emissions do not exceed the maximum value.). |

8AL90311USAAed01 52 /61



The registration operation can last up to 2 minutes.

- If the operation has been done correctly (subscription accepted), the radio reception quality icon is displayed and the telephone is ready to be used.
- If the registration operation has not been successful, the station proposes launching the subscription again.

Utilization of the telephone in GAP mode can lead to functional limitations for which no claims will be considered under the terms of the warranty.

8.2 Registering the telephone on other systems

The telephone can be registered on several systems (maximum of 4).

Note: the input is usually reserved for use with your main Alcatel-Lucent system. You can select the other inputs to register the telephone under another system (Alcatel-Lucent or other system).

8.2.1 To make a new registration, when the telephone has already been registered on one or more systems, proceed as follows:

| | , , , | |
|--|-------------------------------|--|
| 1. Prepare your system for registration (see the system installation manual or consult your installation manager). | | |
| 2. When the system is ready: | | |
| • | Access MENU. | |
| | Settings | |
| • | System settings | |
| 4 5 7 8 • | Enter the PIN Code. Apply. | |
| • | Register | |
| • | Select a system. | |
| 7 8 | Enter PARK code. Apply. | |
| 7 8 | Enter access code. Apply. | |
| • | Select Power mode. | |
| Launch subscription. | | |

8AL90311USAAed01 53 /61






- Return to idle.
- If the registration operation runs correctly (Subscription accepted), the telephone is ready for use, and the radio coverage icon appears.
- If the registration operation has not been successful, the station proposes launching the subscription again.
- Depending on the type of system concerned, registration may require one or more additional operations on the system.

8.2.2 Selecting your DECT system

Your telephone can be programmed to function on 5 different DECT systems (Alcatel-Lucent or GAP).



The selection is retained even after switching the telephone on/off. The selection of a specific system (SYSTEM...) forces operation on a specific system. This selection must be changed if one wishes to change system. Selecting "Lock to any" enables the telephone to connect automatically when it enters a system coverage zone. If the systems programmed in the telephone have common coverage zones, the telephone selects the first system found.

8AL90311USAAed01 54 /61

9 Accessories

9.1 Phone package



When you purchase your phone, it is equipped with a belt clip on the back.



You can remove this belt clip and replace it with the cover provided in the box of your new phone.

- Turn the belt clip by doing a counterclockwise quarter turn.
- Remove the belt clip by pulling it towards you.



Put on the cover instead of the belt clip as shown in the picture. Push the cover towards the back of the phone until the cover is clipped on.

9.2 Chargers and power supply

Your phone charger is supplied with the following equipment:



An AC/DC adapter made of a body and a separate plug head that clips onto the AC/DC adapator body.

The charger is provided separately.



A USB cable (provided with the handset).

8AL90311USAAed01 55 /61



A desk support for docking your phone.

How to dock your phone on the desk support



Put your phone on its support. Plug the USB cable into the 5V socket of the desktop charger. Plug the other end of the USB cable into the AC/DC adaptor. Plug the AC/DC adaptor into the mains power supply.

How to dock your phone with the USB cable



Plug the USB cable into the USB port of your phone. The other end of the USB cable can be plugged into the AC/DC adaptor or into a computer USB port.

8AL90311USAAed01 56 /61



9.3 Dual Chargers



The Dual Desktop charger includes:

1.a stand to house your telephone and additional battery and a charge indicator light for the additional battery.

2.a mains cable via an AC/DC adaptor.

Place the handset front forward into the Dual Charger upper slot. Place a spare Battery Pack in the front slot, charging contacts down.

- The handset battery charging time is less than 3 hours.
- The spare battery charging time is less than 6 hours.

To remove the spare battery, push down on the front button.



The power supply USB plug allows you to charge both the handset and the spare battery.

The Data USB plug allows you to charge the handset from any PC. In this case, only the handset is charged, the spare battery is not charged.

9.4 Characteristics of the mains power adapter

Input: 100/240 V - 50/60 Hz.

• Output: 5V - 1A.

The mains power socket used must be close to the charger/holder and easily accessible, so that it can be used as an "on/off" facility.

8AL90311USAAed01 57 /61



9.5 Presentation of the battery pack

9.5.1 Autonomy of your telephone

| On standby in the radio coverage zone. | Up to 160 hours. |
|--|---|
| In continuous conversation. | Up to 20 hours if economy mode is activated, 17 hours if economy mode is not activated. |

9.5.2 Initial charge:

| Place the telephone in the charging holder. | | |
|--|-------------------------|--|
| | Battery icon flashing. | |
| | The battery is charged. | |
| Maximum battory performance is only reached after around 10 charge /discharge cycles | | |

Maximum battery performance is only reached after around 10 charge/discharge cycles. These batteries contain polluting substances: do not dispose of them in a dustbin - take them to a specialized collection point.

9.6 Headphone / external microphone

The side of the telephone features a 3.5 mm jack connector for headphone / external microphone. Contact your retailer for information on the various headphone models available.

9.7 Cleaning your telephone

Your telephone does not require any particular servicing. However, it may be cleaned using a soft, damp cloth.

Use appropriate soap or detergent to clean the surface of the telephone.

9.8 Transporting and protecting your telephone

To avoid losing your telephone, get into the habit of clipping it onto your belt. Your telephone can also be carried in a protective case.

Various models of carrying case are available. Ask your installation technician for information. It is vital to use the special protective carrying case if your telephone is to be used in an industrial environment (presence of dust, filings, vapours of diverse origins and risk of being dropped). If the telephone is used with a carrying case, the belt clip must be removed.

8AL90311USAAed01 58 /61



10 Glossary

- Call transfer The transfer function allows a user who is in contact with one person to transfer the person to another person.
- Conference: The conference function allows the user, in contact with two callers, to set up a three-way conference.
- DECT: European cordless telephone standard: Digital Enhanced Cordless Telecommunication.
- Hunting groups: Several telephones grouped under one directory number. A call to this number is directed to one of the free telephones within the group.
- Intrusion: Function allowing intrusion into a conversation between two callers.
- Personal assistant: This facility enables the caller to avoid having to leave a message in the voice mailbox and directs him/her to an extension number, an outside number, a mobile or the switchboard.
- Parking: This function places an outside call on hold, for subsequent recovery on another "authorised" extension within the system.
- Common directory: This directory contains all the abbreviated numbers that can be accessed by users of the Alcatel-Lucent installation.
- Personal directory: This directory contains the personal numbers of the user of a terminal.
- Pick-up group: This function enables you to answer a call ringing on another terminal. Calls can only be picked up within the pick-up group.
- DTMF During a conversation, DTMF codes are sometimes required. These codes are used when a user wants to consult a voice server, access a PABX or remotely consult an answering machine.

8AL90311USAAed01 59 /61



11 Declaration of compliance

Marking: C €

This equipment uses the DECT harmonized frequency spectrum (1880Mhz-1900Mhz).

This equipment is in compliance with the essential requirements of R&TTE Directive 1999/5/EC and with Directive 2011/65/UE (ROHS).

The Declaration of Conformity may be obtained from: Alcatel-Lucent 3 avenue Octave Gréard 75007 Paris, France

Contact: ebg_global_supportcenter@Alcatel-Lucent.com

USA and Canada

Handset: this device complies with Part 15-D of the FCC Rules and with RSS-213 of Industry Canada (). (FCC ID: T7HCT8121 IC: 4979B-CT8121). This device complies with Part 68 of the FCC Rules and with IC CS-03 Part V of Industry Canada. The ACTA registration number is: T7HW4NANCT8121.

Chargers: this device complies with Part 15-B of the FCC Rules and with ICES-003 of Industry Canada.

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Exposure to Radio Frequency Signals.:

This device has been designed and manufactured not to exceed the SAR (Specific Absorption Rate) radio frequency power transmission limits established by the different countries concerned. The SAR value measured is equal to 0.102 W/kg (the globally accepted maximum limit being 1.6 W/kg).

User Instructions:

This equipment has very low levels of RF energy and is deemed to be compliant without testing of the specific absorption rate (SAR).

This apparatus is Hearing Aid Compatible (HAC).

Acoustic shock protection

The acoustic level of the signal generated by the handset earpiece is less than 130 dBspl for a transient signal (123 dBspl for Australia) and less than 118 dBspl (rms) for a continuous signal (120 dBA for Australia).

8AL90311USAAed01 60 /61



Directive 2003/10/EC specifying the risks inherent in noise at work

The ring contributes towards overall daily noise. To reduce the level, the following is recommended: reduce the setting, program a progressive ring.

Privacy:

Privacy of communications may not be ensured when using the Bluetooth® handset or any additionnal Bluetooth® device.



Disposal:

The equipment must be returned to a collection point for electronic equipment waste disposal.

Defective batteries must be returned to a collection point for chemical waste disposal.

Related Documentation:

Other languages for these Safety and Regulatory Instructions and User Documentation are available at the following Web site http://enterprise.alcatel-lucent.com?product=All&page=Directory

Alcatel, Lucent, Alcatel-Lucent and the Alcatel-Lucent logo are trademarks of Alcatel-Lucent. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Alcatel-Lucent assumes no responsibility for inaccuracies contained herein. Copyright 2014 Alcatel-Lucent. All rights reserved

8AL90311USAAed01 61 /61