

Shenzhen Autoe Technology Co., LTD

6c29 Block C, Longsheng Building, North Huafa Road, Shenzhen, China

TEL: (86)-0755-83036220 FAX: (86)-0755-28154583 Email: sales@hkautoe.cn MSN: peterye1688@hotmail.com


http://autoe.en.alibaba.com/

Easy For You

Completely New to the World

Version: 28Sep13

| | Feature | Picture | QTY | Price |
|------------|--|--|---|-----------|
| | Simple installation, screw in -like a bulb | | wholesale price | US\$51.00 |
| | Accept Worldwide Voltage AC 110 -250V Motion Dection (changeable) | Bulb camera | | |
| | Loop recording (changeable) | loop record 3gp format | | |
| | Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format | 2LED | | |
| | Using 3rd generation LED array, better image at night and | 2001 | _ | |
| AT-680 | longer life 3-5yrs | NAME OF THE OWNER OWNER OF THE OWNER OWNE | | |
| 3.6mm Len) | Recording light can be turn on/off | 3 | | |
| | 7 Powerful functions are changeable and performed on Micro-Scard | | STREETY | |
| | E27 Adapter (different adapters available) | è | SECURITY DVR. CAVERA | |
| | Viewing Angle : 90 degree | | | |
| | Dimension: 70x110cm, Weight: 120g | | OCCUPANTIAL AND ADDRESS OF THE PARTY OF THE | |
| | (without cover) | | | |





***Optional: Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs)

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card

Website: http://www.AUTOE.com/c576.html

Simple installation, screw in -like a bulb Accept Worldwide Voltage AC 110 -250V

Motion Dection (changeable) Loop recording (changeable)

Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format

Using 3rd generation LED array, better image at night and

longer life 3-5yrs

AT-680C

(3.6mm Len)

Recording light can be turn on/off

7 Powerful functions are changeable and performed on Microcard

E27 Adapter (different adapters available)

Viewing Angle: 90 Degree

Dimension: 70x110cm, Weight: 120g

(with cover)

680C Lamp Bulb TF Card DVR Hidden IR Night Vision CCTV Camera /S1



| Retail Price (suggested) | US\$99 |
|--------------------------|-----------|
| wholesale price | US\$51.00 |
| | |



Free Gift: 200mm Long Extension Adapter

***Optional: Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card

Website: http://www.AUTOE.com/c576.html

Bulb CCTV Security DVR Camera (Motion Dection, Night Vision, Circular Storage), Using 24pcs IR LEDs

Simple installation, screw in -like a bulb Accept Worldwide Voltage AC 110 -250V

Motion Dection (changeable) Loop recording (changeable)

Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format

Using 24pcs IR LEDs

AT-681 (3.6mm Len)

Recording light can be turn on/off

7 Powerful functions are changeable and performed on Micro-SD

card

E27 Adapter (different adapters available)

Viewing Angle: 110 Degree

Dimension: 70x110cm, Weight: 120g

Visible red dot light at night



Retail Price (suggested) US\$99
wholesale price US\$51.00



Free Gift: 200mm Long Extension Adapter

***Optional: Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs)

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card

Website: http://www.AUTOE.com/c576.html

Bulb CCTV Security DVR Camera (Motion Dection, Night Vision, Circular Storage), Using 36pcs IR LEDs (940nm), INVISIBLE light to human at night

Simple installation, screw in -like a bulb

No Light at night (invisible to human evec)

Retail Price (suggested)

US\$101

NO LIGHT AT HIGHT (HIVISIDIE TO HUMAII EYES) Accept Worldwide Voltage AC 110 -250V Motion Dection (changeable)

Loop recording (changeable)

Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format

AT-681H (3.6mm Len) Using 36pcs IR LEDs

Recording light can be turn on/off

7 Powerful functions are changeable and performed on Micro-SD

card

E27 Adapter (different adapters available)

Viewing Angle: 90 Degree



wholesale price

US\$52



Free Gift: 200mm Long Extension Adapter

***Optional: Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs)

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card

Website: http://www.AUTOE.com/c576.html

Bulb CCTV Security DVR Camera with Remote Control Light (Motion Dection, Night Vision, Circular,

Storage),

AT-683

Simple installation, screw in -like a bulb 2pcs Real Lights and 2pcs 3rd IR LED Array 2pcs Real Light control by Remote Control (On/Off) Accept Worldwide Voltage AC 110 -250V Motion Dection (changeable) Loop recording (changeable) Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format (3.6mm Len) Recording light can be turn on/off



| Retail Price (suggested) | US\$109 |
|--------------------------|---------|
| wholesale price | US\$60 |

7 Powerful functions are changeable and performed on Microcard

E27 Adapter (different conversion adapters available)

Viewing Angle: 90 Degree







***Optional: Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs)

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card > 5. Remote Control

Website: http://www.AUTOE.com/c576.html

2.4G Wireless Bulb CCTV Security AV Camera Set Using 600TV lines censor, 36pcs IR LEDs (940nm), INVISIBLE light to human eye at night



US\$109

US\$65

Using 2.4G wireless technology
Simple installation, screw in and play
Using 600TV lines, 1/3" CMOS Censor
Using 36pcs IR LEDs (940nm), invisible light to human eye at night
Accept voltage AC 110-250V
Transmission Distance : 200 meters in open area

AT-685 (3.6mm Len) Receiver can receive 4 channels individually
Receiver connects to TV for displaying
Transmitting Audio+Video

Video can be stored in third party storage device

E27 Adapter for Bulb camera (different conversion adapters available)

Viewing Angle: 90 Degree



| ENZZYDV | |
|------------------------------|--------------------|
| LB CCTV CURITY DWR CAWERA | EAZIYON |
| | |
| 048 | |
| (1744 | THE REAL PROPERTY. |
| 11000 | |

Retail Price (suggested)

wholesale price

Free Gift: 200mm Long Extension Adapter



Retail Price (suggested)

wholesale price

US\$101

US\$52

***Optional: Choose 2.8mm Len (110 degree) add extra USD2

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card > 5. Receiver

Website: http://www.AUTOE.com/c576.html

AUTOE AT-686 Series, Emergency Backup Bulb CCTV Security DVR Camera (Motion Dection, Night Vision, Circular Storage) Using 2pcs 3rd generation LED Array, Last recording 3hrs when no power

Simple installation, screw in -like a bulb Accept Worldwide Voltage AC 110 -250V Lasting 3hrs video recording when no power

Motion Dection (changeable) Loop recording (changeable)

Local storage, accept Micro-SD card 2GB-32GB

Small video file size, using 3gp video format

Using 3rd generation LED array, better image at night and

longer life 3-5yrs

(3.6mm Len) Recording light can be turn on/off

7 Powerful functions are changeable and performed on Micro-SI

card

AT-686

E27 Adapter (different adapters available)

Viewing Angle: 90 Degree

Dimension: 70x110cm, Weight: 120g

(with cover)





Free Gift: 200mm Long Extension Adapter

Bulb CCTV Security DVR Camera Auto Control Light and Recording (Motion Dection, Night Vision, Circular Storage), Using 2pcs 3W Light, 2pcs 3rd LED Array

| | Simple installation, screw in -like a bulb 2pcs Real Lights and 2pcs 3rd IR LED Array | | Retail Price (suggested) | US\$111 |
|-----------------------|---|------------------|--------------------------|---------|
| | 2pcs Real Light auto control by Motion Detection Accept Worldwide Voltage AC 100 -250V Motion Dection enabled, sensing distance within 5 meters Light auto ON when motion detected, Light Off there is no motion Light On starting recording, Light Off not recording | (ATD) | Sample | US\$70 |
| | | | <=100PCS (MOQ=50) | US\$60 |
| AT-688 (3.6mm Len) | Loop recording (changeable) Local storage, accept Micro-SD card 2GB-32GB Small video file size, using 3gp video format | Model: AT-688 | 500PCS | US\$58 |
| | 7 Powerful functions are changeable and performed on Micro-SD card | | 1000pcs | US\$57 |
| | E27/B22 Adapter (different conversion adapters available) Viewing Angle: 90 Degree [Default] | | 2000PCS | US\$55 |
| | | | | |
| | | 1 1 | | |

Free Gift: 200mm Long Extension Adapter







AT-880 Series, Bulb WiFi/AP HD720P P2P IP Network Camera (Motion Dection, Email Alert, Night Vision, Circular Storage)

| | , | | | |
|----------|---|---------|--------------------------|------------|
| MODEL NO | Feature | Picture | QTY | Price |
| | - Simple installation, screw in -like a bulb - New to market, providing double mode, AP mode / WiFi | | Retail Price (suggested) | US\$150.00 |
| | - Remote access by SmartPhones(Andriod)/ iPhone/ iPad/ Notepads/ Notebooks/ PC/ Mac | | Sample | |
| | - Using Peer to Peer technology, plug to play - Using industrial grade processor, TI-DM365 | | (MOQ=50) | US\$80.00 |

· Using 1.0 mega pixel image sensor H.264 compression, HD720P resolution Accept Worldwide Voltage AC 100 -250V · Using 3rd generation LED array, better image at night and AT-880 longer life 3-5yrs, night vision distance 20 meters - Double alarm alerts, email alert and mobile push alert (3.6mm Len) - Local Storage - Able to hear sounds Control 64pcs bulbs cameras in total Motion Dection (distance 5 meters) Accept Micro-SD card 2GB-32GB (suggest class10 card) 32GB card can store 12days video files Loop recording and motion detection recording supported 3.6mm Len installed, 90 degree viewing angle Wi-Fi compliant with wireless standards IEEE 802.11b/g/n E27/E26/B22 adapters for selection Dimension: 70x110cm, Weight: 120g **Functions** Simple installation, screw in -like a bulb CATE **Retail Price (suggested)** - New to market, providing double mode, AP mode / WiFi mode Remote access by SmartPhones(Andriod)/ iPhone/ iPad/ Sample Notepads/ Notebooks/ PC/ Mac Using Peer to Peer technology, plug to play (MOQ=50) Using industrial grade processor, TI-DM365 Using 1.0 mega pixel image sensor Model: - H.264 compression, HD720P resolution AT-880C Accept Worldwide Voltage AC 100 -250V - Using 3rd generation LED array, better image at night and longer life 3-5yrs, night vision distance 20 meters AT-880C - Double alarm alerts, email alert and mobile push alert (3.6mm Len)

- Local Storage

- Able to hear sounds

DIVIE

US\$150.00

US\$80.00

Control 64pcs bulbs cameras in total

Motion Dection (distance 5 meters)

Accept Micro-SD card 2GB-32GB (suggest class10 card)

32GB card can store 12days video files

Loop recording and motion detection recording supported

3.6mm Len installed, 90 degree viewing angle


Wi-Fi compliant with wireless standards IEEE 802.11b/g/n

E27/E26/B22 adapters for selection

Dimension: 70x110cm, Weight: 120g

(with cover)





Functions























US\$160.00

Hidden Bulb WiFi/AP HD720P P2P IP Network Camera (Motion Dection, Email Alert, Night Vision, Circular Storage) Using 36pcs IR LEDs (940nm), INVISIBLE light to human eye at night



AT-881H

- Simple installation, screw in -like a bulb
- No Light at night (invisible to human eyes)
- New to market, providing double mode, AP mode / WiFi mode
- Remote access by SmartPhones(Andriod)/ iPhone/ iPad/ Notepads/ Notebooks/ PC/ Mac
- Using Peer to Peer technology, plug to play
- Using industrial grade processor, TI-DM365
- Using 1.0 mega pixel image sensor
- H.264 compression, HD720P resolution
- Accept Worldwide Voltage AC 100 -250V
- Using 36pcs IR LEDs(940nm wavelength), night vision distance 10 meters
- (3.6mm Len) - Double alarm alerts, email alert and mobile push alert
 - Local Storage



| Retail Price (suggested) |
|--------------------------|
| Sample |
| (MOQ=50) |
| |
| |

US\$83.00 (MOQ=50)



- Able to hear sounds

- Control 64pcs bulbs cameras in total

Motion Dection (distance 5 meters)

Accept Micro-SD card 2GB-32GB (suggest class10 card)

32GB card can store 12days video files

Loop recording and motion detection recording supported


3.6mm Len installed, 90 degree viewing angle

Wi-Fi compliant with wireless standards IEEE 802.11b/g/n

E27/E26/B22 adapters for selection

Dimension: 70x110cm, Weight: 120g





Functions























Mirror face Hidden Bulb Wifi Security DVR IP Camera

| Simple installation, screw in like a bulb |
|---|
| 2pcs Real Lights and 2pcs 3rd IR LED Array |
| 2pcs Real Light control by Remote (On/Off) |
| New to market, providing double mode, |
| AP mode - Point-to-Point connection |
| WiFi mode - Joining existing WiFi network, able to be |
| accessed by mobile devices via internet |
| remotely |
| Remote access by SmartPhones(Andriod)/ iPhone/ |
| iPad/Notepads/ Notebooks/ PC/ Mac |

AT-881M (3.6mm Len)


Using Peer to Peer technology, plug to play Using industrial grade processor, TI-DM365 Using 1.0 mega pixel image sensor H.264 compression, true HD720P resolution Accept Worldwide Voltage AC 100 -250V Using 3rd generation LED array, better image at night and longer life 3-5yrs, night vision distance 20 meters





| Retail Price (suggested) | US\$151 |
|--------------------------|---------|
| Sample | US\$110 |
| <=100PCS (MOQ=50) | US\$90 |











Bulb WiFi/AP IP Network DVR Camera with Real Light Control by Remote

| | Simple installation, screw in like a bulb |
|-------------|---|
| | 2pcs Real Lights and 2pcs 3rd IR LED Array |
| | 2pcs Real Light control by Remote (On/Off) |
| | New to market, providing double mode, |
| | AP mode - Point-to-Point connection |
| | WiFi mode - Joining existing WiFi network, able to be |
| | accessed by mobile devices via internet |
| 4 = 000 | remotely |
| AT-883 | Remote access by SmartPhones(Andriod)/ iPhone/ |
| (3.6mm Len) | iPad/Notepads/ Notebooks/ PC/ Mac |
| | Using Peer to Peer technology, plug to play |
| | Using industrial grade processor, TI-DM365 Using 1.0 mega |
| | pixel image sensor |
| | H.264 compression, true HD720P resolution |
| | Accept Worldwide Voltage AC 100 -250V |
| | Using 3rd generation LED array, better image at night and |

longer life 3-5yrs, night vision distance 20 meters



| Retail Price (suggested) | US\$151 |
|--------------------------|---------|
| Sample | US\$110 |
| <=100PCS (MOQ=50) | US\$90 |
| | |

Free Gift: 200mm Long Extension Adapter







CCTV with motion & voice Control Real Light Lamp IR LEDs Night Vision Motion Detect Wireless Hidden Security DVR Bulb Camera

Pixel 5 mega-pixel CMOS Resolution 1280*720 Video format AVI Frames 30fps

Retail Price (suggested)

US\$90

| AVP014B | Angle of view 120 Compression format: H.264 Night vision light 5 extra good night vision effect Video recording distance during motion detection Six meters (linear) Minimal illumination: 1LUX Continuous time of video recording: > 24 h Effective distance of the remote controller: 18m Range of sound recording 40 Power consumption 150MA/3.7V Type of memory card: TF card Maximum capacity of memory card 32GB Player software Media player/KMplayer Storage mode Cyclic video recording Operating system 2000/XP/Visat32 |
|---------|---|
|---------|---|

| HD720P BULB HIDDEN CAM MMP LEPUS MODION DETECTION VONES ACTIVATED REMOTE CONTROL | Sample | US\$60 |
|---|-------------------|--------|
| | <=100PCS (MOQ=50) | US\$50 |
| | 500PCS | US\$48 |
| | 1000pcs | US\$46 |
| | 2000PCS | US\$44 |
| | | |

***Optional : Choose 2.8mm Len (110 degree) add extra USD2, add power down backup feature plus USD1 (lasting 1.5hrs)

Included Accessories: 1.CD \ 2.User Manual \ 3.Card Reader \ 4. Warranty Card

***Optional : Choose 2.8mm Len (110 degree) add extra USD2

Included Accessories: 1.CD > 2.User Manual > 3.Card Reader > 4. Warranty Card