

## Department of School & Mass Education, Govt. Of Odisha



## Implementation of e Vidyalaya Project in 4000 Govt. & Govt. aided Schools of Odisha

This is to certify that the following items/Human Resources have been duly delivered and installed/deployed in our school and all equipment/items are in proper condition for implementation of ICT lab with following details.

equipment/items are in		***************************************					iab wit	II IOIIOV	villig dei	lalis.	entry to	18401			4.4	985		
IMPI			- 1	Please t	ick wh	icheve	r is app	applicable										
IL&FS Educa										\	/							
Telecomm		ON COSU		ndia Ltd	<u> </u>		-	1	Τ_		Τ_		Ι.	Τ,			T .	
Date							2	1	0	2	2	6	1	1	0	0		
School Name	K	H	A	P	A	R	A	P	A	D	A	0	H	7	G	Н	T	
	S	C	H	0	0	L		K	+	A	P	A	R	A	P	A	D	
Village	K	H	A	P	A	R	A	P	A	D	A		'	1				
Block	D	H	A	M	N	A	G	A	R		'							
District	B	H	A	1	R	A	K											
Address	A	7	1	P	0	-	K	H	A	P	A	R	A	P	A	$\mathcal{D}$	A	
	٧	I	A.	-	A	R	N	A	P	AL	Pin:	7	5	6	1	1	6	
Name of Head Master/	5	A	U	B	H	A	G	Y	A		K	Ú	m	A	R			
Mistress(HM)	B	E	14	E	R	A												
HM Contact No.	9	9	3	7	0	9	4	9	6	4								
Name of School Coordinator	M	U	K.	T	I	-	M	A	N	J	A	R	I					
1	P	A	N	D	A													
School Coordinator's Contact no.	9	4	3	7	3	3	9	6	2	1								
Implementation partner's School Code	0	D	Z	1	_	B	H	A	D	-	0	4	0	4				
Room Dimension (in feet)	Length:	6	3'	4"				Breadth	:	15	t		2			Please Tick		
Sr. no.	Ma	Item ake & Mod	lel	Qty.				Pleas	e Tick									
1	,	Desktop Acer Make		1	X86 Architecture 3.2 Ghz or higher Processor with 4 dedicated cores, RAM 4GB or higher expandable to 16GB, 500 GB HDD, 19-inch or Higher LED Monitor, Built-in audio, 300 Watt Desktop Speaker, DVD Writer,10/100/1000BaseT Ethernet, 104 Key Keyboard and Optical Mouse With at least 2 Free Full Height PCI slots,										<b>\</b>	<b>/</b>		
		Serial no.	2		U	×	√	8	5	S	1	0	1	9	$\mathcal{D}$	52		
					7	ľ	0	4	5					•		v		
, ye. <b>2</b>		top(Stand icer Make			expand	lable to 1	L <b>6GB, 50</b> 0 er, DVD V	) GB HDD Vriter,10,	er Proces , 19-inch /100/100 i at least	or Higher OBaseT Et	LED Mo	nitor, Bu 104 Key	iilt-in au Keyboar	dio, 300	Watt	Please	Tick	
-	i s	Serial no.		1	U	X	٧	8	5	S	l	0	1	8	<b>D</b>	5	2	
					7	2	3	6	1									

	U DISE CODE				2	1	0	9	0	6		l	0	9	1
3 3	Shared Computing Device N-computing			ared Com lost PC the irtualizati and PS/2 ables (each more tha ith suppo ment. Use (Boot time cution), G	rough a on softw Keyboa h of 5 m n 1-2wa ort up to er expen ne, Login	share convare, acce rd output leters leng tts. The a 10mtr/32 lience on Experier	nputing Pess device . SVGA M gth)), Pov ccess dev 2ft. Each i shared te cce, Respe	C-Sharing s with sp lonitor or wer consurice shoul user shoul erminal sl onsivene	g kit (white leaker out atput and amption of ld be inte ald have in anould be	ich includ itput, PS, I RJ45 Co of each a egrated v ndepend substant	des one f /2 onnection ccess de with Host dent desi	ull heigi n Port. w vice sho t PC via ( ktop same as	vith 5 uld not CAT 6	~	ase Tick
	Monitor		connect	or higher tivity with to (horizon) TCO /Ene	matt b	lack finish ical), wall	n, brightn mountin	ess 250 c	d/m2, vi	ewing an	igle 170	degrees	160	١.	ase Tick
	Serial no.		7. -			P	ls. fill the	serial no	o.s of all 1	the 12 M	onitors				
	1		M	M	Ĺ	Y	6	5	S	0	1	4	3	4	4
			0	B	3	8	3	8	5	1	0				
	2	1	m	W	Ļ	Y	6	5	5	0	4	4	3	4	4
			0	3	7	7	6	8	5	1	0				
	3		M	M	Ļ	7	6	5	S,	0	[	4	3	4	4
			0	7	+	9	C	8	5	1	0				
	4		M	m	L	Y	6	3	S	0	1	4	3	4	3
		1	1111	6.	8	2	0	8	5	1	6	1.		F.	, .
	5		W	M	6	B	8	5	<u>s</u>	0	3	4	3	9	4
4		12	0	+	1	V	6	8	5	0	1	4	3	4	4
	6		0	<u>س</u>	n	4	0	5	<u>ح</u>	1	0		)	1	1
			m	M	<u>-</u>	4	G	5	5	0	1	4	3	4	4
	7 6		0	B	1	C	P	8	5	1	0	7.	3	'	'
			M	M	Ĺ	4	6	5	S	0	1	4	3	4	4
	8		0	7	6	9	B	8	5	1	0				
	9		M	W	ل	X	14	5	S	0	1	4	3	4	5
	25 C 1 C 20		B	2	5	5	4	2	0	4					1
	10		M	m	٢	Y	.6	5,	S	0	(_	4 -	3	4	4
	· - 20		0	7	A	3	9	8	5	(	0			6	
	11		m	m	L	Y	6	5	S	0	1,	4	3	4	3
		3	1	6	6	D	8	8	5	1	0				
	12		W	m	L	X	12	5	S	0	1	4	3	4	5
5	Web Cam  Brand Zebronic	1	Min 5	MP came	2 3 C 4 2 0 4   2   3   c   4   2   6   4   1   6   6   6   6   6   6   6   6   6								noise	Plea	se Tick
9	(Pls. tick) Wipro	40						eduction	h Min		*****			Plea	se Tjek
6	neaupnones	40	Headphone with Mic												

	U DISE CODE				2	1	0	9	0	6	11	1	0	0	1	
8	Integrated Computer Projector K-YAN	1	Specification: Projection System: DLP Technology; Brightness: 2500-ANSI Lumens (Short Throw) Resolution: SVGA (800x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2GHz or higher with 4 dedicated Cores, Minimum 4MB L3 Cache, Compatible chipset with HD graphics, 4GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, Wireless Keyboard & optical Scroll Mouse. OS: DOS; Input: PS/2 Mouse & Keyboard, RF—in for TV, USB ports, Microphone in; Output: Internal 30 watts Audio Output, LAN: 1x Gbps LAN, Integrated analogue cable TV tuner.													
	Serial no.		1	3	L	GI	2 2	20	0	1	2	2	3	6	2	
9	Interactive White Board Smart	1	Active Al approxin Aspect R mainten. Isopropy operatin supports consump USB cable for Electrom Data Por PC,Softw DVD. Softwithout product availability palm toous pecific pand facili applicati into each facility. A supply.	Active Area: Minimum 77" diagonal Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux,Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer through the USB cable for Windows® and Linux® computers. Technology: Touch technology. No interference from Electromagnetic sources/sunlight and other external influences Data Ports: 12 Mbit /s USB connection (full-speed USB 1.1 or USB 2.0). Storage: Saving of files in PC,Software: Must include a complete version of the white boarding software application on a CD or DVD. Software must also be available online for download. Users must be able to access the software without having to register for an online community. Software must be available for update via a product updating service that can automatically scan for new updates and alert users to their availability. Must support Windows® / Linux® operating systems. Should have interactive features like palm touch, image gallery, image enlarge; snap shots, recording lectures, reveal option, focus to specific part of content, zoom etc. Must supply additional software to collaborate external content and facilitate teachers to create new content and manage and deliver other content. Must supply an application for remote collaboration to work on the same content simultaneously and write directly into each other's documents. Minimum 100 to maximum 500 user can concurrently use the facility. Accessories: Stylus/ Pens, USB Cable, Software CD, user manual etc. to be a part of sta												
	Serial no.		S	B	19	8	0	C	2	0	8	3	2		7	
10	Multi Function Printer  Brand (Pls. tick) Ricoh	1	Mode: Up to 18 ppm, Print technology: Laser, Print quality black (best): Up to 600 x 600 dpi (1200 dpi effective), Display: at least 2-line LCD, Processor speed: Minimum 400 MHz, Connectivity, standard: Hi-Speed USB 2.0 port, 10/100Base-T Ethernet network port, RJ-11 Telephone port, Duplex printing: Automatic Scanner type: Flatbed, ADF, Scan file format: JPEG, TIF (compressed and uncompressed), PDF, GIF, BMP, Scan resolution, optical: Up to 1200 dpi, Certified by IDC.												se Tick	
	Serial no.		C	N.	F	8	F	8	P	B	2	B				
11	On Line UPS Delta	ISO 9001 Certified. Online UPS of 2KVA with 30 minutes power backup, Output Wave Form - Pure sine wave, Efficiency 90 % or better on rated full load, Input Power Factor > 0.90, Battery type: Sealed. Maintenance Free, Micro Controller Based Double Conversion Online UPS and Cabling. With DG Set compatibilities, frequency range 50+/- 6% hertz, operating temperature: 0 to 50 degrees celcius, noise level: as per the government norms. output: pure sine wave output														
	Serial no.		8	2	ی	1	3	В	0	0	8	4	4	W	$\mathcal{I}$	
	Networking		16 Port Unmanagable GIGABIT switch with CAT-6 cabling (in casing caping) for all the nodes, Mutli fucntion printers, Projection system.													
12	Serial no.		Q	ع	5	H	1	$\mathcal{D}$	B	0	0	1	0	5	9	
13	Fire Extinguisher	1	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification											Pleas	e Tick	
		_	3	1	0	1	•	0	2	1.	Γ			1		

ÜK

	U DISE CODE				1 a			17		6	1	11	0	0	1
14	Servo Stabilizer Protect	1	5KVA (1 Phase Servo Motor Operated Line Voltage Corrector), Input Range: : 50V-270V (Single Phase), Mounting: On Wheels. Output range: 220V/230V/240V single phase (adjustable), earthing terminals, overload cutoff, output protection through MCB, Freque range: 50+/- 3% hertz. Operating temperature: 0 to 50 degrees celsius.											Pleas	: Tick
*	Serial no.		0	6	0	2	2	4	0	3	122		-		
	Silent Generator Set Champ		ISO 9001 Certified, Minimum 3 KVA Petrol/Diesel based silent generator set with Safe Cabling and Installation												
15	Serial no.	.1	5	1	3	7	1	0	2	5	1	9	0	\ <u>\</u>	/
16	Initial meter reading of the Silent Generator Set	4		00	000	2	50			<i>L</i> . ε,,				Please	Tick
_a 17	Earthing (as per IS specifications)	2.5	Copper plate earthing stations making earthing with copper earth plate												Tick
18	Lighting (ISI mark)	4	40W Tube Light with Electronic Choke (ISI mark)												Tick
19	Ceiling / Wall mounted fans (ISI mark)	2	48" blade with regulator, 3 Blade Indicative Brands: Philips / Wipro/ Usha /Crompton Greaves /Khaitan /Bajaj/ Havells												Tick
20	Exhaust fans (ISI mark)	2	300mm sweep, 45 Watts, Speed 1330 RPM Indicative Brands: Philips / Wipro/ Usha /Crompton Greaves /Khaitan /Bajaj / Havells												Tick
		15 5 A- 240 V switches												Please	Tick
21	Switches and sockets (ISI Mark)	15	15 2 in 1 5A and 15A Sockets											\	/
		2 15 A – 240 V socket with shutter											~		
	Indicative Brands: - Anchor / Havells / crabtree /Wipro /Phillips / Legrand Switches and sockets is to be provided for all electronics/IT equipments including printer and Projection System to be placed at lab technician table.														
22	Computer Table Tajpuria	13	Dimensions Width 1200mm x Depth 609mm x Height 750mm 18mm pre laminated particle board conforming IS: 12823. Pretreated & powder coated steel frame. Good quality PVC edge bending to be provided on pre laminated board. No Sharp corners, smooth edges are essential. Legs frame made of 1.5 inch square pipe, 16 gauges. Table rests on good quality glide screws. Full length footrest is to be provided. One 65mm diameter hole for drawing cables is to be provided, this hole has to be covered with steel cover Good quality telescopic slider along with full width keyboard with 30cm projected depth panel, keyboard free space is 10 cm. Table must have a modesty panel of 200mm height to be provided. BIFMA Certified												Tick
23	Chair Uma Plastic/Moderna	41	Armless N	Moulded	Chairs, C	ream cole	our, IStan	dard Com	pliant	* *				Please	Tick
24	Electrical meter Initial reading			0	000	03		1						~	
25	Painting	er	The surface of Wall and Ceiling to be painted, shall be prepared to the satisfaction of OKCL / OMSM and shall be applied with 2 coats of primer and then with 2 coats of distemper paint of standard make as approved by OKCL / OMSM.												Tick
26	Lab Cleanliness Kit	1 set	Dusting cl one Foot	oth, han					vers for	all the I	Γ equipn	nents and	d	Please 1	ick
27	Curtains	Full lab	To mainta	in prope	r darknes	ss in the I	Lab / Cla	ssroom du	uring Pro	jection				Please 1	ick
28	Wall Clock	1	ISI Mark,	Wall Clo	ck									Please T	lck
29	Notice Board	1	5feet x 3f	eet, P/F	15 thk Pir	nup board	with fa	bric wrap	ped all a	round				Please T	ick
30	White Board	1	4 ftx3 ft m	ninimum	18mm th	ickness v	vhite boa	ırd						Please T	ick

\*\*\* Please note that all the three signatures are mandetory on all the sheets.

\*\*\*\*All fields are to be filled hip mandatorily.

Signature Branch Manager Signature Branch State State

Headmaster
Khaparapada High School
Khaparapada

Signature of School Head Master/Mistress with Seal

Signature of OKCL Representative with Seal