

SmartPets 4 in 1 Training Collar

User Manual

Model: SP 207

Please read this guide before using

1. Antenna
2. Light
3. Shock & Vibration Indicated Light
4. Shock Button
5. Vibration Button
6. Light & Whistle Indicated Light
7. Light Button
8. On/Off Switch
9. Whistle Adjustment Switch
10. Whistle Button
11. Electrodes
12. Battery Cover
13. Power (Green) Indicated Light
14. Pair (Red) Indicated Light





Thank you for choosing SmartPets. Our mission is to make happy pet owners by providing quality pet products, the lasted tools and techniques to successfully train your pet. If you have any questions, please contact the our Customer Care Center at 1-909-923-8743 or visit our website at www.lavasat.com


Table of Contents

Components.....	2
Quick Start Guide.....	3
Step-1 Prepare the Remote Transmitter.....	3
Step-2 Pair transmitter with the collar receiver...3	3
Step-3 Install the electrodes for the receiver.....	4
Step-4 Adjust the collar to fit your pet.....	4
How to check the static shock function.....	5
How to change the batteries.....	5
Important Tips.....	5
Customer Support Center.....	6

This is an effective 1 pet training system for small and medium pet which weight under 40 pounds, specially designed for those who wish to train their pet. It features an easy-to-use transmitter, 4 different functions (static shock; vibration; light and whistle), 200 feet range.

Components:

- 1 x Transmitter (Controller)
- 1 x 9V 6F22 Battery (for Transmitter)
- 1 x Adjustable Collar Strap (for Receiver)
- 1 x 1 Receiver
- 2 x 1.5V AAA Batteries (for Receiver)
- 1 x 2 Pairs of Electrodes (for Receiver)
- 1 x 1 Test Light (for test static shock function)
- 1 x User Manual



Quick Start Guide

Step 1: Prepare the Remote Transmitter

Follow the Positive (+) and Negative (-) signs inside the transmitter. Insert the 1 x 9V 6F22 Battery into the transmitter correctly. Turn on the switch where on the side of the transmitter.



Step 1

Step 2: Pair Transmitter with the Collar Receiver

1. Follow the Positive (+) and Negative (-) signs inside Receiver. Insert the 2 x 1.5V AAA batteries into Receiver. The **RED INDICATED LIGHT** starts blinking and the Green indicated light keeps on.



Step 2-1

2. Press **Vibration Button** on the transmitter, during the red indicated light blinking on the receiver. The receiver should be vibrated. **If the RED indicated light keeps on please repeat step 2-1**



Step 2-2

NOTES:

- During the RED INDICATED LIGHT starts blinking, it is time to pair the TRANSMITTER and RECEIVER. If the RED INDICATED LIGHT stays on that means you missed the time to pair the transmitter and receiver. Please install the battery for receiver again and re-do the pair process.

- Please always install the Transmitter's battery **BEFORE** install the receiver's batteries because it is a wireless training system. The Transmitter has to be power on then the receiver is able to receive the code from transmitter.



The Vibration and Shock function might not work if install the batteries incorrect or did not pair the receiver with transmitter correctly.

Step 3: Install the Electrodes for the Receiver.

Randomly pick one pair of electrodes and screw for receiver. (Please pick the same size electrodes for the receiver.)

Step 4: Adjust the collar to fit your pet.

To ensure a proper fit, please follow the steps below:

1. Put the strap on the receiver.
2. With your pet standing, centre the collar receiver where contact points are underneath your pet's neck, touching the skin.
3. The collar receiver should fit snugly, yet loose enough to allow one finger to fit between the strap and your pet's neck. If the strap is too long for your pet, cut off the excess length.
4. Allow your pet to wear the collar for several minutes and then re-check the fit. Check the fit again as your pet becomes more comfortable wearing the collar receiver.


NOTES:

- The Transmitter and Receiver will get in the Save Mode if you do not use it for 2 minutes.
- Please gently shack the receiver, the receiver will get back to the standby mode. And the indicated light of receiver will stay on.

We would recommend you to use the tone function first before starting the static shock and always start from the lowest level of static shock.

How to Check the Static Shock Function

1. Use the **Test Light** attach on the both side of Electrodes (Metal).
2. Press Shock Button, the **TEST LIGHT** will blink or keeps on.



How to Change the Batteries

Please replace the Transmitter's battery when the indicated light does not light up on the transmitter. Please replace the receiver's batteries when the **Green** indicated light does not light up on the receiver.

Important Tips: (Please Read)

1. The valid distance of remote control means the straight-line distance between the transmitter and the receiver without obstacles in between. If there are interference signals or signal screening around, the actual remote control distance may vary.
2. The lifetime of the batteries vary according as how often you use the product. Your first battery may not last as long as you expect.
3. The whistle function design for you to call your pet, this is not a warning beep function for the receiver.
4. This product is for pet training. Good effect can only be achieved after a period of training.
5. This product is a wireless transmitting device; you **MUST NOT** use the remote control system in places like petrol stations or hospitals where mobile phones are prohibited. Patients using heart pacemaker are forbidden to use this product. If some products have the same frequency as this product, the receiver might not work correctly.
6. The Electrodes have to directly touch pet's skin as it is very important to effective training.
7. This product is only for Pet Training, It is not a **Regular Pet Collar**. Please remove it from your pet at least 8 hours out of every 24 hours.
8. The Device does not design for waterproof.
9. If you do not use the transmitter please take off the power for saving battery life.



Customer Support Center

Tel: 1-909-923-8743

Monday – Friday 8:30AM – 5:00 PM Pacific Time

Email: smartpets@lavasat.com

Add: LAVA Electronics Inc. 2580 E Philadelphia ST #D, Ontario, CA 91761

This product has a limited Manufacturer Warranty. Details of the warranty can be found on www.lavasat.com or by calling our Customer Support Center.



Made in China



LAVA Electronics Inc
2580 E Philadelphia St #D
Ontario, CA 91761, USA
1-909-923-8743

www.lavasat.com

Email: smartpets@lavasat.com

Copyright © LAVA Electronics Inc. 2010. All rights reserved.