

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	of product * Notebook PC				
Commercial name *	ThinkPad X1 Carbon 2nd				
Model number *	<i>M/T: 20A7/20A8</i>				
Issue date *	2014, June 13				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number ThinkPad X1 Carbon 2nd M/T: 20A7/20A8 Issue date 2014, June 13 Logo lenovo Product environmental attributes - Legal requirements Requirement met Item Yes No n.a. **P1** Hazardous substances and preparations P1.1 Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent \square chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2* Products do not contain Asbestos (see legal reference). \square Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), P1.3* \square hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated \boxtimes terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in \bowtie the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference) P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), \boxtimes Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split \bowtie aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as \boxtimes pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 \times microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998 P1.10 REACH Article 33 information about substances in articles is available at (add URL or mail contact): \bowtie http://www.lenovo.com/social_responsibility/us/en/materials.html **Batteries P2** P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains \square more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or P2.2* accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) **P**3 Safety, EMC connection to the telephone network and labeling P3.1 The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal P3.2 reference) P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see \boxtimes legal reference and Note B1) P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). ${ imes}$ P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference) **P5** Product packaging P5.1 Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and \boxtimes hexavalent chromium by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.2* P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal \square Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	ThinkPad X1 Carbon 2nd			
		<i>M/T: 20A7/20A8</i>			
Issue date *		2014, June 13 Logo	lena	vo.	
			Require		met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).			
P7	Design	on for recyclers/treatment racinities is available (see regar reference).			
• *		mbly, recycling			-
P7.1*		t have to be treated separately are easily separable	\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradin	g can be done using commonly available tools			
P7.9.	Spare pa	rts are available after end of production for: 5 years	_		
P7.10		s available after end of production for: 5 years			
D7.44*		and substance requirements			
P7.11*		cover/housing material type: type: PC+ABS-FR(40) Material type: PC-GF45FR(40) or PC- Material type: GF40FR(40)			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)	\square		
P7.17	TBBPA (additive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10-aphenanthrene-10-oxide</i>), CAS #: <i>35948-25-5</i>			
P7.18		I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: FR(40)			
17.10	Flame reconcentre Comme 1. Chemi	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #:			
P7.19	Alt. 2 Chemica <i>FR(40)</i>	ical name: , CAS #: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
P7.20	R40, R46	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 P7.21		plastic parts' weight >25g, recycled material content is 0%. plastic parts' weight >25g, biobased material content is 0%.			
P7.22		irces are free from mercury	\square		
		y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries				
P8.1*	-	hemical composition: Lithium Ion/Lithium Manganese Dioxide			Ц
P8.2	Batteries	meet the requirements of the following voluntary program/s: US Call2Recycle, EPBA, JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date	* 2014.	: 20A7/20A8 June 13			Logo leno	
	,					VU
	environmental	attributes - Market	requirements (continued)		ement m
ltem P9	Energy consum	ntion			Yes	No n
9.1	v ,	the following power lev	els or energy cons	sumptions are re	ported: See P14	
Energy mo	ode *	Power level at 100 V AC		Power level at 230 V AC	Reference / Standard for energy modes ar method *	nd test
Peak (On-	max)	45W/65W W	115 V AC 45W/65W W	230 V AC 45W/65W W	Full load	
Categor						
	- WOL Enabled	6.756 W	6.576 W	6.924 W	Use for Energy Star V6 registration(P _{SHO}	ат (р. с) [[
	- WOL Enabled	3.504 W	3.540 W	3.384 W	Use for Energy Star V6 registration(PLON	-
<u> </u>) - WOL Enabled		0.612 W	0.648 W	Use for Energy Star V6 registration(P _{SLF}	-
) - WOL Disabled		W	W	Reference	<i>₽</i>) [
	WOL Enabled	0.372 W	0.372 W	0.408 W	Use for Energy Star V6 registration(POFF	, <u> </u>
						′ <u> </u>
	WOL Disabled	W	W	0.30 W	Use for ErP	<u> </u>
charger pli	ower supply / ugged in the wall disconnected from	W	0.144 W	0.252 W		
PTEC *	ergy Consumption	W 1	W	W		
TEC * Typical En	ergy Consumption	n kWh/week	kWh/week	kWh/week		
Etec * Annual En	ergy Consumptior	23.44 kWh/year	23.07 kWh/year	24.04 kWh/year	ETEC = (8760/1000) X (POFF × TOFF + PSLEE TSLEEP + PLONG_IDLE × TLONG_IDLE + PSHORT_ TSHORT_IDLE)	
Display reg	solution* · 1600	x 900, 2560 x 1440 Pix	els			r
Print Spee		Images per minute				
•		save mode: 20 minute	s			
P9.2*		ut the energy save fund		ith the product.		
P9.3*	The product me	ets the energy requirer ® version: <i>Version 6.</i>	nents of the follow	ing voluntary pro		
P10	Emissions					
		- Declared according	to ISO 9296	· ·		
P10.1	Mode	Mode description		Declared A-weighted sound powe)
				level L_{WAd} (t is not
	Idle	* Idle		* 2.7	18	
	Operation	* Operating (CPU)		* 3.7	28	
	Other mode					

Model nui	nber *	ThinkPad X1 Carbon 2nd M/T: 20A7/20A8					
Issue date) *	2014, June 13		Logo	leno	VO.	
Product	environr	nental attributes - Market requirements (continued)			Require	ment	met
Item					Yes	No	n.a.
	Chemic	al emissions from printing products					
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other sp	ecify:				\square
P10.4		emission rate (print phase) is (mg/h):					
	••	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemica		e met for :				\boxtimes
	Electron	nagnetic emissions					
P10.6	program	er display meets the requirement for low frequency electromagnetic field /s: MPR-II (3 pin AC adapter only)	s of the follo	owing volunta	у 🔀		
P11		nable materials for printing products					
P11.1*	A Safety	v Data Sheet (SDS) is available for the ink/toner preparation, even if not	egally requ	ired (see P4.3).		\square
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that i 1.	t meets the	e requirement	s of		\square
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.					\boxtimes
P12	Ergono	mics for computing products					
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual displa	y technolog	gies.	\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-41	0.				
P13	Packagi	ing and documentation					
P13.1*	Standard Product Product Product Product Product Product Product Product Product	<u>d Packaging</u> : packaging material type(s): <i>Corrugated Cardboard</i> packaging material type(s): <i>100% Recycled Molded Pulp</i> packaging material type(s): <i>100% Recycled Bamboo Fiber</i> packaging material type(s): <i>Others (plastic bags)</i> <u>ackaging</u> material type(s): <i>Corrugated Cardboard</i> packaging material type(s): <i>100% Recycled Expanded Polyethylene</i> packaging material type(s): <i>Polystyrene</i> packaging material type(s): <i>Others (plastic bags)</i>	weight (kg weight (kg weight (kg weight (kg weight (kg weight (kg weight (kg): 0.180): 0.160 j): 0.020 j): 1.283 j): 0.054 j): 0.173			
P13.2*		plastic packaging is free from PVC.			\boxtimes		
P13.3*	Electron	media for user and product documentation (tick box): ic \square , Paper \square , Other \square					
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage	e of post-co	nsumer recyc	ed		
P14		nal information (See Note B4)					
	informat knowled	Supplier makes no representations, guarantees, assurances or warrantie ion contained in this document. All information provided by supplier in th ge available at the time of completion, and supplier shall have no obligat here is approximate and provided for informational purposes only. See ion.	is documen tion to upda	t is provided to the such inform	based on sup nation. The ir	plier's forma	
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest info ww.energystar.gov/index.cfm?fuseaction=find_a_product.showPro		&pgw_code=	CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Carbon(2nd).	Logo
Model Number	20A7, 20A8	lenovo
Issue Date	2014, July 1	
Additional information		

P7.1.1	Product environmental attributes	
(d)	vear of manufacture:	
(u)	year of manufacture.	2014
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display:	cards (dGfx) are
	Category (according to ErP Lot 3): A Etec: 20.91	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics of enabled:	ards (dGfx) are
	Category (according to ErP Lot 3): Etec:	
(g)	idle state power demand (Watts);	6.92
(h)	sleep mode power demand (Watts);	
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.65
(j)	off mode power demand (Watts);	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.41
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	J
	Not applicable	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSL efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles batteries:	3
	IEC 61960 measurement methodology	

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:	
			ENERG	GY STAR measurement methodology	
(q)	sequence of	steps for achieving	g a stabl	le condition with respect to power demand ::	
			ENERG	GY STAR measurement methodology	
(r)	description of	f how sleep and/or	off mod	de was selected or programmed:	
		By selecting	g sleep	and/or off mode thru Windows operating system	
(s)	sequence of off mode:	events required to	reach th	he mode where the equipment automatically changes to sleep and/or	
		A	utomati	cally changes to sleep after 20 minutes	
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20 minutes
(u)	•			ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	
(v)	the length of	f time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	information o	n the energy-savir	ng poten	tial of power management functionality:	
	User info	ormation describ	ed in Us	ser Guide and Power Manager under ThinkVantage menu in all programs	
(x)	user informat	ion on how to ena	ble the p	power management functionality:	
	User info	ormation describ	ed in Us	ser Guide and Power Manager under ThinkVantage menu in all programs	
(z)		supply system, -		test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits	
			230V, 5	50Hz, Total Harmonic Distortion <2 %	
Addition	Notebook Batt	ery Information:			
Yes	-	lo	n/a	This notebook computer is operated by battery/ies that cannot be acces by a non-professional user.	sed and replaced
(Battery replaceal		Battery user eplaceable)		The battery[ies] in this product cannot be easily repla themselves	iced by users

Additional information