P.O.P.S.

PC Options, Peripherals and Services

Claus Suckow Product Marketing Manager P.O.P.S. EEMEA

September 2007



Copyright © 2007 Toshiba Corporation. All rights reserved.

Product Groups

- > Expansion
- ><u>Power</u>
- ><u>Connectivity</u>
- > Deskbased Peripherals
- > External USB HDDs
- > USB Optical & Floppy Drives
- > Carry Cases & Bags
- > Notebook Skins
- > Warranty Extensions & Services



Expansion


>Upgrade your notebook memory for higher performance

- > Secure and transfer data
- >Increase storage of portable devices





512/1024/2048 MB PC2 DDR2 Memory 533/667 MHz



- Designed to meet the exact specification requirements of each system set by Toshiba
- Higher speed and improved electrical/thermal performance
- Lower power consumption and heat

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features


- 512/1024/2048 MB
- PC2
- DDR2
- 533/667 MHz
- RoHS compliant

Compatibilities

- Visit <u>www.toshiba-</u> <u>europe.com/more4you</u> for the updated notebook compatibility list
- PA3412U-2M51
 512MB Memory PC2-4300 DDR2 (533MHz)
 PA3411U-2M1G
- 1GB Memory PC2-4300 DDR2 (533MHz) • PA3499U-1M25 256MB Memory PC2-5300 DDR2 (667MHz) • PA3511U-1M51
- 512MB Memory PC2-5300 DDR2 (667MHz) • PA3512U-1M1G
- 1GB Memory PC2-5300 DDR2 (667MHz) • PA3513U-1M2G
- 2GB Memory PC2-5300 DDR2 (667MHz)



USB Flash Drive



- High-speed USB 2.0
- The quick and easy way to back up important data and share files with other computers
- Just plug & play into a USB port

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Capacity: 512 MB / 1 GB / 2 GB
- High-speed USB 2.0
- Plug & play

System Requirements

• Windows® ME, 2000, XP, Vista available USB 2.0 port

Dimensions

• 67 mm x 17 mm x 7 mm



USB Flash Drive High Speed, up to 8GB



Smart – with integrated cap

- > Support Windows® ReadyBoost™
- Features password lock function & data encryption
- High speed data transfer

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PA3556E-1M2G 2GB PA3556E-1M4G 4GB PA3556E-1M8G 8GB



Main Features

- USB 2.0 Interface
- Read speed approx.: >22MB/s
- Write speed approx.: >9MB/s

System Requirements

 Windows® XP/2000/Vista[™], USB 2.0 port

Dimensions

• 60 x 21 x 11 mm



Power

- > High quality and save power devices
- > Verified and approved for TOSHIBA notebooks
- > Stay mobile longer and independent from power line





Notebook Batteries



- Provides the power you need for your Toshiba Notebook when you are on the go
- Same quality, reliability, and specifications as the original Toshiba Primary Battery Pack included with your Notebook
- Different batteries to meet all requirements: Standard batteries, batteries with extended and high capacity

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- > Li-Ion Battery Pack
- > Up to 12 cells
- > Capacity up to 8800 mAH
- > Removable
- Recharge time: Depends on capacity

Compatibilities

 Visit <u>www.toshiba-</u> <u>europe.com/more4you</u> for the updated notebook compatibility list

AC Adapter 60W - 120W



Partnumber: Check for dedicated Notebook model

Universal AC Adapter to power your Notebook through your home or office electric socket.

- Recharges your battery pack
- Same quality, reliability, and specifications as the original Toshiba AC Adapter included with your Notebook
- Toshiba's Universal AC Adapters can be used anywhere in the world with the appropriate AC plug adapter.
- Get an extra AC Adapter to be kept at home, in the office or when travelling.

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- > 60/75/90/120W AC Adapter
- Input Power: 100~240V 50/60Hz (Universal)
- > Color: Black
- AC Power Cable: three-prong type (not included)

Compatibilities

• Visit

www.toshibaeurope.com/more4you for the updated notebook compatibility list

Battery Charger



- Provide external battery charge to portable computer batteries
- Supports a wide variety of notebooks
- Ideal when you need to run your notebook off battery power for very long periods

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- 2 Slots
- Charge time per Battery: Main Battery: 2h 2nd Battery: 2,2h

Compatibility

- > Satellite 5200, A10, A50, M30, U200
- Qosmio E10, F10, F20, F30, G10, G20, G30, G40
- Satellite Pro 6000, 6050, 6070, 6100, A10, M10, M30
- Portégé 2000, 2010, 3500, 4000, 4010, M100, M200, R100, R300, R500, S100
- Tecra M1, M2, M3, M4, M5, M7, A2, A8, A9, S3, S4, S5

- 144 mm (W) x 30 mm (H) x
 229 mm (D)
- > Weight: 630g



Notebook Car Charger 75 W, 15V, 5A



- For Toshiba notebooks with 15 V up to 5.0 A
- Detachable input & output cables for maximum flexibility
- Shut-down circuits to protect the notebook & adapter

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PX1323E-1NPO

Main Features

- Input voltage: 12 to 16 VDC
- Output voltage: 15 V, 5.0 A, 75 W
- Input cable: 92 cm with cigarette plug
- Output cable: 92 cm with connector
- Protective circuitry
- Automatic fault reset

Compatibilities

• For Toshiba notebooks with 15 V up to 5.0 A

- 9.5 x 6.0 x 3.0 cm
- Weight: 170 g



Notebook Car/Truck/ Air Charger 120 W, 15V, 8A



Partnumber: PX1237E-1NPO

• Ultra-slim design

- Advanced protection features:
 - input under- and over-voltage protection
 - short circuit protection and over-temperature shutdown with auto restart
 - constant output current limitation
 - output over-voltage protection
 - power reduction in case of over-temperature in cigarette lighter plug

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Wide input voltage: 11 V 32 V
- No minimum load requirement
- 6 different notebook power connectors

Compatibilities

• Visit

www.toshiba-europe.com/more4you for the updated notebook compatibility list

- 142 x 62 x 19 mm
- Weight: 360 g (with cables)



Connectivity

>Connect all you main peripherals to one hub

> Eliminates the hassle of connecting multiple cables time after time





USB 2.0 Port Replicator II (Ethernet)



- Connect all you main peripherals to one hub
- Brings hard to reach ports/cables to your notebook with just one connection cable
- Easy to install and use
- Reduces cable clutter, plugging and unplugging and the cost of buying separate hubs, adapters and converters
- Compact, space saving design

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PX1173E-1PRP



Main Features

- 4 USB 2.0 ports
- 2 PS/2 ports
- 1 RS232 serial port
- 1 USB 2.0 LAN port supporting 10/100 Mbps transfer rates
- USB 2.0 A to B cable
- AC Power Adapter (DC 5V/3A)

Compatibility

- All notebooks with USB 1.1/2.0 port
- System Requirements: Win 2000/XP/Vista

Dimensions

2.45 * 11 * 7.3cm



Dynadock Universal USB Docking Station with Video (VGA)



- VGA output for TV or monitor connection with high performance
- 7.1 Ch audio output for excellent audio quality
- Features 6x USB 2.0 ports and 1x Ethernet port
- Comes with AC adapter, USB cable, quick start guide, CD with software & user manual

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omission excepted.



Main Features

- Colour: Aluminium silver & black
- PC connection interface: USB 2.0
- Interfaces:
 - 6x USB, 1x 10M/100M LAN, 1x VGA, 1x Mic In, 1x Headphone Out, 1x S/PDIF Out, 1x Serial
- VGA resolution: up to SXGA (1.280 x 1.024), 24-bit colour
- AC powered
- Supports 7.1 Ch audio via S/PDIF
- Front USB ports supply power even if the PC is off
- Supports hot plug function

System Requirements


• Intel Pentium, Celeron or AMD processor, 1.2 GHz & 512 MB memory is required for still image, Intel Core Duo 2.0 GHz & 1.024 MB memory is required for movie playback, USB 2.0 port, 30 MB of available hard disk space, Windows® XP SP2, Vista

Dimensions

• 45 mm (W) x 78 mm (D) x 222 mm (H)



POPS - PC Options, Peripherals & Services slide: 15 29.08.2007



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omission excepted.

POPS - PC Options, Peripherals & Services slide: 16 29.08.2007



Dynadock Universal USB Docking Station with Video (DVI)



- DVI output for TV or monitor connection with high performance
- 7.1 Ch audio output for excellent audio quality
- Features 6x USB 2.0 ports and 1x Ethernet port
- Comes with AC adapter, USB cable, DVI to VGA adapter, quick start guide, CD with software & user manual



Main Features


- Colour: mist grey & black
- PC connection interface: USB 2.0
- Interfaces:
- 6x USB, 1x 10M/100M LAN, 1x DVI, 1x Mic In, 1x Headphone Out, 1x S/PDIF Out, 1x Serial
- DVI resolution: up to UXGA (1.600 x 1.200), 24-bit colour
- AC powered
- Supports 7.1 Ch audio via S/PDIF
- Front USB ports supply power even if the PC is off
- Supports hot plug function

System Requirements

• Intel Pentium, Celeron or AMD processor, 1.2 GHz & 512 MB memory is required for still image, Intel Core Duo 2.0 GHz & 1.024 MB memory is required for movie playback, USB 2.0 port, 30 MB of available hard disk space, Windows® XP SP2, Vista

Dimensions

• 45 mm (W) x 78 mm (D) x 222 mm (H)








Dynadock Universal USB Docking Station with Video (DVI)

RS232C





Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omission excepted.



POPS - PC Options, Peripherals & Services slide: 18 29.08.2007

Advanced Port Replicator III Plus



- Snap in and out to a full compliment of ports
- Supports USB 2.0, if featured on the notebook
- Great value! Includes AC Adaptor

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



EOL Q4/2007

Main Features

S1, S2, S3, S4

Toshiba Express Port Replicator



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Deskbased Peripherals & Others

- Increase value and protect your notebook
- > Enhance usage and features
- > Simplify data input and notebook handling



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Optical Tilt-Wheel Mouse



- > Full-speed engine, 8 times faster than low-speed
- Easy to navigate with 4 ways scrolling
- Ultra precise and smooth operation

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Interface: USB
- 800 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V
- / 44mA; stand by 5V / 21mA
- Cable length: approx. 1.5 m

System Requirements

Windows® Vista™/XP/2000, USB
 2.0 port, CD-ROM drive

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 105 g



Laser Tilt-Wheel Mouse



- Laser technology allows for precise and smooth operation on most transparent or mirrored surfaces
- Easy to navigate with 4 ways scrolling
- Ergonomic shape provides comfortable usage
- > Full-speed engine, 8 times faster than low-speed

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Interface: USB
- 1600 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V
- / 36mA; stand by 5V / 28mA
- Cable length: approx. 1.5 m

System Requirements

Windows® Vista™/XP/2000, USB
 2.0 port, CD-ROM drive

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 95 g



Mini Retractable Laser Mouse



- Compact size and retractable USB cable makes it ideal for travelling
- Ultra precise and smooth operation
- Works on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Interface: USB
- 1600 dpi
- Buttons: Left / Right / Scroller
 Wheel
- Power requirements: working 5V
- / 20mA; stand by 5V / 8mA
- Cable length: approx. 63 cm

System Requirements

 Windows® Vista[™]/XP/2000, USB port

- 95 (D) x 62 (W) x 36 (H) mm
- Weight: approx. 80 g



Wireless Mouse with Bluetooth[™] Technology



- > Operating range up to 10 meters
- Easy to navigate with 2 ways scrolling
- Precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Interface: Bluetooth[™] 2.0
- Frequency: 2.4 GHz
- 800 dpi
- Profile: HID
- Button count: 3 with scrolling
 wheel
- Mouse sensor: optical
- Operation range: 10 meters
- On/Off switch
- Including 2x AA Alkaline 1.5v batteries

System Requirements

 PC with Intel Pentium III 500 MHz, 256 MB, 50 MB hard disk space, USB 1.1/2.0 port, Bluetooth[™] V1.2 or higher, Bluetooth[™] Stack for Windows® by Toshiba, Windows® Vista[™]/XP/2000

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g



Wireless (RF) Mouse



- Operation range up to 10 meters
- Compact design, receiver can be stored inside the mouse
- Ultra precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Interface: RF 2.4 GHz
- Frequency: 2.4 GHz
- Operation range: up to 10 meters
- Mouse sensor: optical
- 800 dpi
- Receiver interface: USB 1.1/RF
 2.4 GHz
- Buttons: 3 with scrolling wheel
- On/Off switch
- Batteries: 2x 1.5v, AA Alkaline

System Requirements

 PC with Pentium III 500 MHz, 256 MB, 50 MB hard disk space, Windows® Vista™/XP/2000, USB 1.1/2.0 port

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g
- Receiver: 16 (W) x 57 (D) x 8 (H) mm, 6 g

USB Webcam



• 2 x digital zoom, 640 x 480 pixel, up to 1,3 Mio. pixel interpolated

- With versatile clip to fit on desktops, notebooks and LCD monitors
- Built-in microphone for instant messaging via Skype, Yahoo & Windows® Live Messenger

Main Features

- 640 x 480 pixel CMOS sensor
 Video resolution: 640 x 480 (VGA), 30 fps / 800 x 600 interpolated
 Still image resolution: 640 x 480 (VGA) / 1.280 x 960 (1,3 Mio. pixel) interpolated
 Video: AVI, Still image: JPEG, BMP
- 24 bit true colour
- 2x digital zoom
- Exposure: auto
- White balance: auto/manual
- Built-in microphone
- Snapshot button
- LED status indicator
- USB 1.1, bus powered when connected to a PC

System Requirements

• Windows® 2000/XP/Vista, USB 1.1 port

Dimensions

- 63.4 (W) x 50 (H) x 25 (D)
- Weight: ca. 52 g

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



All-in-One Card Reader



- Compact design
- Most versatile can read and write 24 different media types*
- With LED indicator lights

*Supports: CF[™] (II, II Ultra, Extreme) Card, MicroDrive, xD-Picture[™] Card, T-Flash Card (adapter needed), Mini SD[™] Card (adapter needed), SD[™] (Ultra II) Card, HS-MMC Card, MMC Card (2, 4.0), Rs-MMC Card, Memory Stick MagicGate (Pro, Duo), HS Memory Stick MagicGate (Pro, Duo), Memory Stick (Pro, Duo, Pro Ultra)

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PX1284E-1NCR (bulk packaging)

Main Features

- Auto-detects card type when inserted
- USB 2.0
- Plug & Play

System Requirements

• Windows® 2000 SP3, Windows® XP, Vista, available USB 2.0 port

Dimensions

• 45 x 38 x 38.5 cm



Kensington MicroSaver



- Ready to use straight from the box
- It takes only seconds to install
- No additional components to lose or misplace
- Available in master key and like key options
- Lifetime warranty

Main Features

- Theft protection for mobile device
- Secure, patented locking mechanism

Compatibility

 Notebooks, Slim Notebooks, Desktop, Docking Station, CPU, Hard drive memory, TFT monitor, Projectors

Dimensions

- Length of cable: 1.8 m
- Thickness: 4.5 mm
- Lock barrel diameter: 1.7 cm
- Lock barrel length: 2.5 cm

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Universal Notebook Stand



- Encourages good posture
- Easily adjustable in height and width
- > Lift and tilt your notebook to eye level increase comfort and productivity
- Expandable shelf-width smooth pull-out motion
- Compatible with notebooks and video projectors

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Adjustable in height of up to 10,3 cm
- Up to 25° tilt adjustment
- Provided pan rotation rollers on the bottom
- Adjustable rubber-coated tabs to stabilize the notebook
- Cooling holes in the center of the platform
- Independent tilting mechanism for the platform

Compatibility

For devices up to 20,3 x
43,2 x 38,1 cm, weighing up to
5,5 kg



Notebook Starter Kit



• 3 products in 1 box:

Carry Case – Value Edition: Perfect safety through reinforced frame - for notebooks up to 15.4"

USB Optical Mouse: A stylish and compact optical scroll wheel mouse that is perfect for daily use and for travelling

USB 2.0 4x Hub: Connect all your main peripherals to one hub

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Carry Case Value Edition: Polyester/Dobby Nylon, cushioned notebook compartment, front pocket for mobile accessories, shoulder strap
- USB Optical Mouse: USB 2.0, Windows® 2000 & XP
- USB 2.0 4x Hub: USB 2.0, Windows® 2000 & XP

Compatibility

• For notebooks up to 15.4" featuring USB 2.0



LCD Monitor 20"

>PA3552E-1LCD

TekBright 20" W - external Monitor (Analog / Speaker)

>PA3552E-1LC2

TekBright 20" W - external Monitor (Analog & DVI / Speaker)

Excellent picture quality, with an antiglare panel to reduce reflections on the screen. Integrated speakers and DVI-D ports to transfer high definition images or videos.

Display:	20"WSXGA+ LCD display
	1680 x 1050 resolution @ 60Hz
	16.7 mio colours
Response time:	5ms
Contrast Ratio:	800:1
Viewing angle:	160 degree horizontal/vertical
Luminance:	300 cd/m ²
Ports:	DVI-D, RGB, audio
Speakers:	2 x 1.5W
Dimensions:	479 (W) x 384 (H) x 191 (D)
Weight:	4.8kg



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



LCD Monitor 22"

>PA3553E-1LCD

TekBright 22" W - external Monitor (Analog / Speaker)

>PA3553E-1LC2

TekBright 22" W - external Monitor (Analog & DVI / Speaker)

Excellent picture quality, with an antiglare panel to reduce reflections on the screen. Integrated speakers and DVI-D ports to transfer high definition images or videos.

Display:	22"WSXGA+ LCD display
	1680 x 1050 resolution @ 60Hz
	16.7 mio colours
Response time:	5ms
Contrast Ratio:	800:1
Viewing angle:	160 degree horizontal/vertical
Luminance:	300 cd/m ²
Ports:	DVI-D, RGB, audio
Speakers:	2 x 1.5W
Dimensions:	507 (W) x 393 (H) x 191 (D)
Weight:	5.3kg



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Camileo Pro



- 8 in 1: digital video camcorder, digital still camera, webcam, digital voice recorder, MP3 player, mass storage device, eBook, motion detection
- 3x optical zoom, 4x digital zoom
- > 7.0 Mega Pixel CCD sensor for excellent image quality
- Including SD card (optional), USB cable, AV cable, power adaptor, earphones, strap, pouch, mini tripod, Lilon rechargeable battery, CD with software & driver

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PA3629E-1CAM without SD card

PA3628E-1CAM incl. 2GB SD card

PA3632E-1CAM incl. 4GB SD card

Main Features

- 2.5 LTPS TFT LCD
- 7.0 mega pixel CCD image sensor

Launch Nov 2007

- Optical zoom: 3x
- Digital zoom: 4x
- Build-in 64 MB memory
- SD/MMC card slot

 Image resolution: 3744 x 2808 (high), 3072 x 2304 (standard), 2048 x 1536 (low)

- Movie resolution: 720 x 480 (D1), 640 x
- 480 (VGA), 320 x 240 (QVGA), 30 fps
- Interfaces: mini USB 2.0/earphone

System Requirements

 Windows® 2000/XP/Vista[™], Pentium III 800 MHz or above, 256 MB RAM, 1 GB free hard disk space, available USB port, CD-ROM drive

- 119 x 64 x 30.5 mm
- Weight: approx. 165 g (without battery)



External USB HDDs


- >Increase storage capacity
- >Backup and secure valuable data
- >Mobile use of huge amount of data



Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



320/400/500 GB External USB Hard Drive



- > External 3.5" Hard Drive
- > 7200 rpm high-speed
- Data buffer: 8 / 16 MB
- Horizontal or vertical placement

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Optimized for digital video, photos and music storage
- Fanless design for near-silent operation
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Rotational speed: 7200 rpm
- Cache: 8 MB (320GB), 16 MB (400/500 GB)
- Power requirement: +5 VDC (+/- 5%) +12 VDC (+/- 5%)

System Requirements

 PC with minimum 233 MHz Pentium or equivalent (Celeron, AMD, etc.), Windows® 2000/XP, available USB 2.0 ports

- 117 mm (W) x 35 mm (L)
- x 206.5 mm (H)
- Weight: ca. 1.09 kg



160 GB External USB Mini Hard Drive



- 5400 rpm high-speed performance
- Bus-powered (requires 2 USB ports)
- Compact and lightweight
- > Fanless design for near-silent operation

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Rotational speed: 5400 rpm Interface: high-speed USB 2.0

- Interface transfer rate (max.):
 480 Mbps
- Cache: 8 MB

Main Features • Colour: silver

System Requirements

 PC with min. 233Mhz (Pentium, Celeron, AMD, etc.), Windows® XP/ 2000/Vista[™], 2 available USB ports

Dimensions

74 mm (W) x 123 mm (L)
x 14 mm (H)
Weight: ca. 176 g



200 GB External USB Mini Hard Drive



- 4200 rpm high-speed performance
- Bus-powered (requires 2 USB ports)
- Compact and lightweight
- Fanless design for near-silent operation

Partnumber:

PX1398E-2G20

Main Features

- Colour: silver
- Rotational speed: 4200 rpm
- Interface: high-speed USB 2.0
- Interface transfer rate (max.):
 480 Mbps
- Cache: 8 MB

System Requirements

 PC with min. 233Mhz (Pentium, Celeron, AMD, etc.), Windows® XP/ 2000/Vista[™], 2 available USB ports

Dimensions

74 mm (W) x 123 mm (L)
x 14 mm (H)
Weight: ca. 176 g



USB Optical & Floppy Drives

- >Backup and secure valuable data
- >Transfer data from and to your notebook
- >"On the fly" copy of CD/DVD





External CD-RW/DVD-ROM Drive



Partnumber: PA3438U-2CD2

Save large files, burn CDs and watch DVD movies on the move

- Ultra thin and light, bootable combo drive in a stylish design
- Burn CDs and watch DVD movies
- Bundled applications: InterVideo WinDVD 5, Sonic RecordNow!, Sonic DLA (only supported by Windows XP), DVD-RAM Driver, Acrobat Reader V5.05
- System Requirements: Windows XP Home Edition, Windows XP Professional, Windows XP Tablet Edition, Windows 2000, USB 2.0 port

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- USB 2.0 interface
- Bus powered
- Performance: Read: CD-ROM/-R/-RW (24x), DVD-ROM (8x)
- Write: CD-R (24x), CD-RW (24x)
- Bundled applications: InterVideo WinDVD 5, Sonic RecordNow!, Sonic DLA (only supported by Windows XP), DVD-RAM Driver

Compatibility

• Compatible with PCs featuring USB 2.0

- 135 mm (W) x 135.6 mm (L)
- x 14.8 mm (H)
- Weight: ca. 280 g



External DVD SuperMulti Drive



Partnumber: PA3454U-1DV2

Save large files, burn CDs/DVDs and watch DVD movies on the move

- Ultra thin and light, bus-powered bootable DVD SuperMulti drive in a stylish design
- Burn CDs/DVDs and watch DVD movies
- Bundled applications: InterVideo WinDVD 5, InterVideo WinDVD Creator 2 (only supported by Windows XP), Sonic RecordNow!, Sonic DLA (only supported by Windows XP), DVD-RAM Driver, Acrobat Reader v5.05

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- USB 2.0 interface
- Bus powered
- Performance: Read: CD-ROM/-R/-RW (max. 12x), DVD-ROM/+R/-R (max. 4x), DVD-RAM (2x)
- Write: CD-R/-RW (4x), DVD-R
 (4x), DVD-RW (2x), DVD+R/
 +R DL/+RW (2.4x), DVD-RAM
 (2x)
- System Requirements: Windows XP, 2000, Vista USB 2.0 port


Compatibility

• Compatible with PCs featuring USB 2.0

- 135 mm (W) x 135.6 mm (L) x 14.8 mm (H)
- Weight: ca. 290 g



USB FDD



Main Features

- > Size: 3,5 inch
- Capacity: 1,44MB / 720KB (WinXP doesn't support 720KB)
- Rotation: 300 rpm
- Transfer rate: 500Kbit/sec (high) 250Kbit/sec (low)

Compatibility

• Compatible with PCs featuring USB 2.0

Dimensions

- 103 mm (W) x 17,6 mm (H) x 140 mm (D)
- > Weight: 263 g



Carry Cases

> Protect and store your notebook in stylish carry cases & bags

- >Big variety for all needs and various tastes
- Cases out of high quality materials
- >To carry, roll or use as a shoulder bag





Carry Case – Value Edition



- Style, storage and protection for your Toshiba Notebook
- Cushioned notebook compartment
- Additional front pocket for mobile accessories
- Material mix as optical eye-catcher
- Metal fittings
- Notebook-Strap

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Material: 600 D Polyester/ Dobby Nylon
- Cushioned Notebook compartment; internal compartment for pens and business cards; additional front pocket for mobile accessories; Notebook-Strap; highquality zipper

Compatibilities

• For all Notebooks up to 15.4"

- 410 x 330 x 80 mm
- Weight: 0,8 kg



Business Case



- Style, storage and protection for your Toshiba Notebook
- Lockable, cushioned notebook compartment
- High protection through High-Density Foam (HDF)
- Separate compartment for power supply units and cables
- Reinforced metal frame
- Including comfortable shoulder strap

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Featur

 Material: 600 D Polyester/ Dobby Nylon

• Lockable cushioned Notebook compartment (HDF); front pocket with holders for pens, mobile phones, business cards etc.; workstation with pockets for mobile accessories; trolley fastening strap; shoulder strap

Compatibilities

• For all Notebooks up to 15.4"

- 435 x 350 x 120 mm
- Weight: 1,4 kg



Advanced Business Case



- Style, storage and protection for your Toshiba Notebook
- High protection through High-Density Foam (HDF)
- Expandable compartment for printer, beamer or documents
- Separate compartment for power supply units and cables
- Including cushioned shoulder strap

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Material: N800 x T600 Nylon/ Dobby Nylon
- Cushioned lockable Notebook compartment (HDF); front pocket with workstation for pens, mobile phone, business cards; cushioned shoulder strap; cable bag; high quality zipper; expandable compartment

Compatibilities

For all Notebooks up to 15.4"

- 430 x 330 x 160 mm
- Weight: 1,6 kg



17" XXL Case



- Made of high-quality materials
- High protection through High-Density Foam (HDF)
- Lockable, cushioned notebook compartment
- Separate compartment for power supply units and cables
- Front pocket with holders for pens, mobile phones, business cards, etc.
- Including comfortable shoulder strap

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Material: 1260 D Nylon / Dobby Nylon
- Workstation with pockets for mobile accessories
- Trolley fastening strap
- Comfortable shoulder strap

Compatibilities

• For all Notebooks up to 17" (not compatible with Qosmio G40)

- 470 x 340 x 140 mm
- Weight: 1,5 kg



Business Traveller



- Modern material mix
- Integrated telescope handle
- Document compartment with slots and storage room for documents
- Notebook case to carry or use as shoulder bag

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

EOL Dec 2007

Main Features

- Colour: Black
- Material: 1680 D Ballistic
 Nylon
- Cushioned, lockable Notebook compartment
- Workstation for mobile accessories
- Separate compartment for power supply units and cables
- Exchangeable easy-roll wheels

Compatibilities

• For all Notebooks up to 15.4"

- 420 x 360 x 200 mm
- Weight: 3,2 kg



Leather Case



- Style, storage and protection for your Toshiba Notebook
- High-quality locks
- Inside pocket
- Notebook compartment with cover to protect your Notebook connections
- Notebookscase of active of the second of t

Main Features

- Colour: Black
- Material: Leather
- Cushioned Notebook compartment; zip-down workstation with holder for pens, mobile phones PDAs, CDs etc.; document compartment

Compatibilities

• For all Notebooks up to 15.4"

- 320 x 390 x 160 mm
- Weight: 1,9 kg

Classic Case



- Style, storage and protection for your Toshiba Notebook
- High quality leather and locks
- Cushioned Notebook compartment and separate compartment for documents
- Two additional front pockets for mobile accessories
- Adjustable comfortable shoulder strap

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Partnumber: PX1328E-1NCA

Main Features

- Colour: Brown
- Material: Leather
- Cushioned Notebook compartment; compartment for documents; additional front pocket for mobile accessories (pen-, name card holder; mobile phone pocket); adjustable cushioned shoulder strap


Compatibilities

 For all Notebooks up to 15.4" (370 x 290 x 40mm)

- 400 x 330 x 150 mm
- Weight: 2,8 kg



Premium Case



- Style, storage and protection for your Toshiba Portegé and libretto
- Cushioned design handle
- High-Quality locks and materials
- Zip-Down-Workstation with holder for pens, business cards and your mobile phone

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Colour: Black
- Material: exclusive vegetable tanned leather
- Cushioned Notebook
 compartment
- Document compartment; 2 cable pouches
- Holder for pens, business cards and mobile phone

Compatibility

For Toshiba Portegé R200
 & Libretto U100

- 350 x 280 x 100 mm
- Weight: 1,7 kg



Backpack



- Style, storage and protection for your Toshiba Notebook
- Cushioned notebook compartment and separate compartment for documents
- Additional front pocket for mobile accessories
- Comfortable shoulder straps and back cushioning
- Toshiba Backpack makes transport a pleasure: on your scooter, bicycle, inline skates or by car.

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



Main Features

- Material: Ballistic Nylon/ Dobby Nylon
- Cushioned Notebook compartment; compartment for documents; additional front pocket for mobile accessories; adjustable cushioned shoulder straps; back cushioning

Compatibilities

• For all Notebooks up to 15.4"

- 410 x 360 x 160 mm
- Weight: 0,7 kg



Backpack



- Style, storage and protection for your Toshiba Notebook
- Cushioned Notebook compartment and separate compartment for documents
- Additional front pocket for mobile accessories
- Comfortable shoulder straps and back cushioning
- Toshiba Backpack makes transport a pleasure: on your scooter, bicycle, inline skates or by car.

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Material: 600 D Polyester (210 D Nylon inside)
- Cushioned Notebook compartment; compartment for documents; additional front pocket for mobile accessories; adjustable cushioned shoulder straps; back cushioning

Compatibilities

 For all Notebooks up to 15.4" (370 x 290 x 40mm)

- 470 x 330 x 150 mm
- Weight: 0,9 kg



Messenger Bag



PX1311E-1NCA Blue Ocean (dark blue + black) PX1312E-1NCA Orange (orange + black) PX1313E-1NCA Blue Sky (light blue + light grey) PX1314E-1NCA Lemon (green + dark grey)

- Style, storage and protection for your Toshiba Notebook
- Cushioned Notebook compartment and separate compartment for documents
- Two additional front pockets for mobile accessories
- Adjustable comfortable shoulder strap
- Toshiba Messenger Bag makes transport a pleasure: on your scooter, bicycle, inline skates or by car

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Main Features

- Material: 600 D Polyester (210 D Nylon inside)
- Cushioned Notebook compartment; compartment for documents; two additional front pockets for mobile accessories; adjustable cushioned shoulder strap


Compatibilities

 For all Notebooks up to 15.4" (370 x 290 x 40mm)

- 400 x 330 x 150 mm
- Weight: 0,9 kg



Notebook Skins



Errors and omissions excepted.



Notebook Skins

>Notebook Skins tailor-made for selected Toshiba notebooks

Common Skin designs, TOSHIBA exclusive designs or customized designs (image upload by customer)

>Online shop: <u>http://www.toshiba.coovz.com/</u>

>Endcustomer prices

Common designs	24,95 €incl. VAT + 3,00 € S&H
Designs exclusive for TOSHIBA	29,95 €incl. VAT + 3,00 € S&H
Customized designs	29,95 €incl. VAT + 3,00 € S&H

Project based prices for distributor/reseller on request (>500 units)



Services

- >Ultimate protection for your TOSHIBA notebook
- >Longer lasting reassurance extend your standard warranty
- Convenient hardware service on location
- >Minimize hardware repair costs





International Warranty Extensions

(available with a duration between 2 to 5 years)



- Extends your notebook warranty, covering all parts and labour so no unexpected repair costs
- Instant support via the Toshiba Support Centre or Authorised Service Provider
- Worldwide repair service at any Toshiba Authorised Service Provider

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

Compatibility

- For Toshiba NB's with 1 year warranty:
- SE5002I-PDB (1 to 2 years)
- SE5003I-PDB (1 to 3 years)
- For Toshiba NB's with 2 years warranty:
- SE5053I-PDB (2 to 3 years)
- SE5054I-PDB (2 to 4 years)
- For Toshiba NB's with 3 years warranty:
- SE5104I-PDB (3 to 4 years)
- For Tecra A8/A9/S5 with 3 years warranty
 - SE5105I-PDB (3 to 5 years)



On-site Repair, Next Business Day Response Service

Key Features

- >Remote problem diagnosis
- >On-site hardware support
- >Next Business Day Response
- >Labour and parts included
- >Broad geographic coverage
- Monday to Friday during normal working hours excluding public holidays
- > Extension of the standard warranty (if applicable)

EMEA On-site Repair, Next Business Day Response Service

Notebooks with 1 year standard warranty	
SE5551E	1 year EMEA On-site Repair, Next Business Day Response service
SE5552E	2 years EMEA On-site Repair, Next Business Day Response service
SE5553E	3 years EMEA On-site Repair, Next Business Day Response service
Notebooks with 2 years base warranty	
SE5401E	First year EMEA On-site Repair, Next Business Day Response service
SE5402E	2 years EMEA On-site Repair, Next Business Day Response service
SE5403E	3 years EMEA On-site Repair, Next Business Day Response service
Notebooks with 3 years base warranty	
SE5451E	First year EMEA On-site Repair, Next Business Day Response service
SE5452E	First 2 years EMEA On-site Repair, Next Business Day Response service
SE5453E	3 years EMEA On-site Repair, Next Business Day Response service

EMEA On-site Repair, Next Business Day Response Service

On-site Repair, Next Business Day Response Service is delivered in the following countries within EMEA:

Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Portugal, South Africa, Spain, Sweden, Switzerland and the UK.

Coverage is within 100 km radius from major cities.

- Countries Next Business Day
- Countries Third Business Day (GP<mark>S only)</mark>
- Countries without coverage

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.



+ South Africa

SEEI On-site Repair, Next Business Day Response Service

Notebooks with 1 year standard warranty		
SE5551SEEI-P	1 Year On-Site Repair Next Business Day Response Uplift for Bulgaria Cyprus Greece Israel Malta Romania Serbia Slovenia and Turkey	
Notebooks with 2 years base warranty		
SE5401SEEI-P	1 Year On-Site Repair Next Business Day Response Uplift for Bulgaria Cyprus Greece Israel Malta Romania Serbia Slovenia and Turkey	
SE5402SEEI-P	2 Years On-Site Repair Next Business Day Response Uplift for Bulgaria Cyprus Greece Israel Malta Romania Serbia Slovenia and Turkey	
Notebooks with 3 years base warranty		
SE5451SEEI-P	1 Year On-Site Repair Next Business Day Response Uplift for Bulgaria Cyprus Greece Israel Malta Romania Serbia Slovenia and Turkey	
SE5453SEEI-P	3 Years On-Site Repair Next Business Day Response Uplift for Bulgaria Cyprus Greece Israel Malta Romania Serbia Slovenia and Turkey	



SEEI On-site Repair, Next Business Day Response Service

Local On-site Repair, Next Business Day Response Service is delivered in the following countries in the South Eastern Europe, Turkey and Israel region:

Bulgaria, Cyprus, Greece, Israel, Malta, Romania, Serbia, Slovenia or Turkey.

The service is delivered within 50 km radius from major cities.

Additional service coverage/restrictions subject to local business customs or of mostly transitional character may apply.

On-site entitlement in the country of purchase of the service package.



+ Cyprus, Israel and Malta



Middle East On-site Repair, Next Business Day Response Service

Notebooks with 1 year standard warranty		
SE5551ME-P	1 Year On-Site Repair Next Business Day Response Uplift for Egypt, Jordan, Lebanon, Kuwait, Saudi Arabia or United Arab Emirates	
Notebooks with 3 years base warranty		
SE5451ME-P	1 Year On-Site Repair Next Business Day Response Uplift for Egypt, Jordan, Lebanon, Kuwait, Saudi Arabia or United Arab Emirates	
SE5453ME-P	3 Years On-Site Repair Next Business Day Response Uplift for Egypt, Jordan, Lebanon, Kuwait, Saudi Arabia or United Arab Emirates	


Middle East On-site Repair, Next Business Day Response Service

Local On-site Repair, Next Business Day Response Service is delivered in the following countries in the Middle East region:

Egypt, Jordan, Lebanon, Kuwait, Saudi Arabia or United Arab Emirates

The service is delivered within 50 km radius from major cities.

Additional service coverage restrictions subject to local business customs or of mostly transitional character may apply.





Central Europe On-site Repair, Next Business Day Response Service

Notebooks with 1 year standard warranty	
SE5551CE-P	1 Year On-Site Repair Next Business Day Response Uplift for Czech Republic, Hungary, Poland or Slovakia
Notebooks with 2 years standard warranty	
SE5401CE-P	1 Year On-Site Repair Next Business Day Response Uplift for Czech Republic, Hungary, Poland or Slovakia
SE5402CE-P	2 Years On-Site Repair Next Business Day Response Uplift for Czech Republic, Hungary, Poland or Slovakia
Notebooks with 3 years standard warranty	
SE5451CE-P	1 Year On-Site Repair Next Business Day Response Uplift for Czech Republic, Hungary, Poland or Slovakia
SE5453CE-P	3 Years On-Site Repair Next Business Day Response Uplift for Czech Republic, Hungary, Poland or Slovakia



Central Europe On-site Repair, Next Business Day Response Service

Local On-site Repair, Next Business Day Response Service is delivered in the following countries in the Central Europe region;

Czech Republic, Hungary, Poland or Slovakia

Product purchased in one of covered countries, a entitled to this On-Site warranty uplift in this individual country ONLY!

The service is delivered within 100 km radius from major cities. Additional service coverage restrictions subject to local business customs or of mostly transitional character may apply.

Product design, specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

50

