

EH1638 Colour Changing Aroma Diffuser and Humidifer



User Manual Please retain for future reference

IMPORTANT

Installer and Users please note:

These instructions should be read carefully and left with the user of the product for future reference. Before use please Inspect the product including its cable and plug for any signs of damage. If the product is damaged, DO NOT use it, and contact your supplier immediately.

OPERATING INSTRUCTIONS

- Place the humidifier on a flat surface, about 60cm away from the floor and 10cm away from the wall. We recommend you do not place the humidifier directly on to wooden furniture.
- 2. Remove the outer cover from the unit.
- 3. Remove the inner cover from the unit.
- 4. Carefully fill the water tank with cool, fresh water, being careful not to fill higher than the max level indicated on the inside of the tank. Do not use hot or warm water as this may cause the unit to leak. Do not attempt to fill the unit via the moisture outlet.
- 5. Add 2-3 drops of essential oil, if desired.
- 6. Replace the inner cover over the water tank.
- 7. Replace the outer cover on the unit.
- 8. Connect the power cord to the power inlet on the rear of the unit.
- 9. Connect the mains plug to an electrical outlet.
- 10. Press the power button to switch the unit on. The unit will begin to emit mositure/aroma.
- 11. Pressing the power button a second time will switch the night light on.
- 12. Pressing the power button a third time will put the unit back into standby mode.


OPERATING COSTS

At time of going to press, the average cost of electricity is £0.13 per unit (kilowatt-hour). The amount you are being charged will be shown on your electricity bill. At this cost, the EH1638 will cost 3p per day to run.

PAT TESTING

When used in an office environment, we recommend that this product should be safety-tested yearly by a qualified electrician (PAT Tested).

We recommend that it is PAT tested regularly when used in a domestic environment.



GENERAL SAFETY REQUIREMENTS

Domestic wiring must be tested periodically by a qualified electrician at least once every 10 years or at every change of occupancy.

For office and retail premises, and buildings such as village halls, the wiring must be inspected at least once every 5 years.

It is recommended that all building be fitted with smoke alarms (it is mandatory for new buildings).

DISPOSAL AND RECYCLING

You must not dispose of this appliance with domestic household waste.

Most local authorities have specific collection system for appliances and disposal is free of charge to the end-user.

When replacing an existing appliance with a similar new appliance your retailer may take the old appliance for disposal.

PRODUCT SAFETY

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- · Children must not play with the appliance.
- Cleaning and user maintenance shall not be made by children without supervision.
- When attached to the base unit the appliance must be placed on a firm flat surface.
- · Do not use in close proximity to gas appliances
- · Do not use unless correctly installed.
- · Do not cover when in use.
- · Do not place the mains lead beneath a carpet or rug.
- This unit is not suitable for use in cars, caravans, boats or other similar locations.
- Do not use the appliance in locations where paint, petrol or other flammable liquids are used or stored.
- Do not use this appliance in the immediate surroundings of a bath, a shower or a swimming pool.
- · Do not use the humidifier in a confined space.
- This unit is supplied with a short power cord to help reduce tripping hazards. An extension cord may
 be used if a longer cord run is needed. The rating of the extension cord must be equal to or greater
 than the rating of the dehumidifier. The cord should not be allowed to overhang the edge of the surface
 it is placed on to help prevent children from pulling the cord and tripping hazards.

MAINTENANCE

The unit should be emptied and cleaned after each use.

- 1. Turn the unit off and unplug the power cord from the rear of the unit.
- 2. Remove both the outer and inner cover.
- 3. Drain any remaining water from the water tank.
- 4. Rinse the water tank with fresh water to remove any sediment or dirt.
- 5. Dry the unit thoroughly with a soft cloth or paper towel.

CAUTION

- Do not submerge the unit in water or place under running water.
- Do not use and solvents, cleaning agents or abrasive pads/cloths to clean any parts of the unit.
- · Use only a soft brushes or cloths when cleaning any part of the unit.
- Do not leave water to stand in the tank for more than one week.

STORAGE

- · Before storing the unit it should be thoroughly cleaned and dried as per the maintenance instructions.
- Wherever possible the unit should be stored in its original packaging.
- Store the unit in a cool, dry place.

TECHNICAL SPECIFICATION

Input Voltage	Input: 100V-240V~ Output: 24Vdc
Humidifier Capacity	10 ml/h
Tank Capacity	100ml
Power	10W
Dimensions	
Weight	0.25kg
Weight Coverage Area	

SERVICE WARRANTY

Prem-i-Air guarantees the product free from defects in materials and workmanship for a period of twelve months.

Should this appliance be operated under conditions other than those recommended, at voltages other than the voltage indicated on the appliance, or any attempts made to service or modify the appliance, then the warranty will be rendered void.

The product you buy may sometimes differ slightly from illustrations. This warranty is in addition to, and does not affect, your statutory rights.

Our guarantee is administered by our retailers.

If your product arrives damaged, you must contact the retailer from whom you bought it. The retailer's contact details will be on the invoice that arrived with the product, or on the e-mail you received when you placed the order. Do not contact Prem-i-air, only your retailer can arrange a replacement.

If your product fails within the guarantee period, firstly read the "fault finding" section of this manual, because temperature and weather conditions can affect the performance of certain products. If the product needs to be repaired or replaced, you must contact the retailer from whom you bought it.

The retailer's contact details will be on the invoice that arrived with the product, or on the e-mail you received when you placed the order.

If you have just received your product and require technical help in using it, please call our Help Desk on (0845) 459 4816

If you have any other technical queries about the product, please call our Help Desk on (0845) 459 4816.

Prem-i-Air Appliances Ltd., Lancots Lane, Sutton, St. Helens, Merseyside. WA9 3EX

www.prem-i-air.com