

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Toshiba	Logo		
Company name *	Toshiba Europe GmbH			
Contact information *	Toshiba Europe GmbH	TOSHIBA		
	Anke Strangfeld			
	Hammfelddamm 8, 41460 Neuss	Leading Innovation >>>		
	e-mail: anke.strangfeld@toshiba-teg.com			
Internet site *	ttp://eu.computers.toshiba-europe.com/innovation/generic/environment-overview/			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Portable Computer	
Commercial name *	Tecra R850 series	
Model number *	PT520E	
Issue date *	2011-02-15	
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other EMEA	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requiremen	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	lc lc	

Model number *	PT520E - Tecra R850 series		
Issue date *	2011-02-15	Logo	TOSHIBA Leading Innovation >>>

Product	duct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://eu.computers.toshiba-europe.com/innovation/generic/environment-rohs-reach	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		$\overline{}$	
. =	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\Box	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

 $^{{\}it Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight \%.}$

Model number *	PT520E - Tecra R850 series		
Issue date *	2011-02-15	Logo	TOSHIBA Leading Innovation >>>

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly recycling			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.1*				井
P7.2	Plastic materials in covers/housing have no surface coating.			- H
	Plastic parts >100g consist of one material or of easily separable materials.			井
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u> </u>	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		_ <u>Ц</u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	
D= =+	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ	_ <u>_</u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: See P14 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: PA-GF50FR(40 Material type: PA Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u>Ц</u>		Щ
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ц</u>		_ <u>_</u>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		_Ц
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		\boxtimes	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
	Marking: FR(40)			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	Ш		Ш
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		
	ISO 1043-4: FR(17)			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		$^{+}$	∺
17.15	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	X		Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: Main battery:Li-ion, RTC battery:NiMH			
P8.2	Batteries meet the requirements of the following voluntary program/s: Do not use Ni-Cd batteries, Pb-free			井
	avent primary batteries			ш

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	PT520E - Tecra R850 series		
Issue date *	2011-02-15	Logo	TOSHIBA Leading Innovation >>>

Product environmental attributes - Market requirements (continued) Requirement met										
Item				Yes No n.	.a.					
P9 Energy consumption										
9.1 For the product the following power levels or energy consumptions are reported:										
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *	┛┃					
On-normal (Idle+LCD on)	W	W	18.5 W	Company standard						
Idle mode	W	W	10.6 W	ENERGY STAR						
Sleep mode with WOL	W	W	1.27 W	ENERGY STAR						
Sleep mode without WOL	W	W	1.10 W	ENERGY STAR						
Off mode with WOL	W	W	1.00 W	ENERGY STAR						
Off mode without WOL	W	W	0.46 W	ENERGY STAR						
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	0.19 W	ENERGY STAR						
PTEC * Typical Energy Consumption	W	W	W		×					
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek	\boxtimes					
ETEC * Annual Energy Consumption	kWh/year	kWh/year	31.39 kWh/yea	r ENERGY STAR						
Display resolution* : Me	egapixels		I.		\overline{X}					
Print Speed * : Im	ages per minute				X					
Default time to enter energy sa	ve mode: 10(to Displa	y off), 15(to Sleep)	minutes		Ŧ					
P9.2* Information about the energy save function is provided with the product.			亍							
P9.3* The product meets ENERGY STAR® Others specify:	the energy requirement version: 5.0 Tier:	nts of the following v Product category:			7					
P10 Emissions										
	Declared according to	ISO 9296								
P10.1 Mode N	Node description		Declared A-weighted	Declared A-weighted						
			sound power	sound pressure level $L_{p{\sf Am}}$ (dB)						
			level $L_{W extsf{Ad}}$ (B)	Operator position Bystander positions						
				or Desk side (only if product is not operator attended)						
Idle *	ISO7779 Idle	,	* 3.02 (B)							
Operation *	ISO7779 Operation-H	IDD '	* 2.98 (B)							
Other mode	ISO7779 ODD (When	ODD operates)	4.53 (B)							
Other mode										
Measured according	_	ECMA-74	by FCMA-74 with	n L _{pAm} measurement distance m)						
	the acoustic noise req			program/s: Less than 43dB	\exists					
sound power und	er normal office use.			_ _	sound power under normal office use.					

Model nur	nber *	PT520E - Tecra R850 series						
Issue date	*	2011-02-15	Logo	TOSHIBA				
					Leading Innovation >>>			
Product	Product environmental attributes - Market requirements (continued) Requirement me							
Item				Yes	No	n.a.		
	Chemica	al emissions from printing products						
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			П	\square		
P10.4		emission rate (print phase) is (mg/h):						
		Dust Ozone Styrene Benzene TVOC						
P10.5		Il emission requirements of the following voluntary program/s are met for :				\square		
			TVOC		ш			
		nagnetic emissions						
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fol	lowing voluntary		\square	П		
	program	/s:						
P11		able materials for printing products						
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ				\boxtimes		
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets that.	ne requirements	of		\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes		
P12	Ergonor	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.			X		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				X		
P13	Packagi	ng and documentation						
P13.1*	Product	packaging material type(s): Cardboard weight (kg): 0,309						
		packaging material type(s): Plastics weight (kg): 0.076						
P13.2*		plastic packaging is free from PVC.		\boxtimes				
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☑						
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-co	onsumer recycled	d				
Rev. P13.5	User and	d product documentation do not contain chlorine bleached paper		\boxtimes				
P14	Addition	al information (See Note B4)						
P7.10		period depends on service agreement.						
P7.19		inition of plastic parts under this item does not include cables in harmonizati s R40 substances.	on with TCO. A	C cable co	mmor	ıly		
P9	standar	Efficiency information published on The Eco Declaration represents only the disconfiguration meeting ENERGY STAR specifications. Use of different configurations are different configurations.						
P10	Acousti	c noise information published on The Eco Declaration represents the charactration. Characteristics of models with different configurations may vary.	teristics if a mod	del with st	andar	d		
P13.4	Paper for from FS sources	or documentation for Europe and Africa is made of 100% FSC mixed sources C-certified well managed forests, recycled material and/or controlled wood w	hich come from	non-cont				
	Toshiba to warra Toshiba	tion contained in this document is approximate and provided for information provides this information without warranties of any kind neither expressed inties for a particular purpose. does not warrant that the content will be error free. All information in this do's knowledge at the time of completion, and Toshiba has no obligation to up	nor implied inclination	uding but i				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19