

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter	-				
	1009 Think Place Building 2 / 5F1	lenovo				
	Morrisville, North Carolina 27560 alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_/	notebooks.html				

The company declares (b	ased on product specification or test results based obtained from sample testing), that the product
conforms to the statement	ts given in this declaration.
Type of product *	Notebook PC
Commercial name *	Lenovo Y40-80
Model number *	80FA; 20399
Issue date *	2015/01/13
Intended market *	🔀 Global 🔀 Europe 🛛 Asia, Pacific & Japan 🔀 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80FA; 20399		
Issue date *	2015/01/13	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	I, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🛛		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials	<u> </u>		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	80FA; 20399				
Issue da	te *	2015/01/13	Logo	leno	vo.	
		mental attributes - Market requirements - Environmental conscious of text to fill in Additional information recording each item may be found under D14	esign	Require		
Item P6		tory to fill in. Additional information regarding each item may be found under P14. Int information		Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\times	
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.		$\overline{\boxtimes}$		$\overline{\Box}$
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.				Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			H	
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools				H
P7.9.		rts are available after end of production for: 5 years				╞
P7.10						╞
F7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type:				
17.11		type: SAMSUNG NH-1250 Material type: Bayer FR3002 +TPU 85AE Materia	l type: Bayer FR3 l type: Bayer FR			
P7.12	Electrica	cable insulation materials of power cables are PVC free.			\mathbf{X}	
P7.13		cable insulation materials of signal cables are PVC free		- 2		H
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				╞
P7.15	All printe	d circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (Se			
P7.16	Note B2) Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: > PC+ ABS - TD25 FR(40) < 、 >PC+ABS-FR(40) < 、 >PC+ABS-TD15 FR(40))<			
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4: Brominated Epoxy Resin See P14	25g according			
P7.18	concentra Comme	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ent: No legal limits exist, this is a market requirement. cal name: Phosphoric acid este, CAS #: 115-86-6	/preparations i	n 🔀		
	2. Chemi 3. Chemi Alt. 2 Chemica	cal name: , CAS #: cal name: , CAS #: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			_	_
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ified as R45,			
P7.20	Of total p	lastic parts' weight >25g, recycled material content is SAMSUNG NH-1250 0% ;Ba	ayer FR3002			
P7.21		er FR3021GR 30%. lastic parts' weight >25g, biobased material content is 5.38%.				
P7.22	Light sou	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries					
P8.1*	-	hemical composition: Li-ion Polymer				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80FA;	20399				
Issue date *	2015/01/13				Logo lenovo.	
Product environ	nontal attri	hutes - Market I	equirements (continued)	Requirement	met
Item	incintar attri	bates - market i	equirements (Jontinucuj	Yes No	n.a.
	consumptio			umptions are re-	nortedi See D44	
9.1 For the Energy mode *		ollowing power leve Power level at		-		
Energy mode		Power level at 100 V AC	115 V AC	230 V AC	method *	
Peak (On-max)		90 W	90 W	90 W	Full load	
Category 0						
Short Idle State - W	OL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - W			W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL E		W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL D		W	W	W	Reference	
Off (S5) - WOL Ena		W	W	W	Use for ENERGY STAR V6 registration(Port)	
Off (S5) - WOL Disa	abled	W	W	W	Use for EuP	
Category I1			5 500 11/	5 005 14/		
Short Idle State - W			5.532 W	5.805 W	Use for ENERGY STAR V6 registration(P _{idle})	
Long Idle State - W		4.187 W	4.232 W	4.453 W	Use for ENERGY STAR V6 registration(P _{idie})	<u>Ц</u>
Sleep (S3) - WOL E		0.729 W	0.733 W	0.813 W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL D		0.657 W	0.663 W	0.743 W	Reference	
Off (S5) - WOL Ena		0.315 W	0.323 W	0.398 W	Use for ENERGY STAR V6 registration(Port)	
Off (S5) - WOL Disa EPS No-load	abled	0.271 W W	0.275 W W	0.397 W W	Use for EuP	
(External power sup plugged in the wall of disconnected from the	outlet but					
PTEC * Typical Energy Cons	sumption	W	W	W		
TEC * Typical Energy Cons	sumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Cons	sumption	20.13 kWh/year	20.99 kWh/year	22.38 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	
		Poff: Off Mode(St	5) - WOL Enabled; I	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution*	: 1920*1080		· · · ·			
Print Speed *	: Im	ages per minute				\square
Default time to enter	energy save	mode: 25 minutes	i			
P9.2* Informat	ion about the	energy save funct	ion is provided wi	th the product.		
	Y STAR® ve	e energy requirem rsion: Version 6.0			gram/s: Product category:	
P10 Emissio			10.0			
P10.1 Mode		eclared according t de description	o ISO 9296	Declared	Declared A-weighted	
				A-weighted sound power level L_{WAd} (sound pressure level L_{pAm} (dB)	-
Idle	* /a	lle		* 2.7		
Operatio		perating		* 2.7		
Other m		to: 🔀 ISO7779	ECMA-74			-
weasure	ed according	to: 🔼 ISO7779 📘		vered by ECMA-	74 with L _{pAm} measurement distance m)	
P10.2 The pro	duct meets th	e acoustic noise re				\square

Issue da	e* 2015/01/13				Logo			
13300 00	2010/01/13				Logo	leno	VO .	
Product	environmental attributes - M	arket require	ments (continue	d)		Require	ment	met
Item		andridgand		a)		Yes	No	n.a
	Chemical emissions from prin	ting products						
P10.3*	Test performed according to EC		=C 28360) standard	, other specify				
P10.4	Typical emission rate (print phas		20 20000) Standard					
1 10.4	Dust Ozone	, , ,	rene Benz	ne T\	/OC			
P10.5	Chemical emission requirements	,			et for :			
	Dust Ozone			enzene				
	Electromagnetic emissions							
P10.6	Computer display meets the req	uirement for lov	v frequency electrom	agnetic fields of t	he following volunta	ary		\square
	program/s:			-				
P11	Consumable materials for prin							
P11.1*	A Safety Data Sheet (SDS) is av			J J		·		\square
P11.2*	Paper containing post-consume EN12281.	er recycled fibe	ers can be used, pr	ovided that it me	eets the requireme	nts of		\square
P11.3*	2-sided (duplex) printing/copying	g is an integrate	ed product function.					\mathbf{X}
P12	Ergonomics for computing pro	oducts						
P12.1*	The display meets the ergonomi	c requirements	of ISO 9241-307 for	visual display teo	chnologies.			\boxtimes
P12.2*	The physical input device meets	the requirement	nts of ISO 9995 and	ISO 9241-410.			\boxtimes	
P13	Packaging and documentation	า						
P13.1*	Product packaging material type Product packaging material type Product packaging material type	e(s): EPE e(s): LEPE	weight (kg): 340 weight (kg): 74 weight (kg): 24					
P13.2*	Product plastic packaging is free	e from PVC.				\boxtimes		
P13.3*	Specify media for user and prod Electronic X, Paper X, Other		tion (tick box):					
P13.4*	For paper user and product doct fiber: 80 %		ase specify containe	d percentage of p	ost-consumer recyc	cled		
P14	Additional information (See N	ote B4)						
	NOTE: Supplier makes no repre information contained in this doc knowledge available at the time provided here is approximate an information.	sentations, gua cument. All infor of completion, a	rmation provided by and supplier shall ha	supplier in this do ve no obligation t	cument is provided o update such inform	based on sup mation. The in	olier's formati	on
P9	See Energy Star Qualified Not							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Y40-80	Logo
Model Number	80FA; 20399	_
Issue Date	2015/01/13	lenovo
Additional information		

d)	year of manuf	facture:					
u)	year or manur	acture.					2014
e)						ed when all discrete graphics driving the display:	cards (dGfx) are
	Category (ac	cording to Erl	P Lot 3): NA		Etec: NA		
f)	E TEC value enabled:	(kWh) per ErP	Lot 3 Category	and capability a	djustments applie	d when all discrete graphics o	cards (dGfx) are
	Category (ac	cording to Erl	P Lot 3): C	Etec: 16.	.61		
(g)	idle state pow	er demand (W	atts);				5.21
(h)	sleep mode p	ower demand	(Watts);				0.78
(i)	sleep mode w	ith WOL enabl	ed power dema	and (Watts) (whe	re enabled);		NA
(j)	off mode pow	er demand (Wa	atts);				0.43
(k)	off mode with	WOL enabled	power demand	I (Watts) (where	enabled);		NA
(I)	internal power	r supply efficie	ncy at 10 %, 20) %, 50 % and 10	00 % of rated outp	ut power (if applicable):	
	10%	20%	50%	100%	Average		
(m)	external powe	er supply efficie	ency (if applicat	ole):			
	Average*: 90	W:88.49%,88.	52%,88.57%				
	*internal note: sho	w values for all ava	ilable external powe	r supplies			
(0)	the minimum	number of load	ling cycles that	the batteries car	n withstand (applie	es only to notebook computers)	500cycles
(p-1)		ment methodo	logy used to	determine infor	mation mentione	d in points (I) – internal PS	U
	efficiency:			NA			
(p-2)	the measurer efficiency:	ment methodo	logy used to	determine inform	nation mentioned	in points (m) – external PS	U
	-		E	Energy-star requ	lirement		
(p-3)	the measurer batteries:	ment methodo				d in points (o) – loadingcycle	es
				60 measuremen		naximum, idle, sleep, off mode	

	power as d	lefined in Point P9.1	in the P	roduct IT Eco Declaration:						
				Energy-star requirement						
(q)	sequence	of steps for achieving	g a stabl	e condition with respect to power demand::						
	Based on user manual									
(r)	description	of how sleep and/o	r off moo	le was selected or programmed:						
				Based on user manual						
(S)	sequence off mode:	of events required to	reach t	ne mode where the equipment automatically changes to sleep and/or						
				Based on user manual						
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	25					
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA					
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10					
(w)	informatior	on the energy-savi	ng poter	tial of power management functionality:						
				Based on user manual						
(x)	user inform	nation on how to ena	ble the p	power management functionality:						
				Based on user manual						
(z)		supply system, — inf	ormation	test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used						
Addition	Notebook B	attery Information:	230V/5	0Hz, Total Harmonic Distortion <2 %						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access	sed and replaced					
(Battery replaceabl	not user le)	(Battery user replaceable)		by a non-professional user. The battery[ies] in this product cannot be easily replace themselves	ced by users					
L		1	1							

Additional information	