

---

# TPMC310

**Conduction Cooled PMC**

**Isolated 2 x CAN Bus**

Version 1.1

## **User Manual**

Issue 1.1.6

June 2014

## TPMC310-10R

Conduction Cooled PMC, isolated 2 x CAN Bus,  
P14 back I/O

This document contains information, which is proprietary to TEWS TECHNOLOGIES GmbH. Any reproduction without written permission is forbidden.

TEWS TECHNOLOGIES GmbH has made any effort to ensure that this manual is accurate and complete. However TEWS TECHNOLOGIES GmbH reserves the right to change the product described in this document at any time without notice.

TEWS TECHNOLOGIES GmbH is not liable for any damage arising out of the application or use of the device described herein.

### Style Conventions

Hexadecimal characters are specified with prefix 0x, i.e. 0x029E (that means hexadecimal value 029E).

For signals on hardware products, an ‚Active Low‘ is represented by the signal name with # following, i.e. IP\_RESET#.

Access terms are described as:

W	Write Only
R	Read Only
R/W	Read/Write
R/C	Read/Clear
R/S	Read/Set

©2003-2014 by TEWS TECHNOLOGIES GmbH

All trademarks mentioned are property of their respective owners.

Issue	Description	Date
1.0	Initial Issue	October 2003
1.1	CAN Oscillator Frequency corrected (16 MHz)	June 2004
1.2	New address TEWS LLC	September 2006
1.3	Minor Version Step, New PCB, Added secondary thermal interface, Added extra mounting holes preventing vibration, MTBF value has changed, Solder pad locations for termination options have changed.	April 2008
1.1.4	New Notation for User Manual and Engineering Documentation	December 2008
1.1.5	(1) Corrected I/O Line Configuration Table (2) Added note for the Bus_End Option (3) Added note for supported baud rate range to Technical Specification Table	January 2011
1.1.6	(1) Added notes regarding the MTBF value in the technical specification table. (2) Added note regarding setting the CAN bus transceivers to operating mode (a CAN bus transceiver shall not be set to operating mode while the CAN controller is in Reset Mode)	June 2014

# Table of Contents

<b>1</b>	<b>PRODUCT DESCRIPTION</b> .....	<b>6</b>
<b>2</b>	<b>TECHNICAL SPECIFICATION</b> .....	<b>7</b>
<b>3</b>	<b>LOCAL SPACE ADDRESSING</b> .....	<b>8</b>
	<b>3.1 PCI9030 Local Space Configuration</b> .....	<b>8</b>
	<b>3.2 PLD Register Space</b> .....	<b>8</b>
	3.2.1 CAN Control Register .....	9
	3.2.2 CAN Status Register .....	10
	3.2.3 CAN Controller Register Space .....	11
<b>4</b>	<b>PCI9030 TARGET CHIP</b> .....	<b>12</b>
	<b>4.1 PCI Configuration Registers (PCR)</b> .....	<b>12</b>
	4.1.1 PCI9030 PCI Header .....	12
	4.1.2 PCI Base Address Initialization.....	13
	<b>4.2 Local Configuration Register (LCR)</b> .....	<b>14</b>
	<b>4.3 Configuration EEPROM</b> .....	<b>15</b>
	<b>4.4 Local Software Reset</b> .....	<b>16</b>
<b>5</b>	<b>PROGRAMMING HINTS</b> .....	<b>17</b>
	<b>5.1 CAN Controller (SJA1000)</b> .....	<b>17</b>
<b>6</b>	<b>CONFIGURATION HINTS</b> .....	<b>19</b>
	<b>6.1 I/O Line Configuration</b> .....	<b>19</b>
	<b>6.2 Solder Pad Location</b> .....	<b>20</b>
<b>7</b>	<b>PIN ASSIGNMENT</b> .....	<b>21</b>

## List of Figures

FIGURE 1-1 : BLOCK DIAGRAM.....	6
FIGURE 6-1 : SOLDER PAD LOCATION.....	20

## List of Tables

TABLE 2-1 : TECHNICAL SPECIFICATION.....	7
TABLE 3-1 : PCI9030 LOCAL SPACE CONFIGURATION .....	8
TABLE 3-2 : PLD REGISTER SPACE .....	8
TABLE 3-3 : CAN CONTROL REGISTER .....	9
TABLE 3-4 : CAN STATUS REGISTER.....	10
TABLE 3-5 : CAN CONTROLLER REGISTER SPACE.....	11
TABLE 4-1 : PCI9030 PCI HEADER.....	12
TABLE 4-2 : PCI9030 LOCAL CONFIGURATION REGISTER .....	14
TABLE 4-3 : CONFIGURATION EEPROM.....	15
TABLE 5-1 : OUTPUT CONTROL REGISTER.....	17
TABLE 5-2 : CLOCK DIVIDER REGISTER .....	18
TABLE 6-1 : I/O LINE CONFIGURATION.....	19
TABLE 6-2 : FACTORY DEFAULT I/O LINE CONFIGURATION .....	19
TABLE 7-1 : P14 I/O PIN ASSIGNMENT.....	22

# 1 Product Description

The TPMC310 is a conduction cooled single-width 32 bit PMC module providing a two channel high speed CAN bus interface.

The PLX Technology PCI9030 PCI Target Chip is used for the PCI bus interface.

Two Philips SJA1000 CAN Controllers (CAN specification 2.0B supported) are used for the CAN bus interface (one for each channel).

The CAN bus I/O interface provides two independent channels, isolated from system logic and from each other.

CAN High Speed transceivers are used for the CAN bus I/O interface.

An on board termination option (solder pads) is provided for each CAN bus channel allowing to configure on board termination and/or pass through mode for the CAN bus.

The TPMC310 uses the P14 I/O connector for the CAN bus I/O interface.




Figure 1-1 : Block Diagram

## 2 Technical Specification

<b>Logic Interface</b>	
<b>Mechanical Interface</b>	PCI Mezzanine Card (PMC) Interface Conduction Cooled Single Size
<b>Electrical Interface</b>	PCI Rev. 2.1 compliant 33 MHz / 32 bit PCI Universal PCI Signaling Voltage (3.3V PCI Signaling Voltage, 5V PCI Signaling Voltage tolerant)
<b>On board Devices</b>	
<b>PCI Target Chip</b>	PCI9030 (PLX Technology)
<b>CAN Controller</b>	2 x SJA1000 (Philips) (16 MHz)
<b>CAN Bus Transceiver</b>	2 x TJA1050 (Philips)
<b>I/O Interface</b>	
<b>Number of CAN Bus Channels</b>	2 (isolated from system logic and from each other)
<b>CAN Bus Interface</b>	CAN High Speed The TJA1050 High-Speed CAN Transceiver supports baud rates from 60 kbaud up to 1 Mbaud
<b>I/O Connector</b>	PMC P14 I/O (64pin Mezzanine Connector)
<b>Physical Data</b>	
<b>Power Requirements</b>	50mA typ @ + 3.3V DC 150mA typ @ + 5.0V DC
<b>Temperature Range</b>	Operating : -40°C to + 85°C Storage : -55°C to +125°C
<b>MTBF</b>	372000 h MTBF values shown are based on calculation according to MIL-HDBK-217F and MIL-HDBK-217F Notice 2; Environment: G <sub>B</sub> 20°C. The MTBF calculation is based on component FIT rates provided by the component suppliers. If FIT rates are not available, MIL-HDBK-217F and MIL-HDBK-217F Notice 2 formulas are used for FIT rate calculation.
<b>Weight</b>	75g
<b>Humidity</b>	5 – 95 % non-condensing

Table 2-1 : Technical Specification

# 3 Local Space Addressing

## 3.1 PCI9030 Local Space Configuration

The local on board addressable regions are accessed from the PCI side by using the PCI9030 local spaces.

PCI9030 Local Space	PCI9030 PCI Base Address (Offset in PCI Configuration Space)	PCI Space Mapping	Size (Byte)	Port Width (Bit)	Endian Mode	Description
0	2 (0x18)	MEM	16	8	BIG	PLD Register Space
1	3 (0x1C)	MEM	512	8	BIG	CAN Controller Register Space
2	4 (0x20)	-	-	-	-	Not Used
3	5 (0x24)	-	-	-	-	Not Used

Table 3-1 : PCI9030 Local Space Configuration

## 3.2 PLD Register Space

**PCI Base Address :**

**PCI9030 PCI Base Address 2 (Offset 0x18 in PCI9030 PCI Configuration Register Space)**

Offset to PCI Base Address	Register Name	Size (Bit)
0x00	CAN CONTROL REGISTER	8
0x01	CAN STATUS REGISTER	8
0x02 ... 0x0F	Reserved	8

Table 3-2 : PLD Register Space



### 3.2.1 CAN Control Register

Bit	Name	Function	Access	Reset
7:6	-	Reserved (Undefined for reads, write as '0')	-	X
5	CAN2_INTEN	0 : CAN CH2 Interrupt Disabled 1 : CAN CH2 Interrupt Enabled	R/W	0
4	CAN2_SEL	0 : CAN CH2 Transceiver Silent Mode 1 : CAN CH2 Transceiver Operating Mode	R/W	0
3	CAN2_RST#	0 : CAN CH2 Controller Reset Mode 1 : CAN CH2 Controller Operating Mode	R/W	0
2	CAN1_INTEN	0 : CAN CH1 Interrupt Disabled 1 : CAN CH1 Interrupt Enabled	R/W	0
1	CAN1_SEL	0 : CAN CH1 Transceiver Silent Mode 1 : CAN CH1 Transceiver Operating Mode	R/W	0
0	CAN1_RST#	0 : CAN CH1 Controller Reset Mode 1 : CAN CH1 Controller Operating Mode	R/W	0

Table 3-3 : CAN Control Register

**After power-up or board reset the CAN controllers are set to reset mode.**

**To set the CAN controllers to operating mode, the CANx\_RST# bit must be set to '1'.**

**After power-up or board reset the CAN bus transceivers are set to silent mode.**

**To set the CAN bus transceivers to operating mode, the CANx\_SEL bit must be set to '1'.**

**Note: A CAN bus transceiver must only be set to operating mode when the CAN controller is also set to operating mode or already is in operating mode. A CAN bus transceiver shall not be set to operating mode while the CAN controller is in Reset Mode!**

**Disabling interrupts in the CAN Control Register only affects the interrupt mapping to the PCI9030 LINTx# local interrupt inputs. It will not affect the interrupt source of the SJA1000 CAN controllers.**

**If enabled, the CAN CH1 interrupt source is mapped to the PCI9030 LINT1# local interrupt input. If enabled, the CAN CH2 interrupt source is mapped to the PCI9030 LINT2# local interrupt input. The PCI9030 LINTx# local interrupt inputs are used in active low level sensitive mode.**

**The CAN interrupts must be acknowledged via SJA1000 registers (CAN Controller Register Space).**

**Please see the SJA1000 CAN Controller Manual for more information.**

### 3.2.2 CAN Status Register

Bit	Name	Function	Access	Reset
7:2	-	Reserved (Undefined for reads)	-	X
1	CAN2_INT	CAN CH2 Controller Interrupt Request Status	R	X
0	CAN1_INT	CAN CH1 Controller Interrupt Request Status	R	X

Table 3-4 : CAN Status Register

The CAN CHx controller interrupt request status is '0' for "no active interrupt request" and '1' for "active interrupt request".

Please see the SJA1000 CAN Controller Manual for more information.

If enabled, the CAN CH1 interrupt source is mapped to the PCI9030 LINT1# local interrupt input. If enabled, the CAN CH2 interrupt source is mapped to the PCI9030 LINT2# local interrupt input. The PCI9030 LINTx# local interrupt inputs are used in active low level sensitive mode.

The CAN interrupts must be acknowledged via SJA1000 registers (CAN Controller Register Space).

Please see the SJA1000 CAN Controller Manual for more information.

### 3.2.3 CAN Controller Register Space

**PCI Base Address :**  
**PCI9030 PCI Base Address 3 (Offset 0x1C in PCI9030 PCI Configuration Register Space).**

Offset to PCI Base Address	Register Name	Size (Bit)
<b>CAN Controller Channel 1</b>		
0x000	CAN Controller CH1 Address 0	8
0x001	CAN Controller CH1 Address 1	8
0x002	CAN Controller CH1 Address 2	8
...	...	...
0x07F	CAN Controller CH1 Address 127 (dec.)	8
0x080 ... 0x0FF	Reserved	-
<b>CAN Controller Channel 2</b>		
0x100	CAN Controller CH2 Address 0	8
0x101	CAN Controller CH2 Address 1	8
0x102	CAN Controller CH2 Address 2	8
...	...	...
0x17F	CAN Controller CH2 Address 127 (dec.)	8
0x180 ... 0x1FF	Reserved	-

Table 3-5 : CAN Controller Register Space

**The CAN controllers must be set to operating mode (CAN Control Register in PLD Register Space) before CAN controller register access.**

**Please see the SJA1000 CAN Controller Manual for a detailed register description.**

# 4 PCI9030 Target Chip

## 4.1 PCI Configuration Registers (PCR)

### 4.1.1 PCI9030 PCI Header

PCI CFG Register Address	Write '0' to all unused (Reserved) bits							PCI writeable	Initial Values (Hex Values)	
	31	24	23	16	15	8	7			0
0x00	Device ID				Vendor ID				N	0136 1498
0x04	Status				Command				Y	0280 0000
0x08	Class Code					Revision ID			N	028000 00
0x0C	BIST	Header Type		PCI Latency Timer		Cache Line Size		Y[7:0]	00 00 00 00	
0x10	PCI Base Address 0 for MEM Mapped Config. Registers								Y	FFFFFFF80
0x14	PCI Base Address 1 for I/O Mapped Config. Registers								Y	FFFFFFF81
0x18	PCI Base Address 2 for Local Address Space 0								Y	FFFFFFF0
0x1C	PCI Base Address 3 for Local Address Space 1								Y	FFFFFFE00
0x20	PCI Base Address 4 for Local Address Space 2								Y	00000000
0x24	PCI Base Address 5 for Local Address Space 3								Y	00000000
0x28	PCI CardBus Information Structure Pointer								N	00000000
0x2C	Subsystem ID				Subsystem Vendor ID				N	s.b. 1498
0x30	PCI Base Address for Local Expansion ROM								Y	00000000
0x34	Reserved					New Cap. Ptr.			N	000000 40
0x38	Reserved								N	00000000
0x3C	Max_Lat	Min_Gnt		Interrupt Pin		Interrupt Line		Y[7:0]	00 00 01 00	
0x40	PM Cap.				PM Nxt Cap.		PM Cap. ID		N	4801 00 01
0x44	PM Data		PM CSR EXT		PM CSR				Y	00 00 0000
0x48	Reserved		HS CSR		HS Nxt Cap.		HS Cap. ID		Y[23:16]	00 00 00 06
0x4C	VPD Address				VPD Nxt Cap.		VPD Cap. ID		Y[31:16]	0000 00 03
0x50	VPD Data								Y	00000000

Table 4-1 : PCI9030 PCI Header

Subsystem-ID: TPMC310-10R: 0x000A

## 4.1.2 PCI Base Address Initialization

**PCI Base Address Initialization is scope of the PCI host software.**

### **PCI9030 PCI Base Address Initialization:**

1. Write 0xFFFF\_FFFF to the PCI9030 PCI Base Address Register
2. Read back the PCI9030 PCI Base Address Register
3. For PCI Base Address Registers 0:5, check bit 0 for PCI Address Space:
  - Bit 0 = '0' requires PCI Memory Space mapping
  - Bit 0 = '1' requires PCI I/O Space mappingFor the PCI Expansion ROM Base Address Register, check bit 0 for usage:
  - Bit 0 = '0': Expansion ROM not used
  - Bit 0 = '1': Expansion ROM used
4. For PCI I/O Space mapping, starting at bit location 2, the first bit set determines the size of the required PCI I/O Space size.
  - For PCI Memory Space mapping, starting at bit location 4, the first bit set to '1' determines the size of the required PCI Memory Space size.
  - For PCI Expansion ROM mapping, starting at bit location 11, the first bit set to '1' determines the required PCI Expansion ROM size.
  - For example, if bit 5 of a PCI Base Address Register is detected as the first bit set to '1', the PCI9030 is requesting a 32 byte space (address bits 4:0 are not part of base address decoding).
5. Determine the base address and write the base address to the PCI9030 PCI Base Address Register. For PCI Memory Space mapping the mapped address region must comply with the definition of bits 3:1 of the PCI9030 PCI Base Address Register.

**After programming the PCI9030 PCI Base Address Registers, the host software must enable the PCI9030 for PCI I/O and/or PCI Memory Space access in the PCI9030 PCI Command Register (Offset 0x04):**

**To enable PCI I/O Space access to the PCI9030, bit 0 must be set to '1'.**

**To enable PCI Memory Space access to the PCI9030, bit 1 must be set to '1'.**

## 4.2 Local Configuration Register (LCR)

After reset, the PCI9030 Local Configuration Registers are loaded from the on board serial configuration EEPROM.

**PCI Base Address :**

**PCI9030 PCI Base Address 0 (PCI Memory Space) (Offset 0x10 in PCI9030 PCI Configuration Register Space), or**

**PCI9030 PCI Base Address 1 (PCI I/O Space) (Offset 0x14 in PCI9030 PCI Configuration Register Space).**

**Do not change hardware dependent bit settings in the PCI9030 Local Configuration Registers.**

Offset to PCI Base Address	Register	Value
0x00	Local Address Space 0 Range	0x0FFF_FFF0
0x04	Local Address Space 1 Range	0x0FFF_FE00
0x08	Local Address Space 2 Range	0x0000_0000
0x0C	Local Address Space 3 Range	0x0000_0000
0x10	Local Exp. ROM Range	0x0000_0000
0x14	Local Re-map Register Space 0	0x0000_0001
0x18	Local Re-map Register Space 1	0x0000_1001
0x1C	Local Re-map Register Space 2	0x0000_0000
0x20	Local Re-map Register Space 3	0x0000_0000
0x24	Local Re-map Register ROM	0x0000_0000
0x28	Local Address Space 0 Descriptor	0x1500_C0A0
0x2C	Local Address Space 1 Descriptor	0x1502_4120
0x30	Local Address Space 2 Descriptor	0x0000_0000
0x34	Local Address Space 3 Descriptor	0x0000_0000
0x38	Local Exp. ROM Descriptor	0x0000_0000
0x3C	Chip Select 0 Base Address	0x0000_0009
0x40	Chip Select 1 Base Address	0x0000_1081
0x44	Chip Select 2 Base Address	0x0000_1181
0x48	Chip Select 3 Base Address	0x0000_0000
0x4C	Interrupt Control/Status	0x0049
0x4E	EEPROM Write Protect Boundary	0x0030
0x50	Miscellaneous Control Register	0x0078_0000
0x54	General Purpose I/O Control	0x0224_9252
0x70	Hidden1 Power Management	0x0000_0000
0x74	Hidden 2 Power Management	0x0000_0000

Table 4-2 : PCI9030 Local Configuration Register

## 4.3 Configuration EEPROM

After power-on or PCI reset, the PCI9030 loads initial configuration register data from the on board configuration EEPROM.

The configuration EEPROM contains the following configuration data:

- Address 0x00 to 0x27 : PCI9030 PCI Configuration Register Values
- Address 0x28 to 0x87 : PCI9030 Local Configuration Register Values
- Address 0x88 to 0xFF : Reserved

See the PCI9030 Manual for more information.

Address	Offset							
	0x00	0x02	0x04	0x06	0x08	0x0A	0x0C	0x0E
0x00	0x0136	0x1498	0x0280	0x0000	0x0280	0x0000	s.b.	0x1498
0x10	0x0000	0x0040	0x0000	0x0100	0x4801	0x0001	0x0000	0x0000
0x20	0x0000	0x0006	0x0000	0x0003	0x0FFF	0xFFF0	0x0FFF	0xFE00
0x30	0x0000	0x0000	0x0000	0x0000	0x0000	0x0000	0x0000	0x0001
0x40	0x0000	0x1001	0x0000	0x0000	0x0000	0x0000	0x0000	0x0000
0x50	0x1500	0xC0A0	0x1502	0x4120	0x0000	0x0000	0x0000	0x0000
0x60	0x0000	0x0000	0x0000	0x0009	0x0000	0x1081	0x0000	0x1181
0x70	0x0000	0x0000	0x0030	0x0049	0x0078	0x0000	0x0224	0x9252
0x80	0x0000	0x0000	0x0000	0x0000	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0x90	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xA0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xB0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xC0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xD0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xE0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF
0xF0	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF	0xFFFF

Table 4-3 : Configuration EEPROM

Subsystem-ID Value (EEPROM Offset 0x0C): TPMC310-10R: 0x000A

## 4.4 Local Software Reset

The PCI9030 Local Reset Output LRESETo# is used to reset the on board local logic.

The PCI9030 local reset is active during PCI reset or if the PCI Adapter Software Reset bit is set in the PCI9030 local configuration register CNTRL (offset 0x50).

### **CNTRL[30] PCI Adapter Software Reset:**

Value of 1 resets the PCI9030 and issues a reset to the Local Bus (LRESETo# asserted). The PCI9030 remains in this reset condition until the PCI Host clears this bit. The contents of the PCI9030 PCI and Local Configuration Registers are not reset. The PCI9030 PCI Interface is also not reset.



# 5 Programming Hints

## 5.1 CAN Controller (SJA1000)

### Clock Source:

The SJA1000 clock input frequency is 16 MHz (for both SJA1000 CAN controllers).

### Reset Mode:

After power-up or board reset the SJA1000 CAN controllers are held in “reset mode”.

To bring the SJA1000 CAN controllers out of reset mode, the CANx\_RST# bit(s) in the CAN Control Register (PLD Register Space) must be set.

### Silent Mode:

After power-up or board reset the CAN bus transceivers are held in “silent mode”.

To bring the CAN bus transceivers to operating mode, the CANx\_SEL bit(s) in the CAN Control Register (PLD Register Space) must be set.

**Note: A CAN bus transceiver must only be set to operating mode when the CAN controller is also set to operating mode or already is in operating mode. A CAN bus transceiver shall not be set to operating mode while the CAN controller is in Reset Mode!**

### Output Control Register:

The SJA1000 Output Control Register must be programmed as follows (for both SJA1000 CAN controllers in the SJA1000 controller internal reset mode - see SJA1000 Control Register in the SJA1000 CAN Controller Manual):

Bit	Symbol	Description
7	OCTP1	11 : Push-Pull output stage
6	OCTN1	
5	OCPOL1	0 : Normal polarity
4	OCTP0	11 : Push-Pull output stage
3	OCTN0	
2	OCPOL0	0 : Normal polarity
1	OCMODE1	01 : Test Output Mode
0	OCMODE0	10 : Normal Output Mode

Table 5-1 : Output Control Register

### Clock Divider Register:

The SJA1000 Clock Divider Register must be programmed as follows (for both SJA1000 CAN controllers in the SJA1000 controller internal reset mode - see SJA1000 Control Register in the SJA1000 CAN Controller Manual):

Bit	Symbol	Description
7	CAN MODE	0 : BasiCAN Mode 1 : PeliCAN Mode
6	CBP	1 : Bypass input comparator, use RX0 only
5	RXINTEN	0 : Disable Interrupts on TX1 output
4	-	0
3	CLOCK OFF	1 : Disable Clock Output (not used)
2	CD2	0
1	CD1	0
0	CD0	0

Table 5-2 : Clock Divider Register

### Baud Rate Range:

The TPMC310 uses the TJA1050 High-Speed CAN transceiver.

The TJA1050 High-Speed CAN Transceiver supports baud rates from 60 kbaud up to 1 Mbaud.

# 6 Configuration Hints

## 6.1 I/O Line Configuration

The I/O line configuration is configured by on board solder pads (there is no jumper solution because the TPMC310 is considered to be used in a vibration-sensitive environment).

Possible line configuration options for each of the two I/O channels (CAN CH1, CAN CH2) are:

- On board Termination Mode : on / off
- Bus Mode : bus\_end / pass\_through

The on board termination option for a CAN I/O channel node input (see P14 I/O pin assignment) is a 120 ohm split termination network.

For the bus\_end option, the I/O lines are NOT passed through from the node input pins to the node output pins of the P14 I/O connector. The node input pins must be used to connect the CAN bus lines (see P14 I/O pin assignment).

For the pass\_through option, the I/O lines are passed through from the node input pins to the node output pins of the P14 I/O connector (see P14 I/O pin assignment).

	Termination Mode		Bus Mode	
	On board Termination On	On board Termination Off	Bus_End	Pass_Through
CAN CH1	R42, R43 Closed	R42, R43 Open	R35, R45 Open	R35, R45 Closed
CAN CH2	R37, R38 Closed	R37, R38 Open	R33, R40 Open	R33, R40 Closed

Table 6-1 : I/O Line Configuration

	Termination Mode	Bus Mode
CAN CH1	On	Bus_End
CAN CH2	On	Bus_End

Table 6-2 : Factory Default I/O Line Configuration

## 6.2 Solder Pad Location

TPMC310 PCB, Top View, Upper Right Corner




Figure 6-1 : Solder Pad Location

# 7 Pin Assignment

The complete TPMC310 I/O interface is available on the 64 pin P14 mezzanine connector ("back I/O").

Pin	Signal	Interface	Bus_End Option	Pass_Through Option
1	Reserved	-	-	-
2	Reserved			
3	Reserved			
4	NC			
5	Reserved	-	-	-
6	Reserved			
7	Reserved			
8	NC			
9	Reserved	-	-	-
10	Reserved			
11	Reserved			
12	NC			
13	Reserved	-	-	-
14	Reserved			
15	Reserved			
16	NC			
17	NC			
18	NC			
19	NC			
20	NC			
21	CAN_CH1_P	CAN-HS	CAN Node	CAN Node In
22	CAN_CH1_N			
23	CAN1_GND			
24	NC			
25	CAN_CH1_P	CAN-HS	N/A	CAN Node Out
26	CAN_CH1_N			
27	CAN1_GND			
28	NC			
29	NC			
30	NC			
31	NC			
32	NC			
33	CAN_CH2_P	CAN-HS	CAN Node	CAN Node In
34	CAN_CH2_N			
35	CAN2_GND			
36	NC			
37	CAN_CH2_P	CAN-HS	N/A	CAN

Pin	Signal	Interface	Bus_End Option	Pass_Through Option
38	CAN_CH2_N			Node Out
39	CAN2_GND			
40	NC			
41 ... 64	NC			

Table 7-1 : P14 I/O Pin Assignment

**Be sure that the P14 connector I/O signals used by the TPMC310 (including the reserved pins) are available and not otherwise used on the J14 connector of the PMC carrier board.**

**The "Out-Node" for each CAN channel is only available if the on board I/O line configuration is set accordingly (pass\_through mode).**