



# GREEN COMPACT PISTOL LASER USER MANUAL

# VICTORY JUSTIFIES EVERYTHING

Whether you are in a fast-paced combat situation or defending yourself and your home, Firefield™ will be by your side, preparing you for victory. Firefield™ offers quality products with outdoor enthusiasts and paintball fanatics in mind. Whether your weapon of choice is paintball, airsoft, AR 15, shotgun or pistol, Firefield™ can accommodate your preference. Firefield™ will provide you with high quality and durability for a fraction of competitor pricing. Firefield™ products consist of boresights, flashlights, laser sights, reflex sights, rails, mounts, magazines, binoculars and other shooting accessories.

[www.fire-field.com](http://www.fire-field.com)

## English

Pistol Laser ..... 1- 5

To view this manual in other languages please visit [www.fire-field.com](http://www.fire-field.com).

## Features:

- Compact, low profile design
- Precision accuracy
- Highly accurate windage / elevation adjustments

## Technical Specifications:

Power, mW	<5
Wavelength, nm	532
Laser type	Visible green dot
Dot size	20mm @50m
Dimensions	63x28x24mm
Weight	4.1oz

# DIAGRAM

1. Clamping bolt
2. Mounting clamp
3. Laser aperture
4. Windage
5. Elevation
6. Battery door
7. On/off switch
8. Pressure pad switch



# BATTERY INSTALLATION

---

The Firefield Green Compact Pistol Laser uses two CRI/3N batteries.

To insert or remove the battery:

- 1) Find the battery door (6) located on the underside of the laser.
- 2) Remove the battery door by unscrewing each screw with the provided screw driver
- 3) Place each battery into the compartment while making sure the positive pole is facing up.
- 4) Replace the battery door and tighten each screw until secure.

# SWITCH OPERATION

In order to activate the Firefield Green Compact Pistol Laser:

- 1) Located the on/off switch (7) on the back of the unit.
- 2) To turn the laser on, push the right side of the switch in the downward direction or push the left side of the switch in the upward direction
- 3) To turn the laser off, push the right side of the switch in the upward direction or the opposite.

# OPERATING THE PRESSURE SWITCH

The Firefield Green Compact Pistol Laser includes a pressure switch (8). To install the pressure switch, unscrew each screw on the on/off switch and align the pressure switch on the laser. Tighten each screw until the pressure switch is secure. In order to activate the laser:



- 1) To turn the laser on, apply pressure to the switch and to turn off, release pressure from the switch.

## MOUNTING

Before mounting the Firefield Green Compact Pistol Laser, be sure the firearm is unloaded. DO NOT attempt to mount the laser on a loaded weapon.

- 1) Using a flathead screw driver, loosen the clamping bolt (1)
- 2) Align the laser with the firearm's recoil groove.
- 3) When the laser is in position, tighten the clamping bolt until the laser is secure on the weapon. DO NOT over tighten

## OPERATING WINDAGE AND ELEVATION ADJUSTMENTS

In order to sight in the laser with the firearm:

- 1) Follow all safety precautions during firearm operation. Fire five rounds at a target to determine point of impact.
- 2) Using the provided allen wrench, adjust the laser windage and/or elevation adjustments (4,5) to the bullet's point of impact.

## STORAGE AND MAINTENANCE

---

Make sure that your Firefield Green Compact Pistol Laser is securely attached to your pistol before storing, and be sure the unit is turned off. Remove the batteries if the unit will be stored for an extended period of time. No maintenance of the laser itself is required. In order to clean the lens, use a lens cloth or small q-tip..

## WARNING

Before handling the Firefield Green Compact Pistol Laser, read and understand the contents of your firearm's manual, and this manual. Follow all standard safety precautions and procedures during firearm operation, even when the reflex sight is not in use.

- Avoid hitting or dropping the unit
- NEVER point the laser directly at, or into an eye. This may cause damage to the eye, or blindness.
- When zeroing the laser follow all standard firearm safety precautions.
- If the laser sight is used on different weapons, zero adjustments may be required.
- NEVER allow children to handle this product.

**CAUTION:** Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.



# FIREFIELD 3 YEAR LIMITED WARRANTY

Please visit [www.firefield.com](http://www.firefield.com) for warranty information.



**LASER RADIATION: AVOID DIRECT EYE EXPOSURE**



**Max Output:** <5mW  
**Wavelength:** 532nm

This product complies with 21 CFR  
chapter I, subchapter J  
**CLASS IIIA LASER PRODUCT**



Distributed by: Sellmark Corporation  
2201 Heritage Parkway  
Mansfield, TX 76016



[www.fire-field.com](http://www.fire-field.com)