
# THE EMOTION 5511.5

# Model No. FMEX81110.0 Serial No.

Write the serial number in the space above for reference.




## **QUESTIONS?**

If you have questions, or if parts are damaged or missing, please see HOW TO CONTACT CUSTOMER CARE on the back cover of this manual.

## **ACAUTION**

Read all precautions and instructions in this manual before using this equipment. Keep this manual for future reference.

# **USER'S MANUAL**




www.freemotionfitness.com

## **TABLE OF CONTENTS**

WARNING DECAL PLACEMENT	2
IMPORTANT PRECAUTIONS	
BEFORE YOU BEGIN	
ASSEMBLY	
HOW TO USE THE EXERCISE BIKE	
PART LIST	
EXPLODED DRAWING	
HOW TO CONTACT CUSTOMER CARE	Back Cove

# **WARNING DECAL PLACEMENT**



### **IMPORTANT PRECAUTIONS**

WARNING: To reduce the risk of serious injury, read all important precautions and instructions in this manual and all warnings on your exercise bike before using your exercise bike. FreeMotion Fitness assumes no responsibility for personal injury or property damage sustained by or through the use of this product.

- 1. Before beginning any exercise program, consult your physician. This is especially important for persons over age 35 or persons with pre-existing health problems.
- Use the exercise bike only as described in this manual.
- 3. It is the responsibility of the owner to ensure that all users of the exercise bike are adequately informed of all precautions.
- 4. The exercise bike is intended for use in a supervised environment only.
- Keep the exercise bike indoors, away from moisture and dust. Do not put the exercise bike in a garage or covered patio, or near water.
- Place the exercise bike on a level surface, with a mat beneath it to protect the floor or carpet. Make sure that there is at least 2 ft. (0.6 m) of clearance around the exercise bike.
- 7. Inspect and properly tighten all parts regularly. Replace any worn parts immediately.
- 8. Keep children under age 12 and pets away from the exercise bike at all times.

- Wear appropriate clothes while exercising; do not wear loose clothes that could become caught on the exercise bike. Always wear athletic shoes for foot protection.
- 10. The exercise bike should not be used by persons weighing more than 350 lbs. (159 kg).
- 11. Always keep your back straight while using the exercise bike; do not arch your back.
- 12. The exercise bike does not have a freewheel; the pedals will continue to move until the flywheel stops. Reduce your pedaling speed in a controlled way.
- 13. To stop the flywheel quickly, press the resistance knob downward.
- 14. When the exercise bike is not in use, tighten the resistance knob completely to prevent the flywheel from moving.
- 15. Over exercising may result in serious injury or death. If you feel faint or if you experience pain while exercising, stop immediately and cool down.


## **BEFORE YOU BEGIN**

Thank you for selecting the new FREEMOTION® S11.8 exercise bike. Cycling is an effective exercise for increasing cardiovascular fitness, building endurance, and toning the body. The S11.8 exercise bike provides a selection of features designed to make your workouts more effective and enjoyable.

For your benefit, read this manual carefully before you use the exercise bike. If you have questions after

reading this manual, please see the back cover of this manual. To help us assist you, note the product model number and serial number before contacting us. The model number and the location of the serial number decal are shown on the front cover of this manual.

Before reading further, please familiarize yourself with the parts that are labeled in the drawing below.



## **ASSEMBLY**

- · Assembly requires two persons.
- Place all parts in a cleared area and remove the packing materials. Do not dispose of the packing materials until you complete all assembly steps.
- If a part is not in the hardware kit, check to see if it has been preassembled. To avoid damaging parts, do not use power tools for assembly.
- Assembly requires the following tools (not included):


one adjustable wrench




one 6 mm hex key

Assembly may be easier if you have a socket set or a set of ratchet wrenches. To avoid damaging parts, do not use power tools.

1. Attach the Front Stabilizer (8) to the Frame (1) with two M10 x 50mm Button Patch Bolts (73), four M10 Washers (67), and two M10 Locknuts (74).




2. Attach the Rear Stabilizer (7) to the Frame (1) with two M10 x 50mm Button Patch Bolts (73), four M10 Washers (67), and two M10 Locknuts (74).



3. Orient the Handlebar Post (2) as shown.

Loosen the Post Knob (32) on the front of the Frame (1) and pull it outward. Then, insert the Handlebar Post (2) into the Frame.


Move the Handlebar Post (2) upward or downward to the desired position, release the Post Knob (32) into an adjustment hole in the Handlebar Post, and then tighten the Post Knob. Make sure that the Post Knob is firmly engaged in an adjustment hole.



4. Identify the Right Pedal (15), which is marked with an "R."

Using an adjustable wrench, **firmly tighten** the Right Pedal (15) **clockwise** into the Right Crank Arm (14).


Tighten the Left Pedal (not shown) **counter- clockwise** into the Left Crank Arm (not shown).



5. Place the exercise bike in the location where it will be used. Tip: Place a mat beneath the exercise bike to protect the floor.

Make sure that all four Leveling Feet (29) are in contact with the floor.

If the Leveling Feet (29) are not in contact with the floor, loosen or tighten the Leveling Feet on the Rear and Front Stabilizers (7, 8) until all four Leveling Feet contact the floor.




6. **Make sure that all parts are properly tightened before you use the exercise bike.** Note: After assembly is completed, some extra parts may be left over.

## HOW TO USE THE EXERCISE BIKE

#### **HOW TO ADJUST THE SEAT**


You can adjust the angle of the seat to the position that is most comfortable. You can also slide your seat forward or backward to increase your comfort or to adjust the distance to the handlebar.

To adjust the seat, first loosen the hex nuts on the seat clamp a few turns. Next, tilt the seat upward or downward or slide the seat forward or backward to the desired position. Then, retighten the hex nuts.



#### HOW TO ADJUST THE SEAT CARRIAGE


To adjust the position of the seat carriage, loosen the slider knob, move the seat carriage forward or backward to the desired position, and then firmly tighten the slider knob.



#### HOW TO ADJUST THE SEAT POST

For effective exercise, the seat should be at the proper height. As you pedal, there should be a slight bend in your knees when the pedals are in the lowest position.


To adjust the seat post, first loosen the post knob and pull it outward. Then, move the seat post upward or downward, release the post knob into an adjustment hole in the seat post, and firmly tighten the post



knob. Make sure that the post knob is engaged in an adjustment hole. IMPORTANT: Do not adjust the seat post beyond the stop mark on the seat post.


#### **HOW TO ADJUST THE HANDLEBAR**

To adjust the position of the handlebar, loosen the slider knob, move the handlebar forward or backward to the desired position, and then firmly tighten the slider knob.



#### HOW TO ADJUST THE HANDLEBAR POST

To adjust the handlebar post, first loosen the post knob and pull it outward. Then, move the handlebar post upward or downward, release the post knob into an adjustment hole in the handlebar post, and firmly tighten the post knob.



Make sure that the post knob is engaged in an adjustment hole. IMPORTANT: Do not adjust the handlebar post beyond the stop mark on the handlebar post.


#### **HOW TO USE THE PEDALS**

To use the toe cage side of the pedals (see the drawing on page 4), insert your shoes into the toe cages and pull the ends of the toe straps. To adjust the toe straps, press and hold the tabs on the buckles, adjust the toe straps to the desired position, and then release the tabs.

To use the clip-in side of the pedals, you must wear cycling shoes. To clip into the pedals, press the cleats on your cycling shoes firmly into the slots in the pedals until they snap into place. To unclip from the pedals, twist your cycling shoes outward from the pedals.

#### HOW TO ADJUST THE PEDALING RESISTANCE

To increase the resistance of the pedals, turn the resistance knob clockwise; to decrease the resistance, turn the resistance knob counterclockwise.



To stop the flywheel, push the resistance knob downward. The flywheel should quickly come to a complete stop.

IMPORTANT: When the exercise bike is not in use, tighten the resistance knob completely.

#### HOW TO LEVEL THE EXERCISE BIKE

If the exercise bike rocks slightly on your floor during use, turn one or both of the leveling feet on the front or rear stabilizer (see the drawing on page 4) until the rocking motion is eliminated.

#### HOW TO MAINTAIN THE EXERCISE BIKE

Inspect and tighten all parts of the exercise bike regularly. Replace any worn parts immediately.

To clean the exercise bike, use a damp cloth and a small amount of mild detergent.

For maximum performance and safety, replace the pedals every year. To purchase pedals, see the back cover of this manual.

IMPORTANT: To avoid damage to the exercise bike and to prevent injury to the user, use only manufacturer-supplied pedals. Other pedals may not be designed for use in fitness clubs or indoor cycling studios and may be dangerous.


Model No. FMEX81110.0 R0311A

## **PART LIST**

Key No.	Qty.	Description	Key No.	Qty.	Description
1	1	Frame	43	2	Lower Wedge
2	1	Handlebar Post	44	2	Sleeve
3	1	Handlebar	45	2	Post Shield
4	1	Seat Post	46	2	Cap Bushing
5	1	Seat Carriage	47	2	Medium E-clip
6	1	Seat	48	1	Sensor Magnet
7	1	Rear Stabilizer	49	1	Resistance Block
8	1	Front Stabilizer	50	2	M22 Sleeve Nut
9	1	Flywheel	51	2	M22 x 30mm Washer
10	1	Accessory Tray	52	2	Large E-clip
11	1	Resistance Cover	53	2	11mm x 20mm Washer
12	1	Resistance Arm	54	1	Block Pin
13	1	Eddy Magnet	55	2	Small E-clip
14	1	Right Crank Arm	56	1	M3 x 6mm Flat Head Patch Screw
15	1	Right Pedal	57	2	M5 Washer
16	1	Left Crank Arm	58	2	M5 Star Washer
17	1	Left Pedal	59	2	M5 x 10mm Button Screw
18	1	Bottom Bracket	60	12	M4 x 8mm Button Patch Screw
19	1	Outer Shield	61	1	M8 x 51mm x M6 Shoulder Bolt
20	1	Chain	62	1	M6 x 18mm Hex Screw
21	1	Inner Shield	63	1	M6 Locknut
22	1	Sensor Cover	64	10	M4 x 20mm Socket Screw
23	1	Seat Post Selector	65	2	M5 x 30mm Set Screw
24	1	Handlebar Post Selector	66	2	3/8" Nut
25	2	Front Frame Bushing	67	10	M10 Washer
26	2	Rear Frame Bushing	68	8	M4 x 10mm Flat Head Patch Screw
27	4	Stabilizer Cap	69	2	M5 x 16mm Socket Patch Screw
28	2	Wheel	70	4	M5 x 16mm Flat Head Patch Screw
29	4	Leveling Foot	71	2	M4 x 8mm Cap Screw
30	2	Pin Assembly	72	2	M4 x 20mm Flat Head Patch Screw
31	2	20mm x 25mm Washer	73	4	M10 x 50mm Button Patch Bolt
32	2	Post Knob	74	4	M10 Locknut
33	2	Slider Knob	75	8	M4 x 10mm Cap Screw
34	1	Resistance Knob	76	2	M6 x 40mm Button Patch Bolt
35	2	Knob Cap	77	4	M6 Washer
36	2	Wedge Cap	78	2	M6 Nut
37	2	M8 x 30mm Washer	79	4	M4 x 7mm Socket Screw
38	2	Adjustment Rod	80	1	Sensor Cover Screw
39	4	Ring Cap	81	2	M12 x 18mm Socket Patch Screw
40	1	Handlebar Retainer	82	2	Resistance Bushing
41	1	Handlebar Cap	83	1	Brake Pad
42	2	Upper Wedge	*	_	User's Manual

Note: Specifications are subject to change without notice. For information about ordering replacement parts, see the back cover of this manual. \*These parts are not illustrated.

# **EXPLODED DRAWING**



## **HOW TO CONTACT CUSTOMER CARE**

If you have questions after reading this manual, or if parts are damaged or missing, please contact Customer Care at the phone numbers or addresses listed below. Please note the model number, serial number, and name of the product (see the front cover of this manual) before contacting Customer Care. If you are ordering replacement parts, please also note the key number and description of each part (see the PART LIST and the EXPLODED DRAWING near the end of this manual).

#### In the United States and Canada

Call: 1-800-201-2109, Mon.—Fri. 8 a.m.—5 p.m. MT Write: FreeMotion Fitness 1500 South 1000 West Logan, UT 84321-9813 United States

#### **Outside the United States and Canada**

Call: 001-435-786-3521

Email: intlcustomercare@freemotionfitness.com