


Product environmental attributes – THE ECO DECLARATION


The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).
Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	<div>Logo</div> 
Company name *	Hewlett-Packard	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information	<i>The company environmental profile, which is issued for the company and not product related can also be found at the same website. See item 14 for explanatory information regarding specific item responses.</i>	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	Color Multifunction Printer (MFP)
Commercial name *	HP Color LaserJet Pro MFP M177 series
Model number *	HP Color LaserJet Pro MFP M177fw (CZ165A)
Issue date *	3/26/2015
Intended market *	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other
Additional information	Use this field to add any explanations to the information given above.

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.


Quality Control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Model number *	HP Color LaserJet Pro MFP M177 series		
Issue date *	3/26/2015	Logo	

Product environmental attributes - Legal requirements		Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4 Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P5 Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Model number *	HP Color LaserJet Pro MFP M177 series		
Issue date *	3/26/2015	Logo	

Product environmental attributes - Market requirements - Environmental conscious design			Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6 Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7 Design					
Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.2*	Plastic materials in covers/housing have no surface coating.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.8*	Upgrading can be done using commonly available tools		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.9.	Spare parts are available after end of production for: 3 years				<input type="checkbox"/>
P7.10	Service is available after end of production for: 3 years <i>Note- this period may vary from one region to another.</i>				<input type="checkbox"/>
Material and substance requirements					
P7.11*	Product cover/housing material type: Material type: PC+ABS-FR(40) Material type: PC+ABS Material type: ABS				
P7.12	Electrical cable insulation materials of power cables are PVC free.		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.13	Electrical cable insulation materials of signal cables are PVC free		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR (40)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> , Other; chemical name: _____, CAS #: _____ Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: 1. Chemical name: _____, CAS #: _____ 2. Chemical name: _____, CAS #: _____ 3. Chemical name: _____, CAS #: _____ Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 % . <table border="1"> <tr> <td>TOTAL PLASTIC (grams)</td> <td>Enter the TOTAL WEIGHT (grams) of all PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]</td> </tr> <tr> <td>PCR (grams)</td> <td>Enter the TOTAL WEIGHT (grams) of all POST-CONSUMER RECYCLED PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]</td> </tr> <tr> <td>% = PCR/TOTAL PLASTIC</td> <td>CALCULATE RESULT: Weight percent of all post-consumer recycled plastic in the product</td> </tr> </table>	TOTAL PLASTIC (grams)	Enter the TOTAL WEIGHT (grams) of all PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]	PCR (grams)	Enter the TOTAL WEIGHT (grams) of all POST-CONSUMER RECYCLED PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]	% = PCR/TOTAL PLASTIC	CALCULATE RESULT: Weight percent of all post-consumer recycled plastic in the product			
TOTAL PLASTIC (grams)	Enter the TOTAL WEIGHT (grams) of all PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]									
PCR (grams)	Enter the TOTAL WEIGHT (grams) of all POST-CONSUMER RECYCLED PLASTIC used in the product (external and internal, including peripherals, cords and internal components, excluding PCBs). The weight of any fillers or additives to plastic should be included in the weight of the plastic. Reference: IEEE Standard 1680-2006 (EPEAT) [NOTE: entry must match data reported in the EPEAT Plastic Materials Form, Annex 1 of Product Verification Protocols. (see www.epeat.net)]									
% = PCR/TOTAL PLASTIC	CALCULATE RESULT: Weight percent of all post-consumer recycled plastic in the product									
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 % .									
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: _____ and max. mercury content per lamp: _____ mg	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
P8	Batteries									
P8.1*	Battery chemical composition: Lithium carbon monofluoride			<input type="checkbox"/>						
P8.2	Batteries meet the requirements of the following voluntary program/s:			<input type="checkbox"/>						

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	HP Color LaserJet Pro MFP M177 series		
Issue date *	3/26/2015	Logo	

Product environmental attributes - Market requirements (continued)					Requirement met			
Item					Yes	No	n.a.	
P9 Energy consumption								
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *				
ENERGY STAR® Active State (Operating)	NA	290 W	265 W	ENERGY STAR® Product for Imaging products (Ver.2.0)				
ENERGY STAR® Ready State	NA	9.2 W	8.9 W	ENERGY STAR® Product for Imaging products (Ver. 2.0)				
ENERGY STAR® Off Mode	NA	0.07 W	0.11 W	ENERGY STAR® Product for Imaging products (Ver. 2.0)				
ENERGY STAR® Sleep Mode	NA	1.18 W	1.29 W	ENERGY STAR® Product for Imaging products (Ver. 2.0)				
EPS No-load (External power supply / charger plugged in the wall)	W	W	W					
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	NA	0.702 kWh/week	0.713 kWh/week	ENERGY STAR® Product for Imaging products (Ver. 2.0)				
ETEC * Annual Energy Consumption				kWh/year				
Display resolution* : Megapixels				Not applicable to imaging products				
Print Speed * : 17 Images per minute								
Default time to enter energy save mode: 15 minutes								
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 2.0 Tier: Product category: Imaging Products Others specify:					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
P10 Emissions								
Noise emission – Declared according to ISO 9296								
P10.1	Mode	Mode description	Declared A-weighted sound power level $L_{WA,d}$ (B)	Declared A-weighted sound pressure level $L_{pA,m}$ (dB)				
				Operator position <input type="checkbox"/>	Bystander positions <input checked="" type="checkbox"/>			
				Desktop <input type="checkbox"/>	(only if product is not operator attended)			
				or Desk side <input type="checkbox"/>				
	Idle	*	* Inaudible	Inaudible				
	Operation	*	* 6.2	49				
	Other mode							
Measured according to: <input checked="" type="checkbox"/> ISO7779 <input type="checkbox"/> ECMA-74								
<input type="checkbox"/> Other (only if not covered by ECMA-74 with $L_{pA,m}$ measurement distance m)								
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: Blue Angel					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Model number *	HP Color LaserJet Pro MFP M177 series		
Issue date *	3/26/2015	Logo	

Product environmental attributes - Market requirements (continued)						Requirement met		
Item						Yes	No	n.a.
Chemical emissions from printing products								
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard <input type="checkbox"/> , other specify: Blue Angel UZ-171					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P10.4	Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC							<input type="checkbox"/>
P10.5	Chemical emission requirements of the following voluntary program/s Blue Angel UZ -171 are met for : Dust <input checked="" type="checkbox"/> Ozone <input checked="" type="checkbox"/> Styrene <input checked="" type="checkbox"/> Benzene <input checked="" type="checkbox"/> TVOC <input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electromagnetic emissions								
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11 Consumable materials for printing products								
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P12 Ergonomics for computing products								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P13 Packaging and documentation								
P13.1*	Product packaging material type(s): corrugated paper weight (kg): 2.1 Product packaging material type(s): EPS cushions weight (kg): 0.56 Product packaging material type(s): LDPE Bag weight (kg): 0.04							
P13.2*	Product plastic packaging is free from PVC.					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3*	Specify media for user and product documentation (tick box): Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/>							<input type="checkbox"/>
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0 %							<input type="checkbox"/>
Rev. P13.5	User and product documentation do not contain chlorine bleached paper					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

P14 Additional information (See Note B4)																
All	Product environmental information contained in this declaration is valid as of the date the declaration is published. Changes to external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration over time.															
P2.3	1. Battery is permanently installed for quality purposes and designed to last the life of the product.															
P9	<div>2. Many printers are offered in multiple configurations within the model family. Energy efficiency data listed in this declaration is for an ENERGY STAR® compliant configuration if offered within the model family . HP printers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.com/ and select the applicable market segments and product categories to find PC configurations that meet the ENERGY STAR® specifications.</div> <div>3. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured model.</div> <div>4. Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically configured product base model meeting ENERGY STAR® specifications if offered within the model family. If optional components or modules are added, like extra hard disks or graphic cards etc, these can change the energy efficiency data listed above.</div> <div>5. European Union Commission Regulation 1275/2008- Energy Information:</div> <table><tr><th>Mode/Condition</th><th>Power (W)</th><th>Default time to (if applicable)</th></tr><tr><td>Off</td><td>0.1</td><td>N/A</td></tr><tr><td>Standby (if applicable)</td><td>N/A</td><td>N/A</td></tr><tr><td>Condition with network standby (sleep mode)</td><td>1.3</td><td>15 minutes</td></tr><tr><td>Condition with network standby (sleep mode) when all wired network ports are connected and all wireless network ports are activated</td><td>8.8</td><td>15 minutes</td></tr></table>	Mode/Condition	Power (W)	Default time to (if applicable)	Off	0.1	N/A	Standby (if applicable)	N/A	N/A	Condition with network standby (sleep mode)	1.3	15 minutes	Condition with network standby (sleep mode) when all wired network ports are connected and all wireless network ports are activated	8.8	15 minutes
Mode/Condition	Power (W)	Default time to (if applicable)														
Off	0.1	N/A														
Standby (if applicable)	N/A	N/A														
Condition with network standby (sleep mode)	1.3	15 minutes														
Condition with network standby (sleep mode) when all wired network ports are connected and all wireless network ports are activated	8.8	15 minutes														
P9.1	<div>1. Uses all basic test conditions and methods established by this standard procedure and adapts them to measuring this power mode. However, this procedure does not specify measurement of this power mode.</div> <div>2. Definitions:<div><div>a. Operating: The power state in which the product is connected to a power source and is actively transferring data, as well as performing any of its other primary functions.</div><div>b. Ready: The condition that exists when the product is not producing output, has reached operating conditions, has not yet entered into any lower-power modes, and can enter Active mode with minimal delay. All product features can be enabled in this mode, and the product must be able to return to Active mode by responding to any potential input options designed into the product. Potential inputs include external electrical stimulus (e.g., network stimulus, fax call, or remote control) and direct physical intervention (e.g., activating a physical switch or button).</div><div>c. Sleep: The reduced power state that the product enters automatically after a period of inactivity. In addition to entering Sleep automatically, the product may also enter this mode 1) at a user set time-of-day, 2) immediately in response to user manual action, without actually turning off, or 3) through other, automatically-achieved ways that are related to user behaviour. All product features can be enabled in this mode and the product must be able to enter Active mode by responding to any potential input options designed into the product; however, there may be a delay. Potential inputs include external electrical stimulus (e.g., network stimulus, fax call, remote control) and direct physical intervention (e.g., activating a physical switch or button). The product must maintain network connectivity while in Sleep, waking up only as necessary.</div><div>d. Off: The power state that the product enters when it has been manually or automatically switched off but is still plugged in and connected to the mains. This mode is exited when stimulated by an input, such as a manual power switch or clock timer to bring the unit into Ready mode. When this state is resultant from a manual intervention by a user, it is often referred to as Manual Off, and when it is resultant from an automatic or predetermined stimuli (e.g., a delay time or clock), it is often referred to as Auto-off.</div><div>e. TEC: A method of testing and comparing the energy performance of imaging equipment products, which focuses on the typical electricity consumed by a product while in normal operation during a representative period of time. The key criteria of the TEC approach for imaging equipment is a value for typical weekly electricity consumption, measured in kilowatt-hours (kWh). Detailed information can be found in the “ENERGY STAR Qualified Imaging Equipment Typical Electricity Consumption Test Procedure”.</div><div>f. EPS No-Load: The condition in which the input of a power supply is connected to an AC source consistent with the power supply's nameplate AC voltage, but the output is not connected to a product or any other load.</div></div></div>															
P10.1	Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc, these can change acoustic noise values for which HP can take no responsibility.															
P10.3	Chemical emissions tests are performed on one or more product bundles representing the product family.															

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2.3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

THE ECO DECLARATION



Company environmental profile - THE ECO DECLARATION

Brand	HP	Logo
Company name *	Hewlett-Packard Company	
Contact information *	HP Environmental Contact Centre (ECC) environment@hp.com	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment/index.html	
Issue date *	2014-06	
Intended market *	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6.

Quality control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Company environmental profile - Legal requirements		Requirement met		
Item		Yes	No	n.a.
C1	Product recycling			
C1.1 *	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (see legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C2	Battery recycling			
C2.1 *	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (see legal reference) or pays eco tax / fee where required.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C3	Packaging recycling			
C3.1 *	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (see legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Company environmental profile - Market requirements		Requirement met		
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: <input checked="" type="checkbox"/> ISO 14001 <input type="checkbox"/> Other as specified in C6	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of <input checked="" type="checkbox"/> The Global Reporting Initiative <input type="checkbox"/> Other as specified in C6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C6	Additional information			
	HP is committed to responsible business practices and transparency in its global citizenship policies and performance. We have a long history of working with suppliers to improve their social and environmental (SER) performance, as well as improving industry standards. HP endorses the EICC Code of Conduct in its entirety, and we supplement it with additional requirements specific to freedom of association and HP's Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People's Republic of China (PRC). HP also has a strong Global Human Rights Policy in place. HP sets expectations for its suppliers to establish policies and processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting information about our suppliers' own due diligence and the smelters and refiners used. HP became the first IT company to publish its supply chain smelter list. HP follows the Global Reporting Initiative (GRI) guidelines as a basis for reporting. The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers take back services of products and printing suppliers in some 70 countries. Please refer to HP's Living Progress Report for more details on our global efforts.			

Legal references Europe Annex A

Reference	Declaration item
2002/96/EC (WEEE directive)	C1.1
2006/66/EC (Battery and accumulators Directive)	C1.2
2004/12/EC (Directive on packaging and packaging waste)	C1.3