

EX330e DLP® Projector

- Ideal for office or on the move
- Portable and light, only 1.1kg Handbag size
- Bright, sharp images – 2200 Lumens, Native XGA
- Astonishing 5000 hours lamp life
- Crystal clear images – Digital input
- Luxury carry case for use on the move
- Environmentally friendly design <1W standby mode
- Optoma EX330e filter-free design – virtually no maintenance

Small in size,
Big in picture



Lightest, Brightest DLP® Projector in its Class

The stylish EX330e projector; ultra portable XGA projector

The brightest and lightest projector in its size weighing only 1.1kg with a staggering 2200 lumens. Attractive in design with its sleek gloss cover it will attract attention for all the right reasons.


High contrast, 2000:1, only possible with DLP® technology ensures that your text is sharp and crystal clear. For high resolution data and video sources, the integrated digital input offers HDMI and DVI connection.

Image and colour enhancement technologies

WITH
2000:1 contrast ratio



WITHOUT
400:1 contrast ratio




BrilliantColor™ Technology

Advanced colour processing for bright, vivid, lifelike colour.

*Simulated Images

CARRY CASE

A luxury carry-case is provided enabling you to take the EX330e anywhere, anytime.



Not actual carry case

ENVIRONMENTALLY FRIENDLY

The EX330e incorporates energy saving features to conserve power and extend the lamp life:



To achieve the maximum 5000hrs** lamp life time the projector should be operating in STD mode and the shut down timer should be enabled to automatically switch off the projector if it is accidentally left on when no longer required. Enabling the <1W Standby mode will ensure the minimum energy consumption when the projector is not being used.



It takes less than 10 seconds for the projector to power up and shutdown, saving both time and energy.

FEATURES

- 5 preset picture modes
- Quick keystone correction
- Password protection for added security
- Fully featured remote with mouse control & laser pointer

Impressive image from a sleek, tiny projector



VIRTUALLY MAINTENANCE FREE = LOWER TOTAL COST OF OWNERSHIP (TCO)

EX330e provides lower cost of ownership, longer life and improved reliability. The filter-free projector design does not require regular filter cleaning or filter replacement, saving you time and money.



AMAZING COLOURS

The EX330e incorporates BrilliantColor™ technology to produce stunningly bright images with perfectly balanced life-like colours.

COLOUR GUARANTEE

We are so confident that the EX330e image colour quality will remain as good as the day you bought it that Optoma will guarantee it for five years.



→ Actual Size 206 x 156 x 64mm ←



Optoma



Actual Size 206mm

EX330e SPECIFICATIONS

| | |
|---------------------------------|---|
| Native Resolution | XGA 1024 x 768 |
| Compressed Resolution | SXGA+ (1400 x 1050) |
| Brightness | 2200/1700 Lumens (BRIGHT/STD mode) |
| Contrast | 2000:1 |
| Weight / Dimensions (W x D x H) | 1.1 kg / 206 x 156 x 64mm |
| Noise Level (STD mode) | 31dB |
| Lamp Life** | 5000/3000 (STD/BRIGHT mode) |
| Projection Lens | F/2.41 ~ 2.55, f=21.8 ~ 24.0mm, 1.1x Manual Focus |
| Throw Ratio | 1.95 - 2.15:1 (Projection Distance:Image Width) |
| Projection Distance | 1.0 - 12m |
| Image Size | 0.58 ~ 7.7m (22.91" ~ 303.15") Diagonal 4:3 |
| Display Technology | Single 0.55" XGA type X DMD chip DLP® Technology by Texas Instruments |
| Remote Control | Full function remote with laser pointer, mouse control and direct source selecting |
| INPUTS | HDMI connector – Image only (DVI-D via adaptor) 15 Pin D-Sub VGA (SCART & Component via adaptor) S-Video 4 Pin Mini Din Composite RCA Jack USB (for remote mouse) |
| Aspect Ratio | 4:3 Native, 16:9 Compatible |
| Keystone Correction | ± 18 Degrees Vertical |
| On Screen Display | 17 Languages: English, German, French, Italian, Spanish, Portuguese, Polish, Dutch, Russian, Finnish, Swedish, Greek, Norwegian, Danish, Hungarian, Czech & Arabic |
| Video Compatibility | PAL SECAM 576i/p, NTSC 480i/p, HD 720p/1080i |
| Uniformity | 85% |
| Displayable Colours | 16.7 Million |
| Horizontal Scan Rate | 15 – 100kHz |
| Vertical Scan Rate | 43 – 85Hz |
| Power Supply | 100 - 240V, 50 - 60Hz |
| Power Consumption | 208W BRIGHT mode < 1W Standby mode 165W STD mode < 1W Standby mode |
| Operating Conditions | Operating: 5 - 40°C, 85% Humidity (Max), 3000m Altitude (Max) |
| Security | One Kensington Lock Port, Password Protection |
| Standard Accessories | Lens Cover, AC Power Cord, VGA Cable, USB Cable, Carry Bag, Full Function Remote, Batteries x 2, Quick Start Guide, CD User Manual, Warranty, WEEE Card |
| RoHS | Compliant |
| Lamp Warranty | 6 months or 1000 hours – whichever comes sooner |
| Warranty | Warranty may vary by country. Please see www.optomaeurope.com or ask your local supplier for details |
| Colour Guarantee* | 5 Years |

EASY TO USE REMOTE CONTROL

EX330e Remote Control

- 1 Laser
- 2 Remote Mouse
- 3 Mouse – Right Click
- 4 Vertical Keystone Correction
- 5 Brightness Adjustment
- 6 Zoom Control
- 7 Blank Screen
- 8 Direct Input Source Selection



EX330e Connections

- 9 USB (Remote Mouse)
- 10 VGA – SCART & Component
- 11 HDMI Connector (image only)
- 12 S-Video
- 13 Composite Video

Exceptional Connectivity / Multiple Terminals



Easy to use remote with buttons to change the input sources



| EX330e Projection Distance 1.0 - 12m (4:3 Aspect Ratio) | | | | | | | |
|---|--------------------------------|--------------------------------|------------------------|------------------------|-----------------------------|--------------------------------|----------------------|
| Projection Distance (m) | Max. Horizontal Image Size (m) | Min. Horizontal Image Size (m) | Max. Screen Height (m) | Min. Screen Height (m) | Max Diagonal Image Size (m) | Max Diagonal Image Size (inch) | Max Image Offset (m) |
| 1.00 | 0.51 | 0.47 | 0.39 | 0.35 | 0.64 | 25.26 | 0.06 |
| 2.00 | 1.03 | 0.93 | 0.77 | 0.70 | 1.28 | 50.52 | 0.12 |
| 2.50 | 1.28 | 1.16 | 0.96 | 0.87 | 1.60 | 63.15 | 0.14 |
| 3.00 | 1.54 | 1.40 | 1.16 | 1.05 | 1.92 | 75.78 | 0.17 |
| 4.00 | 2.05 | 1.86 | 1.54 | 1.40 | 2.57 | 101.04 | 0.23 |
| 5.00 | 2.56 | 2.33 | 1.93 | 1.75 | 3.21 | 126.30 | 0.29 |
| 6.00 | 3.08 | 2.79 | 2.31 | 2.10 | 3.85 | 151.56 | 0.35 |
| 7.00 | 3.59 | 3.26 | 2.70 | 2.45 | 4.49 | 176.82 | 0.40 |
| 8.00 | 4.10 | 3.72 | 3.08 | 2.80 | 5.13 | 202.08 | 0.46 |
| 9.00 | 4.62 | 4.19 | 3.47 | 3.15 | 5.77 | 227.34 | 0.52 |
| 10.00 | 5.13 | 4.65 | 3.86 | 3.50 | 6.42 | 252.60 | 0.58 |
| 11.00 | 5.64 | 5.12 | 4.24 | 3.85 | 7.06 | 277.86 | 0.64 |
| 12.00 | 6.15 | 5.58 | 4.63 | 4.20 | 7.70 | 303.12 | 0.69 |

For guide purposes only

EX330e is capable of 16:9 aspect ratio projection. When projecting a 16:9 image the image sizes, screen height and offset information will differ from the above.

Optoma Europe Ltd.
42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ
www.optoma.co.uk



*Optoma guarantees that in normal use, Optoma DLP® colour quality will be indistinguishable from when new. Exclusions: (a) Guarantee is voided if the projector is subject to damage through misuse. (b) Guarantee may be void in industrial or commercial entertainment environments where dust or smoke is excessive (c) Guarantee will not apply if lamp brightness is below 50% due to wear or if the projector is not working due to other faults. (d) Over time worn lamps within all projector types will show a slight colour variance. **Typical lamp life achieved through testing. Will vary according to operational use and environment conditions. Copyright © 2012, Optoma Europe Ltd. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. DLP®, BrilliantColor™ and the DLP logo are registered trademarks of Texas Instruments. All images of products are for representation purposes only. Whilst every care is taken to provide accurate images of our products, actual products may differ slightly. Some product images may have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may be simulated.