#### Technical data

	Display					/
	Technology	1 x 0.7" DLP™ chip				
	Resolution	1024 x 768 pixel			-	
	Image quality					
	Brightness	1100 ANSI lumens (typ.)	Projection	sizes		
	Brightness uniformity	90%				
	Contrast ratio	800 : 1	Zoom lens	26 – 33 mm		
	Colours	16.7 mio. – 24 bit				
	Ontical system		Distance	Diagonal	Height	Width
	Optical system Lens	1.3 x manual zoom, f = 26– 33 mm, F = 2.0 – 2.2		5	5	
	Image size	80 – 680 cm diagonal	1.5 (min.)	0.80 - 1.05	0.48 – 0.62	0.64 - 0.84
	Projection distance	1.5 – 10.0 m	3	1.60 – 2.10	0.96 – 1.26	1.28 – 1.68
	Projection ratio	1.85 – 2.35 : 1 (distance : image width)	5	2.66 – 3.42	1.60 – 2.05	2.13 – 2.75
	Keystone correction	110%				
	-		8	4.26 – 5.48	2.56 – 3.28	3.40 - 4.38
	Lamp		10 (max.)	5.30 - 6.80	3.18 – 4.08	4.24 – 5.44
	Projection lamp	120 Watt UHP				
eam	Compatibility					
	Computer	PC, MAC, 1280 x 1024 max. resolution,	(figures in	m)		
		RGBHV, RGsB				
	Video	S-video, composite video, PAL, PAL-M, PAL-N,				
		SECAM, NTSC 3.58 / 4.43; HDTV: 480i, 480p			1	
	Horizontal frequency	15 – 100 kHz			/	
	Vertical frequency	43 – 130 Hz			/	
	Bandwidth Mouse	135 MHz analogue, 112 MHz digital USB			/	
	Mouse	038			$\sim$	
	Inputs/outputs				11	
	Computer In	M1-DA incl. USB			1	max.
	Audio In	3.5 mm stereo jack				
	Composite video	RCA		6	min.	
	S-video	4 pin mini DIN		/		
stro	General					
	Audio system	1 x 1 Watt				
	Mains voltage	100 – 240 VAC, 50 – 60 Hz				
	Power consumption	155 Watt, standby 12 Watt				
	Operating temperature					
	Operating noise	< 32 dB (A)	Art.no.			
	Dimensions Weight	63 x 199 x 149 mm (H x W x D) 1.1 kg				
	Conformances	CE, TÜV, GOST; UL, CUL, FCC Class A	99	080 A+	K AstroBeam X20	
	Warranty	36 months (6 months for the original built-in lamp)				
	-	so months to months for the original bant in amp	Accessories			
	Scope of supply				are lamp 120 Watt	
	Cables	Cable M1-DA to 15 pin VGA and USB, 2 m	19		K Microsaver anti-	
+		Mains cable, 2 m		for	data / video proje	ectors
		Audio cable 3.5 mm stereo jack, 2 m Video cable, RCA to RCA, 2 m				
		S-video cable, 2 m				
	Other	SCART adapter				
	Other	IR remote control with laserpointer				
		Batteries				
		Lens cover				
		User manual				
		Safety instructions				
		Quick-start card				
		Soft bag				
			A+K Cat	talogue and n	nore: www.and	ers-kern.de
	Subject to technical alterational	high to technical alterational				
	Subject to technical alterations! 09/02					

#### Your A+K dealer:

### Designed for success.

Anders+Kern Präsentationssysteme GmbH & Co. KG P.O. Box 5148, D-22821 Norderstedt www.anders-kern.de

## AHK AstroBeam®

## The small sensation!





#### A+K AstroBeam X20

At the moment, the A+K AstroBeam X20 is the smallest data / video projector in the extensive Anders+Kern beamer range. It is a 1.1 kg light-weight model with DLP<sup>™</sup> technology and XGA resolution. The projector is just about the size of an A5 sheet of paper and convinces with a brightness of 1100 ANSI lumens and an enormous contrast ratio of 800 : 1. Considerable, too, is the very silent operation with a noise level of less than 32 dB (A). With this "dwarf" you are always and everywhere ready for an impressive presentation.





#### First class video quality

The core of the A+K AstroBeam X20 is a 0.7" small DLP<sup>™</sup> chip. DLP<sup>™</sup> technology by Texas Instruments offers crystal clear images with superior quality. This and the above-average contrast ratio render the X20 especially suitable for all video presentations.

Due to the 16:9 video function and the integrated video module even wide-screen pictures can be shown in highest quality.

#### **Silent operation**

The A+K AstroBeam X20 works silently as a whisper with a noise level of less than 32 dB (A). Thus, you can use the projector even in small meetings without disturbing your presentation.

#### Ease-of-use

#### - Auto Set-up

The Auto Set-up function is especially useful when you are using the projector with a great variety of signal sources. No matter which appliance you are connecting to it, the projector adapts to the provided signal within seconds for optimal projection results.

#### - IR remote control with mouse function

With the user-friendly remote control taking over all functions of a normal computer mouse you can comfortably control the projector as well as your presentation. With the integrated laser pointer you can

highlight important details.

#### - ARLS function

õ

O

0

The intelligent ARLS function (Automatic Roomlight Sensing) automatically adapts the projector brightness to the surrounding light conditions. Thus, your A+K AstroBeam X20 always projects pleasantly and evenly bright images.

#### On-screen menu

You can easily control and adjust the projector with the comprehensible symbols of the on-screen menu.

#### Connectivity

Apart from the usual connections for video and audio signal sources, the A+K AstroBeam X20 is equipped with a special computer port including USB mouse which can work with analogue as well as digital signals.



#### Functions

With its presentations functions the tiny A+K AstroBeam X20 can stand up to any larger projector. The following useful functions are available for your presentations:

#### - Digital keystone correction

Guarantees a rectangular image by correcting the trapezoidal distortion in an upward or downward projection.

#### - Digital zoom

To enhance details the zoom function enlarges part of the projected image.

#### - PiP (Picture-in-Picture)

The X20 has the so-called PiP function which allows for a video picture to be faded into a current computer presentation.

#### - Logo function

With the logo function you can show your company logo during a pause, instead of a black or frozen image.

#### - Freeze

With a push of a button the projected image freezes, for example to skip a number of charts in the background without the audience noticing it.

#### - 16:9 video

With this function 16:9 video signals can be projected distortion free in full resolution, thus wide-screen pictures, too, can be shown with the correct ratio.

#### - Ceiling / rear projection

This function inverts the projected image sideways or upside down so the projector can be used in a rear projection unit as well as for ceiling mounting.





# Wedgwood AV Ltd

## Specialise in the supply of audio visual equipment to UK medical, MOD, education and businesses Tel: 01754 769967 / 0800 018 9967

FREE Repeat Signage Standalone digital signage software for Windows with every order over £500+VAT purchased from Wedgwood AV Ltd in 2015

## Full product list FREE AV guides

Wedgwood are giving away Repeat Signage Standalone Edition worth £145+VAT with any products with a total order value of over £500+VAT

sales@wedgwood-group.com (Order value £1,000 +VAT will receive

**Repeat Signage helps you get your message across**, to promote your products or services. You can display still and moving images, scrolling text

messages, RSS feeds (such as the BBC weather or your local news), show

webcam or web browser, add audio, PowerPoint scheduler, Flash clocks, and

purchased during 2015 from Wedgwood AV Ltd.

two software licences; £1,500+VAT three licences).



LCD monitors



even display pictures which text. <u>See 2 minute video</u>. <u>Trial download</u> Contact us - how to order

For a quotation or to place your official purchase order and receive your FREE Repeat Signage digital signage software please telephone 01754 769967 or fax 01754 768036 Email sales@wedgwood-group.com <u>Special offers</u>

Wedgwood AV Ltd - 01754 769967 www.wedgwood-group.com



Mount solutions



Digital signage

Touch screens

888

Medical monitors



Projectors



Lecterns



**Projector** lamps



Audio

**Projector lenses** 



Whiteboards



**Projector screens** 

Wedgwood AV Ltd. Tel: 01754 769967 Order fax line: 01754 768036 UK sales: sales@wedgwood-group.com www.wedgwood-group.com