





CHRISTIE Roadster Series

Pure Power, 12 – 20K Brightness, in a Compact, Purpose-Built Package

Uses

Rental/Staging

Houses of Worship

Executive briefings and conference centers

Concerts

Tradeshows and exhibitions

Auditoriums

Casinos, theme parks and museums

The Christie Roadster Series continues to raise the bar for Rental/Staging. For unbelievably bright images with stunning detail and depth of color, the Christie Roadster Series puts pure power in your hands with purpose-built features meant for the world of Rental/Staging. Designed with built-in handles, an improved airflow system and multiple rigging points, these powerhouse projectors stack up against the rigors and stress of rental/staging – fly, rig, ship them, use them again and again.

FTR-15T

Die

These compact projectors feature SXGA⁺ resolution and a variable contrast ratio of 1600-2000:1 for brilliantly crisp, detailed images. With next generation DLP[®] technology, high-quality optics and 10-bit image processing the Christie Roadster Series delivers crisp, clean images with perfect color saturation and spectacular video.

The Christie Roadster Series will respond to almost any kind of control in the projection world including RS-232, RS-422, IR remote, wired remote, two way controller, direct control panel input and over a LAN via on-board ChristieNET[™].

The Christie Roadster Series – the de facto standard for Rental/Staging.

Roadster Series



The incredibly high-brightness and rugged design make the Roadster Series perfect for applications where durability, ease of handling and operation are the key requirements.

AV Concepts used eight Roadsters, doublestacked on 4 screens to bring the music and images of the Final Fantasy video game to life. The Roadsters Series' improved contrast ratio and high resolution capabilities were sited as key factors.

Display Technology

Featuring high-quality DLP® technology, the Christie Roadster Series has proven to be the world's favorite 3-chip, DLP® projector. Low maintenance, highly reliable DLP® technology delivers high brightness and unsurpassed color, brightness uniformity and control capabilities.

Image Quality

The 3-chip SXGA⁺ engines are driven by Xenon illumination and deliver superior image quality, repeatability of colors and the ability to edgeblend and tile images – whether multiple projectors on a single screen, or multiple screen displays.

Image Processing

With proven 10-bit image processing, the Christie Roadster Series offers high bandwidth signal processing. The high bandwidth supports additional functionality such as Picture in Picture, HD 4:4:4 and seamless switching between sources. For added ease of blending, Digital Black Level Adjustment lets the user match the blended (gutter) black levels with the nonblended black levels.

Ease of Use

A user-friendly Graphic User Interface makes operation and set-up of the entire Christie Roadster Series uncomplicated. The GUI enables full and easy control of the projector. Multiple control options let the user choose what's best for their application - built-in, IR and wired remote keypad; wired or wireless two way controller; RS-422 or RS-232 control; or through ChristieNET[™] via the Ethernet port. Optional ChristieNET[™] WAVE and ChristieNET[™] WAVE-DVD provide wireless presentation power for data, video and streaming video. Motorized lens functions provide power focus, zoom, horizontal and vertical offset - all at the touch of a button, while the Intelligent Lens System (ILS™) provides auto recall for zoom and focus. Auto set-up automatically recognizes sources and sets up correct brightness, contrast, position and pixel clock.

Serviceability

Operation and maintenance of the Christie Roadster Series is easy as well. Quick internal access with ¹/4-turn screws, a quick-change ballast, a removable image processing module, field-alignable DMDs – put full control in the hands of the user. Replacement lamp costs are low and Christie offers the best warranties on the market – 2 years parts and labor – including light engine.













With 2.0, 2.4 or 3.0kW, the Roadster Series features user-replaceable, pre-aligned Xenon lamp modules with adjustable lamp power. The stable color temperature over the course of the lamp life and the power range provides the best lamp technology for color matching across multiple screens.

The Christie Roadster Series features an extremely high contrast ratio of 1600-2000:1 full field; 450-700:1 ANSI – a motorized IRIS adjusts for high contrast ratio and better black levels, for any given application.

INPUTS

The Christie Roadster Series offers installation flexibility and compatibility with any data, video or HDTV source in use today...from VGA to QXGA. The multi-standard video decoder and horizontal and vertical scaling of all inputs gives you the ability to connect to virtually anything.

RGBHV/YPbPr via 5 BNC

DVI-I fo digital/analog RGB/YPbPr (HDCP)

One composite video, one S-Video

Two optional slots for analog/digital modules (comes standard, populated with Dual SD/HD-SDI module)

3 RS-232 ports and 1 RS-422 port

On-board ChristieNET[™] connectivity (RJ45)

Built-in backlit keypad and IR remote control

Competitive Advantages

- Low cost of operation
- Brightness brighter than all competitors for this size
- High Contrast measured as high or higher than any competitive model – 1600-2000:1 full field
- Purpose-Built built-in stacking, rigging and safety points

The Christie Roadster Series features the widest source compatibility and has built-in Ethernet networking for full compatibility with ChristieNET™, ChristieNET™ WAVE and ChristieNET™ WAVE-DVD for total projector monitoring, control and wireless image capabilities.

Accessories

STANDARD:

- IR keypad (w/batteries)
- Line cord
- Dual SD/HD-SDI module
- User manual

OPTIONAL:

- Fixed lenses: 0.73:1, 1.2:1
- Zoom lenses: 1.45-1.8:1, 1.8-2.5:1,
 2.5-4.5:1, 4.5-7.3:1
- Manual "Legacy" lens mount
- ChristieTWIST[™] image warping module with enhanced edge-blending
- Dual SD/HD-SDI (additional module), DVI and legacy interface modules
- Wire remote control
- Two-way controller
- Remote IR sensor
- ChristieNET[™] WAVE
- ChristieNET[™] WAVE-DVD
- Ethernet, RS-232, RS-422 cables
- Service manual
- KoRE[™] 10-bit librarian
- Lens adapter (for competitive lenses)

An optional suite of specifically-designed SXGA⁺ lenses includes both fixed and zoom lenses ranging from 0.73:1 through to a 4.5-7.3:1 zoom and a durable lens mount with motorized horizontal and vertical offset. With a built-in light shutter, internal variable contrast aperture and quick lens insertion, the Christie Roadster Series is easy to work with.



Christie Roadster Series Specifications



The Dual SD/HD-SDI Input Module is an optional module that allows for the connection of both a Standard Definition and a High Definition Serial Digital Input, each with their own loop-through.



Direct key access to the most-used major functions and auto set-up for automatic set-up of sources with correct brightness, contrast and position – means operation and set-up of the Christie Roadster Series are intuitive.

	Roadster S+12K	Roadster S+16K	Roadster S+20K
BRIGHTNESS	 12,000 ANSI lumens (± 10%) 90% brightness uniformity 	 16,000 ANSI lumens (± 10%) 90% brightness uniformity 	 20,000 ANSI lumens (± 10%) 90% brightness uniformity
CONTRAST	• 1600-2000:1 full field	• 1600-2000:1 full field	• 1800:1 full field
	 2.0kW Xenon Bubble pre-aligned lamp module 1000 hours (typical) lifetime LiteLOC[™] light output control 	 2.4kW Xenon Bubble pre-aligned lamp module 750 hours (typical) lifetime LiteLOC[™] light output control 	3.0kW Xenon Bubble pre-aligned lamp module 750 hours (typical) lifetime LiteLOC™ light output control
POWER	 200 VAC to 240 VAC ± 10% @ 50/60 Hz Power consumption: 3000W maximum Thermal dissipation: 10,236 BTU/hr Operating current: 15A @ 200V 	 200 VAC to 240 VAC ± 10% @ 50/60 Hz Power consumption: 4000W maximum Thermal dissipation: 13,648 BTU/hr Operating current: 20A @ 200V 	 200 VAC to 240 VAC ± 10% @ 50/60Hz Power consumption: 5000W maximum (measured 3900W at 264V @ 14.8 A) Thermal dissipation: 17,060 BTU/hr Operating current: 25A @ 200V
DIMENSIONS (EXCLUDING LENS, FEET AND STACKING POINTS)	 Weight: 135 lb (61.4 kg) Shipping weight: 160 lb (72.7 kg) Size (L x W x H): 32.1 x 24.5 x 15.1" (814.8 x 631.4 x 384mm) 	 Weight: 135 lb (61.4 kg) Shipping weight: 160 lb (72.7 kg) Size (L x W x H): 32.1 x 24.5 x 15.1" (814.8 x 631.4 x 384mm) 	 Weight: 160 lb (73 kg) Shipping weight: 225 lb (102 kg) Size (L x W x H): 32.1 x 24.5 x 15.1" (814.8 x 631.4 x 384 mm)
REGULATORY APPROVALS	 UL/CSA/IEC 60950 (3rd edition) FCC Class A, CE, CCC This product conforms to all relevant European directives, standards, safety, health and environmental concerns 	 UL/CSA/IEC 60950 (3rd edition) FCC Class A, CE, CCC This product conforms to all relevant European directives, standards, safety, health and environmental concerns 	 UL/CSA/IEC 60950 (3rd edition) FCC Class A, CE, CCC This product conforms to all relevant European directives, standards, safety, health and environmental concerns



For the most current specification information, please visit *www.christiedigital.com*

Stunning images with high contrast and unbelievable color – the Christie Roadster Series provides pure power, knock-out brightness in a compact package that's easy to use.



% @ 50/60Hz UNITED KINGDOM M maximum PH: +44 118 977 8000 / @ 14.8 A) FX: +44 118 977 8100 0 BTU/hr sales-europe@christiedigital.com

GERMANY PH: +49 2161 664540 FX: +49 2161 664546 sales-europe@christiedigital.com

Corporate Offices

USA 10550 Camden Drive Cypress, CA 90630 PH: 714-236-8610 FX: 714-503-3385 Toll free: 866-880-4462 (NA only) sales-us@christiedigital.com

CANADA 809 Wellington Street North Kitchener, Ontario N2G 4Y7 PH: 519-744-8005 FX: 519-749-3136 Toll free: 800-265-2171 (NA only) sales-canada@christiedigital.com

Worldwide Offices

FRANCE PH: +33 (0) 1 47 48 28 07 FX: +33 (0) 1 47 48 26 06 sales-france@christiedigital.com

HUNGARY PH: +36 (0)1 47 48 100 FX: +36 (0)1 47 48 452

SINGAPORE PH: +65 6877 8737 FX: +65 6877 8747 sales-singapore@christiedigital.com

SHANGHAI PH: +86 21 6278 7708 FX: +86 21 6270 5816 sales-china@christiedigital.com

BEIJING PH: +86 10 6561 0240 FX: +86 10 6561 0546 sales-china@christiedigital.com

JAPAN PH: +81 3 3599 7481 FX: +81 3 3599 7482 sales-iapan@christiedigital.com





EXCOM AG, Moosacherstrasse 6, Au, 8820 Wädenswil, Tel. 044/782 21 11, Fax 044/782 23 49 EXCOM AG, Le Trési 6A, 1028 Préverenges, Tél. 021/804 17 20, Fax 021/804 17 30, www.excom.ch - info@excom.ch