



Vision



Storage



Mice & Keyb's



Power



Carry Cases



Connectivity

Options & Services
Toshiba I.S. Benelux
Najaar 2007

TOSHIBA
Leading Innovation >>>

Cam-ILEO

Partnumber: PX1333E-1CAM



- 6 in 1: digital camcorder, digital camera, webcam, MP3 player, voice recorder and motion detection
- 5.2 megapixel, 8x digital zoom
- Incl. mini tripod, USB cable, AV cable, power adaptor, earphones, strap, pouch, Li-Ion rechargeable battery, software CD

Main Features

- 2.4" TFT LCD display
- 5.2 CMOS sensor
- 11 mega pixel interpolated resolution
- Interface: USB 2.0
- Built-in 64 MB memory
- Built-in SD™ card slot (up to 2 GB)
- Image resolution:
 - 3.840 x 2.880 high
 - 2.592 x 1.944 standard
 - 1.600 x 1.200 low
- Video compression format: MPEG-4, AVI
- Video resolution:
 - VGA 640 x 480, 30 fps
 - QVGA 320 x 240, 30 fps
- Working hours: ca. 180 min.

System Requirements

- Windows® 2000/XP, available USB 2.0 port, 500 MB free HDD space, 16-bit colour display, CD-ROM drive, 64 MB RAM, SD(TM) card slot or reader

Dimensions

- 95 x 71 x 34 mm
- Weight: 142 g

Camileo Pro

available October 2007

Partnumber: PA3622E-1CAM



- 8 in 1: digital video camcorder, digital still camera, webcam, digital voice recorder, MP3 player, mass storage device, eBook, motion detection
- 3x optical zoom, 4x digital zoom
- 7.0 Mega Pixel CCD sensor for excellent image quality
- Including USB cable, AV cable, power adaptor, earphones, strap, pouch, mini tripod, Li-Ion rechargeable battery, CD with software & driver

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- 2.5 LTPS TFT LCD
- 7.0 mega pixel CCD image sensor
- Optical zoom: 3x
- Digital zoom: 4x
- Build-in 64 MB memory
- SD/MMC card slot
- Image resolution: 3744 x 2808 (high), 3072 x 2304 (standard), 2048 x 1536 (low)
- Movie resolution: 720 x 480 (D1), 640 x 480 (VGA), 320 x 240 (QVGA), 30 fps
- Interfaces: mini USB 2.0/earphone

System Requirements

- Windows® 2000/XP/Vista™, Pentium III 800 MHz or above, 256 MB RAM, 1 GB free hard disk space, available USB port, CD-ROM drive

Dimensions

- 119 x 64 x 30.5 mm
- Weight: approx. 165 g (without battery)

20" TekBright Wide Display

Partnumber: PA3552E-1LCD



- Enjoy watching movies, images, etc. on a 20" widescreen in
- elegant design
- Optimized desktop for multiple applications
- Excellent quality and anti-glare panel
- VGA interface

Main Features

- 20" TFT LCD
- Display area: 433.4 (W) x 270.9 (H) mm
- Contrast ratio: 800:1
- Viewing angle: horizontal/vertical 160°
- Voltage: 100 – 240 V AC
- Frequency: 50-60 Hz
- Current rating: 1.5 A
- Power consumption 55 W
- Display colours: 16.7 M
- Resolution: up to 1680 x 1050 (WSXGA+) at 60 Hz maximum
- Luminance: 300 cd/m²
- Ultra-fast response time: 5 ms
- Interface: analog RGB
- Input connector: 15-pin D-SUB
- Speaker: 2 x 1.5 W

System Requirements

- PC with VGA interface

Dimensions

- 384 x 479 x 191 mm
- Weight: approx. 4.8 kg

20" TekBright Wide Display

Partnumber: PA3552E-1LC2



- Enjoy watching movies, images, etc. on a 20" widescreen in elegant design
- Optimized desktop for multiple applications
- Excellent quality and anti-glare panel
- VGA & DVI interfaces

Main Features

- 20" TFT LCD
- Display area: 433.4 (W) x 270.9 (H) mm
- Contrast ratio: 800:1
- Viewing angle: horizontal/vertical 160°
- Voltage: 100 – 240 V AC
- Frequency: 50-60 Hz
- Current rating: 1.5 A
- Power consumption 55 W
- Display colours: 16.7 M
- Resolution: up to 1680 x 1050 (WSXGA+) at 60 Hz maximum
- Luminance: 300 cd/m²
- Ultra-fast response time: 5 ms
- Interface: analog RGB, digital
- Input connector: 15-pin D-SUB, audio input DVI-D cable
- Speaker: 2 x 1.5 W

System Requirements

- PC with VGA or DVI interface

Dimensions

- 384 x 479 x 191 mm
- Weight: approx. 4.8 kg

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

22" TekBright Wide Display

Partnumber: PA3553E-1LCD



- › Enjoy watching movies, images, etc. on a 22" widescreen in
- › elegant design
- › Optimized desktop for multiple applications
- › Excellent quality and anti-glare panel
- › VGA interface

Main Features

- 22" TFT LCD
- Display area: 473.76 (W) x 296.1 (H) mm
- Contrast ratio: 800:1
- Viewing angle: horizontal/vertical 160°
- Voltage: 100-240 V AC
- Frequency: 50-60 Hz
- Current rating: 1.5 A
- Power consumption: 55 W
- Display colours: 16.7 M
- Resolution: up to 1680 x 1050 (WSXGA+) at 60 Hz maximum
- Luminance: 300 cd/m²
- Ultra-fast response time: 5 ms
- Interface: analog RGB
- Input connector: 15-pin D-SUB
- Speaker: 2 x 1.5 W

System Requirements

- PC with VGA interface

Dimensions

- 399 x 508 x 191 mm
- Weight: approx. 5.3 kg

22" TekBright Wide Display

Partnumber: PA3553E-1LCD2



- Enjoy watching movies, images, etc. on a 22" widescreen in elegant design
- Optimized desktop for multiple applications
- Excellent quality and anti-glare panel
- VGA & DVI interfaces

Main Features

- 22" TFT LCD
- Display area: 473.76 (W) x 296.1 (H) mm
- Contrast ratio: 800:1
- Viewing angle: horizontal/vertical 160°
- Voltage: 100-240 V AC
- Frequency: 50-60 Hz
- Current rating: 1.5 A
- Power consumption: 55 W
- Display colours: 16.7 M
- Resolution: up to 1680 x 1050 (WSXGA+) at 60 Hz maximum
- Luminance: 300 cd/m²
- Ultra-fast response time: 5 ms
- Interface: analog RGB, digital
- Input connector: 15-pin D-SUB, audio input DVI-D cable
- Speaker: 2 x 1.5 W

System Requirements

- PC with VGA or DVI interface

Dimensions

- 399 x 508 x 191 mm
- Weight: approx. 5.3 kg

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Notebook Skins

Partnumber: PX1423E-1SKN, PX1424E-1SKN (NL) PX1423F-1SKN, PX1424F-1SKN (BE)

The screenshot shows the Coovz website interface for Toshiba notebook skins. At the top left is the Coovz logo, a purple frog-like creature. Navigation links include 'Catalogue | Pin cards | About Coovz' and a language selector set to 'Others'. A central banner features a zebra-striped laptop with the text 'Coovz personalizes your Toshiba notebook!' and 'Coovz can endlessly change the look of your Toshiba notebooks, personalizing them with the design, the picture or the logo of your choice.' Below this, it states 'You can choose from a wide selection of patterns in the catalogue or use one of your own photos to create the skin that fits you and will make your notebook unique and original'. To the right, a 'Pin cards' section asks for a pin code. Below that, 'High quality products!' are listed: 'Made-to-measure', 'High quality Coverium 3M', 'Easy to apply', and 'Removable without leaving a trace'. The main content area is divided into 'My account' (with 'Enter' and 'Register' buttons), 'Exclusive designs' (featuring a woman on a beach with a Toshiba logo), and 'Coovz creations' (with a 'Butterfly' dropdown and a grid of butterfly patterns). A 'Find your product' section includes dropdowns for 'Category: Notebook', 'Brand: .Make a selection', 'Product: Standard', 'Designs: .Make a selection', and 'Creations: .Make a selection'. A 'Help!' link and contact information are at the bottom left, and a search bar is at the bottom right.

Catalogue | Pin cards | About Coovz ▾ Others ▾

Coovz.com

TOSHIBA
Leading Innovation >>>

Coovz personalizes your Toshiba notebook!

Coovz can endlessly change the look of your Toshiba notebooks, personalizing them with the design, the picture or the logo of your choice.

You can choose from a wide selection of patterns in the catalogue or use one of your own photos to create the skin that fits you and will make your notebook unique and original

Pin cards

Enter here the pin code you will find on your Coovz pin card, then click on OK

Your pin code **Ok**

High quality products !

- Made-to-measure
- High quality Coverium 3M
- Easy to apply
- Removable without leaving a trace

My account

Enter Register

Upload your photo

Exclusive designs

TOSHIBA

Choose a Universe

Toshiba ▾

Coovz creations

Butterfly ▾

New designs . New designs . New designs . N

Find your product

Category Notebook ▾

Brand .Make a selection ▾

Product .Make a selection
Standard
Toshiba **Ok**

Designs .Make a selection ▾

Creations .Make a selection ▾ **Ok**

Help! | Contact | General Terms and Conditions of sale | Prices |

Enter by keyword **Ok**

Digital Photo Frame

Partnumber: PA3615E-1ETC



**Watch your
digital photo
on this 7' wide
screen**

- 1) High resolution and display quality
- 2) Extra Slim with elegant/living style ID
- 3) All min-card & USB 2.0 compatible
- 3) Slide Show with transition effect
- 4) Additional function: Calendar, Clock
- 5) MS XP, MS Vista compatible
- 6) Competitive price in market's high-end products

Main Features

- Panel: 7 inches, 800(W)*480(V)
- Color Pixel: RGB Vertical Strip
- Number of Color: 262K
- Power Supply: AC/DC power adaptor
- Memory Cards Support :
Slot 1: CF (Type I)
Slot 2: SD, MMC, MS, MS Pro, xD
- Internal Memory: 16MB
- Supported File Format: JPEG, BMP
- Dimension
L/W/H :210*155*27mm
- Weight:405g (With stand)

Universal Notebook Stand

Partnumber: PA3579E-1ETC



- › Encourages good posture
- › Easily adjustable in height and width
- › Lift and tilt your notebook to eye level – increase comfort and productivity
- › Expandable shelf-width smooth pull-out motion
- › Compatible with notebooks and video projectors

Main Features

- Adjustable in height of up to 10,3 cm
- Up to 25° tilt adjustment
- Provided pan rotation rollers on the bottom
- Adjustable rubber-coated tabs to stabilize the notebook
- Cooling holes in the center of the platform
- Independent tilting mechanism for the platform

Compatibility

- For devices up to 20,3 x 43,2 x 38,1 cm, weighing up to 5,5 kg

Dynadock

Universal USB Docking Station with Video

Partnumber: PA3541E-2PRP



- VGA port for TV or monitor connection with high performance
- 7.1 Ch audio output for excellent audio quality
- Features 6x USB 2.0 ports and 1x Ethernet port
- Comes with AC adapter, USB cable, quick start guide, CD with software & user manual

Main Features

- Colour: Aluminium silver & black
- PC connection interface: USB 2.0
- Interfaces:
 - 6x USB, 1x 10M/100M LAN, 1x VGA, 1x Mic In, 1x Headphone Out, 1x S/PDIF Out, 1x Serial
- Resolution: up to SXGA (1.280 x 1.024), 24-bit colour
- AC powered
- Supports 7.1 Ch audio via S/PDIF
- Front USB ports supply power even if the PC is off
- Supports hot plug function

System Requirements

- Intel Pentium, Celeron or AMD processor, 1.2 GHz & 512 MB memory is required for still image, Intel Core Duo 2.0 GHz & 1.024 MB memory is required for movie playback, USB 2.0 port, 30 MB of available hard disk space, Windows® XP SP2

Dimensions

- 45 mm (W) x 78 mm (D) x 222 mm (H)

Dynadock

Universal USB Docking Station with Video

Partnumber: PA3542E-2PRP



- DVI port for TV or monitor connection with high performance
- 7.1 Ch audio output for excellent audio quality
- Features 6x USB 2.0 ports and 1x Ethernet port
- Comes with AC adapter, USB cable, DVI to VGA adapter, quick start guide, CD with software & user manual

Main Features

- Colour: mist grey & black
- PC connection interface: USB 2.0
- Interfaces:
 - 6x USB, 1x 10M/100M LAN, 1x DVI, 1x Mic In, 1x Headphone Out, 1x S/PDIF Out, 1x Serial
- Resolution: up to UXGA (1.600 x 1.200), 24-bit colour
- AC powered
- Supports 7.1 Ch audio via S/PDIF
- Front USB ports supply power even if the PC is off
- Supports hot plug function

System Requirements

- Intel Pentium, Celeron or AMD processor, 1.2 GHz & 512 MB memory is required for still image, Intel Core Duo 2.0 GHz & 1.024 MB memory is required for movie playback, USB 2.0 port, 30 MB of available hard disk space, Windows® XP SP2

Dimensions

- 45 mm (W) x 78 mm (D) x 222 mm (H)

Toshiba Express Port Replicator

Partnumber: PA3508E-1PRP



**Save time
and wear-
and-tear on
your new
system.**

- Snap in and out to a full compliment of ports
- Supports USB 2.0, if featured on the notebook
- Great value! Includes AC Adaptor

Main Features

- › 4x USB 2.0
- › RGB / DVI
- › LAN
- › Modem
- › AC Adapter
- › DC in
- › Modem
- › Kensington lock
- › RoHS compliant

Compatibility

- › Portégé M400

Dimensions

- › Weight: 0,85 kg
- › 280mm x 145mm x 56mm

Toshiba Slim Port Replicator

Partnumber: PA3603E-1PRP



- Eliminates the hassle of connecting multiple cables time after time
- Provides fast access to your desktop environment

Main Features

- 1x RGB monitor port
- 4x USB ports
- 1x DVI output port
- 1x DC In 15V jack
- 1x LAN jack
- AC adaptor: 100-240 volts AC, 50 or 60 hertz, 15 VDC, 5.0 A

Compatibilities

- For Toshiba Portégé R500

Dimensions

- 283 (W) x 25 (H) x 90 (D) mm
- Weight: approx. 400 g

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

USB 2.0 Port Replicator II (Ethernet)

Partnumber: PX1173E-1PRP



Replicates
common
ports in a
compact
design

- Connect all your main peripherals to one hub
- Brings hard to reach ports/cables to your notebook with just one connection cable
- Easy to install and use
- Reduces cable clutter, plugging and unplugging and the cost of buying separate hubs, adapters and converters
- Compact, space saving design

Main Features

- 4 USB 2.0 ports
- 2 PS/2 ports
- 1 RS232 serial port
- 1 USB 2.0 LAN port supporting 10/100 Mbps transfer rates
- USB 2.0 A to B cable
- AC Power Adapter (DC 5V/3A)

Compatibility

- All notebooks with USB 1.1/2.0 port
- System Requirements: Win 2000/XP

Dimensions

- 2.45 * 11 * 7.3cm

Notebook Car/Truck/ Air Charger

120W/ 19V

Partnumber: PX1235E-1NPO



*Image not available yet

**19V output power,
120W continuous/150W
maximum**

- Ultra-slim design
- Advanced protection features:
 - input under- and over-voltage protection
 - short circuit protection and over-temperature shutdown with auto restart
 - constant output current limitation
 - output over-voltage protection
 - power reduction in case of over-temperature in cigarette lighter plug

Main Features

- Wide input voltage: 11V – 32V
- No minimum load requirement
- 5 different notebook power connectors

Compatibilities

- Visit www.toshiba-europe.com/more4you for the updated notebook compatibility list

Dimensions

- 142 x 62 x 19 mm
- Weight: 360 g (with cables)

Notebook Car/Truck/ Air Charger

120W/ 15V

Partnumber: PX1237E-1NPO



**15V output power,
120W continuous/150W
maximum**

- Ultra-slim design
- Advanced protection features:
 - input under- and over-voltage protection
 - short circuit protection and over-temperature shutdown with auto restart
 - constant output current limitation
 - output over-voltage protection
 - power reduction in case of over-temperature in cigarette lighter plug

Main Features

- Wide input voltage: 11V – 32V
- No minimum load requirement
- 6 different notebook power connectors

Compatibilities

- Visit www.toshiba-europe.com/more4you for the updated notebook compatibility list

Dimensions

- 142 x 62 x 19 mm
- Weight: 360 g (with cables)

USB-HDD

320GB

Partnumber: PX1223E-3G32



- Capacity: 320 GB
- 7200 rpm for high-performance
- Data buffer: 8 MB
- Horizontal or vertical placement

Main Features

- Optimized for digital video, photos and music storage
- Fanless design for near-silent operation
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Rotational speed: 7200 rpm
- Average read seek time: <8.5 ms
- Cache: 16 MB
- Power requirement: +5 VDC (+/- 5%)
+12 VDC (+/- 5%)

System Requirements

- PC with minimum 233 MHz Pentium or equivalent (Celeron, AMD, etc.), Windows® 2000/XP/Vista, available USB 2.0 ports

Dimensions

- 117 mm (W) x 35 mm (L)
x 206.5 mm (H)
- Weight: ca. 1.09 kg

USB-HDD

500GB

Partnumber: PX1394E-3G50



- Capacity: 500 GB
- 7200 rpm for high-performance
- Data buffer: 16 MB
- Horizontal or vertical placement

Main Features

- Optimized for digital video, photos and music storage
- Fanless design for near-silent operation
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Rotational speed: 7200 rpm
- Average read seek time: <8.5 ms
- Cache: 16 MB
- Power requirement: +5 VDC (+/- 5%)
+12 VDC (+/- 5%)

System Requirements

- PC with minimum 233 MHz Pentium or equivalent (Celeron, AMD, etc.), Windows® 2000/XP/Vista, available USB 2.0 ports

Dimensions

- 117 mm (W) x 35 mm (L)
x 206.5 mm (H)
- Weight: ca. 1.09 kg

USB-HDD

500GB

Partnumber: PX1269E-1G50



3.5" Hard Drive

- 7200 rpm for high-performance, 16 MB data buffer
- Fanless design for near-silent operation
- Horizontal or vertical placement
- Easy data backup via PushButton™ Backup
- Password security to prevent unauthorised access

Main Features

- Fanless design for near-silent operation
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Rotational speed: 7200 rpm
- Cache: 16 MB
- PushButton (TM) Backup
- Password security
- EU & UK cable

System Requirements

- PC with minimum 233 MHz, Pentium or equivalent (Celeron, AMD, etc.), Windows® XP/2000, available USB 2.0 port

USB Mini HDD

160GB

Partnumber: PX1270E-1G16



- › 4200 rpm high-speed performance
- › Bus-powered (requires 2 USB ports)
- › Compact and lightweight
- › Fanless design for near-silent operation

Main Features

- Colour: silver
- Rotational speed: 4200 rpm
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Cache: 8 MB

System Requirements

- PC with min. 233Mhz (Pentium, Celeron, AMD, etc.), Windows® XP/2000/Vista™, 2 available USB ports

Dimensions

- 74 mm (W) x 123 mm (L) x 14 mm (H)
- Weight: ca. 176 g

USB Mini HDD

200GB

Partnumber: PX1398E-2G20



- › 4200 rpm high-speed performance
- › Bus-powered (requires 2 USB ports)
- › Compact and lightweight
- › Fanless design for near-silent operation

Main Features

- Colour: silver
- Rotational speed: 4200 rpm
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Cache: 8 MB

System Requirements

- PC with min. 233Mhz (Pentium, Celeron, AMD, etc.), Windows® XP/2000/Vista™, 2 available USB ports

Dimensions

- 74 mm (W) x 123 mm (L) x 14 mm (H)
- Weight: ca. 176 g

USB Mini HDD

200GB

Partnumber: PX1399E-3G20



- › Fanless design for near-silent operation
- › USB powered for use anytime & anywhere
- › Easy data backup via PushButton™ Backup
- › Password security to prevent unauthorized access

Main Features

- Colour: black & silver
- Rotational speed: 4200 rpm
- Interface: high-speed USB 2.0
- Interface transfer rate (max.): 480 Mbps
- Cache: 8 MB
- PushButton™ Backup
- Password security

System Requirements

- PC with min. 233Mhz (Pentium, Celeron, AMD, etc.), Windows® XP/2000/Vista™, 2 available USB ports

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

USB Webcam

Partnumber: PX1342E-1CAM



- 2 x digital zoom, 640 x 480 pixel, up to 1,3 Mio. pixel interpolated
- With versatile clip to fit on desktops, notebooks and LCD monitors
- Built-in microphone for instant messaging via Skype, Yahoo & Windows® Live Messenger

Main Features

- 640 x 480 pixel CMOS sensor
- Video resolution: 640 x 480 (VGA), 30 fps / 800 x 600 interpolated
- Still image resolution: 640 x 480 (VGA) / 1.280 x 960 (1,3 Mio. pixel) interpolated
- Video: AVI, Still image: JPEG, BMP
- 24 bit true colour
- 2x digital zoom
- Exposure: auto
- White balance: auto/manual
- Built-in microphone
- Snapshot button
- LED status indicator
- USB 1.1, bus powered when connected to a PC

System Requirements

- Windows® 2000/XP, USB 1.1 port

Dimensions

- 63.4 (W) x 50 (H) x 25 (D)
- Weight: ca. 52 g

Mini Retractable Laser Mouse

Partnumber: PA3569E-1ETA



- Compact size and retractable USB cable makes it ideal for travelling
- Ultra precise and smooth operation
- Works on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 1600 dpi
- Buttons: Left / Right / Scroller Wheel
- Power requirements: working 5V / 20mA; stand by 5V / 8mA
- Cable length: approx. 63 cm

System Requirements

- Windows® Vista™/XP/2000, USB port

Dimensions

- 95 (D) x 62 (W) x 36 (H) mm
- Weight: approx. 80 g

Mini Retractable Laser Mouse

Partnumber: PA3569E-1ETB



- Compact size and retractable USB cable makes it ideal for travelling
- Ultra precise and smooth operation
- Works on most surfaces

Main Features

- Interface: USB
- 1600 dpi
- Buttons: Left / Right / Scroller Wheel
- Power requirements: working 5V / 20mA; stand by 5V / 8mA
- Cable length: approx. 63 cm

System Requirements

- Windows® Vista™/XP/2000, USB port

Dimensions

- 95 (D) x 62 (W) x 36 (H) mm
- Weight: approx. 80 g

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Laser Tilt-Wheel Mouse

Partnumber: PA3570E-1ETA



- Laser technology allows for precise and smooth operation on most transparent or mirrored surfaces
- Easy to navigate with 4 ways scrolling
- Ergonomic shape provides comfortable usage
- Full-speed engine, 8 times faster than low-speed

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 1600 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 36mA; stand by 5V / 28mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 95 g

Laser Tilt-Wheel Mouse

Partnumber: PA3570E-1ETB



- Laser technology allows for precise and smooth operation on most transparent or mirrored surfaces
- Easy to navigate with 4 ways scrolling
- Ergonomic shape provides comfortable usage
- Full-speed engine, 8 times faster than low-speed

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 1600 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 36mA; stand by 5V / 28mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 95 g

Optical Tilt-Wheel Mouse

Partnumber: PA3571E-1ETA



- Full-speed engine, 8 times faster than low-speed
- Easy to navigate with 4 ways scrolling
- Ultra precise and smooth operation

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 800 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 44mA; stand by 5V / 21mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 105 g

Laser Tilt-Wheel Mouse

Partnumber: PA3570E-1ETB



Main Features

- Interface: USB
- 1600 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 36mA; stand by 5V / 28mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 95 g

- Laser technology allows for precise and smooth operation on most transparent or mirrored surfaces
- Easy to navigate with 4 ways scrolling
- Ergonomic shape provides comfortable usage
- Full-speed engine, 8 times faster than low-speed

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Optical Tilt-Wheel Mouse

Partnumber: PA3571E-1ETA



- Full-speed engine, 8 times faster than low-speed
- Easy to navigate with 4 ways scrolling
- Ultra precise and smooth operation

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 800 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 44mA; stand by 5V / 21mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 105 g

Optical Tilt-Wheel Mouse

Partnumber: PA3571E-1ETB



- Full-speed engine, 8 times faster than low-speed
- Easy to navigate with 4 ways scrolling
- Ultra precise and smooth operation

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: USB
- 800 dpi
- Sensor: optical
- Buttons: Left / Right / Tilt-Wheel
- Power requirements: working 5V / 44mA; stand by 5V / 21mA
- Cable length: approx. 1.5 m

System Requirements

- Windows® Vista™/XP/2000, USB 2.0 port, CD-ROM drive

Dimensions

- 115 (D) x 65 (W) x 35 (H) mm
- Weight: approx. 105 g

Wireless (RF) Mouse

Partnumber: PA3572E-1ETA



- Operation range up to 10 meters
- Compact design, receiver can be stored inside the mouse
- Ultra precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: RF 2.4 GHz
- Frequency: 2.4 GHz
- Operation range: up to 10 meters
- Mouse sensor: optical
- 800 dpi
- Receiver interface: USB 1.1/RF 2.4 GHz
- Buttons: 3 with scrolling wheel
- On/Off switch
- Batteries: 2x 1.5v, AA Alkaline

System Requirements

- PC with Pentium III 500 MHz, 256 MB, 50 MB hard disk space, Windows® Vista™/XP/2000, USB 1.1/2.0 port

Dimensions

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g
- Receiver: 16 (W) x 57 (D) x 8 (H) mm, 6 g

Wireless (RF) Mouse

Partnumber: PA3572E-1ETB



- Operation range up to 10 meters
- Compact design, receiver can be stored inside the mouse
- Ultra precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: RF 2.4 GHz
- Frequency: 2.4 GHz
- Operation range: up to 10 meters
- Mouse sensor: optical
- 800 dpi
- Receiver interface: USB 1.1/RF 2.4 GHz
- Buttons: 3 with scrolling wheel
- On/Off switch
- Batteries: 2x 1.5v, AA Alkaline

System Requirements

- PC with Pentium III 500 MHz, 256 MB, 50 MB hard disk space, Windows® Vista™/XP/2000, USB 1.1/2.0 port

Dimensions

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g
- Receiver: 16 (W) x 57 (D) x 8 (H) mm, 6 g

Wireless Mouse with Bluetooth™

Partnumber: PA3573A-1ETB



- Operating range up to 10 meters
- Easy to navigate with 2 ways scrolling
- Precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: Bluetooth™ 2.0
- Frequency: 2.4 GHz
- 800 dpi
- Profile: HID
- Button count: 3 with scrolling wheel
- Mouse sensor: optical
- Operation range: 10 meters
- On/Off switch
- Including 2x AA Alkaline 1.5v batteries

System Requirements

- PC with Intel Pentium III 500 MHz, 256 MB, 50 MB hard disk space, USB 1.1/2.0 port, Bluetooth™ V1.2 or higher, Bluetooth™ Stack for Windows® by Toshiba, Windows® Vista™/XP/2000

Dimensions

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g

Wireless Mouse with Bluetooth™

Partnumber: PA3573E-1ETB



- Operating range up to 10 meters
- Easy to navigate with 2 ways scrolling
- Precise and smooth operation on most surfaces

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Main Features

- Interface: Bluetooth™ 2.0
- Frequency: 2.4 GHz
- 800 dpi
- Profile: HID
- Button count: 3 with scrolling wheel
- Mouse sensor: optical
- Operation range: 10 meters
- On/Off switch
- Including 2x AA Alkaline 1.5v batteries

System Requirements

- PC with Intel Pentium III 500 MHz, 256 MB, 50 MB hard disk space, USB 1.1/2.0 port, Bluetooth™ V1.2 or higher, Bluetooth™ Stack for Windows® by Toshiba, Windows® Vista™/XP/2000

Dimensions

- 58 (W) x 98 (D) x 38 (H) mm
- Weight: approx. 61 g

Notebook Starter Kit

Partnumber: PX1222E-1NSK



The ideal
start to
getting more
from your
notebook

- 3 products in 1 box:

Carry Case – Value Edition: Perfect safety through reinforced frame - for notebooks up to 15.4"

USB Optical Mouse: A stylish and compact optical scroll wheel mouse that is perfect for daily use and for travelling

USB 2.0 4x Hub: Connect all your main peripherals to one hub

Main Features

- Carry Case – Value Edition:
Polyester/Dobby Nylon,
cushioned notebook compartment,
front pocket for mobile
accessories,
shoulder strap
- USB Optical Mouse:
USB 2.0, Windows® 2000 & XP
- USB 2.0 4x Hub:
USB 2.0, Windows® 2000 & XP

Compatibility

- For notebooks up to 15.4”
featuring USB 2.0

Lifestyle Carrying Cases



PX1307E-1NCA	Backpack dark blue + black
PX1308E-1NCA	Backpack orange + black
PX1309E-1NCA	Backpack light blue + light grey
PX1310E-1NCA	Backpack green + dark grey
PX1311E-1NCA	Messenger Bag dark blue + black
PX1312E-1NCA	Messenger Bag orange + black
PX1313E-1NCA	Messenger Bag light blue + light grey
PX1314E-1NCA	Messenger Bag green + dark grey

Lifestyle Carrying Case Backpack

Partnumber: PX1389E-1NCA, PX1387E-1NCA



- Style, storage and protection for your Toshiba Notebook
- Cushioned protective notebook compartment and separate compartment for documents
- Additional front pocket for mobile accessories
- Comfortable shoulder straps and back cushioning

Main Features

- Material: 600 D Polyester (210D Nylon inside)

Compatibilities

- For all Notebooks up to 15.4" (370 x 290 x 40mm)

Dimensions

- 470 x 330 x 150 mm
- Weight: 0,9 kg

Product design, specifications and colours are subject to change without notice and may vary from those shown.
Errors and omissions excepted.

Lifestyle Carrying Case Messenger Bag

Partnumber: PX1390E-1NCA, PX1388E-1NCA



- Style, storage and protection for your Toshiba Notebook
- Cushioned protective notebook compartment and separate compartment for documents
- Additional front pockets for mobile accessories
- Adjustable comfortable shoulder strap

Main Features

- Material: 600 D Polyester (210D Nylon inside)

Compatibilities

- For all Notebooks up to 15.4" (370 x 290 x 40mm)

Dimensions

- 400 x 330 x 150 mm
- Weight: 0,9 kg

Lifestyle Carrying Case Backpack

Partnumber: PX1402E-1NCA, PX1400E-1NCA, PX1401E-1NCA



- Style, storage and protection for your Toshiba Notebook
- Cushioned Notebook compartment and separate compartment for documents
- Additional front pocket for mobile accessories
- Comfortable shoulder straps and back cushioning
- Toshiba Backpack makes transport a pleasure: on your scooter, bicycle, inline skates or by car.

Main Features

- Material: 600 D Polyester (210 D Nylon inside)
- Cushioned Notebook compartment; compartment for documents; additional front pocket for mobile accessories; adjustable cushioned shoulder straps; back cushioning

Compatibilities

- For all Notebooks up to 15.4“ (370 x 290 x 40mm)

Dimensions

- 470 x 330 x 150 mm
Weight: 0,9 kg

Lifestyle Carrying Case Messenger Bag

Partnumber: PX1403E-1NCA, PX1404E-1NCA
PX1405E-1NCA



- Style, storage and protection for your Toshiba Notebook
- Cushioned Notebook compartment and separate compartment for documents
- Two additional front pockets for mobile accessories
- Adjustable comfortable shoulder strap
- Toshiba Shoulder Bag makes transport a pleasure: on your scooter, bicycle, inline skates or by car

Main Features

- Material: 600 D Polyester (210 D Nylon inside)
- Cushioned Notebook compartment; compartment for documents; two additional front pockets for mobile accessories; adjustable cushioned shoulder strap

Compatibilities

- For all Notebooks up to 15.4" (370 x 290 x 40mm)

Dimensions

- 400 x 330 x 150 mm
- Weight: 0,9 kg

Carry Case Value Edition

Partnumber: PX1181E-1NCA



Perfect
safety
through
reinforced
frame

- Style, storage and protection for your Toshiba Notebook
- Cushioned notebook compartment
- Additional front pocket for mobile accessories
- Material mix as optical eye-catcher
- Metal fittings
- Notebook-Strap

Main Features

- Material: 600 D Polyester/ Dobby Nylon
- Cushioned Notebook compartment; internal compartment for pens and business cards; additional front pocket for mobile accessories; Notebook-Strap; high-quality zipper

Compatibilities

- For all Notebooks up to 15.4"

Dimensions

- 410 x 330 x 80 mm
- Weight: 0,8 kg

Business Case

Partnumber: PX1183E-1NCA



Spacious soft case with reinforced metal frame

- Style, storage and protection for your Toshiba Notebook
- Lockable, cushioned notebook compartment
- High protection through High-Density Foam (HDF)
- Separate compartment for power supply units and cables
- Reinforced metal frame
- Including comfortable shoulder strap

Main Features

- Material: 600 D Polyester/ Dobby Nylon
- Lockable cushioned Notebook compartment (HDF); front pocket with holders for pens, mobile phones, business cards etc.; workstation with pockets for mobile accessories; trolley fastening strap; shoulder strap

Compatibilities

- For all Notebooks up to 15.4"

Dimensions

- 435 x 350 x 120 mm
- Weight: 1,4 kg

Leather Case

Partnumber: PX1186E-1NCA



**Notebook
Case made of
high quality
leather**

- Style, storage and protection for your Toshiba Notebook
- High-quality locks
- Inside pocket
- Notebook compartment with cover to protect your Notebook connections
- Notebook case to carry or use as shoulder bag

Main Features

- Colour: Black
- Material: Leather
- Cushioned Notebook compartment; zip-down workstation with holder for pens, mobile phones PDAs, CDs etc.; document compartment

Compatibilities

- For all Notebooks up to 15.4" (except Satellite A40)

Dimensions

- 320 x 390 x 160 mm
- Weight: 1,9 kg

Wireless Stereo Headset & USB Bluetooth™

Partnumber: PX1224E-2EPH



**2 in 1! Listen to music
or communicate
through VoIP**

- 2 in 1! Enables greater freedom when listening to music as well as mobile hands-free communication (VoIP)
- Foldable design for easy carrying
- Includes USB Bluetooth™ Adapter
- Up to max. 8 hours operating time*

*Based on normal usage

Main Features

Wireless Stereo Headset

- Interface: Bluetooth™ V 1.2, Class 2
- Support Profiles: A2DP, AVCRP, HSP, HFP
- Charging Time: 4 hrs
- Standby time: up to 165 hours
- Battery: Lithium-Ion, 3.7 v – 230 mAh
- Bluetooth Power Class 2: operating range up to 10 m
- Input Power: DC + 5 V 2.5

USB Bluetooth™ Adapter

- Bluetooth™ V 2.0 + EDR, Class 2
- Interface: USB 1.1
- System Requirements: Windows® XP, Windows® 2000, Bluetooth™ V 1.2

Compatibilities

- Compatible with notebooks featuring USB 1.1 and Bluetooth™ V 1.2 or higher

Dimensions

Headset

- 151 mm (W) x 111.5 mm (D) x 70 mm (H)
- Weight: ca. 76.5 g

USB Bluetooth™ Adapter

- 55 mm (W) x 16 mm (D) x 7 mm (H)
- Weight: approx. 7 g

USB VoIP Phone

Partnumber: PX1214E-2UPH



Free of charge
phone calls!*

- Free of charge Internet phone calls through VoIP (Voice over Internet Protocol)*
- Works with most popular VoIP software such as Skype, Yahoo Messenger, MSN Messenger**
- As easy as dialling up on a regular telephone

*between VoIP Phone users

**can be downloaded from the Internet

Main Features

- Built-in speaker and microphone
- With 3.5 mm jack to be compliant with your earphone/MIC on hand
- Echo-cancellation for better sound quality
- Bus-powered
- LCD to display caller ID, contact list and calling list
- 4 different ringtones

System Requirements

- 400 MHz processor, 128 MB RAM, 15 MB of free hard disk space, high speed Internet connection, USB 2.0, Windows® 2000 or XP

Universal Remote Control

for Windows® Media Center Edition

Partnumber: PX1246E-1ETC



Control your PC
remotely from
up to 20 m away

- Works with Windows® MediaCenter Edition
- Easy navigation keys to control your digital TV on the PC the same way as your normal TV
- Plays your MP3, video files and DVD at the touch of a button
- Control your web browser and access your favourite web pages, or navigate in any other PC application

Main Features

- Frequency: 433.92 MHz
- RF output: <10 mW
- RF range: 20 m free field
- 2 x AAA batteries
- RF USB receiver included
- 45 keys

Compatibilities

- Works with any computer with Windows® Media Center Edition

Dimensions

- 190 x 60 x 20 mm

USB Flash Drive

available in 512MB, 1GB, 2GB en 4GB

Partnumber: PX1261E-1M51, PX1262E-1M1G
PX1263E-1M2G, PX1264E-1M4G



Fast & simple
plug & play

Main Features

- Capacity: 2 GB
- High-speed USB 2.0
- Plug & play

System Requirements

- Windows® ME, 2000, XP,
available USB 2.0 port

Dimensions

- 67 mm x 17 mm x 7 mm

- High-speed USB 2.0
- The quick and easy way to back up important data and share files with other computers
- Just plug & play into a USB port

Secure Digital™ Memory Card

available in 512MB, 1GB, 2GB, 4GB

Partnumber: PX1316E-1NCA, PX1317E-1NCA
PX1318F-1NCA. PX1319E-1NCA



- For use with computers, digital cameras & camcorders, mobile phones, digital audio players

Main Features

- SD™ specification: version 1.1
- Supports high-speed: up to 25 MB/s interface speed
- Operating voltage: 2.7 V - 3.6 V
- Read speed: 12.14 MB/s*
- Write speed: 2.32 MB/s*

Compatibilities

- Compatible with computers, digital cameras, digital Camcorders, mobile phones, digital audio players

Dimensions

- 2.4 x 3.2 cm

Overzicht Garantiepakketten Toshiba Benelux

		1 Jaar Standaardgarantie		2 Jaar Standaardgarantie	3 Jaar Standaardgarantie			
Carry In		Satellite Pro	Tecra A	Satellite	Tecra S	Tecra M	Portégé	Qosmio
	1 Jaar	-	-	-	-	-	-	-
	2 Jaar	SE5002I-V*	SE5002I-V	-	-	-	-	-
	3 Jaar	SE5003I-PS	SE5003I-PS	SE5053I-PS	-	-	-	-
	4 Jaar	SE5004I-V	SE5004I-V	SE5054I-V	SE5104I-V	SE5104I-V	SE5104I-V	SE5104I-V

Pick Up & Return		Satellite Pro	Tecra A	Satellite	Tecra S	Tecra M	Portégé	Qosmio
	1 Jaar	-	-	-	-	-	-	-
	2 Jaar	SE5352BN-V	SE5352BN-V	-	-	-	-	-
	3 Jaar	SE5353BN-P	SE5353BN-P	SE5203BN-P	-	-	-	-
	4 Jaar	SE5354BN-V	SE5354BN-V	SE5204BN-V	SE5254BN-V	SE5254BN-V	SE5254BN-V	SE5254BN-V

On Site		Satellite Pro	Tecra A	Satellite	Tecra S	Tecra M	Portégé	Qosmio
	1 Jaar	SE5551BN-P	SE5551BN-P	SE5401BN-P	SE5451BN-P	SE5451BN-P	SE5451BN-P	SE5451BN-P
	2 Jaar	SE5552BN-V	SE5552BN-V	SE5402BN-V	SE5452BN-V	SE5452BN-V	SE5452BN-V	SE5452BN-V
	3 Jaar	SE5553BN-P	SE5553BN-P	SE5403BN-P	SE5453BN-P	SE5453BN-P	SE5453BN-P	SE5453BN-P
	4 Jaar	SE5554BN-V	SE5554BN-V	SE5404BN-V	SE5454BN-V	SE5454BN-V	SE5454BN-V	SE5454BN-V



Bovenstaande pakketten dienen **binnen de standaard garantietermijn** van het notebook te worden aangeschaft
 Garantiepakketten dienen **binnen 30 dagen** na aankoop geregistreerd te worden teneinde het pakket te activeren
 Klanten kunnen zich niet op hun garantie beroepen wanneer het pakket niet correct is geregistreerd
 Voor meer informatie en extra opties kunt u terecht op www.toshiba.nl/services en www.toshiba.be/services

* Pakketten met een 'V' aan het einde worden alleen elektronisch aangeboden. Er zijn voor deze producten dus geen verpakkingen beschikbaar.
 Pakketten met 'P' of 'PS' aan het einde worden zowel met een verpakking als virtueel aangeboden. De 'P' of 'PS' wordt dan vervangen door een 'V'
 (benodigde info kan gedownload worden via www.toshiba.nl/services of www.toshiba.be/services)



Any questions about Options & Services

pops@toshiba.nl
of
pops@toshiba.be