



MULTI O/S VERSATILITY

Supports Microsoft® Windows Embedded Handheld 6.5 and Android™ 4.1 Operating Systems for flexible application support and migration*



DISPLAY

Large 4" brilliant WVGA multi-touch display allows for more graphical user interface, display-centric applications



RUGGED

SCANNING

Withstands multiple 1.5m (5ft) drops to concrete across the operating temperature range and an IP64 seal rating against rain and dust

Features best-in-class motion tolerance, and support for omnidirectional 1D & 2D barcode scanning



FLEXIBLE NETWORK

 Features WAN radio options with voice and data support including UMTS and Flexible Network UMTS/CDMA, PTT, as well as 802.11 a/b/g/n, Bluetooth, and GPS with GLONASS support

BATTERY

Industry-leading performance that lasts a full shift and beyond, enhanced by smart battery technology

PROCESSOR

Equipped with a power-efficient 1.5GHz dual core multi-engine Texas Instruments OMAP4 processor architecture, with 1GB RAM and 16GB Flash memory



When business depends on mobile workers being nimble, empowered and well informed, having flexible, multi-function technology tools in their hands is always a smart idea.

The Intermec CN51 mobile computer offers unparalleled versatility allowing the choice of Windows[®] or Android[™] operating systems on a single device coupled with a power-packed 1.5GHz dual core, multi-engine processor design with 1GB RAM, and 16GB Flash for the highest degree of future-proofing capability.

Designed for a superior user experience, the CN51's large, multi-touch, outdoorreadable screen provides ample room for application viewing with less scrolling and greater productivity, as well as more space for capturing more legible signatures. It's also equipped with stateof-the-art smart battery technology, delivering life that lasts through a full shift and beyond without interruption to replace or recharge to get the job done.

The CN51's high performance imagers provide optimal barcode scanning capabilities even in low light scanning environments with unmatched motion tolerance and snappy scanning to eliminate costly delays and user frustration during scan-intensive applications.

The 5 megapixel color camera combined with Intermec's cutting-edge image processing technologies deliver advanced capability beyond reading barcodes. Mobile Document Imaging (MDI) and Remote Deposit Capture (RDC) provide a fast and reliable way to convert full-size paper documents or check payments into electronic files while out on the road, transmitting directly from the point of capture to the back-office workflow.

Enterprises with large, geographicallydispersed workforces need adaptable network coverage. The CN51 answers the call with its voice-capable Flexible Network[™] Radio (in North America), allowing the same device to operate on either CDMA or UMTS wireless networks. Depending on which network provides the best geographic coverage or the lowest cost, the CN51 can be switched on-thefly, should coverage needs change.

Industry leading Software and Services solutions like Intermec's CloneNGo offer breakthrough device provisioning that makes it easy to replicate a master configuration across an unlimited number of devices to get up and running quickly. Intermec SmartSystems[™] Management Console also monitors key sub-systems including scanning, communications, and device health, to prevent issues before they impact operations.

Intermec's Medallion Advanced and Support Services help protect your investment by reducing unexpected operational impacts of network communication issues or minimizing device downtime due to accidental breakage.

Physical Characteristics

Dimensions with battery: L X W X D: 164 x 74 x 28 mm (base of unit) 32 mm (top of unit) (6.45 x 2.93 x 1.09-1.26 in) Weight with battery: 350 g (12.3 oz)

Environmental

Operating Temp: -10° C to +50° C (+14° F to +122° F) Storage Temp: -20° C to +70° C (-4° F to +158° F) Charging Temp: +5° C to +35° C (+41° F to +95° F) Relative Humidity: Non-condensing, 95% Rain & Dust Resistance: IP64

Tumble Spec: 1,000 - 0.5 m (1.6 ft) tumbles at room temperature

Drop Spec: 26 drops from 1.5m (5 ft) to concrete across the operating temperature range per MIL-STD 810G Electrostatic Discharge: +/- 15kV air discharge, +/- 8kV direct discharge

Power

Smart Battery Pack: 3.7V, 3900 mAh; Batteries are IEEE 1725 compliant, Li-Ion, removable, rechargeable.

Operating System

Microsoft Windows Embedded Handheld v6.5 or Android v4.1*

Microprocessor

Texas Instruments 1.5 GHz OMAP 4470 dual core, multi-engine processor architecture

Memory and Storage

Memory: 1GB RAM ROM: 16 GB Flash Customer-accessible micro-SD slot for removable memory cards up to 32 GB

Display

- 10.16 cm (4.0 in), 480 x 800 pixel (WVGA) TFT-LCD display
- LCD supports 24 bpp color depth
- LED backlight
- · Ambient light sensor
- Resistive multi-touch touch panel

Standard Communications

USB - High Speed 2.0 Host, USB - High Speed 2.0 Client

Software Applications & Components **Device Management:**

Intermec SmartSystems[™] provides a single, integrated environment for hands-free deployment and management of devices on-site or remote. Also compatible with leading third-party data and device management products.

North America

600136th Avenue West Everett, Washington 98203 Phone: (425) 348 2600 Fax: (425) 355 9551

North Latin America Mexico Phone: (+52) 55 52 41 48 00 Toll Free NOLA: 01800 490 4990



South Latin America

Brazil Phone: (+55) 11 3711 6770 Fax: (+55) 11 5502 6780

Europe, Middle East & Africa

Reading, United Kingdom Phone: (+44) 118 923 0800 Fax: (+44) 118 923 0801

Asia Pacific Singapore Phone: (+65) 6303 2100 Fax: (+65) 6303 2199

Media Sales EMEA: (+31) 24 372 3167 USA: (513) 874 5882 http://intermec.custhelp.com

Sales Toll Free NA: (800) 934 3163 Toll in NA: (425) 348 2726 Freephone ROW: 00800 4488 8844

OEM Sales Phone: (425) 348 2762 **Customer Service & Support** Toll Free NA: (800) 755 5505 Toll in NA: (425) 356 1799 EMEA: intermec.custhelp.com

www.intermec.com/locations

12 channel Integrated GPS; Network independent autonomous mode; supports assisted operation via

Wireless PAN: Integrated Bluetooth® Power Class 1.5

Global Positioning System (with WAN Radio option)

XTRA®, CP E911 GPS dedicated AT commands

Version 4 BLE

- Protocol: NMEA-0183 V2.3
- Tracking Sensitivity: better than -158 dBm
- GLONASS support

Sensor Technology

Accelerometer: Embedded accelerometer enables automatic or application-specific features such as screen rotation, drop detection or system suspend.

Audio Support

Supports VoIP / Speech recognition / Push-to-talk applications; Speaker and front panel microphone for handset audio communication and audio recording; Wireless Bluetooth headset support.

Integrated Scanner Options

EA30 high performance motion-tolerant 2D Imager; (up to 500 in/s) white LED illumination; red laser aimer and framer optimized for all lighting conditions. Capable of scanning all common 1D and 2D barcodes; 1D as small as 4 mils; 2D as small as 6.6 mils. Refer to User's Manual for depth of field performance.

EA31 high performance motion-tolerant 2D Imager; (up to 400 in/s) white LED illumination. Capable of scanning all common 1D and 2D bar codes; 1D as small as 4 mils: 2D as small as 6.6 mils. Refer to User's Manual for depth of field performance.

Integrated Camera Option

5 Megapixel auto focus color camera with LED flash

Keypad Options

(27 Key) Numeric or (43 Key) QWERTY with backlit keypad

Intermec Global Services Support

www.intermec.com --> Support --> Knowledge Central

Accessories

Supports all CN50 charging and docking accessories as well as FlexDock modular docking system, vehicle dock, vehicle holder, snap on adaptors, removable scan handle, and magnetic stripe reader.

Regulatory Compliance and Approvals:

1015CP01, 1015CP01S, 1015CP01U Safety: cULus Listed, Demko, BSMI EMC: Class B- FCC/ICES/EN, EAC, CCC Radio: FCC w/HAC, Industry Canada, CE, NCC, OFCA, IDA, SDPPI, NTC, ETA, SRRC, SIRIM, COFETEL, TELEC, ANATEL, TNZ, RCM, CONATEL, MOC (66 countries total). Environmental: EU Directives - WEEE; RoHs; Batteries & Accumulators; Packaging & Waste Packaging





© 2013 Honeywell International Inc. 612292-A 09/13

ScanNGo for easy barcode based enterprise-wide

management software from Intermec ISVs.

management console for device provisioning.

www.intermer.com/dev

Management option

Data Management

Integrated Radios

UMTS/HSPA+

Downlink - 14.4 Mbps

CDMA/EV-DO Rev A

Downlink - 3.1 Mhns

Authentication: 802.1x

Cisco Compatibility: CCXv4

1900 MHz

Certified

Wireless WAN Options

Shipment Address Verification, etc.

Skynax[®] Mobile Communications

Mbps Downlink - 14.4 Mbps

Kbps Downlink – 384 Kbps

Web Browsing: Intermec HTML5 Browser

*For the Android OS version, limited configurations

available, please consult your sales representative

device provisioning. It can be used to download device

CloneNGo, a peer-to-peer device management enables

Application Development: Intermec Developer Library

simple device cloning, eliminating the need to use a

Imaging Solutions: VIN scanning, Reusable Container

License Plate Verification. Mobile Document Imaging.

Device Health Monitoring: On-board monitoring of

key sub-systems including scanning, communications

and battery life: Remote access requires SmartSystem

UMTS / HSPA+ (Voice & Data); Worldwide except

Max Speeds (Network Dependent): Uplink - 5.76

GSM/GPRS/EDGE Frequencies: 900, 1800 MHz

Max Speeds (Network Dependent): Uplink - 384

Flexible Network[™] (Voice & Data); Americas,

Australia and New Zealand (Can be switched between the UMTS and CDMA radio networks)

UMTS Frequencies: 800, 850, 900, 1900, 2100 MHz

Max Speeds (Network Dependent): Uplink – 5.76 Mbps

Dual Band CDMA2000 Bands: BC0 & BC1 (800/1900 MHz)

Max Speeds (Network Dependent): Uplink - 1.8 Mbps

Wireless LAN: IEEE[®]802.11 a/b/g/n on devices without

Wireless WAN radio; IEEE®802.11 b/g/n on cellular devices

Security: WiFi Certified for WPA and WPA2, WAPI

Encryption: WEP (64 or 128 bit), AES, TKIP

GSM/GPRS/EDGE Frequencies: 850, 900, 1800,

Americas, Australia and New Zealand

UMTS/HSPA Frequencies: 900, 2100 MHz

Serial Number Scanning, Remote Deposit Capture,

Internet www.intermec.com

Worldwide Locations



Legacy Technology Services

Talk to an expert, call

866-271-9891

www.LegacyGlobal.com

About us

- Legacy Technology Services is a leading nationwide provider of mobile computers, barcode scanners, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

• Legacy is one of the largest repair facilities in North America and is an Authorized Repair Center for many manufacturers.

Discontinued product sourcing

• They don't make if anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

 Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





Legacy, Inc., 56 Chancellor Drive, Roselle, IL 60172 630-622-2001 Toll Free: 866-271-9891 Fax: 630-622-2044

Some brands and partners



















