



CBP Air Crewman Survival Vest User's Manual



Capewell Aerial Systems LLC
4298 JEB Stuart Hwy
Vesta, VA 24177-0222



www.aerialmachineandtool.com
Phone: 276-952-2006
FAX: 276-952-2231

Table of Contents

1. Introduction	3
2. Reference List	4
3. Donning the CBP Vest	6
4. Adjustment	8
5. Tether Attachment Loop	10
6. Insertion-Extraction Loops	12
7. Equipment Pockets	13
8. Equipment Platforms	15
9. Stowing the Survival Egress Air (SEA) Bottle	16
10. Sidearm Holster	18
11. Maintenance	20
12. Inspection	20
13. Storage	21
Appendix A. Equipment Platform Contents List	22

Copyright Notice

This owner's manual is copyrighted, all rights reserved. It may not, in whole or in part, be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine readable form without prior consent in writing from Capewell Aerial Systems LLC.

Copyright © 2015 Capewell Aerial Systems LLC

The following symbols are used throughout this manual:



WARNINGS indicate a procedure or situation that may result in serious injury or death if instructions are not followed correctly.



CAUTIONS indicate any situation or technique that will result in potential damage to the product, or render the product unsafe if instructions are not followed correctly.



NOTES are used to emphasize important points, tips, and reminders.

1. Introduction

The CBP Air Crewman Survival Vest is designed to support air crew and pilot operations over land and water. It provides safety, rescue, and equipment features on a low profile vest to maximize mobility and flexibility.

The vest is adjustable so that one size can fit all users and it can be adjusted as the user's mission changes to accommodate equipment such as body armor, warm weather clothing, anti-exposure suit, etc.

The vest is designed to allow its user to position their equipment pockets wherever they choose using the MOLLE system. The body of the vest is made with raschel knit fabric to provide comfort and minimize heat stress.

The vest has a built in harness system for insertion/extraction purposes and a tether point for safety and rescue missions.

The vest is designed to accept a variety of flotation collars and devices that will support its user in the event of a water emergency.

The CBP vest is an important piece of survival equipment. Proper care and maintenance will ensure your vest will accomplish the level of safety performance it is designed for. It is important that you become familiar with these instructions to safely use this vest.





WARNING



KEEP YOUR VEST IN USABLE CONDITION. IMPROPER WEAR MAY RESULT IN DAMAGE TO THE VEST. DO NOT WEAR ANY GARMENT OR PIECE OF EQUIPMENT OVER THE VEST. IMPROPER USE OR NEGLIGENT CARE OF THIS EQUIPMENT CAN CAUSE SERIOUS INJURY OR DEATH.

2. Reference List

1. Flotation Device Assembly (optional)
2. Flotation Device Activation Handle
3. Survival Egress Air (SEA) Mouthpiece Dust Cap (optional)
4. Radio Pocket
5. Utility Pouch
6. Survival Egress Air (SEA) Convertible Pocket
7. Knife Pocket
8. LPU-40 Cinch Ring
9. Leg Strap Attachment Buckle
10. Tether Attachment Loop/Grab Handle
11. Diagonal Harness Adjustment
12. Horizontal Harness Adjustment
13. Multi-purpose Pouch
14. Handcuff Pouch (not shown)



- 14. Insertion-Extraction Loops
- 15. Chest Strap Attachment Buckle
- 16. Inside Pocket
- 17. Equipment Platform (located inside both left and right inside pockets)
- 18. Regulator and Survival Egress Air (SEA) (SEA optional)
- 19. Information Label (right side equipment platform)



3. Donning the CBP Vest

Ensure the harness is not twisted or misrouted, and the leg straps hang free before donning the CBP vest.

3.1

Put the CBP vest on like you would a jacket.



3.1 Vest position.

3.2

Attach the chest strap buckle and adjust it for a snug fit.

Route the free end of the webbing through the elastic keeper and secure it with the Velcro® tab.



3.2 Attaching the chest strap buckle.

3.3

Close the CBP vest by zipping the slide fastener up.



3.3 Closing The CBP vest.

3.4

Attach both leg strap buckles and adjust them for a snug fit.

Route the free end of the webbing through the elastic keeper and secure it with the Velcro® tab.



3.4 Attaching the leg strap buckles.


4. Adjustment

It is important that the CBP vest is properly fitted and the free ends of the harness are properly stowed. There are three adjustment points on the back of the CBP vest. Adjust the CBP vest so it fits snug and feels secure and comfortable. Do not adjust the harness so tight that it restricts movement. You may have to don and remove the CBP vest several times to achieve proper adjustment.

4.1

Tighten the harness by pulling the free end of the webbing through the friction adapter.

Loosen the harness by pulling the webbing back through the friction adapter.



4.1 Harness adjustment locations.


4.2

Stow the harness free ends after the TAC-AIR vest is fitted.

1. Thread the webbing through the elastic keeper.
2. Then through the metal wire bar and back through the elastic keeper.
3. Secure the free end of the webbing with the Velcro® wrap.




4.2 Step 1.



4.2 Step 2a.



4.2 Step 2b.



4.2 Step 3a.



4.2 Step 3b.

5. Tether Attachment Loop/Grab Handle

Use the tether attachment loop to anchor the Personal Restraint Tether (PRT) with Decelerator to your vest. You have fall protection when the PRT with Decelerator is attached to an anchor point in the aircraft. If you fall from the aircraft, the shock load will be distributed through the PRT with Decelerator system and the whole harness, thus preventing a single-point shock load. The tether attachment loop can also be used as a hold-handle if the user requires assistance.

5.1

The tether attachment loop is located on the back of the harness.


Keep the loop in the stow pocket when not in use.



5.1 Tether Attachment Loop.

5.2


Use the Crew Specific Part (CSP) to connect the Personal Restraint Tether (PRT) with Decelerator to the tether attachment loop.



5.2 The CSP attachment and the PRT tether with Decelerator.

5.3


Attach the CSP to the attachment loop with a carabiner.



5.3 Hooking the CSP to the tether attachment loop.

5.4

Attach the quick release snap on the PRT with Decelerator to the V-ring on the CSP.



5.4 Hooking the PRT with Decelerator to the CSP.

6. Insertion-Extraction Loops

The CBP vest has lifting loops to assist insertion and rescue efforts. They are located on the inside of the vest at chest level.



WARNING

THE FOLLOWING STEPS MUST BE COMPLETED TO ENSURE A SAFE EXTRACTION OR INSERTION.

To prepare for an insertion or a rescue emergency lift:

6.1

Tighten your chest and leg straps so the CBP vest is tight on your body.

Ensure that the slide fastener is closed all the way up.



6.0 Insertion/Extraction loop location.



6.1 Vest preparation.

6.2

Join the two loops together to accept the carabiner. Attach the carabiner through both lift loops.



The lifting loops may also be used as a tether attachment point.



CAUTION

BOTH loops must be attached to the carabiner.



6.2 Attaching the carabiner.

7. Equipment Pockets

The equipment pockets on your CBP vest are designed to accept a variety of equipment. Two large front pockets will carry a radio and an emergency air bottle. The two inside pockets contain an equipment platform for survival items. All of the outside equipment pockets attach with a modular (MOLLE) system that allows you to add, remove, and adjust each pocket to fulfill the unique requirements of individual missions. This system, along with equipment anchor cords in the pockets, provides a secure platform for all your equipment. Additionally, an optional utility belt can be attached to the bottom of the vest for more storage options.

7.1


Use the MOLLE loops to attach your pockets.



7.1 MOLLE loops.

7.2


Weave the pocket onto the vest with the pocket free-end straps by threading the straps through both the MOLLE loops on the vest and the loops on the pocket.



7.2 Weaving the pocket onto the vest.

7.3

Vest webbing
Pocket webbing
Pocket free-end snap



7.3 Weaving Pattern.

7.4

Secure the snap fasteners on the bottom of the pocket.



7.4 Pocket fasteners.

7.5

There is an anchor cord located inside the pockets. Use the cord to secure the items you store in the pockets.




7.5 Anchor cord.

8. Equipment Platforms

8.1

Two equipment platforms are located in the front-inside pockets.

 Refer to Appendix A on page 22 & 23 for the platform contents list.



8.1 Equipment platform location.

8.2

The platform has a storage pouch on the back that closes with a slide fastener.

The platform is tethered to the vest with a strap and can be removed by unsnapping the tether from the pouch.




8.2 Equipment platform removal.


9. Stowing the Survival Egress Air (SEA) Bottle

9.1

Stow the SEA bottle in the convertible pouch on the front of the vest.

 Reference list #6.

Insert the bottle into the elastic sleeve located inside the pocket.



9.1 Stowing the SEA bottle.

WARNING

WHEN USING THE POCKET TO STORE THE SEA BOTTLE, WE RECOMMEND THAT THE ANCHOR CORD USED FOR OTHER GEAR BE STORED TO PREVENT THE POSSIBILITY OF ENTANGLING THE SEA HOSE.

9.2

Stow the hose in the pocket with the mouthpiece outside the pocket.

Close the bottle neck-strap around the bottle.



9.2 Closing the bottle neck strap.


9.3

Angle the bottle so the neck exits the pocket at the corner and close the zipper slider of the pocket.

Close the snap fastener to secure the zipper slider.



9.3 Closing the pocket.



9.4

Stow the mouthpiece in the dust cap.

Attach the mouthpiece dust cap to the vest by using a cable tie or cord through a MOLLE loop.



9.4 Stowing the mouthpiece.

10. Sidearm Holster

A universal holster for a sidearm can be installed on the vest. A magazine pouch is located in front of the holster for quick, easy access.

The holster can be worn on the left or right thigh, or on the vest as a shoulder holster.




10.1

To attach the holster to the vest:

Thread the extension bar through the metal wire bar located on the bottom right side of the vest.

Mate the extension together and attach the snap fastener.



10.1 Attaching the extension bar.

10.2

Attach the holster to the extension in the same manner as outlined in 10.1.

Wrap the thigh straps around your thigh and connect the Fastex® buckles.



10.2 Thigh holster for sidearm.

11. Maintenance

Maintenance of the CBP vest consists of cleaning, service, and repair. The air crewman's responsibility for maintenance is limited to washing the vest with fresh water. Service and repairs should be completed only by an authorized service station or the manufacturer.

- Washing:

Wash the vest if it gets heavily soiled or is submerged in salt water.

To prepare the vest for washing:

- Remove the flotation collar from the vest.
- Use a toothbrush to clean dirt from the pile fastener (Velcro®) patches.
- Open all the snaps and slide fasteners (zippers).
- Unstow any webbing that is stowed in elastic keepers.

Wash the vest with mild soap and fresh, warm water. Scrubbing with a soft bristle brush is acceptable.

Thoroughly rinse the vest to remove all the soap.

Blot the vest with a lint-free towel and hang it up to dry away from direct sunlight. Ensure that the harness webbing thoroughly dries around the hardware.

12. Inspection

It is the responsibility of the air crewman to inspect the vest before flight operations. Perform a preflight inspection prior to each flight or at intervals not to exceed 90 days. If damage is found during an inspection, the vest must be grounded until repaired.

1. Inspect the fabric and webbing for:

- Cuts, tears, and abrasion damage
- Open seams and loose or broken stitching
- Contamination damage

2. Inspect the hardware for:

- Cracks
- Corrosion
- Mechanical operation
- Bent or missing parts

3. Inspect the slide fasteners for missing teeth and ease of operation.

4. Inspect the snaps for damage, corrosion, and ease of operation.

5. Check that the harness is not twisted or misrouted.


13. Storage

Store your CBP vest on a clothes hanger away from direct sunlight in a dry, well-ventilated place. Do not store your vest near sources of heat such as a radiator, or in a warm, humid environment where mold or mildew can contaminate the vest.

Appendix A. Equipment Platform Contents List

First Aid and Trauma Pack


P/N: AMTC-KAVFTP



P/N	QTY	DESCRIPTION
KS001	2 ea.	Triple Antibiotic; Net Wt. 0.9 g.
KS002	2 ea.	Hydrocortisone Cream; Net Wt. 0.9 g.
KS003	1 pk.	Burn Jel; Net Wt. 3.5 g.
KS004	1 pk.	Burn Dressing; 2" X 6" Dressing
KS005	2-pk. 2 ea.	Tylenol (Extra Strength); Two 500 mg. Caplets
KS006	2-pk. 2 ea.	Motrin (Ibuprofen); Two Coated Caplets
KS007	3 ea.	Butterfly Bandages; Non Latex Adhesive Strips
KS008	5 ea.	Standard Bandage; Non Latex Adhesive Strips
KS009	2 ea.	Flex-Band; 4-1/2" X 1-7/8" Non Latex Adhesive Bandage
KS010	3 ea.	Prep Pad; 1" X 1-1/2" Providione-Iodine Prep Pad
KS011	2 ea.	Non-Adherent Pad; 2" X 3" Non Adherent Pad
KS012	1 pc.	Compressed Gauze; 4-1/2" x 4.1 Yards Sterile Crinkle Cotton Gauze
KS013	1 pc.	Thin Cinch; 4" X 10" Sterile Compression Bandage
KS014	1 pc.	Tourinquick; Rubber Latex w/ Metal Hook Fasteners
KS015	1 pc.	Tweezers; 3 5/8" Stainless Steel
KS016	1 pc.	Dental Floss; 10.9 m. X 12 Yards
KS017	5 ea.	Safety Pins; 1 3/8" Chrome Plated
KS018	1 pc.	Med Tape; 1/2" Med Tape
KS019	1 pc.	Lip Balm; SPF 22 Waterproof

Survival Pack

P/N: AMTC-KAVSP



P/N	QTY	DESCRIPTION
KS020	1 pc.	Star Flash; Emergency Signal Mirror
KS021	1 pc.	Fox 40 Whistle; Black Plastic Whistle
KS022	1 pc.	Foil Blanket; 84" X 52" Space Blanket
KS023	3 pk.	Sunsect; Sunscreen & Insect Repellent 15 SPF 0.3 oz.
KS024	2-pk. 10 ea.	Micropur Purification Tablets
KS025	1 pc.	Blastmatch; Emergency Fire Starter
KS026	2 pc.	Wetfire; Emergency Tender
KS027	1 pc.	Nexus Star; Compass