



www.sonicstudio.com

# soundBlade HD 2.2 ReadMe Table of Contents

Please Read Before You Begin	3
soundBlade 2.2 Change Highlights:	3
Mac Host Requirements	4
Installing & Licensing soundBlade	5
Trial Mode	6
iLok Authorization for Licensed Options	6
Preferences	6
Using soundBlade With Mountain Lion or Mavericks	6
Intel Support	7
Changes Since soundBlade 2.1.1 (3423)	7
Changes Since soundBlade 2.1 (3398)	8
Changes Since soundBlade 2.0.2 (3365)—	10
Changes Since soundBlade 2.0.1 (3351)	12
Changes Since soundBlade 2.0 (3308)	13
Changes Since soundBlade 1.3.5 (2894)	17
System Tuning —	23
Known Issues —	23
Refinements —	24
Implementation Specifics —	25
Using soundBlade HD with Avid® Hardware —	25
Contacting Sonic Studio, LLC —	26
Software Updates —	26
studioCare Support Program —	26
soundBlade Tutorial Videos —	28



## soundBlade 2.2 HD™ ReadMe

March 2014

# Please Read Before You Begin...

Thank you for your purchase of soundBlade HD. This file contains important information about the installation and operation of your application. The User Manual, a more complete version of this document, is available in the application's Documentation folder.

# soundBlade 2.2 Change Highlights:

## Export

Fixes Issues with WAV/BWF incorrect size and metadata Add support for 32 bit CAF Audio Format (recording also) Add support for Multiple Exports at same time Add support for Sample Rate Conversion on Export Creates multiple export files at same time Supports 44/24 and 44/16 and 48-24 export A new folder call 44-24, 44-16 and 48-24 is created Shortcut ctrl-cmd-E for Export Tracks Clean up Export error (out of memory - file-path )

## Mark Info / Delivery Changes

Easier to read fonts
Fix Dragging FirstTrack (preserve pregap space)
Allow Editing of Index Mark Name

Fix Issue with incorrect CDText file length PQ Disable Offsets follows Global Preference

Hide "Add iTunes" in Mark Info Window

Improved Error reporting for Marks Past end of Tracks.

Fix on crash on editing end of track name Fix disable offsets when opening project

Strip off file extension when creating mark names

## Menu Changes

File Menu: Add "Show BWF Metadata"

ExportTracks: Ctrl-Cmd-E Shortcut Save As: Shift-Cmd-S Shortcut

## Recording

Add warning on Dither Mismatch

#### **NoNoise**

Fix HiCutOff with sample rates > 44 kHz
Fixes for Estimate name handling
Replace Broadband DeNoise II with NoNOISE 3 (global version)

## Project / EDL

Create project on Open Soundfile if no project
Fix Routing when creating new project while playing
Fix issue with selecting/ deselecting segment if mouse held down
Add "Clear SRP Marks" to EDL Contextual Menu
Fix one crash on AU Plugins (closing wrong plugin)
Fix Cmd-F and hiding of dB scale in EDL
Fix for playback of channels 15 and 16
Added Check For Updates selection to Preferences window

## secure Player

Added play scroll bar Fix ISRC changing half way through song code signed (to avoid unknown developer message)

## **Mac Host Requirements**

At a minimum, soundBlade HD requires the following:

- Apple Macintosh Intel 2.6 GHz minimum or faster preferred
- 17" or larger display
- 4 GB RAM minimum, 8 GB or more preferred
- OS 10.6.8 or newer
- spare USB port for iLok Smart Key
- optional Series 300 DSP I/O Processor or other FireWire Core Audio interface



**Note About Using USB Devices:** Direct connection of a USB audio converter should be usable with soundBlade. Unlike FireWire however, USB does not provide an isochronous or time–critical data delivery mode. So, USB–attached products for external audio I/O are not recommended for either hard drives or audio interfaces when used in any pro audio production environment. USB peripherals, other than Human User Interface products such as mice and keyboards, may interfere with the operation of our products.

Current USB Apple Super Drives (USB2 or USB3) should perform as expected.

Note, since Sonic is unable to test every USB converter, we cannot guarantee that all USB audio converters will function at all sample rates and configurations.

Connection of audio converters <u>via USB hubs</u>, use of USB hard disc drives and USB v1 optical disc peripherals is not recommended or supported.



**Thunderbolt Notes** Apple's new Thunderbolt input/output technology lets you connect high-performance peripherals and displays to a single port with fast data transfer rates.

Sonic Studio expects no issues to arise with the connection of existing FireWire devices or drives using a Thunderbolt-to-FireWire adaptor or hub, nor with the use of future generation direct-attached drives, I/O devices and optical drives.



**VST NOTE**: To improve stability with VST plug-ins, soundBlade 2.1 and later makes use of a new folder to store VST plug-ins that are used within the application. This folder, called 'VST-Sonic', is created when installing soundBlade and is located at MacIntosh HD/Library/Audio/Plug-ins/.

On Launch, soundBlade will look for a VST-Sonic folder in your System Plugins folder. If this folder is found, then the "Standard" VST folder is not scanned during launch. Sonic Studio recommends that you rely on Audio Units plug-ins and ONLY any VST plug-ins necessary for use in soundBlade be duplicated from the VST folder to the VST-Sonic folder in your Audio/Plug-ins folder.



**Additional Notes** soundBlade 2.0.2 and later is not supported on PPC (Mac G4 or G5) hardware.

soundBlade is a 32-bit application with all internal processing done at double precision.

## **Installing & Licensing soundBlade**

To install soundBlade, please click on the soundBlade\_HD\_22\_Installer.pkg. You can download the Installer from:

http://www.sonicstudio.com/sonic/support/sonic\_support#DOWNLOAD

Follow the on-screen instructions to install your software.

Please note that soundBlade is protected with PACE Anti-Piracy's InterLok copy protection. Your soundBlade license is authorized with an iLok1 or iLok2 USB Smart Key.



**Learn:** Please review the soundBlade Activation Guide, located in the Documents folder inside your soundBlade Application folder, for step-by-step instructions for activating your soundBlade application and optional Sonic Studio software.

To register your soundBlade system and iLok USB Smart Key, visit:

http://www.sonicstudio.com/sonic/reg/sonic\_register

## **Trial Mode**

To enable a fully functional 14 day trial of soundBlade HD:

- 1) Click on the authorization code 0361-9551-6218-5822-0435-9027-5130-24
- 2) Log on to your iLok account (Note a PACE iLok account is required to demo soundBlade)
- 3) Follow the on-screen instructions to install soundBlade All Access HD with your trial options onto the iLok or Mac of your choice.



**Learn:** Your soundBlade All Access HD trial includes: <u>soundBlade HD</u>, and the options: <u>Manual DeClick II</u>, <u>Broadband DeNOISE II</u>, <u>NoNOISE 3</u>, <u>Sonic Studio Process</u>, <u>Sonic Studio Mastering EQ</u> and <u>Quartet DynPEQ™</u>

# **iLok Authorization for Licensed Options**

soundBlade 2.0 and later requires an iLok to enable any purchased options such as NoNOISE 3 or Manual DeClick.



**Learn:** Please review the soundBlade Activation Guide, located in the Documents folder inside your soundBlade Application folder, for step-by-step instructions for activating your optional Sonic Studio software.

# **Preferences**

Please delete your existing soundBlade preferences prior to using this version!

Double click on the included utility (in the Extras folder) 'Delete soundBlade HD Preferences.app'.

This will run the Terminal utility and delete existing soundBlade HD preferences. You can quit Terminal after running.

# Using soundBlade With Mountain Lion or Mavericks

soundBlade 2.2 has been tested and approved under Mac OS 10.7 Lion, 10.8 Mountain Lion and 10.9 Mavericks. There are only two reported issues with using soundBlade under 10.7, 10.8 or 10.9:

- 1) Can't Open .Zip Files
- 2) Mountain Lion OS 10.8/Mavericks 10.9 Technical Update

Since soundBlade uses OS X's Core Audio for device management, the quality of audio play-back will be entirely dependent on the hardware and driver(s) used. Note that soundBlade HD is supported on Macintosh OS versions 10.6.8 or newer for optimal device compatibility as well as CDTEXT support.

# **Intel Support**

soundBlade HD is a Universal Binary application and is built to run natively on Intel Macs. An Aggregate Device is no longer needed unless you are using separate input and output devices. If you have any existing Aggregate Device definitions you have created in Audio/MIDI Setup, you can continue to use them as needed.

# Changes Since soundBlade 2.1.1 (3423)

## 3441

- fix mono exports
- fix BWF data getting cleared on export tracks.

#### 3440-

- update options installer (add NN3)
- update read me, user manual etc.

#### 3439-

- fix click at end of export
- adjust BBDNThreshold (to match NN3 plugin)
- Updated Installers, Read Me, User Manuals
- securePlayer is now code signed which should help on client installs

#### 3438-

- fix click at end of export

#### 3437-

- fix export length in header

#### 3436-

- fix Export (length) f
- fix export dropout with Limiter (latency)
- fix one crash on aborting export

#### 3434-

-fix edit after export soundfile.

#### 3433

- Add "Check for Update" preference
- Fixes for Export (multiple, missing last track, etc.)

#### 3431-

- Export Fixes
- fix double text entry in NN3.

## 3430-

- securePlayer 2.7
  - added play scroll bar
  - fix ISRC changing half way through song
  - code signed (to avoid unknown developer error)

- Export
  - ensure dither is disabled (if multiple export) to avoid double dither.

## 3429-

- Delete multiple exported files when cancel
- fix one issue with 48/24 edit after export 3427-
- fix add track number
   all tracks, add track as "01", "02"...

## 3426

## **Export Changes:**

- Add "Add Track Number" to exported tracks file names
- Fix overwriting files if name was too long
- Add Alerts if a file is going to be overwritten
- Export Tracks max filename length is 27
- Allow deletion of segment (smaller than .015) (needs to be checked)

#### 3425

- fix bug that caused plugin windows to open (if closed)
- fix bug with entering text into some plugins

# Changes Since soundBlade 2.1 (3398)

## 3424 2.1.1 release

## 3422

- fix Plugin Windows opening while playing

#### 3240

fix one bug in AU Plugin key handling.

## 3419

- (possible) fix for corrupt multi-exports
- Replace BBDN with NoNOISE 3 (global)
- add 48/24 as an option for SRC on export
- Use Dither (from Preference) for SRC (TPDF/NoiseShape)

#### 3418

- Installers need to be verified
- Note:

Export changes needs to be Tested And Checked (use with care)

## **Export Changes**

- Add support for 32 bit CAF Audio Format (recording also)
- Add support for Multiple Exports at same time Add support for Sample Rate Conversion on Export Creates multiple export files at same time

Supports 44/24 and 44/16 and 48-24 export A new folder call 44-24, 44-16 and 48-24 is created

- Shortcut ctrl-cmd-E for Export Tracks
- Clean up Export error (out of memory file-path )

## Other Changes:

- Fix noise spike on launch of BBDN,
- Improve NN-hiCut and SR > 44 Mantis: 01699, 01698
- Fix pregap display in EDL
- Change Delete tracks Dialog (make ok default)
- Restart play after stop on creating new project
- Add Show BWF to File Menu

#### 3416

- Mark Info window: ISRC / UPC fit UI
   4808 error better when mark is past 100 minutes
- Hide "add iTunes" from Export Tracks
- Fix incorrect CDTEXT length when not writing Audio File

#### 3415

- Add small delay on stop record (to allow to finish)
- BBDN (clean up on estimate name on open Params)

#### 3414

- Mark Info

Fix disable offsets when opening project Strip off file extension when creating mark names (Create Start Marks command)

Fix one crash when trying to edit end track name

- Stop play on open/new project (fix mute of channel 2)
- Allow editing of index Mark when clicking in EDL
- Open soundfile works with no open project (creates new project)

## 3413

- fix NN Estimates (with spaces in name)
- Mark Info Window
  preserve pregap when dragging track 1
  fix display of times in MI window
- EDL (play) prepare\_xfr one again if err ( -6429)

#### 3412

- New installers
- Improve warnings when recording with dither and bit depth mismatch
- EDL
  - made segment selection area larger
  - now selecting a segment and holding mouse will not deselect segment
- Mark Info
  - Improvements to Mark Info Window track dragging

- Improvements to readability
- Remove need for "EnableLTC" flag
   sB will detect 304 and use 304 LTC reader

## 3408

- add warning when recording with dither enabled and bit depth mismatch
- place new securePlayer into application.

#### 3407

- Fix incorrect wave header in Export Tracks
- fix save as edl ( with same name
- sB LE Index Points supported

#### 3402

- fix issues w/ recoding

#### 3400

- New Options Installer with new SSMEQ
- Enable SRP commands ( with no selection )
- make the Segment Drag strip a little larger ( let me know is this ok)
- fix "about" menu for HD
- new securePlayer (does not launch iTunes)

#### -3399

- fix one crash on rescan (stopping a play)
- fix one crash on rescan ( when rebooting device)
- Export
- Check if folder exists before export
- Separate Settings for Export Tracks And Export BWF/ bits/ type are now saved for each export.
- fix issues w/ coding history not being updated

# Changes Since soundBlade 2.0.2 (3365)—

#### 3395

- New Release versions of Quartet and Trio
- Update Installer Script and Remove Script
- Menu changes
  - disable New Tracks / Delete Tracks in not multiple EDLs change Edited Black to Start Marks, add Edited Black to Start/End Marks
- securePlayer is now embedded in app ( not in Extras anymore)
  - fix CD text
- add ClearSRP to contextual menu.

#### 3394

- Fix Cut / Paste of Stereo Desk Events
- Fix Mono Export
- Enable Zoom-to-Selection even if no selection (2.5 sec)
- Fix SE showing both Desk Events and overlay

#### 3393-

- Fixes for Mono Export
- Enable Zoom-to-Selection even if no selection (2.5 sec)
- Fix SE showing both Desk Events and overlay

#### 3392-

- Fix WAVE/BWF Header and extra bytes (caused iTunes Producer error)
- Remove "Open Process" from File Menu

#### 3390-

- Fix Warning on adding non-44 files to an EDL
- New Options Installer
   Quartet 1.3 Includes new Dual Mono
   Sonic Mastering EQ AU Plugin
   Sonic Studio Process 1.0 Build 3354

## 3387

- SE changes ( remove mono/stereo )
- Fix prefs showing first pane on activation
- clean up menus

Remove Background Manager

Add "Open Console Log"

Add "Visit Sonic Studio Website..."

Add "Open Sonic Studio Process"

- Fix reseting of Audio IO on launch (if Use Core Audio was Checked)
- Fix (re)setting clock in Audio IO (if Use Core Audio was checked)

## 3384-

- Fix opening sound in first EDL of Multiple EDL Project
- Audio IO- Do Not reset clock if Use Core Audio and device
- Have "Move Segments" follow "Show Subframes"
- Fix crash on AU Plugins (on close of plugin)

#### Menu

- Fix Select Next/PrefTrack Shortcut
- Add menu commands for Select Next/Pref EDL
- Add Cmd-Shift-S as shortcut for save as...

#### 3383

- Fix Device Clock Settings on launch.
- option-click Master fader to adjust main faders (relative) in Meters Window
- Support For 96K DDP Images for use with SecurePlayer SecurePlayer now supports 96K.

#### Project:

- fix Cmd-F and hiding DB scale in EDL
- Default Line Input on New Project
- Only show Stereo Plugins (for stereo edit group)
- fix shortcut for Edit Black to Marks

- fix enabling of DeCrackle on tracks 3+

## 3382

- Fix for creating 2x and 4x DDPs and securePlayer
- Fix for plugins in tracks 7/8
- Do not allow Waves / Apple plugins in same slot (avoid crash/white window)
- allow "in certain edit fields (Move Segments, etc)
- Change shortcut for Audio IO Preferences to toggle show/hide window
- Vinyl (remove dual, remove extra prefs tabs, remove dither -always on)
- Fix command for deleting track marks

#### 3380

- Adjust compiler settings
- Add support for 384
- Add ability to edit PQ track names in EDL timeline
- Improve Edit Fields ( not turning red )
- Improved Noise Shaped Dither
- Allow declick/decrackle using Edit Point (no need for selection)
- Changes to 16 channel desk
- Warning when changing to 16 channel desk (to restart)
- Fix creating high resolution DDPs and securePlayer
- New securePlayer version 4433 ( supports high resolution )
- Improve setting of Dither from Project window (display depth)
- Add contextual menu commands to Delete / Add Marks

## 4365

(	clear buffers on startup (possible noise)
u	update manuals
f	ix record w/ Master/Slave
а	Illow punch-in w/o first starting play w/ master/slave
(	change permissions on securePlayer (4416)
f	ix (one) crash in SRC

# Changes Since soundBlade 2.0.1 (3351)

## 3359

- Fix display of "Show Desk Events" and "P" button
- -Tighten timing on plugins in EDL
- Fix Sonnox ProCodec and Transport State

## Changes

soundFiles - Fix issues with CAF 32 bit files

Export - fix crashes / etc with BWF/Wave

Desk Events - fix "select all plugins in row"

Mixing Desk - set panner to stereo on open.

Playback - Fix Copy/Paste resetting playing outputs.

## Plugins:

Force Apple / Waves to use Carbon on EDL Desk Events to avoid a crash on AU / Waves in EDL Fix hang on some AU plugins when resized

Support Transport Callback for Sonnox ProCodec soundBlade LE - add SDII preferences securePlayer - remove DDP on close (to reduce size)

Allow CD burn w/ index marks

Known issue: moving to Track 1 from Tracks menu moves to track 2. Workaround is to use << back button to select Track 1.

- fix incorrect window in Project

Added CAF to export and record (32 bit float)

Added support for WAV and CAF to ExportTracks

Fixes for NOVA

- fix first play not passing audio
- recall size on window close
- playhead accuracy improved.

Renamed "Desk Event" button from a "D" to a "P" to avoid confusion w/ Destination edit button Fix option/control click on Desk Plugin Button to respect bypass and hide

Fix resize in AAC Plugin for iTunes

Fix a few small bugs w/ plugins.

Waves Note: white window may be displayed with Wave v9.

Known crash w/ more than one Apple AU plugins (on second window open).

## 3353

Fix one crash on plugins when close/quit project

Fix Desk Bypass on Track 2 when clicking on the EDL Desk Button

# Changes Since soundBlade 2.0 (3308)

## 3350 Release

User Manual and ReadMe updates and enhancements

#### 3347

- Use VST-Sonic for VST Plugins (skip standard VST)
- Add "Use Cocoa" to support new Cocoa plugin code Disable to use the "older" non-cocoa only Plugin code.
- FixTrack output in SE

#### 3344-

- one more fix for plugins on export
- stop/start when adding plugin (from automation)
- use IDLE loop for set plugin state (for UAD)
- clear unused channels (in Core Audio on output)

### 3343

- One change for Cocoa Plugins (and state)
- One change for plugins on export.

3342-

- Move setting Plugin State to Idle Loop (fix UAD)
   This will have an effect on Plugins
- Clear outputs for Core Audio if SSE is Less tracks (i.e LE and 8 channel IO)

## 3341

- Fix one issue with securePlayer

#### 3340-

- fix one bug in mono src

## 3339-

- fix bug in Plugins (crash SEQ, not opening)
- stop play when creating a plugin
- fix mono SRC

#### 3338-

- release versions of manuals release 3337
- one more change for Cocoa plugins

## 3336

- SE Fix setting multiple EDLs preference on launch
- EFM Preferences
  Save Button now saves EFM preferences
  EFM Window Auto Zoom now set in prefs file
- Fix one bug in CDText

#### 3334 -

- first "welcome to sB"
- Add Save to preferences window
- fix ExportTracks and mark names too long (ask to shorten, or cancel)
- -change to check for a Cocoa UI and use it.

#### 3333-

- Add "Save" Button to Preferences Window
- Error on ExportTracks (if track names are too long)
- One change for Plugins (cocoa, older vst)
- Open Meters/Desk on first boot, do not open Mark Info
- Fix 25 Frames in LE
- Add "welcome" to LE

### 3332-

- Background Manager

Fix SRC of Wave File and (error) on opening in Project
Revert to Previous (IZOTOPE) SRC for maintenance release.

(Use Shift Key on Boot to run in Debug to use HDSRC)

- one change for SonicEQ 2.6 (showing LE)
- revert Cocoa Plugins Changes (for maintenance release)

## 3330-

- Background Manager
  - improved error messages on path names in BM
  - add FilterType to SRC
  - Add "Go Fast" to make Background Manager run faster
  - MONO files are NOT processed in Pairs anymore
     NOTE -You must add ALL Files to the File List to process them
- Fix delay in SRC (at head of file).
- changes for NN option testing
- Add timeout on opening PQ Log
- Cleanup SE UI wave header (buttons were not aligned)
- fix crash if mBit dither is enabled on launch
- Initial Cocoa Plugin Support (first checkin)

#### 3326

- Fix HD / FX and broken Prefs Window
- Fix Sample Rate not being show correctly in Meters Window

NOTE: Sonic HD Sample Rate Converter

This version has a new SRC that is for testing only.

Known Issue: There is a sample offset of 256 samples (it will be fixed).

## 3325

- SE -cleanup meters window
- fix opening using default project
- fix illegal characters into "/" and ":"
- fix QT status window being cutoff at bottom.
- more on pref hints

## 3323-

- more work for securePlayer
- add securePlayer to Mark Info Delivery Window
- more work on cleanup/hints in Prefs windwo

#### 3322-

- disable NOVA menu if no selection
- cleanup on nonoise menus
- fix Sonic EQ le in soundBlade HD
- cleanup on NoNOISE menu commands
- hit 's' to enable "Snap to Zone" while dragging soundfile
- hit 'e' to enable "Snap to Edit" while dragging soundfile
- allow save over EDL (EDL Save As)
- shorten default project names (sBHD,..)
- Add "Show NoNoiseTools" to SE/HD
- Allow "Show NoNOISETools" for all NN options (was just FX)
- Do not use VINYL as default project name

## 3321-

 Fix one bug when playing 192K file (past end) - would stop before end Limit is 2 hours of playback (for a single play) - Stop Playing if user opens a plugin that is NOT under the playhead.

This fixes / prevents resetting state of the plugin (under playhead)

#### 3320-

- Fix opening Project w/ muted plugins (desk events in EDL)
- Warn user to use a new name on Save As (Project)
- One fix for background SRC please test
- Replace securePlayer with new version (name is securePlayer.app).

## 3319-

- Fix source destination menu
- Fix meters window (and dither display)
- "Copy Desk Prefs" enabled by default
- Add "Show NNTools" to LE for VINYL UI

#### 3318

- Fix meters window

#### 3317

- remove "File Conversion" from BackMgr
- make E/S selection easier
- remove CPU from meter window
- fix Reset Gain Al Faders (and link pairs)
- fix Prev button in Amarra Player (4330)

#### 3316-

- Fix crash on set digital and 304
- Fix opening 2.3 Gig files.
- Add warning if export is over 4Gig
- Fix missing Feature popup in HD
- Fix incorrect font in panner window

#### 3314

- Fix DDP building waveforms in HD on Open DDP Image
- Fix incorrect display of monitor state on punch-in
- Show correct monitor state when using (PageUp/Down)
- 1117 Disable editing of EndTrack Mark Name
- 1119 Fix open soundfile and adding new tracks (if not needed)

## 3313-

- Fix SRP edit field (too far too right)
- Fix font in rename segment
- Fix Full EQ in HD
- Remove "File Conversion" from BackMgr.
- Do not remove DeleteTracks command in HD menu
- Cleanup window when large (white area)

#### 3312 -

- Fix meter knobs size

- More work on plugin timing (from meters exports null)
- Fix missing SRP/Mark,
- Fix font size in prefs window

## 3311

- Fix blinking cursor in desk edit field
- Fix Missing LTC window for HD
- Fix NoNOISE II FR not working
- Fix missing EDL Name for Project
- Fix truncated large export (6 channels 1 hour 96K)
- One timing change for plugins
- Add pref for mouse scroll
- Fixes for Amarra Secure Player
  - Rewind / FF work
  - · Show current track / total tracks
  - modified UI

# Changes Since soundBlade 1.3.5 (2894)

Universal Binary support was added..

#### **New Features:**

- DDP 2.0 support: DDP and CDTEXT DDPs created in soundBlade HD now reference CD TEXT information in the DDPMS and CDTEXT.BIN files. The TS file is still used to deliver CDTEXT to CD-R.
- DDP File Open is now a standard feature
- Sonic EQ VST (full filter set) is now a standard feature
- secure Player Delivery Tool has been added as a standard feature
- -Trio DynPEQ from Wholegrain Digital is now a standard feature
- -TT Dynamic Range Meter Plug-in is included
- Added support for compressed file playback (ALAC, mp4, mp3, AAC, FLAC)
- Recording up to 192 kHz with NoNOISE FX option.

## Fixes. A partial list is below:

## General:

- Improved handling of Sample Rate mismatch on startup and opening EDLs/soundfiles
- Improved handling of external Sample Rate changes
- Fix Display of Multiple Gain notes (delta display)
- Fix for Channel 2 mute when copying during playback
- Append "aif, .wav" to recordings
- BWF Metadata fixes for date, coding history, etc.
- Fixes for Export EDL (bit depth and BWF data)
- Default an empty EDL to match Hardware SR.
- Changes to SRC and addition of DSD to SRC
- Fix waveform bugs
- Enhance TPDF dither
- Fix 1x DDP dump error

## Mark Info

- Fixes for crashes in editing in Mark Info window
- Fixes to "Zoom to In/Out Edit Point" key command
- Fix for writing JAM files on Intel-based machines
- Fix inconsistent display and use of offset preferences
- Add auto increment of ISRC, clear fields on closing Project
- Fix crash in making a CD from a DDP (with no project open)
- Fix crash after aborting a CD delivery

## **Background Manger**

## Sample Rate Conversion

- Support for all common sample rates added
- Support for audio file type conversion
- Do not build waveforms added
- Improved file name handling
- Improved error message reporting

#### **NoNOISE**

- Fix one crash in Type-E DeCrackle
- Enable NoNOISE II Commands for Selected Segments
- Fix Restore Click on selected segments
- Fix stall/improve speed on long E-Type decrackle
- Fix BBDN handling of Sample Rate above 44.1

## **Export**

- Improvements to BWF meta data handling in Export
- Fix dither checking in Export Tracks
- Improved deliveries and sound

## Previous additions and fixes:

- Fix for opening sound files whose paths have been corrupted
- Fix for waveform not building on DDP Open
- Improved dither
- Fixes for exporting sound files at 24 bit
- Added .wav file export support
- Menu and command key fixes
- Other general fixes
- Sample Rate Conversion: soundBlade HD now comes with the Background Manager for Sample Rate Conversion to 44100 for CD delivery.

### **Build 3301**

- fix issues w/ NoNOISE menu
- fix Fonts in Export Tracks

- fix warning to save (after saving) and closing project
- fix record enable on track 8

- fix crash in export (if desk strips assigned incorrectly)
- fix resetting of Edit Groups/Desk Strips on opening multichannel EDL

## **Build 3297**

- fix one bug in export/ddp
- fix corruption in preferences file (caused by Audio IO)

## Build 3294 (and earlier)

- -IO Preferences Add "Use Core Audio on Launch"
- Change scroll direction using wheel (in EDL)
- -Fix one bug in Export that could cause hang

#### **Build 3291**

- Capture Plugins on Input recording
- Fix Setting of Auto SRC
- Add Edit After Export (back) to Export Tracks
- Prevent "CPU Overload" alert (when not playing)
- support RME devices (any device with No Settable Clock)

## **Build 3287**

- PQ: Fix setting of language to "en" for CDText on CD
- EDL: Fix not being able to drag/lock marks.
- QT: Fix crash on close (if movie closed)
- EDL: Add/Fix Shift-click-arrow to extend selection

## **Build 3279**

- Audio IO Preferences

Audio Interfaces are independent of Audio MIDI Setup.

- Fix LTC losing time after an playing for over one hour

## **Build 3277**

- Alert user if non-ascii project name is used (on save)
- Fix background DeCrackle
- Fix incorrect CD-Text if Album artist is missing Fixes shift of Track Names on loadback
- Desk Events

Fix Option-Drag of Desk Event to Finder Fixes for dragging plugin settings From Finder Improvements to desk event handling

- Improvements to QT /LTC
  - fix setting of SMPTE channel
  - improve handling QT lock

- Quartet 1.2.1 release candidate +documentation
- NEW Quartet Trio. Product will be included in 2.0 release.
- Return functionality: CMD+OPT on D and D adds Track End marks្យ to togacks

Change to setting of Wave Header field AvgBytesPerSrc

## **Build 3269**

Code to Detect and Report missed disc transfers

## **Build 3263**

Fix setting of SSE for 16 channel load

Fix use of Import Fade on Drag / Drop (from Preferences)

## **Build 3257**

Fix for Clock Source not matching Audio Midi Setup (and Sonic Console)

Fix for Export to stall (Export Tracks also)

Fixes for ExportTracks and settings

Fixes for reNOVAtor: Harmonic Dialog

## **Build 3248**

- fix glitch in right-channel of DDP
- fix a crash in stopping play
- fix beachball and Floating Windows

Quartet 1.2 should work fine now.

 Change for Dragging to 2 seconds do not insert space at front

## **Build 3237**

Fixes for Fade problems (glitch, gain changes, ...)
Many fixes for Mark Editing

## **Build 3217**

## Recording / Export

- Append extension to recordings "aif or .wav"
- Multiple fixes for BWF Metadata
  - sets the date correctly.
  - reset(s) the coding history
- Fixes to Export Tracks to handle bit depth

## LTC:

- Enable Software based LTC
- Reset LTC when external Sample Rates changes

#### Misc:

- Change to Type E decrackle (to prevent it from stalling)
- Fix multiple bugs with FLAC and other compressed playbacks (note requires new FLAC QuickTime decoder to use)
- Added File Conversion (for FLAC) to background Manager

- Improvements to LTC timestamp
- More on priorities

- Add auto-increment to ISRC
- Default an empty EDL to match Hardware SR.
- New Scheduler for SSE processing
- Fix not see an 304 (change in Firmware broke this)
- -Take an LTC timestamp when recording (does not require LTC slave anymore)
- General Improvements to LTC (with 303/304)

## **Build 3213**

- Fix PQ Read Burst (tested w/ sonic, sadie, and daq)

Please test on PPC.

- LTC Reader
  - Remove check for EnableLTC flag

The flag file is not needed anymore on 2.0

- 302 now uses channel 2 by default for reader and generator
- Add Support for LTC Reader on Non-Sonic IO boxes
- LTC Generator
  - Please Note the Sonic IO has its own LTC Generator and should be tested.
  - -There is No Support for LTC Generator on Non-Sonic IO boxes
- Fix crash in making a CD from a DDP (with no project open)
- Fix one crash after aborting a CD.

#### **Build 3212**

- Improve handling of arrow keys in Mark Info
- More work on FLAC, mp3, and other compressed formats
- Fix bug in Background SRC to obey start/end times (for segments dragged from an EDL)
- Add PQ Read Burst to Mark Menu (for testing on PPC)
- Clean LTC handling window (for testing)

## **Build 3211**

- Fix "Collapse" menu not working on first try in EDL view
- Fix Restore Click and selected segments
- Fix graphic issue with collapsed EDLs and Zoom Lock
- Many fixes (rewrite) of SRC
- Add DSD to SRC
- Fix BBDN for sample rates above 44.1

## **Build 3210**

- Open Panner when selected in EDL
- fix one case of waveform not building

## **Build 3208**

- Fix waveforms
- Fix crash on close of EDL

- More fixes for SRC.
- Enable NoNoise commands for selected segments

- Add "Feature Edit Group" command to the Feature Popup.
- Fix Crashes in Mark Info when tabbing around artist/ISRC fields

- Fixes for Sample Rate Conversion
- Fix Initialization of plugin sample rate
- Fix Sonic EQ plugin settings on first open (may apply to all plugins).

## **Build 3194**

- Fix one crash on opening Nova window
- Fix error message "DDP could not fit..."
- Only show "Declick too small" message once.
- Fix "f" key command for feature/collapse
- Add "Enable Debugging" command to System Information menu
- Fix "Zoom to In/Out Edit Point" key commands (cmd-arrow)
- Fix QuickTime following Edit Point in EDL

## **Build 3192**

- Fix crash in undo
- Fix Outputs in Sixteen Channel Mode
- Fix Display of Timecode field (Slave Mode in EDL)

## **Build 3190**

- Fix crash in DeKrackle
- fix resize of Project if more than 2 EDLs
- Add Interleave to Export EDL command
- Fix Fast Export AIFF/WAV
- Please test reverse

## **Build 3178**

- Fix Resource problems with EDL Plugins
- Fixes some CPU overload as well

## **Build 3173**

- Fix Peak Hold
- Add support for 32 PCM AIFF Files
- Small Fix for EDL plugins (prevent a crash on close)
- Fix Level in open desk setups.

## Build 3171:

- Fix mBit not processing
- #\_\_ Fix "Delete Selected Plugin"
- #\_\_ Stop/Start play when adding a plugin (to hear it).
- 00795 Fixes for track view in EDLTiny/Small Sizes
- 00794 Fix Resize of Window when closing an EDL.

## Build 3169:

- Handle error in DDP and do not make CD.
- Cleanup Delivery on abort -

(fixes the "Only one active background job...")

- Fix crash one using up/down arrows and fields in MI
- Fix for 'click' sound when changing SR on 302.

## Build 3167:

- fix AIFF export
- fix JAM export (needs testing on G5)

#### Build 3164:

Desk: Fixes for Desk Settings with open/save/switch EDLS

Export: Fix 24 bit export

Misc: Add scroll wheel support

Added move EDL command

NoNoise: Fix bugs with Background DeCrackle, support timestamp

# System Tuning —

There are a number of changes recommended to improve performance and stability.

- Apple Key Commands for Spotlight, Encore and other applications interfere with the keys for certain commands. They should be disabled in System Preferences...
- We have found that on most Mac systems, Apple's Spotlight can seriously affect not only soundBlade HD's performance, but other audio applications as well. We recommend disabling Spotlight as a step to resolving problems related to sound file skipping during playback or record. To turn off Spotlight for a specific folder, volume or drive:
  - 1) From the Apple menu in the top left corner of your screen, select System Preferences...
  - 2) In the Personal section, select Spotlight, then select the Privacy tab.
  - 3) Click the + button in the lower left corner and select the folder, volume or drive to be excluded. You can also drag the desired item to the list.

Start by preventing Spotlight from searching these locations:

- Your Home Folder
- Your internal or external audio drives
- Any back up drives connected

While disabling Spotlight completely on your Home Folder is an effective step in troubleshooting, it may not be the best permanent solution for some users. For more specific instructions on troubleshooting Spotlight, see:

http://www.macfixit.com/article.php?story=20061109235901299

Avoid running e-mail, browsers, or other applications while exporting or delivering DDPs, CDs.

## Known Issues —

Channel panning may be reset when re-opening a Project. Workaround: Go to Preferences/Desk Tab and de select the Use EDL Desk... preference, close the project, re-open and pan settings in the EDL are respected,

- Desk Events can easily 'break' when reassigning desk strips.
- Waves 9: A blank window will appear after opening a certain number of plug-ins.

There is no workaround at this time. (soundBlade SE and soundBlade HD)

- Auto Space duration set to 0 seconds using Crossfade as fade type with multiple files via Drag

& Drop yields only one Start and End Mark

Work-around: Command A to select all files, then use Edited Black to Marks from Marks menu.

- Edit menu->Auto Space All Segments command with Marks produces error -20200.

Work-around: Clear Marks, execute command, remark project as needed- Sound files with names longer than 27 characters or special characters may prevent waveform metadata from being built. This may also prevent sample rate conversion from progressing.

Work-around: Rename file with <28 standard alphanumeric characters.

- Auto Space duration not respected with multiple files via Drag & Drop.

Work-around: Command-Drag & Drop, clear or edit Marks as needed.

- Edit menu->Auto Space All Segments command with Marks produces error -20200.

Work-around: Clear Marks, execute command, remark project as needed

- Audio File Conversion in Background Manager produces crash

Work-around: Use Export Soundfile or Export Track for File Conversion

- Sound files with names longer than 27 characters or special characters may prevent waveform metadata from being built. This may also prevent sample rate conversion from progressing.

Work-around: Rename file with <28 standard alphanumeric characters.

- Sample Rate Conversion of AIFC files is not supported.
- -When using a 3rd party FireWire–attached CD-R or DVD-R drive, the device must be powered up and attached prior to starting soundBlade HD in order for the application to recognize the drive. To prevent rare but expensive repairs to your equipment, always plug in FireWire peripherals with power off, then power on afterwards.
- When rearranging CDTracks in the Mark Info window, Track 1 cannot be moved.

Work-around: MoveTrack 1 using the Track Bar within Project.

-When dragging fades, sometimes the audio underneath the fade will move or be unintentionally offset on the time-line.

Work-around: Undo the fade change, perform the fade move again and then turn the fade tool off until needed to protect your fade settings.

- Occasionally, stereo playback or editing will break momentarily.

Work-around: Click on the mono Edit Mode button and back to stereo again to reset.

- If segments are moved after PQ Marks have been placed, your mark locations must be checked.
- If sound files are part of a Project when saved as a Default Project, the sound files will be referenced in all default Projects. Always save an empty Default Project.

## Refinements —

- Response time for the user interface is improved.
- -The maximum open file limit has been increased to 10,240 files.
- -The PQ Listing now shows the CDTrack, Artist and Album names.
- Opening .sd2 files with Region Markers, and Create Marks enabled, has been fixed.
- -The ability to drag or drop an IMAGE.DAT file into a Project has been added.
- Fixed bug in the delivery of blank CDs when no Panels are selected in the Project.
- The delivery of DDP file sets will now always use the Destination Edit Group and top Panel in a Project. This change addresses the creation of empty DDP file sets.
- A change has been made which suspends background processing during auditions. This improves foreground process performance.
- Checking for the presence of valid iLoks when opening New Projects has been optimized to reduce the time required.
- Improvements have been made to reduce late read/writes during Delivery.
- Improvements to handle DDP file sets with more than one audio or DDPMS file.

- -The PQ Listing now shows the CDTrack, Artist and Album names.
- Improvements have been made to naming abilities in the Export Sound File process.
- -The application returns an error if two Start of Track Marks are at same location.
- Improvements have to file name handling and waveform metadata creation.
- -The Reverse Soundfile command has been fixed.
- -The default behavior of command-dragging sound files into a Project has changed. In this release, holding down the command key when releasing a dragged sound file into a Project causes soundBlade HD to create Start of Track Marks for each sound file. To revert to the legacy behavior of Start and End of Track Marks, hold down the command and option keys prior to dropping sound files onto the top Panel.
- A fix has been made to address crashes on undo.
- A fix has been made to address crashes when quitting the application.
- A fix has been made to the Auto Space function so as to correctly read its preference setting.
- A fix has been made to handle extended ASCII characters with diacritical marks.
- A fix has been made to DDP deliveries when aborting and starting another job.
- A fix has been made to some menu items in soundBlade HD.
- Fixes have been made to clarify menu entries in soundBlade HD.
- A fix has been made that allows Shift-G to bring up the Gain dialog in Mark Info.
- A fix has been made to meter scaling in the Details window.
- A fix has been made to burn CDText and ISRC with open session CD-Rs.

# Implementation Specifics —

Please take note that the following features may seriously affect your use of this application:

- DDP file sets created by soundBlade HD are "source-mode complete." This means that 2 seconds of *pregap* are present, with silence before the first SOT (Start of Track) mark. DDP file sets created by some vendors are "source-mode incomplete," and are lacking the 2 second pregap.
- Note that, in the Speed menu, the descriptors are provided as a guide and are not explicit. Your actual delivery speed is host–specific and may vary from the stated rate.
- If segments are moved after PQ Marks have been placed, your mark locations must be checked.
- If sound files are part of a Project when saved as a Default Project, the sound files will be referenced in all default Projects. Always save an empty Default Project.

# Using soundBlade HD with Avid® Hardware —

With the release of ProTools 9, the integration of soundBlade HD and Avid hardware became very easy. Just make sure that your Digidesign hardware setup is predefined in Audio MIDI Set Up as 'Default Input', 'Default Output and 'Properties For' with OS 10.5, or 'Use This Device For Sound Input' and 'Use This Device For 'Sound Output' with OS 10.6 through 10.9.

For older ProTools 7 hardware, you can add soundBlade HD to the list of recognized applications in the Digidesign CoreAudio Manager. Refer to Avid's CoreAudio Usage Guide for information on associating soundBlade HD with your Pro Tools hardware and configuring the Digidesign

CoreAudio Manager.

# Contacting Sonic Studio, LLC —

Thanks for purchasing a Sonic Studio product. We really appreciate your patronage and are always interested in your experiences with soundBlade.

For bug reports, frequently-asked questions (FAQ) and support issues, visit

www.sonicstudio.com/sonic/support/sonic\_support

For up-to-date information on all of Sonic Studio's products, visit

www.sonicstudio.com/products

# **Software Updates —**

Updates to soundBlade HD are available in the Downloads section of the Sonic Studio website.

http://www.sonicstudio.com/sonic/support/sonic\_support#DOWNLOAD

# studioCare Support Program —

## Why Do You Need studioCare?:

Sometimes things don't quite go as expected – usually with a deadline looming! Sonic Studio's studioCare program gives you fast access to highly skilled and experienced engineers with a passion for audio as well as the capability to provide a solution. studioCare compliments the 30-day tech support that's included with your software, extending and enhancing the value your product with high-priority response to your software and hardware questions. From the casual home studio to the largest corporate facility, you can count on studioCare to keep you ahead of the curve.

#### What Is studioCare?:

studioCare is Sonic Studio LLC's professional priority support program. Designed with your needs in mind, it's like having a technician on call, reducing downtime by prioritizing your incoming support requests. As a studioCare user, you can rest assured with:

- Priority support during regular Sonic Studio business hours.
- Scheduled support sessions 7 days a week.
- Access to pre-release software updates and patches
- Remote diagnosis and problem solving
- Getting answers No question too simple or complex
- Recurring billing keeps your coverage current

## **Annual Support & Maintenance Program:**

	Priority	Software	Telephone	Remote	Cost/Year
	Email	Updates	Support	Log-On	USD*
studioCare HD	$\sqrt{}$	$\sqrt{}$	Unlimited	Unlimited	\$379.00*

<sup>\*</sup>studioCare will cost more in regions outside USA. Please contact sales@sonicstudio.com for a quote.

## Click here to purchase studioCare HD NOW!

## On Demand Support Offerings:

**studioCare QuickStart for Sonic Studio products**– 1 hour of remote setup assistance and training for soundBlade, NoNOISE or Series 300 Hardware. Price is per product. \$125.00 – one-time charge.

Click here to purchase studioCare QuickStart NOW!

**On-Demand Support**-- Get help from trained Sonic Studio support techs with expert troubleshooting and usage experience. No annual contract. \$85.00/Incident

Click here to purchase On-Demand Support NOW!

# soundBlade Tutorial Videos —

and are targeted at all soundBlade products.	
Advanced Editing Techniques	Basic Navigation
How To Make A Quick CD	Using Plug-ins As Desk Events
Sonic Studio Process Sample Rate Converter	Sonic Studio Mastering EQ
Creating A Secure Player	Manual DeClick II Overview

These video tutorial provide important instructions and tips for using Sonic Studio Pro software

sBHD\_22\_ReadMe\_v02r08

© 2006-2014 Sonic Studio, LLC • 1340 Mission Street• San Francisco, CA 94103 • 1-415-944-7642

soundBlade, soundBlade HD, sonicstudio.com, the Sonic Studio logo and type are trademarks of Sonic Studio, LLC in the United States and other countries. All other trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.