












	Part Number	Description	1 Yr Warranty	2 Yr Warranty
	<b>NSO15</b>			
	000-10294-001	NSO15 AMER - NSO15 with embedded Insight HD US cartography		✓
	000-10296-001	NSO15 EMEA - NSO15 with embedded Navionics Silver cartography for EMEA		✓
	000-10295-001	NSO15 ROW - NSO15 with embedded Navionics Silver cartography for AU / ROW		✓
	<b>NSO Marine Processor</b>			
	000-10290-001	NSO AMER - NSO marine processor		✓
	000-10292-001	NSO EMEA - NSO marine processor		✓
	000-10291-001	NSO ROW - NSO marine processor		✓
	<b>NSO Remote</b>			
	000-10298-001	OP40 Wired Remote - includes OP40 wired remote, 4 m (13 ft) Micro-C to SimNet cable, Sun Cover, mounting hardware and flush mount template.		✓
	<b>NSO Accessories</b>			
	000-0125-25	GS15 Antenna with 4m (13ft) Micro-C to SimNet Cable		✓
	000-10029-001	NEP-2 Network Expansion Port		✓
	<b>Monitors</b>			
	000-0134-00	DI10 Display - 10" Simrad DI monitor for use with NSO. Excludes video cable. *Not compatible as second monitor with NSO + DI15		✓
	000-0134-01	DI15 Display - 15" Simrad monitor for use with NSO. Excludes video cable. Not compatible as second monitor with NSO + DI10		✓
	000-10506-001	Simrad MO15-L Monitor - 15" Hi-Bright LED Backlit Monitor with remote keypad: Includes 5m DVI-DVI Cable and Power Cable.		✓
	000-10507-001	Simrad MO17-L Monitor - 17" Hi-Bright LED Backlit Monitor with remote keypad Includes 5m DVI-DVI Cable and Power Cable.		✓
	000-10508-001	Simrad MO19-L Monitor - 19" Hi-Bright LED Backlit Monitor with remote keypad Includes 5m DVI-DVI Cable and Power Cable.		✓
	<b>Ethernetwork Accessories</b>			
	000-10437-001	Ethernet Adapter crossover RJ45 male to yellow 5 pin female		✓
	AA010070	NSO 12 pin utility cable		✓
	<b>Video Cables</b>			
	AA010152	DI10/DI15 display video cable - 3 m (9.8 ft)		ü
	AA010154	DI10/DI15 display video cable - 10 m (33 ft)		✓
AA010162	DI10/DI15 display cable kit (HDMI split cable) 5 m (16.5 ft)		✓	
AA010164	DI10/DI15 display cable kit (HDMI split cable) 15 m (50 ft)		✓	
AA010157	Monitor display cable (DVI) 5 m (16.5 ft)		✓	
AA010159	Y-Cable video splitter - DVI to VGA and DVI		✓	
<b>NSO Spares</b>				
000-10299-001	NSO Chart Reader - Dash mounted SD card reader.		✓	
AA010069	Power cable for NSO Marine processor, 3 pin, 2 m (6.5 ft)		✓	
000-00139-001	Simrad NSE/NSS/OP40 Rotary Knob		✓	
000-00140-001	Simrad NSE/NSS SD Card Door Kit		✓	
000-10394-001	OP40 Suncover		✓	
<b>DI Monitor Spares</b>				
000-10304-001	Black DI10 Display Bezel		✓	
000-10306-001	DI10 Display Suncover		✓	
000-10305-001	Black DI15 Display Bezel		✓	
000-10307-001	DI15 Display Suncover		✓	
000-10303-001	DI10/15 Mounting Display Bracket		✓	
000-10302-001	DI10/15 Power Cable		✓	
000-10300-001	DI10 Flush Mount Kit		✓	
000-10301-001	DI15 Flush Mount Kit		✓	
	<b>NSE8</b>			
	AA010200	NSE8 Multifunction Display (EU Version)		✓
	AA010146	NSE8 Multifunction Display (US Version)		✓
	AA010145	NSE8 Multifunction Display (ROW Version)		✓
	<b>NSE12</b>			
	AA010202	NSE12 Multifunction Display (EU Version)		✓
	AA010148	NSE12 Multifunction Display (US Version)		✓
	AA010147	NSE12 Multifunction Display (ROW Version)		✓
	<b>GPS Antenna Options</b>			
	000-0125-25	GS15 Antenna with 4m (13 ft) Micro-C to SimNet Cable		✓
	<b>Network Accessories</b>			
	000-10029-001	NEP-2 Network Expansion Port		✓
	<b>Optional Remote Control</b>			
	000-10298-001	OP40 Wired Remote - includes OP40 wired remote, 4 m (13 ft) Micro-C to SimNet cable, Sun Cover, mounting hardware and flush mount template.		✓
	<b>NSE Spares</b>			
	000-00128-001	Simrad NSE, NSS, BSM-1, WM-2 Power Cable (4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)		✓
	000-00129-001	Simrad NSE, NSS Video/Comms Cable (8 pin conn. to bare wires for NMEA and 2 RCA female for Video in Port one and two) 2 m (6.5 ft)		✓
	000-00130-001	Simrad NSE Connector Caps		✓
	000-00131-001	Simrad NSE Documentation Wallet		✓
	000-00132-001	Simrad NSE8 Bezel with Decal		✓
	000-00133-001	Simrad NSE12 Bezel with Decal		✓
	000-00134-001	Simrad NSE8 Dustcover		✓
	000-00135-001	Simrad NSE12 Dustcover		✓
	000-00136-001	Simrad NSE8 Mounting Bracket		✓
	000-00137-001	Simrad NSE12 Mounting Bracket		✓
000-00138-001	Simrad NSE Bracket Knobs and Washers (pair L/R)		✓	
000-00139-001	Simrad NSE, NSS, OP40 Rotary Knob		✓	
000-00140-001	Simrad NSO, NSE SD Card Door Kit		✓	
000-00143-001	Simrad NSE Flush Mount Kit		✓	






	Part Number	Description	1 Yr Warranty	2 Yr Warranty
	<b>Simrad NSS</b>			
	<b>NSS7 bundle packs</b>			
	000-10629-001	NSS7 US bundle. Includes 000-10195-001 NSS7 Multifunction Display (US Version) and 000-10420-001 Broadband 3G™ Radar kit for Simrad Series		✓
	<b>NSS8 bundle packs</b>			
	000-10630-001	NSS8 US bundle. Includes 000-10196-001 NSS8 Multifunction Display (US Version) and 000-10420-001 Broadband 3G™ Radar kit for Simrad Series		✓
	<b>NSS12 bundle packs</b>			
	000-10631-001	NSS12 US bundle. Includes 000-10197-001 NSS12 Multifunction Display (US Version), 000-10420-001 Broadband 3G™ Radar kit for Simrad Series, and 000-0132-05 Broadband Sounder Module 1 (BSM-1)		✓
	<b>NSS7</b>			
	000-10439-001	NSS7 Multifunction Display (EU Version)		✓
	000-10195-001	NSS7 Multifunction Display (US Version)		✓
	000-10318-001	NSS7 Multifunction Display (ROW Version)		✓
	<b>NSS8</b>			
	000-10440-001	NSS8 Multifunction Display (EU Version)		✓
	000-10196-001	NSS8 Multifunction Display (US Version)		✓
	000-10319-001	NSS8 Multifunction Display (ROW Version)		✓
	<b>NSS12</b>			
	000-10441-001	NSS12 Multifunction Display (EU Version)		✓
	000-10197-001	NSS12 Multifunction Display (US Version)		✓
	000-10320-001	NSS12 Multifunction Display (ROW Version)		✓
	<b>GPS Antenna Options</b>			
	000-0125-25	GS15 Antenna with 4m (13 ft) Micro-C to SimNet Cable		✓
	<b>Network Accessories</b>			
	000-10029-001	NEP-2 Network Expansion Port		✓
	000-10628-001	SIMKIT-3. Micro-C to SimNet.	✓	
	24006199	SimNet to Micro-C (female) cable that connects a NMEA 2000® product to SimNet 0.5 m (1.6 ft)	✓	
	<b>NSS Spare parts</b>			
	000-00128-001	Simrad NSS, NSE, BSM-1, WM-2, NEP-2, Power Cable (4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	✓	
	000-00129-001	Simrad NSS, NSE Video/Comms Cable (8 pin conn. to bare wires for NMEA and 2 RCA female for Video in Port one and two) 2 m (6.5 ft)	✓	
	000-10472-001	Simrad NSS Connector Caps	✓	
	000-10473-001	Simrad NSS7 Back Beauty Bezel	✓	
000-10474-001	Simrad NSS8 Back Beauty Bezel	✓		
000-10475-001	Simrad NSS12 Back Beauty Bezel	✓		
000-10479-001	Simrad NSS7 Suncover	✓		
000-10480-001	Simrad NSS8 Suncover	✓		
000-10481-001	Simrad NSS12 Suncover	✓		
000-10464-001	Simrad NSS7 Mounting Bracket	✓		
000-10465-001	Simrad NSS8 Mounting Bracket	✓		
000-10466-001	Simrad NSS12 Mounting Bracket	✓		
000-10467-001	Simrad NSS Bracket Knobs and Washers (pair L/R)	✓		
000-00139-001	Simrad NSE / NSS / OP40 Rotary Knob	✓		
000-10468-001	Simrad NSS micro SD Card Door Kit	✓		
000-10469-001	Simrad NSS7 Flush Mount Kit	✓		
000-10470-001	Simrad NSS8 Flush Mount Kit	✓		
000-10471-001	Simrad NSS12 Flush Mount Kit	✓		
000-10476-001	Simrad NSS7 Edge covers (Pair Upper/Lower)	✓		
000-10477-001	Simrad NSS8 Edge covers (Pair Upper/Lower)	✓		
000-10478-001	Simrad NSS12 Edge covers (Pair Upper/Lower)	✓		
<b>Cartography</b>				
<b>Nautic Insight HD</b>				
000-10041-001	Nautic Insight™ HD East	✓		
000-10040-001	Nautic Insight™ HD West	✓		
000-10039-001	Lake Insight™ HD	✓		
000-10380-001	NAUTIC INSIGHT™ HD BAJA - High definition shaded relief + Baja Directions® Coastal Baja Mexico	✓		
<b>Broadband Sounder Module 2</b>				
<b>BSM-2</b>				
000-10138-001	Broadband Sounder Module (BSM-2)		✓	
<b>Broadband Sounder Transducers.</b>				
000-10377-001	TA-BSM2 Transducer Adapter Cable - 7 pin BLUE Female to bare wires for BSM-2	✓		
000-10575-001	R209 3 kW Broadband transducer. Thru-Hull 33-60 KHz with 6°-11° x 11°-17° beamwidths / 130-210Khz with 5°-7° beamwidth. Depth / Temp 130-210Khz. 15m.	✓		
000-10574-001	B265 1kW Broadband transducer. Bronze Thru-Hull 40-60KHz with 21°-31° beamwidth / 130-210 KHz with 6°-10° beamwidth with HS fairing block Depth/Temp - 15m.	✓		
<b>Broadband Sounder Module 1</b>				
<b>BSM-1</b>				
000-0132-05	Broadband Sounder Module (BSM-1) -		✓	
<b>Broadband Sounder Transducers</b>				
000-0136-02	P319 Plastic Low Profile 600W Thru Hull 50/200Khz Depth/Temp	✓		
000-0136-03	P79 Plastic 600W In-Hull 50/200Khz Depth Only	✓		
000-00021-001	B60 Bronze 600W Thru Hull 50/200Khz Depth/Temp (20° tilt)	✓		
000-0136-05	B744V Bronze 600W Thru Hull 50/200Khz Depth/Temp/Speed w/HS Fairing Block	✓		
000-10247-001	B164 Bronze low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m	✓		
000-0136-00	B258 Bronze 1kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block	✓		
000-0106-82	B260 Bronze 1kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block	✓		
000-0106-91	M260 Plastic 1kW In-Hull 50/200Khz Depth Only Tank Kit	✓		
000-0106-72	HST - WSBL 83/200kHz transom-mount skimmer depth/temp	✓		
000-0106-73	PD - WBL 83/200kHz shoot-thru or trolling-motor mount skimmer depth	✓		
000-0106-77	HST - DFSBL 50/200kHz transom-mount skimmer depth/temp	✓		
000-10116-001	TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. 10 m cable with 7 pin blue connector.	✓		
000-0099-95	TS-1BL Temperature sensor (non-networked)	✓		
<b>Broadband Sounder cables</b>				
000-0099-93	XT-12BL 12ft blue transducer extension cable	✓		
000-0099-94	XT-20BL 20ft blue transducer extension cable	✓		
000-10046-001	Adapter cable, 7 pin BLUE to bare wires	✓		
000-10377-001	TA-BSM2 Transducer Adapter Cable - 7 pin BLUE Female to bare wires for BSM-2	✓		
000-00022-001	Adapter cable, 7 pin BLUE to 6 pin LTW	✓		







	Part Number	Description	1 Yr Warranty	2 Yr Warranty
	<b>Simrad StructureScan™</b>			
	<b>Simrad StructureScan™</b>			
	000-10238-001	Simrad LSS-1 StructureScan module only with Power Cable and mounting hardware		✓
	000-00099-003	THSST-DF StructureScan™ Sonar thru-hull transducer	✓	
	000-10364-001	BRONZE StructureScan™ Sonar thru-hull transducer. Available Dec 2010	✓	
	000-10202-001	LSS-1 StructureScan Y-cable	✓	
	000-10365-001	Dual Transducer KIT With Y Cable for StructureScan™ includes 2 Bronze StructureScan™ Sonar thru-hull transducers ( 000-10364-001) and a Y cable for StructureScan™ (000-10202-001). Available Dec 2010	✓	
	000-00099-006	LSS-1 Transducer extension cable (10ft)	✓	
	000-00099-007	SST-DFSBLK - LSS-1 Skimmer Mount Transducer	✓	
	000-00099-005	SS-BRK-SS - LSS-1 Skimmer Mount Transducer Bracket	✓	
000-10393-001	Fairing Block	✓		
	<b>Simrad HD radars</b>			
	<b>HD Digital Radar Domes</b>			
	DX42S-1	DX42S-1 18" Radome 2 kW with 15 m (49 ft) cable and Radar processor, RJ45 to 5 pin yellow female adapter (000-10438-001), Ethernet cable 1.8 m (6 ft) (000-0127-51) Note: Need to order AA010114 for NX		✓
	AA010089	20 m (66 ft) Cable for 2kW Dome	✓	
	DX64S-1	DX64S-1 24" Radome 4 kW with 15 m (49 ft) cable and Radar processor, RJ45 to 5 pin yellow female adapter (000-10438-001), Ethernet cable 1.8 m (6 ft) (000-0127-51) Note: Need to order AA010114 for NX		✓
	AA010091	20 m (66 ft) Cable for 4 kW Dome		✓
	<b>HD Digital Radar Array Kits</b>			
	TX06S-1	TX06S-1 6 kW, 4 ft open array Radar Kit. Parts included: 6 kW 4' scanner with 20 m (66 ft) cable, HD Radar Processor, Yellow Ethernet to RJ45 f adapter cable 2 m (6.6 ft) (000-0127-56), Ethernet RJ45 male to male cable 2 m (6.5 ft) (AA010080) for use with NSE and NSO. Note: Need to order AA010114 for NX		✓
	000-10259-001	<b>TX06S-2</b> 6kW / 4ft Array (Split Cable version 5m + 8m cables with break). Parts included: 6 kW 4' scanner with 20 m (66 ft) cable, HD Radar Processor, Yellow Ethernet to RJ45 f adapter cable 2 m (6.6 ft) (000-0127-56), Ethernet RJ45 male to male cable 2 m (6.5 ft) (AA010080) for use with NSE and NSO. Note: Need to order AA010114 for NX		✓
	TX10S-1	<b>TX10-1</b> 10kW 6' Open array Radar and Processor Kit. Parts included: 10 kW 6' scanner with 20 m (66 ft) cable, HD Radar Processor, Yellow Ethernet to RJ45 f adapter cable 2 m (6.6 ft) (000-0127-56), Ethernet RJ45 male to male cable 2 m (6.5 ft) (AA010080) for use with NSE and NSO. Note: Need to order AA010114 for NX		✓
<b>HD Digital Radar Components (Note: need to order 000-0127-56 and AA010080 cables for NSE)</b>				
AA010027SIM	Simrad scanner 10 kW, 6 ft	✓		
AA010015	Navico 10 kW radar processor	✓		
AA010093	20 m (66 ft) cable for 10 kW	✓		
AA010094	30 m (98 ft) cable for 10 kW	✓		
AA010026SIM	TX06S Simrad 6kW scanner with 4ft ant and 20 m (66 ft) cable	✓		
AA010014	6kW Navico Radar black box processor pack	✓		
AA010092	20 m (66 ft) cable for TX06S 6 kW	✓		
AA010025SIM	Simrad Radome 4kW, 24 In, 15 m (49 ft) cable	✓		
AA010013	4kW Navico Radar black box processor pack	✓		
AA010091	20 m (66 ft) Cable for 4 kW Dome	✓		
<b>HD Digital Radar Accessories</b>				
PT2005	PT2005 Composite power tower for 18" and 24" radomes H:150 mm (6") white. Requires 19042 adapter plate for 24" radome.	✓		
SC21	SC21 Mast mount kit for Simrad 24" radome - requires 19042 adapter plate	✓		
19042	Adapter plate for 24" Simrad radome	✓		
22090195	RC42 Rate compass with 5 m (16ft) SimNet cable. Must be used for MARPA operation	✓		
000-10453-001	HS70 GPS Compass with Micro-C male connector. Network cable to be ordered separately (3m, 6m, 15m)	✓		
000-10640-001	HS70 Power / NMEA0183 cable, 15m	✓		
AA010070	NMEA0183 12 pin heading sensor input cable used for all HD radar processing units	✓		
24006694	SimNet heading sensor input. AT10HD, NMEA0183 to SimNet converter. Fast heading information only.	✓		
AA010114	Radar communication serial cable 3 m (9 ft)	✓		
000-10438-001	RJ45 to 5 pin yellow female Ethernet adapter	✓		
	<b>Simrad Broadband Radar</b>			
	<b>Broadband 4G™ and 3G™ Radar</b>			
	000-10421-001	Broadband 4G™ Radar kit for Simrad NSO/NSE/NSS seriesIncludes Scanner, scanner cable 20 m (66 ft), RI10 interface box with NMEA2000, Yellow ethernet cable - 1.8 m (6 ft)		✓
	000-10420-001	Broadband 3G Radar kit for Simrad NSO/NSE/NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft)		✓
	<b>Broadband Radar Scanner mounting options</b>			
	SC20	SC20 Mast mount kit for Broadband Radar	✓	
	LMB-A1	LMB-A1 Self-leveling radar backstay (aft) mount for Broadband Radar	✓	
	PT2001	PT2001 PowerTower for Broadband Radar - 350mm (14") white composite	✓	
	PT2004	PT2004 PowerTower for Broadband Radar - 150mm (6") white composite	✓	
	PT3010	PT3010 4° wedge for composite and aluminium PowerTower for Broadband Radar	✓	
<b>Broadband Radar Heading Sensor Connection Cables</b>				
22090195	RC42 Rate compass with 5 m (16.5ft) SimNet cable. Must be used for MARPA operation	✓		
AA010070	Radar to NMEA0183 heading utility cable for NSO / NSE / NSS	✓		
24006694	AT10HD Two way NMEA 0183 heading data only to SimNet converter	✓		
000-10453-001	HS70 GPS Compass with Micro-C male connector. Network cable to be ordered separately (3m, 6m, 15m)	✓		
000-10640-001	HS70 Power / NMEA0183 cable, 15m	✓		
<b>Broadband Radar Interface Boxes</b>				
AA010189	RI10 - Radar Interface Junction Box for Broadband Radars. Waterproof junction box to connect Radar scanner, SimNet heading data and Ethernet communication to NSO, NSE and NSS multifunction displays.	✓		
AA010204	RI11 -Radar Interface Junction Box for Broadband Radars Waterproof junction box to connect Radar scanner, NMEA0183 heading data input (requires AA010070 Utility cable) and radar data output to PC applications and NX displays.	✓		
<b>Broadband Radar Optional scanner cables</b>				
AA010211	Broadband Radar Scanner connection cable - 10 m (33 ft)	✓		
AA010212	Broadband Radar Scanner connection cable - 20 m (66 ft)	✓		
AA010213	Broadband Radar Scanner connection cable - 30 m (98 ft)	✓		
<b>Broadband Radar Display connection cables spares</b>				
AA010114	Radar communication serial cable 3 m (9 ft)	✓		

	Part Number	Description	1 Yr Warranty	2 Yr Warranty
<b>Weather Module (US ONLY)</b>	<b>Weather Modules (US ONLY)</b>			
	000-10036-001	WM-2 Weather/Radio Module (for USA only). Includes Sirius module, antenna, antenna cable, power cable. Ethernet cable yellow 5 Pin 2 m (6.5 ft) is included (000-0127-51), 7 Pin 3 m (7 ft) audio cable with two (M) RCA connectors (000-10032-001)		✓
	000-10032-001	Audio interface cable for WM-2. 3 m (9 ft) 7 pin LTW to dual molded RCA males.	✓	
<b>Marine Audio Server</b>	<b>SonicHub™</b>			
	000-10143-001	Simrad SonicHub™ - includes server and dock	✓	
	000-10383-001	Simrad SonicHub™ replacement component	✓	
	000-10384-001	Simrad Dock replacement component	✓	
	000-10385-001	Simrad SonicHub™ Power Cable	✓	
<b>AIS</b>	<b>AIS Class B Systems</b>			
	000-0135-00	AI50 AIS Class B transponder		✓
	000-0135-04	NAIS-300L Class-B AIS with NMEA 2000® interface		✓
	003-6311-00	Power Cable for AI50	✓	
	003-7679-00	AI50 GPS Antenna	✓	
	000-10400-001	NAIS-300 GPS Antenna	✓	
<b>Autopilots</b>	<b>Autopilot components for use with NSO/NSE/NSS</b>			
	22096267	AP24 Control Unit: With white weather cover, flush mount installation kit (order desired SimNet cable separately). Optional for NSO / NSE		✓
	22096366	AP28 Control Unit: With white weather cover, flush mount installation kit (order desired SimNet cable separately). Optional for NSO / NSE		✓
	000-10198-001	AC12 Computer with Simkit-1. For RPU80, HLD350Mk2, MSD50, SD10 and solenoid operated steering.		✓
	000-10199-001	AC42 Computer with Simkit-1. "Heavy duty" version for RPU160, RPU300, HLD2000Mk2x and DD15.		✓
	<b>Heading Sensors</b>			
	22090195	RC42 Rate Compass with 5 m (16 ft) SimNet Cable	✓	
	<b>WR20 Wireless Remote</b>			
	WR20	WR20 Remote commander system		✓
	<b>Remote Controls and Steering Levers</b>			
	000-10185-001	NF80 Non Follow Up remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.		✓
	000-10183-001	FU80 Follow UP remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws, loose steering lever. Take command and Mode buttons. Provides course change in Auto mode.		✓
	000-10184-001	QS80 Quickstick remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.		✓
	<b>AP70 System Packs</b>			
	000-10577-001	AP70 Pack (AP70, AC70, RF300, without heading sensor)		✓
	000-10578-001	AP70 Thruster Pack (AP70, AC70, RF300, RC42, SD80)		✓
	<b>AP70 Control Unit</b>			
	000-10182-001	AP70 Control unit; AP70 Control Unit with user manual, 6m cable with connectors in both ends, T-connector, 2m power cable with connector in one end, sun cover, gasket for panel mounting and mounting screws. Supply 12-24VDC.		✓
	<b>Autopilot Computer for AP70 systems</b>			
	000-10186-001	AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC.		✓
	<b>Auxiliary Equipment</b>			
	000-10396-001	Cable, Micro-C, Metal, 0.4m	✓	
	000-10397-001	Cable, Micro-C, Metal, 2m	✓	
	000-10398-001	Cable, Micro-C, Metal, 5m	✓	
	000-10399-001	Cable, Micro-C, Metal, 9m	✓	
	000-10403-001	Micro-C T-connector, Metal	✓	
	000-10404-001	Micro-C, Field Connector	✓	
	000-0119-75	N2K-PWR-RD - NMEA 2000® power cable	✓	
	000-10462-001	NMEA2000 MicroTerminator, Metal, Female	✓	
	000-10463-001	NMEA2000 MicroTerminator, Metal, Male	✓	
	000-10589-001	NF80/FU80/QS80 bulkhead Mounting Kit	✓	
	000-10590-001	AP70 Optional mounting bracket	✓	
	000-10597-001	AP70 protective cover	✓	
	24005936	AT10 Two way general NMEA 0183 to SimNet converter	✓	
	000-10425-001	SI80 Signal Interface		✓
	<b>AP24 Autopilot Performance Packs</b>			
	AP2401	AP24 System with AC12 Comp, RC42 Rate Compass, Simkit-1 and RF300 Feedback - Requires Drive (with SimNet)		✓
	AP2401VRF	AP24 Virtual Rudder Feedback with AC12 Comp and RC42 Rate Compass		✓
	AP2402	AP24 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive		✓
	AP2402VRF	AP24 Virtual Rudder Feedback with AC42 Comp and RC42 Rate Compass		✓
	AP2403	AP24 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - with RPU80 Pump		✓
	AP2403VRF	AP24 Virtual Rudder Feedback System with AC12 Comp, RC42 Rate Compass - with RPU80 Pump		✓
	AP2404	AP24 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - with RPU160 Pump		✓
	AP2404VRF	AP24 Virtual Rudder Feedback System with AC42 Comp, RC42 Rate Compass - with RPU160 Pump		✓
	<b>AP28 Autopilot Performance Packs</b>			
	AP2801	AP28 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive		✓
	AP2801VRF	AP28 System with AC12 Comp and RC42 Rate Compass		✓
	AP2802	AP28 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive		✓
	AP2802VRF	AP28 System with AC42 Comp and RC42 Rate Compass		✓
	AP2803	AP28 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - with RPU80 Pump		✓
	AP2803VRF	AP28 System with AC12 Comp, RC42 Rate Compass - with RPU80 Pump		✓
	AP2804	AP28 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - with RPU160 Pump		✓
	AP2804VRF	AP28 System with AC42 Comp, RC42 Rate Compass - with RPU160 Pump		✓
	<b>AP24 and AP28 Control Units and Computers</b>			
	22096267	AP24 Control Unit: With white weather cover, flush mount installation kit (order desired SimNet cable separately)		✓
	22096366	AP28 Control Unit: With white weather cover, flush mount installation kit (order desired SimNet cable separately)		✓
	000-10198-001	AC12 Computer with Simkit-1. For RPU80, HLD350Mk2, MSD50, SD10 and solenoid operated steering.		✓
	000-10199-001	AC42 Computer with Simkit-1. "Heavy duty" version for RPU160, RPU300, HLD2000Mk2x and DD15.		✓
	<b>Volvo components</b>			
	000-10402-001	Volvo EVC Kit for IPS ( includes SG05, RC42, Volvo Gateway)		✓
	000-10258-001	Volvo Gateway		✓
	24006793	SG05 Volvo EVC Kit		✓

Part Number	Description	1 Yr Warranty	2 Yr Warranty
<b>Heading Sensors</b>			
22090195	RC42 Rate Compass with 5 m (16.5 ft) SimNet Cable	✓	
22090187	FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable		✓
000-10453-001	HS70 GPS Compass with Micro-C male connector. Network cable to be ordered separately (3m, 6m, 15m)		✓
000-10640-001	HS70 Power / NMEA0183 cable, 15m	✓	
<b>Feedback Units</b>			
22014286	RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.		✓
20193744	RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable		✓
22011415	RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box		✓
20188074	LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LF13000MK2 priced/ordered separately below		✓
20188082	LF13000MK2: Required for use on outboard application with LF3000 above		✓
20187423	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000		✓
<b>Hydraulic Reversible Drives</b>			
21116165	RPU-80: Reversible Pump. 4.9 - 12 cu. in. (AC12 required). 12V DC		✓
21118203	RPU-160: Reversible Pump. 9.8 - 24 cu. in. (AC42 required). 12V DC		✓
21118476	RPU-300: With 24 V motor and same flow rate (183cui/min), as standard RPU300. Requires 24 or 32 V DC mains input. (AC42 required)		✓
21118211	RPU-300-12 V: Drive Unit Complete 23-36 cu. in. (AC42 required)		✓
21116181	RPU80US: Reversible Pump. 4.9 - 12 cu. in. (AC12 required). 12V DC		✓
21118237	RPU160US: Reversible Pump. 9.8 - 24 cu. in. (AC42 required). 12V DC		✓
21118468	RPU300US, 24 V: With 24 V motor and same flow rate (183cui/min), as standard RPU300. Requires 24 or 32 V DC mains input. (AC42 required)		✓
21118245	RPU300US, 12 V: Drive Unit Complete 23-36 cu. in. (AC42 required)		✓
21116272	Verado Fittings Kit	✓	
VERHOSEKIT-6FT	Verado Hose Kit - 6 ft	✓	
<b>Drives for Mechanical Steering</b>			
21113303	HLD-350Mk2S Short: 8" stroke hydraulic linear drive with by-pass valve (AC12 required)		✓
21113311	HLD-350Mk2S Short Split: 8" stroke hydraulic linear drive unit (AC12 required)		✓
21113360	HLD-2000Mk2S Long: 13" stroke hydraulic linear drive unit (AC42 required)		✓
21113386	HLD-2000Mk2S Long Split: 13" stroke hydraulic linear drive unit (AC42 required)		✓
21113345	HLD-2000Mk2S Short Split: 8" stroke hydraulic linear drive unit (AC42 required)		✓
21113402	HLD-2000Mk2S Long Dual: 13" stroke hydraulic linear drive unit (AC42 required)		✓
21120001	SD10 Mechanical Drive unit for sailboat 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply (AC12 required)		✓
21119896	DD15 Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (AC42 required)		✓
44172096	DL2030 Draglink for DD15. Length: 200-300 mm. 7.9" - 11.8". AC12 required.		✓
44172088	DL3040 Draglink for DD15. Length: 300-400 mm. 11.8" - 15.7".		✓
44172104	DL4050 Draglink for DD15. Length: 400-500 mm. 15.7" - 19.7".		✓
<b>Stern Drive Systems</b>			
21119391	MSD50: 12 V Mechanical Drive Unit for stern drive engines (AC12 required)		✓
21119516	Mounting kit #1. For Volvo Penta® KAD32, KAD42, KAD43 and KAD44 (all models after 1993)		✓
21119656	Mounting kit #2. For Volvo Penta® gas engines/DP-S drives from 1997. Mercruiser® (all models up to 1993) Mercruiser® diesel (from 1993 and later) OMC® and Yamaha®		✓
21119672	Mounting kit #3. For Mercruiser® gas engines 1993 and newer		✓
21119755	Mounting kit #4. For Volvo Penta® 41 series (the old type servo in effect until 1993)		✓
<b>Remote Controls and Steering Levers</b>			
000-10185-001	NF80 Non Follow Up remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.		✓
000-10183-001	FU80 Follow UP remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws, loose steering lever. Take command and Mode buttons. Provides course change in Auto mode.		✓
000-10184-001	QS80 Quickstick remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.		✓
22022446	R3000X: Hand-held Remote Control with 7 m (23 ft) cable and mounting bracket. Provides NFU steering in STBY and Dodge modes. Course changing in Auto mode	✓	
23241227	S35 Non Follow Up Steering Lever: Spring loaded. Designed for indoor/outdoor mounting. Illuminated mode button. Provides course change in Auto mode.	✓	
22088165	JS10: Two-position NFU lever for indoor or outdoor mounting	✓	
<b>AP24 and AP28 accessories</b>			
22096820	AP24/AP28/IS20 Optional Mounting Bracket	✓	
<b>AP28 and AP24 Spares</b>			
22096515	AP24/IS20 Weather Cover	✓	
22096572	AP28 Weather Cover	✓	
22096630	AP24/AP28/IS20 Mounting Accessories kit. Includes the corners	✓	
22096986	AC12 and AC42 Terminal Cover	✓	
22097166	AC12 Installation Accessories	✓	
22097125	AC42 Installation Accessories	✓	
<b>Feedback Spares</b>			
20187225	LF3000 Coil Core Rod for Liner Rudder Feedback	✓	
20193454	RF300 Transmission Linkage	✓	
20193678	RF300 Transmission Lever Assembly	✓	
<b>Drive Spares</b>			
20997953	RPU80/100/150/160/200 Seal Kit	✓	
21101258	RPU80/160/300 US Type Fittings (3 pcs)	✓	
44170199	RPU80/HLD350 Motor, LEMAC	✓	
44177525	RPU160/100/HLD2K Motor, LEMAC	✓	
44170009	RPU300 Motor 12V LEMAC	✓	
44169993	RPU300 Motor 24V, LEMAC	✓	
21118617	Brush, Pair, RPU80, FRACMO	✓	
21118633	Brush, Pair (RPU160) FRACMO	✓	
21118625	Brushes, Pair, RPU300, FRACMO	✓	
21118641	Brush, CB156, Pair (PRE 1989,	✓	
21118658	Brush, CB174, 6X10X20 MM, Pair	✓	
21118666	Brush, LEMAC RPU80/160, Pair	✓	
21118682	Brush (Pair) RPU300, LEMAC, Long	✓	
21109228	Emergency Release Pins for HLD	✓	
20998068	Seal Kit, HLD2000MK2/..LMK2/35	✓	
44156537	Bypass Valve 12V Complete	✓	

	Part Number	Description	1 Yr Warranty	2 Yr Warranty
	<b>Tillerpilots</b>			
	<b>HR22, TP32, TP22, TP10</b>			
	TP10	Tillerpilot TP10		✓
	TP22	Tillerpilot TP22 – SimNet/NMEA		✓
	TP32	Tillerpilot TP32 – SimNet/NMEA		✓
	<b>Tillerpilot Mounting Accessories</b>			
	CB1	Cantilever bracket 135-240 mm (5.31-9.44 in)	✓	
	TB30	Tiller bracket 30 mm (1.2 in)	✓	
	TB60	Tiller bracket 60 mm (2.4 in)	✓	
	TB90	Tiller bracket 90 mm (3.6 in)	✓	
	TB120	Tiller bracket 120 mm (4.8 in)	✓	
	PB30	Pedestal bracket 30 mm (1.2 in)	✓	
	PB60	Pedestal bracket 60 mm (2.4 in)	✓	
	PB90	Pedestal bracket 90 mm (3.6 in)	✓	
	PRE30	Pushrod extension 30 mm (1.2 in)	✓	
	PRE60	Pushrod extension 60 mm (2.4 in)	✓	
	PRE90	Pushrod extension 90 mm (3.6 in)	✓	
	PRE120	Pushrod extension 120 mm (4.8 in)	✓	
	PRE150	Pushrod extension 150 mm (6.0 in)	✓	
	PRE300	Pushrod extension 300 mm (12.0 in)	✓	
TPPK10	Spare Tillerpilot Belt	✓		
TPPK26	Tillerpilot Feedback PCB + Kit	✓		
TPPK27	Tillerpilot Drive Belt + Kit	✓		
TPPK13	Spare Tillerpilot Case Seal Pack	✓		
	<b>Wireless Remote Commander</b>			
	<b>WR20 Wireless Remote</b>			
	WR20	WR20 Remote commander system		✓
	EXPC05	5 m (16 ft) Extension cable for WR20 base station	✓	
	EXPC20	20 m (16 ft) Extension cable for WR20 base station	✓	
	WB20	WR20 base station	✓	
	WC20	WR20 battery charger	✓	
000-10401-001	WR20 Spare battery (138-0031-00)	✓		
	<b>Marine instruments</b>			
	<b>IS20 Systems</b>			
	22098438	Wind System Package		✓
	22098529	Sailboat Wind/Combi Depth & Speed Package		✓
	<b>IS20 Individual Instruments</b>			
	22095582	IS20 Graphic instrument with 0.3 m (1 ft) SimNet cable		✓
	22098420	IS20 Combi instrument (speed, depth and temp) with 0.3 m (1 ft) SimNet cable		✓
	22095558	IS20 Wind instrument with 0.3 m (1 ft) SimNet cable		✓
	22095921	IS20 Tack instrument with 0.3 m (1 ft) SimNet cable		✓
	22095939	IS20 Compass instrument with 0.3 m (1 ft) SimNet cable		✓
	22095996	IS20 Rudder instrument with 0.3 m (1 ft) SimNet cable		✓
	22098552	DST800 active D/S/T TH plastic 235 kHz transducer with 2 m (7 ft) cable and Micro C connector to SimNet	✓	
	22098560	DT800-12 deg active D/T TH plastic 235 kHz transducer w/s/t pigtail with 2 m (7 ft) cable and Micro C connector to SimNet	✓	
	22098586	ST800 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (add speed to DT800)	✓	
	22098594	Through-hull Stainless steel skin fitting with Sea-valve (for use with DST800, DT800, ST800)	✓	
	27118082	Wind vane including bracket and mounting access (no cable)		✓
	24006405	20 m (66 ft) Wind vane cable (SimNet)		✓
	24006421	35 m (115 ft) Wind Vane cable (SimNet)		✓
	22098495	2.5 m (8 ft) NMEA Cable for IS20		✓
	22096515	AP24/IS20 Weather Cover		✓
22096630	AP24/AP28/IS20 Mounting Accessories kit. Includes the corners		✓	
ISPK08	IS20 Wind Vane Pointer spare		✓	
ISPK09	IS20 Wind Cups		✓	
	<b>RS80 Series Multistation VHF</b>			
	<b>RS Dual Station VHF Systems</b>			
	RS87:EXB:	RS87 VHF system.		✓
	RS87:EXB:I	RS87 VHF system (US version).		✓
	AHK87	RS87 Dual station handset.		✓
	RS82:	RS82 VHF system.		✓
	RS82:I	RS82 VHF system (US version).		✓
	AHK82	RS82 Dual station handset.		✓
	LS80	External speaker (waterproof) with 5 m (16 ft) cable.		✓
	LS81	External speaker with intercom switch and 5 m (16 ft) cable.		✓
	LSH80	Waterproof white horn speaker (80hms) for use with loud hailer.		✓
	EXAH05	5 m (16') Extension cable for AHS82 and 87 active handsets	✓	
	EXAH20	20 m (66') Extension cable for AHS82 and 87 active handsets	✓	
	AHS82	Active Handset for RS82		✓
	AHS87	Active Handset for RS87		✓
	CRDL87	RS87,81,82 Handset cradle		✓
	NE04296	Power Cable ASSY, RS86/87	✓	
	RS80:EU	RS87 Tranceiver Box Only: EU/ROW		✓
	RS80:I	RS87 Tranceiver Box Only: US/Canada		✓
	RS80B:EU	RS81/82 Tranceiver Box Only: EU/ROW		✓
RS80B:I	RS81/82 Tranceiver Box Only: US/Canada		✓	
	<b>RS25 and RS10 VHF Radios</b>			
	<b>RS fixed Mount Radios and Wireless Handset</b>			
	000-10213-001	RS25 VHF system ( with fist mic). US		✓
	000-10215-001	AHK05U Wireless handset. US		✓
	000-10214-001	RS25 VHF system ( with alpha fist mic). EU, APAC		✓
	000-10216-001	AHK05E Wireless handset. EU, APAC		✓
	000-10211-001	RS10 VHF system ( with fist mic). US		✓
	000-10212-001	RS10 VHF system ( with fist mic). EU, APAC		✓
	<b>Recommended Antennas and Mount accessories</b>			
	AA000355	Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	✓	
AA000358	Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	✓		
AA000223	Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable	✓		
AA000224	Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable	✓		
AA000352	Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	✓		

	Part Number	Description	1 Yr Warranty	2 Yr Warranty
	AA000400	VHF extension cable 5 m (16 ft)	✓	
	AA000401	VHF mast cable 30 m (98 ft) for 1720 antenna	✓	
	<b>RS Spares</b>			
	000-10367-001	VMC-1 Mic clips (with Magnet) for RS10and RS25	✓	
	000-10374-001	VBC-4 Charger kit for all models AHK05	✓	
	000-10375-001	CVR-14 Suncover for RS10	✓	
	000-10376-001	CVR-15 Suncover for RS25	✓	
	000-10378-001	VKIT-9 Flush Mount Kit for RS10 and RS25	✓	
	000-10379-001	VKIT-10 VHF Mounting Bracket Knobs for RS10 and RS25	✓	
	<b>Handheld VHF/GPS radio</b>			
	<b>HH33 Handheld VHF / GPS Radio</b>			
	000-10217-001	HH33 Handheld Radio. GPS/DSC. US		✓
	000-10218-001	HH33 Handheld Radio. GPS/DSC. AUS/NZ		✓
	000-10219-001	HH33 Handheld Radio. GPS/DSC. EU / UK		✓
	000-10010-001	VKIT-5 HH33 Charging Cradle and 12v Cigarette Lighter Cable	✓	
	000-0127-40	PC-29 Power cable, all HH models	✓	
	000-10017-001	MBC-1 Belt Clip, all models HH33	✓	
	000-10016-001	HHA-3 Antenna, all models HH33	✓	
	000-10368-001	VBP-4 1,400mAh Li-Polymer battery pack, all models HH33	✓	
	000-10369-001	VKIT-21 HH33U Charging Cradle & US Power Adaptor	✓	
	000-10370-001	VKIT-22 HH33 UK Charging Cradle & UK Power Adaptor	✓	
	000-10371-001	VKIT-23 HH33E Charging Cradle & EU Power Adaptor	✓	
	000-10372-001	VKIT-24 HH33A Charging Cradle & AUS/NZ Power Adaptor	✓	
	000-10373-001	VKIT-25 HH33 Charging Cradle & 12v Cigarette Lighter Cable	✓	
	<b>Simrad NavStation NX</b>			
	<b>NX45</b>			
	AA010018	NX45 12" NavStation with GPS antenna		✓
	<b>NX40</b>			
	AA010020	NX40 8.4" NavStation with GPS antenna		✓
	<b>Engine, Fuel and Camera Monitoring Accessories</b>			
	AA010059	Single engine fuel kit	✓	
	AA010058	Twin engine fuel kit	✓	
	<b>Transducers</b>			
	AA010064	Transducer transom mount nylon, D/S/T, 600 W, 50/200 kHz, LT6 conn	✓	
	AA002008	B744V Transducer thru-hull bronze, D/S/T, 600 W with fairing, 50/200 kHz, 2" cutout, LT6	✓	
	AA002017	P319 Transducer thru-hull nylon, depth, 600 W, 50/200 kHz, 2" cutout, LT6 Conn	✓	
	AA002001	P79 Transducer In-Hull depth, 600W 50/200kHz, LT6 Conn	✓	
	AA002018	B117 Transducer thru-hull bronze, depth, 600 W, 50/200 kHz, 2" cutout, LT6 conn	✓	
	AA002657	B258 Transducer thru-hull bronze, depth/temp, 1 kW, 50/200 kHz (including fairing) LT6 conn	✓	
	AA002660	B260 Transducer thru-hull bronze, depth, 1 kW, 50/200 kHz, (including fairing) LT6 conn	✓	
	AA002016	M260 Transducer in-hull depth, 1 kW with mounting tank, 50/200 kHz, LT6 conn	✓	
	AA010110	Y-cable for speed/temp and depth connection, LT6 to LT6/LT8	✓	
	AA010102	4 m (13 ft) extension cable for LT6 plug depth transducers	✓	
	AA010104	5 m (16 ft) general purpose LT8 extension cable	✓	
	AA010117	Adapter cable - LT6 to Airmar depth transducer	✓	
	<b>Cable Accessories</b>			
	AA010115	Y-cable for AIS connection through Fuel/SmartCraft adapter	✓	
	AA010112	Radar connection kit (for NMEA heading connection)	✓	
	AA010114	Radar communication serial cable 3 m (9 ft)	✓	
	<b>NX Spares</b>			
	AA010003	NX40 Suncover	✓	
	AA010004	NX45 Suncover	✓	
	CS000843A-G	NX40 Front Bezel Case	✓	
	CS000844A-G	NX45 Front Bezel Case	✓	
	CS000840A-G	NX40/45 SD card Cover Case	✓	
	AA010096	Power / Data cable for NX, 8 Pin, 2 m (6.5 ft)	✓	
	BK000103B-G	NX45 Mounting Bracket	✓	
	HR000097	Swivel Base for NX40, Mounting Bracket	✓	
	CS000137C-G	NX Bracket Ratchet Washers	✓	
	HR000093	NX Bracket Mount Locking Knobs	✓	
	AA010150	AT40 SimNet to NMEA 0183 Converter for NX40	✓	
	AA010169	AT45 SimNet to NMEA 0183 Converter for NX45	✓	
	<b>SimNet Cables</b>			
	SIMKIT-1	SimNet Starter Kit-1	✓	
	SIMKIT-2	SimNet Starter Kit-2 with one AT10 NMEA 0183 interface	✓	
	000-10628-001	SIMKIT-3. Micro-C to SimNet.	✓	
	24005829	SimNet cable 0.3 m (1 ft)	✓	
	24005837	SimNet cable 2 m (6.6 ft)	✓	
	24005845	SimNet cable 5 m (16 ft)	✓	
	24005852	SimNet cable 10 m (33 ft)	✓	
	24005910	note: for simNet backbone only SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	✓	
	24005902	SimNet power cable with terminator 2 m (6.6 ft) -red tip	✓	
	24005860	SimNet 3 Prong Multi-joiner	✓	
	24006298	SimNet 7 Prong Multi-joiner	✓	
	24005894	SimNet termination plug	✓	
	44172260	SimNet joiner yellow without terminator	✓	
	44172278	SimNet joiner red with terminator	✓	
	24006306	SimNet bulkhead T-connector	✓	
	24005886	SimNet protection plug	✓	
	24005878	SimNet cable gland	✓	
	24005928	SimNet cable protection cap	✓	
	24006413	Micro-C female to SimNet 4 m (13 ft)	✓	
	24006199	SimNet to Micro-C (female) cable that connects a NMEA 2000® product to SimNet 0.5 m (1.6 ft)	✓	
	24005729	SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® network 0.5 m (1.6 ft)	✓	
	24005936	AT10 Two way general NMEA 0183 to SimNet converter	✓	
	24006694	AT10HD Two way NMEA 0183 heading data only to SimNet converter	✓	
	24006934	SimNet Noise filter	✓	

Part Number	Description	1 Yr Warranty	2 Yr Warranty
000-00020-001	ST10 Simnet programing Toolkit	✓	
<b>SimNet / NMEA 2000® Sensors</b>			
000-0120-39	EP-60R Fuel flow sensor, with 10 ft cable and T-connector	✓	
000-0120-41	EP-65R Fluid level sensor, with 10 ft cable and T-connector	✓	
000-0120-49	EP-70R Transom mount paddlewheel speed sensor, with 3 m (10 ft) cable and T-connector	✓	
000-0120-51	EP-80R Transom mount temperature sensor, with 3 m (10 ft) cable and T-connector	✓	
000-0120-53	EP-80R Thru-hull temperature sensor, with 3 m (10 ft) cable and T-connector	✓	
000-0120-73	EP-85R Fuel usage/range storage sensor for Evinrude engines, with 3m (10 ft) cable and T-connector	✓	
000-0120-29	EP-90R Pressure sensor, with 3 m (10 ft) cable and T-connector	✓	
000-0120-62	Evinrude engine interface cable 4.5 m (15 ft) and T-connector	✓	
000-0120-37	Yamaha engine interface cable 4.5 m (15 ft) and T-connector	✓	
<b>NMEA 2000® Cables</b>			
000-0124-69	NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	✓	
000-0119-79	N2K-T-RD - NMEA 2000® T-connector for connection of an additional network device	✓	
000-0119-88	N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	✓	
000-0127-53	N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	✓	
000-0119-86	N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	✓	
000-0119-83	N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	✓	
000-0119-75	N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	✓	
000-0127-45	SimNet to N2K Adaptor Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	✓	
000-0127-52	TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	✓	
<b>Ethernet Cables for NSO, NSE, NSS, BSM-1, BSM-2, LSS-1, Broadband Radar, WM-2</b>			
000-10029-001	NEP-2 Network Expansion Port		✓
000-0127-51	Ethernet cable yellow 5 Pin 2 m (6.5 ft)	✓	
000-0127-29	Ethernet cable yellow 5 Pin 4.5 m (15 ft)	✓	
000-0127-30	Ethernet cable yellow 5 Pin 7.7 m (25 ft)	✓	
000-0127-37	Ethernet cable yellow 5 Pin 15.2 m (50 ft)	✓	
<b>Ethernet Cables for NSO and HD radars</b>			
000-10437-001	Ethernet Adapter crossover RJ45 male to yelow 5 pin female	✓	
000-10438-001	RJ45 to 5 pin yellow female Ethernet adapter	✓	
AA010085	Ethernet RJ45 field termination kit	✓	