

Cyberbit A/S Development Resource Guide – Secure Payment Form V2 Internet Merchant Payment Solution

Change Register

Version	Description	Author	Date
V 1.0	Document Created	Jimmi Kristensen	23-01-2008
V 1.1	Document Update	Jimmi Kristensen	01-09-2009
V 1.2	Updated parameter list	Jimmi Kristensen	12-10-2009

Contact Details

General Product Support	support@cyberbit.eu Phone: +45 7027 0585
Technical Support / Questions	support@cyberbit.eu Phone: +45 7027 0585



Table of Contents

1 Introduction4
<u>1.1 Requirements4</u>
2 Sending Transactions
2.1 Implementing the Methods
2.2 Callback from Payment Gateway9
2.3 Validating Transaction Data
2.4 Finishing the Payment Process
<u>3 Transaction Status Codes12</u>
4 State Codes13
5 PHP Code Example
6 XML Example

1 Introduction

Cyberbit's Secure Payment Form (SPF) is an easily integrated solution, which permits secure and trusted transactions over the Internet. The following document describes how to integrate the payment solution into a merchant's website. The document will guide a developer through the integration process required to use Cyberbit's Secure Payment Form. To make the integration even easier, this guide also provides code examples for the various development requirements.

Secure connectivity is obtained over the Internet by establishing an SSL encrypted connection between the merchant's website and the Cyberbit Payment Gateway. To integrate a merchant's website with Cyberbit using the SPF, a developer must be able to provide client side security for receiving information. This is done by connecting to Cyberbit using the HTTPS protocol so as to pass this information using SSL.

This document provides information on how to implement the following e-commerce transaction types:

- Authorization Only.
- Authorization and Capture.

1.1 Requirements

Before the merchant will be able to start testing, a few things have to be in place. The merchant must have received a test account with the following information:

MerchantId	Unique ID assigned to merchants.
Password	Password used to login to the payment gateway backend.
Secret Code	Unique code sent with every transaction.
Hashing Code	Secret hashing code used to validate transaction data. This code must only be
	known by the merchant and Cyberbit A/S.



The diagram above shows the payment process when using Cyberbit's SPF.

- 1. When the cardholder have selected the goods he/she wants to buy and have filled a form, on merchant's website, stating his/hers name, address, shipping info, etc., the cardholder presses a link/button to start the payment.
- 2. Merchant's website opens a payment window linked to Cyberbit's SPF. For further details see the chapter "Implementing the Methods".
- 3. The cardholder is presented with the SPF located on a Cyberbit web server.
- **4.** The cardholder fills the SPF with the needed credit card information, and sends payment information to Cyberbit's Payment Gateway.
- 5. Payment status is sent to the merchant's web server to ensure that the transaction/order is registered at the merchant's website. For further details please see the chapter "Callback from the Payment Gateway".
- 6. A payment status is sent back to the cardholder, this status page displays if the transaction was a success.
- 7. Cardholder is directed back to merchant's website to get his/hers receipt.

2 Sending Transactions

This chapter will describe the procedures and parameters to send the different types of transactions to the SPF. All transactions will be made through a HTTPS POST as described below.

Format Values Key:

A = Alphabetical (a-z, A-Z)

N = Numeric (0-9)

AN = Alpha-Numeric (a-z, A-Z, 0-9)

URL = Uniform Resource Locator

Presence Values Key:

R = Required

O = Optional

C = Conditional

Parameter Name	Format	Presence	Description
TransType	N(3)	R	1 = Authorize only
			3 = Authorize and Capture
			259 = Recurring Transaction
Secret	A(40)	R	Transaction secret provided by Cyberbit A/S
AcceptURL	URL	R	URL to return the customer to when a
			successful transaction have been made. To see
			an example of an accept page written in PHP,
			go to "PHP code example".
MerchantId	AN(10)	R	Merchant ID provided by Cyberbit A/S
InternalOrderID	AN(22)	С	Order ID supplied by the merchant.
			If the Terminal parameter is set this parameter
			is ignored and does not have to be set.
CurrencyCode	N(3)	R	Currency code according to ISO-4217
AmountCleared	N(11)	R	Total amount of purchase. Amount is given in
			the smallest amount (Example: if the currency is
			USD then an amount of 100 will be equal to 1
		_	Dollar)
Terminal	Terminal	0	If Terminal is set the Cyberbit Payment
			Gateway will automatically generate an order id
			for the order being processed. This means
			instead of using an order 1d generated by the
			merchant the Payment Gateway will generate an
			order id and return this id to the caliback URL
			and the accept UKL.
			If the Terminal parameter is set the OrderId
			parameter will be ignored and can be left out
			parameter will be ignored and can be left out.
			If you need this functionality set this value to
			"Terminal".
OwnerEmail	AN(100)	С	Cardholder's email address
OwnerAddress	AN(50)	С	Cardholder's address
OwnerAddressNumber	N(20)	С	Cardholder's address number
OwnerCity	AN(50)	С	Cardholder's city
OwnerCountry	A(2)	С	ISO-3166-1 alpha-2 code of the cardholder
			country (Example: if the cardholder is from the

			United Kingdom the con	untry code will be GB)
OwnerState	A(2)	С	Cardholder's state, for a "State Codes"	list of valid states see
OwnerFirstName	A(20)	R	Cardholder's first name	
OwnerLastName	A(20)	R	Cardholder's last name	
OwnerZIP	AN(10)	С	Cardholder's ZIP/Postal	code
OwnerPhone	AN(20)	С	Cardholder's phone nun	nber
OwnerDayOfBirth	N(2)	С	Cardholder's day of birt	h (DD)
OwnerMonthOfBirth	N(2)	С	Cardholder's month of l	oirth (MM)
OwnerYearOfBirth	N(4)	С	Cardholder's year of bir	th (YYYY)
ShippingFirstName	A(20)	0	First name of the person	who receives the goods
ShippingLastName	A(20)	0	Last name of the person	who receives the goods
ShippingAddress	AN(50)	0	The shipping address	
ShippingAddressNumber	N(20)	0	The house number of th	e shipping address
ShippingCity	AN(50)	0	The shipping city	
ShippingCountry	A(2)	0	ISO-3166-1 alpha-2 cod	le of the shipping
			country (Example: if the United Kingdom the con	e shipping country is the untry code will be GB)
ShippingState	A(2)	0	Shipping state, for a list "State Codes"	of valid states see
ShippingZIP	AN(10)	0	The shipping ZIP/Postal	l code
ShippingEmail	AN(100)	0	The E-Mail of the perso goods	n who receives the
ShippingPhone	AN(20)	0	The phone number of th	e person who receives
empping: none	111 ((20)	Ŭ	the goods	e person (inc receives
CreditCardType	A(10)	0	This is the type of credit cardholder. Valid Options:	t card selected by the
			Ontion	Description
			Visa	Visa
			Visaelec	Visa Electron
			Mostoroord	MostorCord
			Mastro	Maggiro
			Amor	American Eveness
			Amex D: L L	American Express
			Dinersciub	Diners Club
			Discover	Discover
			Jcb	JCB
			Solo	Solo
			Bleue	Bleue
			Visadan	Visa/Dankort
			Edankort	eDankort
			Elv	ELV
			Giropay	GiroPay
Hash	AN(40)	R	To be sure the that the transaction data is not altered, a SHA1 hash has to be generated and sent to the Payment Gateway. Please look at par 2.3 Validating Data to see how this is done.	
SubscriptionID	N(11)	С	Subscription ID used wittransactions. The subscription ID is a	ssigned when creating a

new subscription.
To know more about recurring transaction read the manual (Cyberbit User Manual - Recurring)

The parameters above are the only data required to make a transactions. The parameters below are all optional, and will be shown on the SPF. The table below shows the fields that should be sent in the POST message to display order information to the customer. An example of this is shown in the part 2.1 of this chapter. Examples can also be found in the examples.html you have received together with this manual.

Parameter Name	Format	Presence	Description
Header		0	The header fields to show in the SPF.
Orderline1		0	The first order line to be shown. There can be as many order lines as desired by incrementing the number by one for every order line.
Shipping		0	This field allows you to display shipping costs.
Total		0	This field allows you to show to total amount to
			the customer.

2.1 Implementing the Methods

An authorize or an authorize/capture request is made by sending a HTTPS POST to the Cyberbit Payment Gateway.

The Cyberbit Payment Gateway is accessible through the following URL: Test Environment: (URL will be given to you upon account creation) Live Environment: (URL will be given to you upon account creation)

Below is a code example of how to make the HTTPS POST and start the SPF.

First, prepare the POST. Below is an example on how a POST could look like. The example can also be found in the example.html:

<pre><form action="https://test.xxxxx.xx/xxxx.php" method="POST"></form></pre>				
<input< td=""><td>type="hidden"</td><td>value="1" name="transtype"></td></input<>	type="hidden"	value="1" name="transtype">		
<input< td=""><td>type="hidden"</td><td>value="sdf6a6yr3f3df33" name="secret"></td></input<>	type="hidden"	value="sdf6a6yr3f3df33" name="secret">		
<input< td=""><td>type="hidden"</td><td>value="https://www.cyberbit.eu/bjarne test/accept.php"</td></input<>	type="hidden"	value="https://www.cyberbit.eu/bjarne test/accept.php"		
name="acceptur	1">	_		
<input< td=""><td>type="hidden"</td><td>value="CyberTest" name="merchantid"></td></input<>	type="hidden"	value="CyberTest" name="merchantid">		
<input< td=""><td>type="hidden"</td><td>value="test3" name="InternalorderId"></td></input<>	type="hidden"	value="test3" name="InternalorderId">		
<input< td=""><td>type="hidden"</td><td>value="978" name="currencycode"></td></input<>	type="hidden"	value="978" name="currencycode">		
<input< td=""><td>type="hidden"</td><td>value="100" name="amountcleared"></td></input<>	type="hidden"	value="100" name="amountcleared">		
<input< td=""><td>type="hidden"</td><td>value="28006f49d5ffc3a60adbe4898594e749ee34b055"</td></input<>	type="hidden"	value="28006f49d5ffc3a60adbe4898594e749ee34b055"		
name="hash">				
<input< td=""><td>type="hidden"</td><td>value="cardholder@email.com" name="owneremail"></td></input<>	type="hidden"	value="cardholder@email.com" name="owneremail">		
<input< td=""><td>type="hidden"</td><td>value="some street" name="owneraddress"></td></input<>	type="hidden"	value="some street" name="owneraddress">		
<input< td=""><td>type="hidden"</td><td>value="123" name="owneraddressnumber"></td></input<>	type="hidden"	value="123" name="owneraddressnumber">		
<input< td=""><td>type="hidden"</td><td>value="London" name="ownercity"></td></input<>	type="hidden"	value="London" name="ownercity">		
<input< td=""><td>type="hidden"</td><td>value="00" name="ownerstate"></td></input<>	type="hidden"	value="00" name="ownerstate">		
<input< td=""><td>type="hidden"</td><td>value="GB" name="ownercountry"></td></input<>	type="hidden"	value="GB" name="ownercountry">		
<input< td=""><td>type="hidden"</td><td>value="Larry" name="ownerfirstname"></td></input<>	type="hidden"	value="Larry" name="ownerfirstname">		
<input< td=""><td>type="hidden"</td><td>value="Smith" name="ownerlastname"></td></input<>	type="hidden"	value="Smith" name="ownerlastname">		
<input< td=""><td>type="hidden"</td><td>value="123456" name="ownerzip"></td></input<>	type="hidden"	value="123456" name="ownerzip">		
<input< td=""><td>type="hidden"</td><td>value="+442154856354" name="ownerphone"></td></input<>	type="hidden"	value="+442154856354" name="ownerphone">		
<input< td=""><td>type="hidden"</td><td><pre>value='"Item Number";"Item Description";"Amount";"Price"'</pre></td></input<>	type="hidden"	<pre>value='"Item Number";"Item Description";"Amount";"Price"'</pre>		
name="header">				
<input< td=""><td>type="hidden"</td><td><pre>value='"1";"Blue car";"1";"1.000,00"' name="orderline1"></pre></td></input<>	type="hidden"	<pre>value='"1";"Blue car";"1";"1.000,00"' name="orderline1"></pre>		
<input< td=""><td>type="hidden"</td><td>value='"2";"Red bike";"2";"250,00"' name="orderline2"></td></input<>	type="hidden"	value='"2";"Red bike";"2";"250,00"' name="orderline2">		
<input< td=""><td>type="hidden"</td><td>value='"Shipping";"150,00"' name="shipping"></td></input<>	type="hidden"	value='"Shipping";"150,00"' name="shipping">		
<input< td=""><td>type="hidden"</td><td>value='"Total";"1.650,00"' name="total"></td></input<>	type="hidden"	value='"Total";"1.650,00"' name="total">		

```
<input type="submit" value="Make Payment">
</form>
```

The example above will create a payment form with the above details. Notice the "header", "orderlineX", "shipping" and "total" fields. These fields will generate a table containing the order information which will be shown on the SPF if enabled. The example above will create an order information table like the one below.

ltern Number	Item Description	Amount	Price
1	Blue car	1	1.000,00
2	Red bike	2	250,00
Shipping			150,00
Total			1.650.00

2.2 Callback from Payment Gateway

After every transaction the merchant will receive a **POST** message with status of the transaction. This **POST** will be sent to the callback URL defined by the merchant. The merchant's callback page will receive four callback parameters:

Parameter Name	Description
Fingerprint	The SHA1 hash of the transaction, see "Validating Transaction
	Data" for further details.
Xml	Will return all data sent by the merchant's website to Cyberbit's
	Payment Gateway in XML format. Besides data from the
	merchant's website, this XML will also hold the transaction data
	from the Payment Gateway.
	To see an example of a returned XML message, see the chapter
	"XML Example".

The purpose of the callback message is to inform the merchant's website of the transaction status. The callback message is sent promptly after a transaction have been made, in this way the merchant's website will be able to acknowledge a transaction, even though the cardholder might close the SPF immediately after a transaction have been made and therefore not getting a receipt from the merchant's receipt page.

Important:

It is important that the merchant acknowledges the transaction on the callback URL instead of on the accept URL. The reason to this is that the cardholder might close the SPF immediately after a transaction have been made, and therefore never reach the accept page. If this is the case and the merchant only acknowledges a successful transaction on the accept page, the money will be drawn from the cardholder's bank account, but the merchant will never register the transaction, and therefore will never send the goods. If the transaction is acknowledged on the callback page the merchant will always be able to acknowledge a transaction, even though the SPF is closed by the cardholder. All errors that may happen in a transaction will also be returned to the callback URL. In this way the merchant is able to log the error message returned by the Payment Gateway.

2.3 Validating Transaction Data

When the account information is received you will receive a unique hashing key along with your other account information. This key is used in the data validation process to make sure the data has not been altered in any way.

Hashing before the transaction is sent:

Before a transaction is sent to the payment gateway a hash has to be generated to make sure that the data has not been altered. When this hash has been generated it is sent in the post along with the other required information.

The following fields are used to create the hash value: MerchantId + Transtype + InternalOrderId + Currency + Amount + SubscriptionId + HashKey

Example: MerchantId = CyberTest Transtype = 1 InternalOrderId = test1 Currency = 978Amount = 100SubscriptionId = HashCode = 123

String = CyberTest1test1978100123 Hash = sha1(CyberTest1test1978100123) Hash = bdfcd17a913e26b1966539d76c748b6c8ca08af9

Validating data sent to the accept page:

It is also possible to validate the data sent to the accept page, and example is provided below.

Statuscode + Statustext + OrderId + Time + HashKey

Statuscode = 000 Statustext = Success From Processer Order Id = test1 Time = 20080125153955 HashCode = 123

String = 000Success From Processertest120080125153955123 Hash = sha1(000Success From Processertest120080125153955123) Hash = ac7a7f4503180f226260377406c19e5bc8f9f3c5

Validating data sent to the callback URL:

It is very important that the data sent to the callback URL is validated to ensure that the transaction result is coming from the Payment Gateway and have not been altered. If the hash is NOT validated

anybody knowing the callback URL and what the data sent to it looks like could forge a false transaction result and maybe fooling the system to think that a valid transaction has been made.

Only the XML containing the transaction data and the fingerprint is sent to the callback URL. To validate if the data is valid, first generate a hash our of the XML and your unique hashing key:

Sha1(XML + HashKey)

And hold the resulting SHA1 hashing value up against the fingerprint. If those two values matches, then the data is valid.

Below is an example if the SHA1 creation written in PHP:

```
$fingerprint = sha1($xml.$hashkey);
```

Note that the unique key is in the end of the XML message. When the SHA1 hashing has been made, compare this value to the value received in the fingerprint parameter of the callback message.

IMPORTANT: The unique key is only known by Cyberbit A/S and the merchant; make sure the key is never shown on the merchant's website.

2.4 Finishing the Payment Process

When a successful transaction has been made, the cardholder will be directed back to the merchant's website. Because of the cross-domain policies in the mozilla browser, the merchant's accept page will be shown in the payment window. Because of this it is recommended that the merchant's accept page takes the parameters from the POST given to the accept page, send the data to a receipt page on the merchant's website and closes the payment window. In this way the cardholder will be directed back to the merchant's website showing a receipt page. For a PHP example of a possible accept page, see "PHP Code Example".

For a complete "Copy/Paste" example of the entire payment process written in PHP see "PHP Code Example".

3 Transaction Status Codes

-1 In correct Matching Code -2 Couldn't select MySQL Server -3 Couldn't select MySQL Database -5 TransType not valid -8 No Authorization to Capture -9 Capture To Refund -10 No Capture To Refund -11 Refund Error -12 Duplicated OrderID -13 Invalid Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Amount cleared exceeds the max tacket price 000 Status Code Text 011 Resing or mong two. 022 No Capture To Restricted Price 033 No Cestring URL Specified 044 Wrong or Empty SecretCode 055 No Consensing Available 066 Access Errori Restricted by Io-Address. 0701 Illegal characters in InputField 0708 Owner/Country is not valid. Should have a compatible ISO 3166 Value 071 Illegal Characters in Layopterid use. HTP_POST instead 072 Owner/State is not valid. Hint use OD for outsite USA/Canada. 073 Tore Honcessor <t< th=""><th>Status Codes</th><th>Status Text</th></t<>	Status Codes	Status Text
-2 Couldn't connect to MySQL Server -3 TransType not valid -4 No Authorization to Capture -9 Capture Tro -10 No Capture To Refund -11 Refund Error -12 Duplicated Order10 -13 Invelid Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Messing or wrong Merchantid 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 Access Errorl Restricted by Ip-Address. 006 Access Errorl Restricted by Ip-Address. 007 TransType are resupported by this Clearing-Gateway 008 TransType are resupported by the solution active acompatible ISO 3166 Value 009 TransType are resupported by the solution active. 011 HTTP GET are not supported vare. Critical Error. 012 OwnerState is not validi. Hintuse OO for vastris USA/Canada.	-1	In correct Matching Code
-3 Couldn't select MySQL Database -5 TransType not valid -8 No Authorization to Capture -9 Capture Tor Refund -10 No Capture To Refund -11 Refund Error -12 Duplicated OrderID -13 Tavaild Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Status Code Text 002 Rediraction not active 003 No Cicenny UL, specified 004 Wrong or Empty SecretCode 005 Access Errorl Restricted by Ip-Address. 006 Access Errorl Restricted by Up-Address. 007 Illegal characters in InouFrield 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP_GET are not supported use. HTTP_POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Peri-Gateway Sof	-2	Couldn't connect to MySQL Server
-5 TransType not valid -8 No Authorization to Capture -9 Capture To Refund -10 No Capture To Refund -11 Refund Error -12 Duplicated OrderID -13 Invalid Credit Card Number -14 Too Mury transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount Cleared exceeds the max ticket price 000 Status Code Text 001 Mesian or wrong MerchantId 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Ernpt SecretCode 005 Access Errori Restricted by Ip-Address. 006 Access Errori Restricted by Up-Address. 007 The Processord 008 Access Errori Restricted by Up-Address. 019 The Processord 011 HTIP GET are not supported use. HTIP. POST Instead 012 OwnerState is not valid. Hint use Oor outsite USA/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 Your are currently not. Online Errot.	-3	Couldn't select MySQL Database
-8 No Authorization to Capture -9 Capture Fror -10 No Capture To Refund -11 Refund Error -12 Duplicated OrderD -13 Invalid Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchartld 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 011 HTTP. OET are not supported use. HTTP POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perf-Gateway Software. Critical Error. 014 Your are currently not Online 015	-5	TransType not valid
-9 Capture Error -10 No Capture To Refund -11 Refund Error -12 Duplicated OrderID -13 Invalid Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount Cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong MerchantId 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errort Restricted by Ip-Address. 007 Illegal characters in InpuField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTP_CET are not supported use. HTP. POST instead 012 OwnerState is not valid. Hint use OO for outset USA/Canada. 013 Error in our Peri-Geteway Software. Circlical Error. <	-8	No Authorization to Capture
-10 No Capture To Refund -11 Refund Error -12 Duplicated OrderD -13 Tovality Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchantd 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Avalable. 006 Conserventry is not valid. Should have a compatible ISO 3166 Value 007 Illegal characters in InputField 008 Owner-Country is not valid. Should have a compatible ISO 3166 Value 010 Error in Orn Processon 011 HTTP_CET are not supported by this Clearing-Gateway 012 Owner-State is not valid. Hint use Of or outsite USA/Canada. 013 Error in our Perf-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello Im Online PH	-9	Capture Error
-11 Refund Error -12 Duplicated OrderID -13 Invalid Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchantld 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errort Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported use. HTTP_POST instead 010 Error From Processor 011 HTG Cleare not supported use. HTTP_POST instead 012 OwnerState is not valid. Hint use OO for outsite US/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP.	-10	No Capture To Refund
-12 Duplicated OrderID -13 Tivald Credit Card Number -14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchantld 002 Redirection not active 003 No Clearing URL specified 004 Wrong Or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported use. HTTP. POST Instead 011 HTTP. GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use Of Or outsite USA(Canada. 013 Error in our Part-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online Perl. 017 Hello I'm Online Perl. 018 Cashs	-11	Refund Error
-13 Invalid Credit Card Number -14 Too Mary transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchantid 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Emort Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 Transfrype are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP_GET are not supported use. HTTP_POST instead 012 OwnerState Is not valid. Hint use OD for outste USA/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 You are currently not Online 015 The AmountCleared should be at least 100 !! 016 Helio I'm Online Peri. 017 Helio I'm Online Peri. 018 Cash	-12	Duplicated OrderID
-14 Too Many transactions from the same card within 24 hours -15 Too much money cleared from the same card within 24 hours -16 Amount cleared exceeds the max ticket price 000 Status Code Text 001 Missing or wrong Merchantld 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported use. HTTP-POST instead 011 HTTP. GET are not supported use. HTTP-POST instead 012 OwnerState is not valid. Hint use Of for outsite US/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online PHP. 018 Casherver is down for maintainment. 020 Cannot find at Authorize/Capture to process.	-13	Invalid Credit Card Number
-16 Amount Cleared exceeds the max tacket price 000 Status Code Text 001 Missing or wrong Merchantld 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by Is Clearing-Gateway 010 Error From Processor 011 HTTP, GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use Ob for outsite USA/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Aeloserver Developer Breakpoint. (internal only). 021 Missing InternalOrderId. 022 The Character backlash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique 1d Failure 025	-14	Too Many transactions from the same card within 24 hours
-10 Antoduct General exceeds in the max tocket price 000 Status Code Text 001 Missing or wrong Merchantld 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 011 HTTP_GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online Perl. 017 Hello I'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 020 Required Fields. 021 The Character backslash detected in (Field). Invalid input. 022 The Character backslash detected in (Field). Invalid input.	-15	100 much money cleared from the same card within 24 hours
000 Status Core Text. 001 Missing or wrong MerchantId 002 Redirection not active 003 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access ErrorI Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported use. HTTP. POST instead 011 HTTP_GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello Tim Online PHP. 017 Hello Tim Online PHP. 018 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannet find at Authorize/Capture to process. </th <th>-10</th> <th>Amount cleared exceeds the max ticket price</th>	-10	Amount cleared exceeds the max ticket price
001 Redirection not active 003 No Clearing URL specified 004 Wrong rempty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 011 HTTP, GET are not supported use. HTTP, POST instead 012 OwnerState is not valid. Hint use 00 for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello 1'm Online PHP. 017 Hello 1'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 020 Reguired Fields. 021 The Character backlash detected in (Field). Invalid input. 022 The Character backlash detected in (Field). Invalid input. 023 Cannot AddregaBack Code 024 Terminal Socurity Issine. Wrong Harddisc serial Number	000	Status Code Text
002 No Clearing URL specified 004 Wrong or Empty SecretCode 005 No Processing Available. 006 Access Errorl Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP. GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello Trn Online PHP. 017 Hello Trn Online PHP. 018 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backlash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Security Issue. Wrong Harddics serial Number 025	001	Padirotion pot active
003 IN0 Clearning Out. Specret.Code 004 Wrong or Empty Secret.Code 005 No Processing Available. 006 Access Errort Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway. 011 HTTP_GET are not supported use. HTTP_POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Peri-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Helio Tm Online Peri. 017 Helio Tm Online Peri. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 <th>002</th> <th>No Clearing III specified</th>	002	No Clearing III specified
002 No Processing Available. 005 Access Error! Restricted by Ip-Address. 006 Access Error! Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP, GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use O0 for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Secunity Issue. Wrong Harddisc serial Number <th>003</th> <th>Wrong or Empty SecretCode</th>	003	Wrong or Empty SecretCode
006 Access Error' Restricted by Ip-Address. 007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP, GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use O0 for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello Tm Online PHP. 017 Hello Tm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 The Character backslash detected in (Field). Invalid input. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique I Failure 025 Terminal Unique I Failure 026 Aquirer Userd is not valid 037 Invalid XML code from Acquirer	005	No Processing Available
007 Illegal characters in InputField 008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP_GET are not supported use. HTTP. POST instead 012 OwnerState is not valid. Hint use OD for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online Perl. 017 Hello I'm Online Perl. 018 Cashserver Developer Breakpoint. (Internal only). 019 Cashserver berolepore Breakpoint. (Internal only). 021 Missing IntermalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 031 Illegal Cur	006	Access Frrort Restricted by In-Address
008 OwnerCountry is not valid. Should have a compatible ISO 3166 Value 009 TransType are not supported by this Clearing-Gateway 011 HTTP_GET are not supported use. HTTP_POST instead 011 HTTP_GET are not supported use. HTTP_POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 031 Illegal Currency 032 Invalid ChargeBack Code	007	Illegal characters in InputEield
009 TransType are not supported by this Clearing-Gateway 010 Error From Processor 011 HTTP, GET are not supported use. HTTP POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Security Issue. Wrong Harddisc serial Number 025 Aguirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 031 Illegal Internal Currency 032 Tillegal Internal Currency 033 Curr	008	OwnerCountry is not valid. Should have a compatible ISO 3166 Value
010 Error From Processor 011 HTTP_GET are not supported use. HTTP POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 020 Required Fields. 021 The Character backlash detected in (Field). Invalid input. 022 The Character backlash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Valid ChargeBack Code 026 Aquirer UserId is not valid 027 Invalid KNL code from Acquirer 028 Invalid KNL code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyConvert (PHP) 033 CurrencyConvert (PHP) 034 CurrencyConvert (PHP) 035 ShowCurrencies	009	TransType are not supported by this Clearing-Gateway
011 HTTP_GET are not supported use. HTTP_POST instead 012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 CurrencyConvert (PHP) 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 </th <th>010</th> <th>Error From Processor</th>	010	Error From Processor
012 OwnerState is not valid. Hint use OO for outsite USA/Canada. 013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 019 CashServer is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique 1d Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditzard expiredate is not valid 030 CurrencyCove is not valid 031 Illegal Currency 032 Illegal Currency 033 Currency Convert (PHP) 035 ShowCurrencies 036 Leng	011	HTTP_GET are not supported use. HTTP_POST instead
013 Error in our Perl-Gateway Software. Critical Error. 014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PHP. 017 Hello I'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Handdisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid ChargeBack Code 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Internal Currency 032 Illegal Internal Currency 033 CurrencyConvert (PHP) 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not excee	012	OwnerState is not valid. Hint use OO for outsite USA/Canada.
014 Your are currently not Online 015 The AmountCleared should be at least 100 !! 016 Hello 1'm Online PHP. 017 Hello 1'm Online PHP. 018 CashServer Developer Breakpoint. (internal only). 019 CashServer Developer Breakpoint. (internal only). 020 Reguired Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique 1d Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Currency 033 CurrencyConvert (PHP) 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerILink does not Match	013	Error in our Perl-Gateway Software. Critical Error.
015 The AmountCleared should be at least 100 !! 016 Hello I'm Online PPri. 017 Hello I'm Online Peri. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 031 Illegal Currency 032 Illegal Currency 033 CurrencyConvert (PHP) 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowe	014	Your are currently not Online
016 Hello I'm Online PHP. 017 Hello I'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 019 CashServer is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find a Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Ilegal Internal Currency 033 Currency Convertion Failed 034 Currency Convertion Failed 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquir	015	The AmountCleared should be at least 100 !!
017 Helio 1'm Online Perl. 018 CashServer Developer Breakpoint. (internal only). 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid ChargeBack Code 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Internal Currency 032 Illegal Internal Currency 033 Currency Convert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 041 CreditCardS from \$country is Blocked 043 Cred	016	Hello I'm Online PHP.
018 CashServer is down for maintainment. 019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Scurity Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid KL code from Acquirer 028 Invalid XL code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Internal Currency 032 Illegal Internal Currency 033 Currency Convert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acq	017	Hello I'm Online Perl.
019 Cashserver is down for maintainment. 020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid ChargeBack Code 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 Currency Convertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded	018	CashServer Developer Breakpoint. (internal only).
020 Required Fields. 021 Missing InternalOrderId. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid XML code from Acquirer 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 Currency Convertion Failed 034 Currency Convertion Failed 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support r	019	Cashserver is down for maintainment.
021 Missing Internatorberta. 022 The Character backslash detected in (Field). Invalid input. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XL code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Internal Currency 033 CurrencyConvertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCardS from \$country is Blocked 044 This acquirer does not support recurring transactions 045	020	Required Fields.
022 The Character backstash detected in (reled), fivial injult. 023 Cannot find at Authorize/Capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 CurrencyConvertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing	021	Missing InternalOrderid.
023 Cannot find a Authonize/capture to process. 024 Terminal Unique Id Failure 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 Currency Convertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PertLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046	022	Cannot find at Authorize/Canture to process
024 Terminal Security Issue. Wrong Harddisc serial Number 025 Terminal Security Issue. Wrong Harddisc serial Number 026 Aquirer UserId is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Currency 033 Currency Convertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Tran	023	Terminal Unique Id Failure
026 Aquirer Userli is not valid 027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 Currency Convertion Failed 034 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead 047 IP and Credit Card is not from same country	024	Terminal Security Issue, Wrong Harddisc serial Number
027 Invalid ChargeBack Code 028 Invalid XML code from Acquirer 029 The creditcard expiredate is not valid 030 CurrencyCode is not valid 031 Illegal Currency 032 Illegal Internal Currency 033 CurrencyConvert (PHP) 035 ShowCurrencies 036 Length of InternalOrderId may not exceed (\$number) characters 037 PerlLink does not Match 038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	026	Anuirer UserId is not valid
028Invalid XML code from Acquirer029The creditcard expiredate is not valid030CurrencyCode is not valid031Illegal Currency032Illegal Internal Currency033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	027	Invalid ChargeBack Code
029The creditcard expiredate is not valid030CurrencyCode is not valid031Illegal Currency032Illegal Internal Currency033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required043CreditCard from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Instead047IP and Credit Card is not from same country	028	Invalid XML code from Acquirer
030CurrencyCode is not valid031Illegal Currency032Illegal Internal Currency033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	029	The creditcard expiredate is not valid
031Illegal Currency032Illegal Internal Currency033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	030	CurrencyCode is not valid
032Illegal Internal Currency033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	031	Illegal Currency
033Currency Convertion Failed034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	032	Illegal Internal Currency
034CurrencyConvert (PHP)035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	033	Currency Convertion Failed
035ShowCurrencies036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	034	CurrencyConvert (PHP)
036Length of InternalOrderId may not exceed (\$number) characters037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead047IP and Credit Card is not from same country	035	ShowCurrencies
037PerlLink does not Match038Aquirer ClearingCard MID is not valid039TestCard Number not allowed on Live System040ShowAcquireCodes041CreditCardCVC code is required042RefundLimit is exceeded043CreditCards from \$country is Blocked044This acquirer does not support recurring transactions045Billing interval must be -5 or higher, check merchant guide for more info046Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8047IP and Credit Card is not from same country	036	Length of InternalOrderId may not exceed (\$number) characters
038 Aquirer ClearingCard MID is not valid 039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	037	PeriLink does not Match
039 TestCard Number not allowed on Live System 040 ShowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	038	Aquirer ClearingCard MID is not valid
040 SnowAcquireCodes 041 CreditCardCVC code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	039	lestCard Number not allowed on Live System
041 CreditCardeve code is required 042 RefundLimit is exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	040	ShowAcquireCodes
042 Refutibilities exceeded 043 CreditCards from \$country is Blocked 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	041	CreatCaracVC code is required
043 Creates not support recurring transactions 044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	042	CreditCards from \$country is Blocked
044 This acquirer does not support recurring transactions 045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead 047 IP and Credit Card is not from same country	043	
045 Billing interval must be -5 or higher, check merchant guide for more info 046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 Instead 047 IP and Credit Card is not from same country	044	This acquirer does not support recurring transactions
046 Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8 047 IP and Credit Card is not from same country	045	Billing interval must be -5 or higher, check merchant guide for more info
047 IP and Credit Card is not from same country	046	Transtype Authorize or Sale after Authorize is not allowed here. Use Transtype 3 or 8
	047	Instead IP and Credit Card is not from same country

4 State Codes

US/Canadian State Codes	State
	Outside US or Canada
AK	Alaska
AZ	Arizona
AR	Arkansas
СА	California
СО	Colorado
СТ	Connecticut
DC	District of Columbia
DE	Delaware
FL	Florida
GA	Georgia
HI	Hawaii
ID	Idaho
	Illinois
IN	Indiana
IA	IOWA
K5	Kalisas
	Louisiana
LA ME	Maine
MD	Maryland
MA	Massachusetts
MI	Michigan
MN	Minnesota
MS	Mississippi
MO	Missouri
MT	Montana
NE	Nebraska
NV	Nevada
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NY	New York
NC	North Carolina
ND	
	Olio
ΡΔ	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
ТХ	Texas
UT	Utah
VT	Vermont
VA	Virginia
WA	Washington
WV	West Virginia
WI	Wisconsin Museumin z
	Alberta
AD BC	River ta
	Manitoha
NR	New Brunswick
NF	New Foundland
NT	Northwest Territories
NS	Nova Scotia
NT	Nunavut
ON	Ontario
PE	Prince Edward Island
QC	Quebec

SK	Saskatchewan
ΥT	Yukon

5 PHP Code Example

<?

This chapter will show examples in PHP of the entire payment process.

The payment page. Below is an example of the form that starts the payment. When the "Make Payment" button is pressed, the SPF will start and the cardholder can start the payment. Further examples can be found in examples.html

```
<html>
<head>
<title>Test Payment</title>
</head>
<body>
<form method="POST" action="https://test.com/spfv2/spfv2.php">
        <input type="hidden" value="1" name="transtype">
        <input type="hidden" value="sdf6a6yr3f3df33" name="secret">
        <input type="hidden" value="https://www.cyberbit.eu/bjarne test/accept.php"</pre>
name="accepturl">
        <input type="hidden" value="CyberTest" name="merchantid">
        <input type="hidden" value="test3" name="InternalorderId">
        <input type="hidden" value="978" name="currencycode">
        <input type="hidden" value="100" name="amountcleared">
        <input type="hidden" value="28006f49d5ffc3a60adbe4898594e749ee34b055"</pre>
name="hash">
        <input type="hidden" value="cardholder@email.com" name="owneremail">
        <input type="hidden" value="some street" name="owneraddress">
        <input type="hidden" value="123" name="owneraddressnumber">
        <input type="hidden" value="London" name="ownercity">
<input type="hidden" value="00" name="ownerstate">
        <input type="hidden" value="GB" name="ownercountry">
        <input type="hidden" value="Larry" name="ownerfirstname">
        <input type="hidden" value="Smith" name="ownerlastname">
        <input type="hidden" value="123456" name="ownerzip">
        <input type="hidden" value="+442154856354" name="ownerphone">
        <input type="hidden" value='"Item Number";"Item Description";"Amount";"Price"'</pre>
name="header">
        <input type="hidden" value='"1";"Blue car";"1";"1.000,00"' name="orderline1">
        <input type="hidden" value='"2";"Red bike";"2";"250,00"' name="orderline2">
        <input type="hidden" value='"Shipping";"150,00"' name="shipping">
<input type="hidden" value='"Total";"1.650,00"' name="total">
        <input type="submit" value="Make Payment">
</body>
</html>
```

Page linked to the Callback URL. The code below is for test purpose only to see what data is returned. It writes all callback data to a file. In a "Live" situation this page should be where the order is acknowledged and reserved for the cardholder.

OBS: Be sure the chante (\$hashingKey = "xxxxxx";) with the hashing code provided by Cyberbit A/S.

// This PHP example writes all callback data to a file called callback.txt

```
$hashingKey = "xxxxxx";
$fingerprint= trim($_POST['fingerprint']);
$xml = trim($_POST['xml']);
// Check if fingerprint matches
if (shal($xml.$hashingKey) == $fingerprint) {
    $string.= "FINGERPRINT: " . $fingerprint . "\n\n";
    $string.= $statuscode;
} else {
    $string = "Fingerprint did not match";
}
$handle = fopen("callback.txt","w");
fwrite($handle, $string);
fclose($handle);
?>
```

Accept page. This is the accept page the cardholder will be returned to when a payment is done. Because if the cross-domain policies in mozilla, as described earlier, this page will be shown in the payment window. The example below will take the data returned by the Payment Gateway and direct the cardholder and the data to a receipt page on the merchant's website.

```
<?php
$hashingKey = "xxxxxxx";
echo "<h1>Accept</h1>";
t = array();
foreach($ GET as $key => $value) {
   $tmp[strtoupper($key)] = $value;
}
$str = $tmp['STATUSCODE'];
$str .= $tmp['STATUSTEXT'];
$str .= $tmp['ORDERID'];
$str .= $tmp['TIME'];
$ GET['MyHash'] = sha1($str.$hashingKey);
echo "";
print_r($_GET);
echo "";
?>
```

XML Parser. As mentioned earlier the transaction result is sent to the callback URL, but before the data can be used the XML has to be parsed. Below is an example on how to parse the transaction XML using PHP.

```
<?
$xml = trim($_POST['xml']);
$p = xml_parser_create();
xml_parse_into_struct($p, $xml, $vals, $index);
xml_parser_free($p);</pre>
```

```
for ($i = 0; $i < count($vals); $i++) {
    if ($vals[$i][type] == 'complete') {
        print $vals[$i][tag] . " - " . $vals[$i][value];
     }
}</pre>
```

6 XML Example

The example below is how an XML message could look. The information in the top, the <Response> tag, is information specific from the Payment Gateway and the information in the lower part, the <ReturnInfo> is information received from the merchant's website.

| <eccpro></eccpro> |
|--|
| <response></response> |
| <statuscode>000</statuscode> |
| <statustext>Success From Processor</statustext> |
| <methodcall>POST</methodcall> |
| <siteurl>test.xxxxx.xx</siteurl> |
| <ipaddress>xxx.xxx.xxx</ipaddress> |
| <processdate>2007-03-29 16:16:34</processdate> |
| <processusedtime>1.3863520622253</processusedtime> |
| <merchantid>xxxxxxx</merchantid> |
| <processstatus>0</processstatus> |
| <processstatustext>Transaction OK</processstatustext> |
| <acquirecode>0</acquirecode> |
| <acquiretext>Transaction OK</acquiretext> |
| <orderid>test1234</orderid> |
| <authresponse>422666</authresponse> |
| <processorderid>C381600117517779515367 422666</processorderid> |
| |
| |