


Equipment Solutions for Lower Extremity Professionals

Table of Contents	2	Drills / Vacuums	8
• Capitol Equipment		Ultrasound / Doppler	9
• Moore Medical's Leasing Program		Cabinetry / Casework	10-11
Q-CLEAR™ Compact Laser System	3	Side Chairs / Stools	12-13
Podiatry Chairs	4-5	Exam Lighting.....	14
Digital X-Ray	6	Cryosurgery / Electro Surgery	15
Sterilization	7		



The Podiatric community relies on Moore Medical's industry knowledge



and specialized product selection that help improve business performance and patient outcomes. As the number of procedures performed in medical clinics is growing nationwide, the right equipment can bring benefits to your practice.

Moore Medical is here to assist you in your equipment solutions.

mooremedical provides financing options

through several authorized providers including Highland Capital Corporation.

Talk with your Account Manager for more information.



HIGHLAND CAPITAL CORPORATION™



Let HCC help bring the technology you want to your practice **TODAY!**

- ✓ 100% Equipment Financing
- ✓ Affordable monthly payment options
- ✓ 2- Hour credit processing and response
- ✓ Focused on the needs of YOUR Practice
- ✓ Experts in the Healthcare Marketplace

Credit application is subject to HCC's credit review and authorization.

Ask your account manager about
Q-Clear™ Compact Laser System

Item# 15809
See page 3
for more information



Ask your account manager about
Digital X-Ray System

Item# 88216
See page 6
for more information



Ask Your Account Manager about our Leasing Options.

Order online: www.mooremedical.com

Q-CLEAR™ Compact Laser System

effective | reliable | no side effects

FDA CLEARED for Fungal Nails

mooremedical —
the ONLY National
Distributor of Q-CLEAR™

LIGHT AGE INC
Q-Clear™ Compact Laser System

Q-Clear™ Laser System is compact and user friendly, all the power and performance of its large-box competitors - weighs less than 35 lbs.

- Single Treatment results
- Fast Treatments, 4 minutes per foot
- 95% Efficacy
- 0% Side Effects
- FDA cleared for more than a dozen indications
- Warranty: 1 Year or 200,000 shots
- Three year limited warranty



Item#15809



The product information contained in this document, including the product images and additional product materials, was collected from various supplier sources. All product claims and specifications are those of the product suppliers, not McKesson Medical-Surgical or its affiliates ("McKesson") and have not been independently verified by McKesson. McKesson is not responsible for errors or omissions in the product information. The properties of a product may change or be inaccurate following the posting or printing of the product information in the document, either in the print or online version. Caution should be exercised when using or purchasing any products from McKesson's online or print documents by closely examining the product packaging and the labeling prior to use. Due to product changes, information listed in this document is subject to change without notice. This information is placed solely for your convenience in ordering and McKesson disclaims all responsibility for its completeness and accuracy, whether or not the inaccuracy or incompleteness is due to fault or error by McKesson. © 2014 Moore Medical LLC.

For more information go to: www.mooremedical.com, search "Q-Clear"
or, call your Moore Medical Account Manager at 800.234.1464

Q-CLEAR™

Podiatry Comparison Chart

FUNGAL NAIL TREATMENT

"Temporary increase of clear nail in patients with Onychomycosis."

	Q-Clear™ Compact Laser System	ProPulse™ FootLaser	Futura™ SP™ & SP™	Cotona™ GenesisPLUS™	Sultan™ XONE™ ClearSense	Cool Touch™ CoolBrush™
Pain Rating	None	Medium-High	High	High	Medium	Medium-High
Number of Treatments	1	2 to 3	4	3	2 to 4	2 to 4
Time per Treatment (for all 10 toes)	8-10 minutes	30 minutes	20-30 minutes	20-30 minutes	15-20 minutes	20-30 minutes
Clinical Success Rate	95%*	79%**	68%**	68%**	79%**	Inconclusive
Clinical Study Submitted to FDA	Yes	No	No	No	No	No
Disposable	None	None	None	None	None	Cryogen coolant
Cooling	Unnecessary	None	None	None	Supply Window	Cryogen
Country of Manufacture	United States	United States	Slovenia	United States	United States	United States
List Price	\$40,920	\$85,000	\$85,000	\$85,000	\$60,000	\$42,000
Laser Source	Nd:YAG	Nd:YAG	Nd:YAG - Er:YAG	Nd:YAG	Nd:YAG	Nd:YAG
Wavelength	Dual: 832/1064 nm	1064 nm	1064 nm	1064 nm	1064 nm	1064 nm
Output Mode	3: Switched/Formatted	Long Pulse	Long Pulse	Long Pulse	Long Pulse	Long Pulse
Operating Principle	Thermal & Hair Thermal	Thermal	Thermal	Thermal	Thermal	Thermal
Pulse Rate	2 - 14 (1/m)	3 - 5.2 (1/m)	3 - 5.2 (1/m)	3 - 40.5 (1/m)	10 to 120 (1/m)	3 - 20 (1/m)
Pulse Duration	2.5, 3.5, 5 (ms)	1 - 1.5 (ms)	1 - 1.5 (ms)	1 (ms)	None	2 - 10 (ms)
Repetition Rate	1 - 5 Hz	3 - 100 Hz	1 - 100 Hz	1 - 100 Hz	1 - 12 Hz	20 - 30 Hz
Input Power	110 or 220 - 240 V	200 - 240 V	230 V	200 - 240 V	200 - 240 V	230 V
Dimensions	12" x 14" x 14"	13" x 14" x 32"	13" x 14" x 32"	13" x 14" x 32"	13" x 14" x 32"	13" x 14" x 32"
Weight	22 lbs	54 lbs	110 lbs	110 lbs	110 lbs	140 lbs



COLOR CHART
B
See Page 5

450 lbs
Weight Capacity



MIDMARK
Barrier-Free Power Podiatry Procedure Chair Model 647

The Midmark 647 Barrier-Free Power Podiatry Chair is the next step in foot and ankle care. The new, ergonomic foot section design gives physicians what they need at the point of care to perform even the lengthiest procedures, with many standard features:

- Covered glides to simplify cleaning and maintenance
- Ergonomic, conveniently positioned release handles allow for smooth, one-handed operation
- Integrated touch controls on both sides are not only convenient, but also prevent costly breakage of hand controls
- Large stainless steel debris tray
- Seamless, easy-to-clean surface
- Barrier-Free low height of 19"
- Standard, adjustable chair arms rotate
- Completely out of the way for unsurpassed comfort and accessibility for all patients
- Choice of upholstery color (see page 5)

ITEM#	SPECS	MFR#
99036	Base Only, Programmable with Receptacles, Without Rotation	647-002
87796	Base Only, Non-Programmable with Receptacles Only, Without Rotation	647-001
10438	Base Only, Non-Programmable with Rotation, Without Receptacle	647-003
95760	Standard Premium Upholstery Top	002-1119-00

MIDMARK
Basic Power Podiatry Procedure Chair Model 646

Features:

- Midmark's foot control is sealed against dirt and debris, making cleaning simple and ensuring long life. Quick Chair button returns the table to the chair position for quick patient exit.
- Chair arms can be easily installed or removed for your convenience without the use of tools.
- Covered glides on the foot section and debris tray help keep dirt and debris out to protect the smooth operation and to provide a clean, aseptic working environment your patients will appreciate.
- Chair arms offer the patient a sturdy platform for accessing the chair. The arms rotate completely out of the way, providing accessibility for patients with mobility concerns, such as disabled or obese patients.
- The easy-to-reach, release handles allow for one-handed, smooth, quiet operation. Integrated touch controls means there is no hand control to get knocked to the ground, eliminating costly breakage and allowing unrestricted patient access.
- Hospital grade electrical receptacles allow easy access to electrical power, freeing your floor space from power cords, creating a clean look in the procedure room.
- Patient load rating: 450 lbs (204 kg)
- Length: measures 75" (can be increased to 84" by extending foot section)
- Base Height: Fixed height of 21" (53.3 cm)
- Power tilt and back
- 450 lb patient weight capacity
- 21" fixed seat height
- 9" foot extension section
- Choice of upholstery color (see page 5)

ITEM#	SPECS	MFR#
10437	Base Only, with Receptacles	646-001
14548	Standard Premium Upholstery Top	002-1119-00



COLOR CHART
B
See Page 5

450 lbs
Weight Capacity



MOORE MEDICAL
MooreBrand® Low Access Podiatry Chair

Features:

- Ultra comfort seamless top
- Weight capacity: 600lb
- Electro-mechanical actuator system
- Concealed paper roll holder
- Adjustable leg section
- Pivoting armrests
- Clear vinyl foot section cover
- 3-year limited manufacturer's warranty
- Seat height: 19" to 35" Width: 26.5" Length: 83" (fully extended)
- Available colors: River Rock, Sand Grey, Mocha, Adobe, Steel Blue, Midnight Blue, Sage, Onyx

600 lbs
Weight Capacity



ITEM#	SPECS
76543	

Podiatry Chair Accessories (all models)

ITEM#	SPECS
74933	Privacy Curtain
74935	Mayo Tray Assembly



375 lbs
Weight Capacity

MOORE MEDICAL
MooreBrand® Podiatry Exam Chair

Features:


- Ultra comfort seamless top
- Weight capacity 375lbs
- Electro-mechanical actuator system
- Concealed paper roll holder
- Adjustable leg section
- Pivoting armrests
- Clear vinyl foot section cover
- 3 year limited warranty
- Seat height: 24" to 36" Width 26.5" Length 83" (fully extended)
- Available colors: River Rock, Sand Grey, Mocha, Adobe, Steel Blue, Midnight Blue, Sage, Onyx

ITEM#	SPECS
74102	


Podiatry Chair Accessories (all models)

ITEM#	SPECS
74933	Privacy Curtain
74935	Mayo Tray Assembly

B Midmark Upholstery Colors



C Moore Medical Exam Stools and Side Chairs



ASK YOUR ACCOUNT MANAGER ABOUT Leasing Options



20/20 IMAGING
Bi-Directional DR (P-DR BD 715) & Mis-Base DR (P-DR 715)

New DR technology is a giant leap forward, bringing the future of digital imaging to your doorstep. 20/20 Imaging was first to introduce digital imaging to podiatry, fully automatic extremity dedicated CR, and now the very first to introduce dedicated DR to podiatry! The P-DR BD7 15's handrail system, ADA friendly low base, and "SR" series tilting bilateral tube head eliminate awkward, unsafe patient maneuvering and adds to exam efficiency. Unique CCD sensor design that allows for a 22-48% larger imaging surface than current analog (film). Maximum processing throughput is over 100 images an hour.

- Includes:**
- Installation and in-service applications
 - Innovative "point, click, and view" protocol
 - Full manufacturer's 12 month parts & labor warranty
 - Advanced DICOM image processing
 - 24/7 technical support

ITEM#	SPECS	MFR#
88216	Bi-Directional DR	BD715




20/20 IMAGING
High Frequency PXS-710 Digital X-Ray System

The PXS-710 was designed for Superior imaging performance and convenient patient positioning for the Podiatry professional, as well as for Orthopedic Foot and Ankle Radiographic applications. Built in the USA. The PXS-710 incorporates a High Frequency Generator to provide maximum mR/mAs, and has a microprocessor output of 70kV at 10mA. With its 0.5mm focal spot x-ray tube, and high output generator, the model PXS-710 provides exceptional Image Resolution and Faster Exposure Times Foot and Ankle Radiography.

- High Frequency Output
 - enhanced image quality
 - 1/2 radiation dose, twice as efficient
 - extends x-ray tube life
- Qualifies for ADA TAX Credit
- Versatile sensor positioning
- 3.5in. low base
- Patient support rail system
- Tilt Head System for AP/DP view
- 29" SID AP/Oblique view • 36" SID Lateral view
- "HF" series proprietary tube
- Low voltage exposure switch • 3-year limited warranty

ITEM#	SPECS	MFR#
20607	High Frequency PXS-710 DR	PXS-710D



ITEM#	SPECS	MFR#
88336	Retrofit Direct Digital Imaging System (Bi-Directional PDR Base)	14P-DRBD700
88337	Retrofit Direct Digital System (P-DR Mid Base)	14P-DRMBR

Sterilization



MIDMARK Ritter® M11 UltraClave® Automatic Sterilizer

Easily accessible, front fill and drain tube means you never have to move your sterilizer to maintain or change water levels. Select the cycle you need... whether it is for unwrapped items, pouches, packs, or handpieces. Once the sterilization process is complete, the door conveniently opens automatically and quietly to dissipate the steam and provide fast and efficient drying of your instruments. UL listed, CSA certified, and ASME certified.

- Automatic opening door
- Countertop area: 17.8" x 21"
- Chamber: diameter - 11" depth -18"
- 6.5 gal. usable volume
- Trays: 2 large - 15"L x 9"W x 1.1"D
2 small - 15"L x 6.6"W x 1.1"D
- Unit weight: 99 lbs; Shipping weight: 131 lbs
- Water reservoir capacity: 1.4 gal.
- Dimensions: 22.8"L, 17.8"W, 17.8"H

ITEM#	SPECS	MFR#
73957	Sterilizer	M11-022
76739	Printer	9A259001

MIDMARK Ritter® M9 UltraClave® Automatic Sterilizer

Intuitive, programmable, fast and efficient. The leading sterilizer for dentists offices.

- LCD Display of cycle and status, temperature and pressure, exposure and remaining time
- No More Wet Instruments! The door opens automatically and quietly to dissipate steam and dry instruments
- Steam-Flush Pulse-air Removal Technology
- Door open and low water level Safety Features
- Draining & Filling in front for added ease
- Optional Printer for record of cycle specs
- Pre-programmed controls
- Customizable Self-Programs
- Countertop area: 15.3" x 1.79"
- Dimensions: 20.4"L x 15.3"W x 15.8"H

ITEM#	SPECS	MFR#
72736	Sterilizer	M9-022
76739	Printer	9A259001



TUTTNAUER Valueclave 1730

- Provides all basic sterilization needs at an economical price
- Compact size, 22 lbs with 7.5 liter chamber makes it a perfect unit for small offices or a second autoclave for larger practices
- Fast Cycle Time-9 minutes from a hot start (Standard unwrapped cycle time)
- Overall dimensions: 17.9"D x 17.4"W x 12"H
- 1-Year parts and labor warranty

ITEM#	CHAMBER SIZE	MFR#
66196	6.7" x 13.4"	Valueclave
65710	Door Gasket	02610020



TUTTNAUER Electronic Autoclave

The Tuttnauer Electronic Autoclaves automatically complete the sterilization process, yet allows the user to adjust time and temperature manually. Closed door drying.

Other features include:

- Audible and visual cycle interruption alert.
- Stainless steel construction with double safety locking door.
- Low water cutoff; automatic air pump shut-off.
- Fully programmable drying time.
- 0.2 um (replaceable) air filter.
- Minimum air exchange rate of 12 liters per minute.
- Optional printer for cycle documentation. (must be special ordered)
- 2-year warranty on all parts and 1-year on labor.

ITEM#	SPECS	CHAMBER SIZE	MFR#
94396	E29 Autoclave with Printer	9" x 18.5"	E29P
59489	E29 Autoclave Without Printer	9" x 18.5"	E29
12096	EZ10 Autoclave with Printer	9" x 18.5"	EZ10P
59490	EZ10 Autoclave without Printer	10" x 18.7"	EZ10
65979	EZ10K Electronic Autoclave	9" x 18.5"	EZ10K

Drills / Vacuums



MEDICOOL, INC. File Stream™ Professional Podiatry Drill with Integral Vacuum

Lightweight hand piece with integral vacuum has Auto Locking chuck. Forward/reverse. 30,000 rpm variable speed. 1-year manufacturer's warranty.

ITEM#	MFR#
73274	File Stream



MEDICOOL, INC. ProPower 20K™ Rechargeable Portable File

The ProPower20K is a high quality debriding file that's cordless, rechargeable design allows for convenient portability making it a versatile filing system for any debriding task. This compact unit clips conveniently to your belt allowing freedom of movement.

ITEM#	MFR#
87126	PROPOWER 20K

MEDICOOL, INC. ProPower 35K™ Electric File

High-speed powerful debriding drill.

- Lightweight vibration-free handpiece with Easy-Twist Lock Chuck
- Accepts all standard 3/32" bits • 35,000 rpm variable speed control
- Forward/reverse direction • Quiet and smooth operation
- Available in 110V or 220V • Foot pedal with On/Off control
- Full 1-Year Warranty

ITEM#	MFR#
72403	PP35KMM

MEDICOOL, INC. File Spray™ Professional Podiatry Drill with Integral Water Spray

Weighing only 3oz, it utilizes a Push/Pull Quick Lock chuck that eliminates the need for wrenches or special tools. An integral water spray jet control is housed in the base unit and allows adjustment of spray pressure and flow. Water spray is directed in a fine mist onto the work area from the tip of the handpiece for maximum control. Built-in water reservoir eliminates special hook-ups. With variable speeds of up to 30,000 rpm, the File Spray™ is capable of handling all podiatry procedures, while cooling the surface with water. This spray also reduces harmful dust by preventing it from becoming airborne.

ITEM#	MFR#
74211	File Spray



DREMEL 7.2V MultiPro® Cordless Kit

7.2 volt, two-speed cordless tool comes with a 3-hour charger with LED light, removable battery pack and assorted bits and accessories. Speeds are 10,000 and 20,000 rpm. 2-year manufacturer's warranty.

ITEM#	SPECS	MFR#
88380	MultiPro® Kit	7700-1/15

DREMEL 4.8V Cordless Minimate® Rotary Tool Kit

4.8 volt two-speed cordless tool comes with a 3-hour charger with LED light, removable battery pack and assorted accessories. Speeds are 10,000 and 20,000 rpm. 2-year manufacturer's warranty.

ITEM#	SPECS	MFR#
95388	Minimate Tool Kit	7300-N/8



MOORE MEDICAL MooreBrand® Pro Vac Classic Vacuum

A powerful, yet quiet vacuum system is built into the ergonomic small lightweight hand piece. No more clumsy vacuum attachments or add-on bulky tools!

- 30,000 RPM variable speed • Variable speed control
- Integral vacuum • Compact design (7" x 8" x 5") (5.6lbs)
- Lightweight hand piece • Auto-Locking chuck
- Forward/Reverse • Built in Burr Holder
- 2 year warranty

Ultrasound / Doppler



METTLER ELECTRONICS CORP Sonicator 740

The Sonicator 740 is 1 and 3 MHz therapeutic ultrasound unit that comes standard with a 5cm² dual frequency applicator. It is light-weight and portable and features a universal applicator cable to make changing applicators quick and easy. There is an optional rechargeable lithium ion battery pack that truly allows you to take therapy on the road with you. Large soft-touch controls let you set-up treatments quickly and easily and the backlit display shows all treatment parameters and conditions.

ITEM#	SPECS	MFR#
84407	Sonicator	740
14266	Soundhead Applicator	ME7410



METTLER ELECTRONICS CORP Sonicator Plus 940

The microprocessor-controlled Sonicator Plus 940 is a four channel combination unit. It combines 1 and 3 MHz ultrasound with eight treatment waveforms: Interferential, Pre-modulated, Medium Frequency (Russian), EMS, High Volt, TENS, Microcurrent and Direct Current (DC). All waveforms are available on all four channels. A dual-frequency 5.5 cm², 1/3 MHz applicator comes standard with the unit. Warranty: 2 years on unit, 1 year on application and cable.

ITEM#	SPECS	MFR#
93507		ME940



ARJOHUNTLEIGH Multi-Dopplex®II

Bi-directional, with LCD display of blood flow direction and velocity and selectable display of adult or fetal pulse rates. Battery-powered, with automatic shutoff. Includes soft carry case, 9V battery, headset, gel, instructions and transducer. 2-Year parts warranty, 1-Year labor warranty.



ITEM#	SPECS	MFR#
51108	Deep Vessels 4MHz Transducer	MD2-VP4
51109	Moderately Deep Vessels 5MHz Transducer	MD2-VP5
51110	Peripheral/Superficial Vessels 8MHz Transducer	MD2-VP8
70480	Dopplex Reporter Software	DR-3
66784	Dopplex Printer II	ACC76
16254	8MHz High Sensitivity Probe	VP8HS

ARJOHUNTLEIGH Mini Dopplex®

Nondirectional Doppler for the detection of vascular blood flow and fetal heart sounds 9V battery life is approx. 500 one-minute exams. Auto-Shut Off after 5 minutes of continuous operation. Choice of probes: 2, 3, 4, 5, 8, 10 MHz. Includes: Probe of choice, soft carry case, neck cord, headphones, battery, gel warranty card and manual. 3-year warranty (excluding cables and crystals) 1-year warranty on labor.



ITEM#	SPECS	MFR#
68849	5.5" x 2.9" x 1.1"	D900



SUMMIT DOPPLER Vista ABI System

An automated ABI system with 2 modalities: PVR and an 8 MHz bi-directional Doppler probe, has automated cuffinflation/deflation, built-in printer, graphic waveform display with step-by-step exam instructions, and 4 cuffs. **New Features:** Seated ABI feature allows clinicians to perform the ABI exam in the seated position. An arterial PPG probe with 1.9 digit cuff (L450PG) and software package for PC download capability (L450SF) are available as options. The PPG probe can be used to obtain both toe and limb pressures. Full 1-year product warranty.

ITEM#	SPECS	MFR#
86536	Vista ABI System	L450VA
86537	AVS Report Software	L450SF
86550	PPG Probe Package	L450PG

SUMMIT DOPPLER Vista AVS System

A full-featured ABI system with 3 modalities: PVR, 8 MHz bi-directional Doppler probe and arterial PPG, has automated cuff inflation/deflation, built-in printer, graphic waveform display with step-by-step ABI instructions, 9 cuffs, and software package for PC download capability. **New Features:** Seated ABI feature allows clinicians to perform the ABI exam in the seated position. Segmental software makes it faster and easier to perform segmental studies. Obtain pressures for the supine ABI, TBI and segmental exams using the arterial PPG.

ITEM#	SPECS	MFR#
84701	Vista AVS System	L500VA
86548	Bi-Directional Vascular Probe 5MHz	SD5B

Cabinetry / Casework



Moore Medical offers several options to furnish your exam and treatment rooms. These quality, sturdy modular components can be arranged to fit any size room. If you're not sure what you need, Moore Medical can create a customized package specifically designed to fit the needs of you and your practice. Contact your account manager for details at 800.234.1464.

UMF

A. Modular Wall Cabinet

- All wall cabinets include one adjustable metal shelf and wall hanger strips with oval holes at 1/2" intervals to assist in leveling cabinets before bolting together and to wall
- Adjustable shelf
- Fully adjustable concealed hinges
- Dimensions: 20" H x 11" D x 24" W
- Door opening: 34" W x 18" H
- Choice of base and door/drawer colors



ITEM#	SPECS	MFR#
62411	24"	6074
62412	Optional Double Door Lock	502

MOORE MEDICAL

B. MooreBrand® Mobile Treatment Cabinet

- 20 gauge steel construction
- Four drawers
- Stainless steel push handle
- Kydex top with rail
- 2" twin wheel carpet casters
- Overall dimensions: 25" W x 34.25" H x 18" D
- Available colors: River Rock, Sand Grey, Mocha, Adobe, Steel Blue, Midnight Blue, Sage, Onyx



ITEM#	SPECS
62027	Cabinet with Twin Wheel Casters
73137	Cabinet with Locking Casters

UMF

C. Modular Writing Desk

- Predrilled to mount at 31" high
- Can be drilled on-site to mount at counter top height (36-3/4")
- Supplied with brackets for right and left-hand mounting
- Specify height when ordering
- Choice of base and door/drawer colors

Two Drawer Desk Unit

- Drawer size: 27-1/4" W x 15-1/2" L x 3" D

ITEM#	SPECS	MFR#
62407	30"	6052
62496	Optional Single Drawer Lock*	505

*Factory installed, cannot be ordered separately.

UMF

Modular Base Cabinet

- All-steel (20 gauge), welded construction with double-wall door and drawer fronts with tapered finger-tip pulls
- Concealed, adjustable door hinges
- Adjustable shelves • Roller-bearing equipped drawers
- 18" D high-pressure Wilson Art™ White Leather color laminate countertops with 4" H backsplash • Leveling glides
- Cabinets: 34-1/2" H (to top of working surface) x 18" D
- Choice of base and door/drawer colors

D. Two Drawer

- Two top drawers: 21-1/4" W x 15-1/2" L x 3" D
- Door opening: 21" W x 17-1/2" H • One shelf

ITEM#	SPECS	MFR#
62023	24" Base Cabinet	6014

E. Four Drawer

- Two top drawers: 21-1/4" W x 15-1/2" L x 3" D
- Two bottom drawers: 21-1/4" W x 15-1/2" L x 7" D

ITEM#	SPECS	MFR#
62020	24" Base Cabinet	6004

G UMF Upholstery and Door/Drawer Colors

Base Color (River Rock)	Steel Blue	Midnight Blue	Adobe	River Rock	Sand Grey	Mocha	Sage Green	Onyx
	14839	14840	14841	14838	14842	14843	14844	14845
Upholstery								
Cabinet Door/Drawer	14848	14849	14850	14847	14851	14852	14853	14854

Moore Medical offers a full line of Midmark and Ritter Casework.

Please call your Account Manager for details and pricing at 800.234.1464.



MIDMARK Modular Casework System

Midmark's durable, modular medical casework evolves with your practice. Your choice of configurations allows you to change and rearrange your medical casework system to fit your needs, so you don't have to change your activity to fit your casework.

- Seamless Panels: Seamless, polymer-covered panels provide a durable surface that spilled fluids and chemicals and can be cleaned with no surface degradation
- Seamless Polystyrene Drawers: Rounded corners and one-piece construction allow drawers to contain spills and are easy to clean
- Adjustable Ball Bearing Glides: Self-cleaning ball bearing glides allow the drawers to slide in and out smoothly every time. The steel structure also serves as a flexible shell design to allow for changing configurations.



MIDMARK Basic Exam Room Casework

Ideal for the most basic storage needs, the Midmark Basic Exam Room Casework features a single drawer for organizing smaller supplies and a larger storage area for bulk supplies and personal items. In addition to being efficient and economical, Midmark Basic Exam Room Casework is durable, easy to clean and easy to install.



MIDMARK Best Value Exam Room Casework

An efficient option for exam rooms with limited space. It features a larger storage area for bulk supplies and personal items, two drawers for organization and a pullout writing surface for making quick notes on patient charts.



MIDMARK Managed Care Exam Room Casework

One of the great options for optimizing your space in the exam room. This grouping has added drawer storage for organizing and managing supplies. It also features a writing surface that pulls out when it's needed... and tucks away when it isn't.



MIDMARK Traditional Exam Room Casework

Designed to meet your changing needs, Midmark's Traditional Exam Room Casework provides drawer and bulk storage. A drop-down writing desk with leg and counter-top serves as a fixed writing surface for completing paperwork.



MIDMARK 680 Side Chair

- Contoured seat and back section for added support
- Sturdy, powder coated black steel tube frame with leveling feet
- Choice of upholstery color
- Seat cushion dimensions: 18"W x 19.5"D x 2" thick.
- 400 lbs weight capacity

ITEM#	SPECS	MFR#
80804	Without Arms	680-001
80805	With Arms	680-002



MIDMARK Ritter® 270/271 Adjustable Stool

- Seat height adjusts manually from 18" – 24-1/2"
- Seat diameter: 16-1/4"
- Seat cushion thickness: 3-1/4"
- Caster base diameter: 23"
- Choice of upholstery color
- 300 lbs weight capacity


ITEM#	SPECS	MFR#
A. 83563	Ritter 270 Without Back	270-001
B. 83564	Ritter 271 With Back	271-001

Ritter® 272/273 Adjustable Stool

- Seat height adjusts pneumatically from 18" – 24-1/2"
- Caster base diameter: 23"
- Seat diameter: 16-1/4"
- Choice of upholstery color
- Seat cushion thickness: 3-1/4"
- 300 lbs weight capacity

ITEM#	SPECS	MFR#
C. 83565	Ritter 272 Without Back	272-001
D. 83566	Ritter 273 With Back	273-001

A Ritter/Midmark Upholstery Colors



Exam Stools / Step Stools

MOORE MEDICAL MooreBrand® Deluxe Pneumatic Exam Stool

- Pneumatic height adjustment 17-1/2" - 24-1/2"
- Comfortable 16" poly-foam seat cushion
- Stylish 23" brushed aluminum/black accented base
- Chrome hooded dual-wheel casters
- Available with adjustable contoured backrest with black plastic shroud
- Choice of upholstery color
- 250 lbs weight capacity



ITEM#	SPECS
70676	With Back

brandt



55408

BRANDT Pneumatic Exam Stool

- Silent, pneumatic suspension for instant height adjustment and 360° seat rotation
- 5 point cast aluminum base (24")
- Adjusts from 16-3/4" to 21-3/4"
- Seat measures 14"

ITEM#	SPECS	MFR#
55406	Black	17421-BLK
55408	Brown	17421-BRN
55407	Gray	17421-GREY
55409	Blue	17421-BLUE

BRANDT Econobuoys Revolving Stool

- Features:
- 17" x 22"
 - Without backrest
 - Offers silent pneumatic suspension at affordable pricing
 - Mounted on a 23" diameter, black thermoplastic, 5 point base
 - 2" twin polyurethane casters



82654

ITEM#	SPECS	MFR#
55406	Black	17421-BLK
82654	Black	13421-BLK
82655	Burgundy	13421-BURG
82656	Dove Gray	13421-DOVE
82657	Regal Blue	13421-REG BLUE
95539	Saddle Tan	13421-STN
20460	Gunmetal	13421-GUNMETAL
20461	Navy Blue	13421-NAVYBLUE
20462	Teal	13421-TEAL
20463	Tea Rose	13421-TEAROSE
20464	Brown	13421-BROWN
20465	Buckskin	13421-BUCKSKIN



MOORE MEDICAL

MooreBrand® Heavy Duty Two-Step Step Stool

- Chrome-plated 16 gauge steel for durability
- Skid-resistant rubber mat
- Hand rail is 1" chrome plated steel
- Weight capacity: 600 lbs
- Some assembly required

ITEM#	SPECS
A. 81956	Without Handrail
B. 81957	With Handrail (43" H from top at highest point of rail to floor)



43461

MOORE MEDICAL

MooreBrand® Economy Footstool

- 10" x 14" Platform
- 9" high platform topped with non-skid rubber mat
- Assembly required

ITEM#	SPECS
43641	Chrome Plated
69255	Chrome Plated w/Handrail - 34" Height
69254	Black Finish




Bariatric Foot Stools

- Heavy-duty chrome
- Weight capacity 700lbs

ITEM#	SPECS	MFR#
95390	Without Handrail	4350
95389	With Handrail	4348

Exam Room Lighting



16748

60 watt
Incandescent

BRANDT Economy Gooseneck Exam Lamp

- Equipped with pharmacy shade with baked enamel bowl
- Sturdy chrome-plated steel rods adjust from 52" to 78"
- 8' cord 3-wire plug
- Uses a standard 60 watt bulb (not included)

ITEM#	MFR#
16748	41123



70906

35 watt
Halogen


MOORE MEDICAL

MooreBrand® Halogen Exam Lamp

- 35 watt halogen bulb
- Dichroic film-coated reflectors filter out 80% of the unwanted beam heat
- Flexible, "no-drift", 24" gooseneck offers superior beam alignment
- 540° rotation of the light head and gooseneck arm for easy positioning
- 1,500 foot candles @ 24" - 3000° K
- Color: Beige
- 1-year warranty

ITEM#	SPECS
70906	Exam Lamp w/Pedestal Base
70905	Optional Caster Base
70903	Replacement Bulb - 35 Watt

(Shown with optional caster base, sold separately)



50,000
lux 3-LED

WELCH ALLYN Green Series™ 600 Minor Procedure Light

- Three white LEDs for greater intensity
- Touchless power controls and adjustable light output
- Disposable sheath available to help reduce the risk of infection due to cross-contamination
- Rugged, ergonomic design allows for improved performance and long-lasting durability
- Low cost of ownership due to elimination of bulb replacement and lower energy consumption
- Easy to assemble and clean

ITEM#	SPECS	MFR#
93378	Mobile Stand	44600
93379	Wall Mount	44610



10061

MIDMARK Ritter® 250 LED Exam Light

- Light Source: 12V Three LED / Type MR16 (with glass cover); Illumination @ 18" (45.7 cm): 1,800 fc (19,375 lux); Color Temperature: 4,000 K; Life: 25,000 hours
- Electrical: 115 VAC, 50/60 Hz, 0.12A; Power Cord: 8 ft. (2.5 m), Hospital; Grade Plug
- Mechanical Light Head Size: 4.5" (11.4 cm) dia. x 4" (10.2 cm) long
- Flex Arm: Length: 22" (55.8 cm); Diameter: 0.585" (1.5 cm); Neck material: High carbon steel; Neck covering: Heavy duty vinyl
- Base Tube: Length: 36" (91.4 cm) long; Outer tube diameter: 1.0" (2.5 cm); Tube material: painted pebble grey steel tube
- Standard Base Housing: Diameter: 13" (33 cm); Height: 2.25" (5.7 cm); Weight: 12 lbs. (5.4 kg)
- Color pebble grey with shadow with gray accent

ITEM#	SPECS	MFR#
10061	Exam Light	250-002
77181	Caster Base	9A274001



100 watt
Halogen

72752

MIDMARK Ritter 355 Minor Surgery Light

- Counterbalanced for precise positioning
- Easy to maneuver
- Available with five-caster base or single ceiling mount versions
- Included 100 watt halogen bulb

ITEM#	SPECS	MFR#
72752	Mobile	355-022
72951	8' Single (Ceiling)	355-025
72748	9' Single (Ceiling)	355-028
80096	Replacement 100 Watt Halogen Bulb	002-0640-00

Cryosurgery / Electro Surgery

ORASURE TECHNOLOGIES Histofreezer® Portable Cryosurgical System

- Clinically proven in published studies, safe and easy-to-use
- Results are comparable to Liquid Nitrogen
- Histofreezer is patient-friendly with a low risk of pain and scarring
- Application takes 40 seconds or less
- Uses less cyrogen per freeze than other portable cryosurgical product (No freeze-thaw-freeze, low waste, and no messy and leaky cones)
- Requires no bulky equipment or initial capital investment, unlike LN2
- Histofreezer is user and ozone-friendly
- No hazmat fee + all inclusive kits + efficiency = Greater ROI

ITEM#	SPECS	MFR#
95639	70-140 Application Kit: Cryogen (2), (46) 5mm, (24) 2mm	60M2C+10
95640	40-80 Application Kit: Cryogen, (40) 2mm	40T1C
95641	36-72 Application Kit: Cryogen, (36) 5mm	36F1C
95642	36-72 Application Kit: Cryogen, (24) 5mm, (12) 2mm	36M1C



CRYOSURGERY INC Verruca-Freeze®

- Alternative to liquid nitrogen effectively treats benign skin lesions and is the coldest portable cryosurgical system on the market, freezing at -70°C (-94°F). Uses clear, limiting cones that allow cryogen to directly contact the skin and new, improved CryoBuds™ for hard-to-reach areas. 4 Coldest portable cryosurgical unit
- 2-3 minute procedure
 - Non-flammable (No Hazmat fees)
 - Environmentally-safe (No CFCs)
 - Self-anesthetizing
 - Minimum 5-year shelf life
 - Bloodless and Odorless
 - No sutures or stitches
 - Portable and self-contained

ITEM#	SPECS	MFR#	PKG
13093	50 Freeze Kit (150mL)	VFK50	Each
15464	50 Freeze Canister (150mL)	VFC50	Each
84310	65 Freeze Kit (162mL)	VFK65	Each
84312	65 Freeze Canister (162mL)	VFC65	Each
82747	100 Freeze Canister (236mL)	VFL100	Each
11996	200 Freeze Ultra Value Twin Pack (472mL)	VFL200	Each
15465	300 Freeze Ultimate Value Triple Pack (708mL)	VFL300	Each
84313	CryoCones® (3, 5, 7, 9, 12mm)	TCONES	Set/5
84314	Cryobuds® – Small 3mm	BUDS	Pck/30
84315	Cryobuds® – Medium 5mm	BUDM	Pck/30
84316	Cryobuds® – Large 9mm	BUDL	Pck/30
84317	Cryobuds® – Assorted (10ea: S,M, L)	BUDP	Pck/30



CONMED Hyfrecator® 2000

Performs a wide variety of desiccation, fulguration and coagulation office procedures. Digital, one-tenth incremental control in the critical 0- to 10-watt range. Remote control hand switching pencil changes power settings while maintaining the sterile field and decreasing procedure time. Memory stores up to 3 power settings.

The unit includes:

- Remote control
- Reusable switching pencil
- Electrolase non-sterile electrodes (sharp and blunt)
- 2 sterile sheaths and 2 non-sterile sheaths
- Wall mounting kit
- Common Dermatologic Procedures video and manual.

ITEM#	MFR#
59458	Hyfractor® 2000
	7-900-115

Hyfrecator® 2000 Accessories

ITEM#	SPECS	MFR#
59583	Reusable Foot Switching Pencil	7-800-6
59582	Foot Switch with 10' Cord	7-900-4
59580	Reusable 3.5" x 6" Dispersive Patient Plate	7-900-7
59581	Reusable Switching Pencil with Hand Control	7-800-5
67179	Hyfrecator Stand	7-900-1

MILTEX Cryosolutions™

- Rapid freezing (-127° F) in a lightweight, self-contained instrument
- Variety of tip sizes and lengths for a number of treatment options
- A unique cryosurgical device which reduces treatment time and patient discomfort
- Complete set includes unit with standard 1 mm wide tip, with tip protector, one cartridge (23.5 g wide tip, with tip protector, one cartridge (23.5 g N2O), metal pin, user manual and plastic case

ITEM#	SPECS	MFR#
95435	Complete Kit	33510
95437	Dermatology 2mm Wide Glass Tip	33512
95438	Dermatology 3mm Wide Glass Tip	33513
95439	Dermatology 4mm Wide Glass Tip	33514
95440	Gynecology Tip, Non-Flexible 13cm	33515



PREMIER MEDICAL CryoOmega Cryosurgical Unit

Portable Cryosurgical Device containing 16g nitrous oxide canister. Package Contents: One CryOmega Device, product instructions.

ITEM#	SPECS	MFR#
96623	11-5/16" x 3-3/8" x 1-3/8"	9034000



Contact your account manager for assistance with pricing, office set-up or to help you find the item you need for your office.

Let **mooremedical** help with all your equipment solutions.

View our selection of the most popular Exam Room Furniture and Equipment for Lower Extremity Professionals.

Order toll free: **800.234.1464**

Order online: **www.mooremedical.com**

The product information contained in this document, including the product images and additional product materials, was collected from various supplier sources. All product claims and specifications are those of the product suppliers, not Moore Medical LLC or its affiliates ("Moore") and have not been independently verified by Moore. Moore is not responsible for errors or omissions in the product information.

The properties of a product may change or be inaccurate following the posting or printing of the product information in the document, either in the print or online version. Caution should be exercised when using or purchasing any products from Moore's online or print documents by closely examining the product packaging and the labeling prior to use.

Due to product changes, information listed in this document is subject to change without notice. This information is placed solely for your convenience in ordering and Moore disclaims all responsibility for its completeness and accuracy, whether or not the inaccuracy or incompleteness is due to fault or error by Moore.

Unless otherwise noted, the recommendations in this document were obtained from the manufacturer. Be advised that information contained herein is intended to serve as a useful reference for informational purposes only and is not complete clinical information. This information is intended for use only by competent healthcare professionals exercising judgment in providing care. Moore cannot be held responsible for the continued currency of or for any errors or omissions in the information.

Prices and products are subject to change without notice. Buyer is hereby advised that he/she may be obligated to fully and accurately disclose the amount of any discounts, rebates or other price reductions in cost reports or claims for reimbursement by buyer to Medicare or other health care programs requiring such disclosure. Go to www.mooremedical.com/terms for more details. All rights reserved. ©2014 Moore Medical LLC. Not responsible for typographical errors. All trademarks and registered trademarks are the property of their respective owners. #5957