



Camera Intraoral

Intraoral Cameras



ECCO - 105800 Ecco-Cam 1 1.3Mp Comps + USB US\$ 130.00

ECCO-Cam- 1.3mega pixels Comps + Usb Intraoral Camera - Includes software This camera is design with dentist in mind. You can put this mini camera into the camera's focus and form the picture automatically. **Product accessories** HandsetCableHandset BraketCamera barrier**Features:**Cd and image freezing feature Lamp: 6pcs white LED [5600k] Freeze button Light on/off button Handpiece holder to add directly to the dental unitAutomatic power-off function Superwide automatic adusting lens Quickk connect Weight: 34g - Power input: DC 5V 300ma [provided by computer directly]


Specifications:Power: DC 5V+0.5 (1.5A)Picture: 3800000 ComsImage Resolution: 1280 x 960 pixels - 640 x 480 pixels - 320 x 240 pixelsVideo output: USB 2.0 [All digitize]Signal System NTSC. PALType of Focus: 5mm ~ 50mmLength of handset: 200mmCable Lenght:2m connect port: 5 pinhole



ECCO - 101951 Ecco-Cam 2 II Video Output US\$ 130.00

ECCO-CAM-2 Intraoral Camera II

- Direct video output
- Size: Length approx.200x25x25mm - Weight 35gr - [without battery and cable]
- CMOS/Pinhole Lens
- Digital Image Processing
- Output Video Cable [7ft]- Simply plug the video input jack into any display device and you can view the intraoral condition imediately on the video display screen
- User Manual
- JAPAN - for Us Dental Depot -



ECCO - 106944 Ecco-Cam 3 Wireless 2 Mp US\$ 295.00

Ecco-Cam-3 Wireless Intraoral Camera #106944

- 2 MEGA PIXELS WIRELESS USB
- USB conection (conct to computer , not to TV)
- Video Stream to Monitor
- Uses software (included)

FEATURES

- Capture teeth images of patient and transmits into computer on wireless LAN.
- Without any USB cable, lets the dentist easily capture, save images .
- Freeze image and save them for posterior control
- The Image quality and picture will not be interrupted during operation .
- 4 Transmission channels selection .
- Fast Charger
- Transmitter connects to regular USB
- CD with software included - (save customers name, and re call the pictures later)
- Antifog lenses

SPECIFICATION

Image Sensor - 1/4 Sony CCD
Image Resolution - 2.0 mega pixels
Led Lamp (illumination) - 6pcs white (5600K)
Angle of Vision - 70 degrees





Image Resolution - 640 x 480 pixels

Frequency - 5725-5875 MHz

Transmit Distance - About 10 meters

Receiving Sensitivity - 95dB

1 year warranty

ECCO - 113494 Ecco-Cam 4 Wireless 2 Mp

US\$ 379.05

Ecco-Cam-4 Wireless Intraoral Camera - 2 megapixel - + 2gb SD card

#113494 High Quality images, simple operation and installation. Light and easy mobility, non-spherical lens, superwide automatically adjustin-focus lens. Hand piece holder with automatic power off function. To use wireless intraoral camera, you can capture teeth images of patient and then transmit into computer through wireless LAN.

Without cable, it let dentist easily operate it, save images more quickly and conveniently.

ADVANTAGES! 2 MEGA PIXELS WIRELESS USB USB conection (conct to computer) Video conction (to TV) Video Stream to Monitor or TV Uses software (included) Saves pictures on SD card to be placed later on computer. REMOTE CONTROL !!!

FEATURES Capture teeth images of patient and transmits into computer on wireless LAN. Without any USB cable, lets the dentist easily capture, save images. Freeze image and save them for posterior control The Image quality and picture will not be interrupted during operation. 4 Transmission channels selection. Fast Charger Transmitter connects to camera Receiver connects to Docking station Docking station connects through USB or Video or Super video t Screen - (Video Converter) CD with software included - (save customers name, and re call the pictures later) Antifog lenses High Resolution High Sensivity High Performance Compact Size, easy to use and focus.

BOX CONTAINS : Camera Super Cam Cable Sheaths Cd Software (download new updated verrsion) Transmitter Receiver Doscking station Usb Cable VGA cable IR cable Remote Control DC transformer Disk

TECHNICAL SPECIFICATIONS- Image Sensor: 1/4 Sony CCD- Image Resolution: 2.0 mega pixels- Led Lamp (ilumination): 6pcs white (5600K)- Angle of Vision : 70 degrees- Image Resolution : 640 x 480 pixels- Frequency: 5725-5875 MHz- Transmit Distance : About 10 meters- Receiving Sensitivity: 95dB

US DENTAL DEPOT Inc is an Authorized ECCO Dealer in the US.



ECCO - 113495 Ecco-Cam 5 Wireless Mem + LCD

US\$ 322.00

ECCO - Cam-5 Wireless Intraoral Camera

Intraoral Cameras

113495

Feature

Resolution: 2 megapixel

Accumulation point: 5 mm 50 mm

Angle: 70

Camera with TF (+ SD ADAPTER) card, Video output directly ON 2.5in Screen, or connect with computer through USB card reader.

You will not be able to stream video simultaneously with the wireless receiver (sold separately) . But you will be able to save the pictures in to the PC





Advantage of the unit:

- * The machine has 2.5 Inches LCD already incorporated .
- * TF memory card for memory 500 PCS picture.
- * Reliable light source with 6 White LED lights
- * Easy to operate and convenient to carry, the images display on 2.5 inch LCD and there is no cable attached or maximum distance allowed from the screen.

Adjust the Brightness and contrast in the LCD directly.

5 Control button:

Freeze, Save, Previous picture, next picture and delete.

Different kinds of capture angle to display clear pictures, easy operation and automatically focus, camera can be used without docking station, pictures saved permanent.

High power capacity lithium battery, do not need to connect with other adapter.

The box includes:

- * Main handpiece (Camera)
- * 2.5 Inches LCD
- * Wireless transmitter (and power source for ther camera)
- * Ac Adapter
- * TF memory card
- * USB card reader (your conection to the PC)

Wireless Receiver/ emitter and video converter with software is available upon request - (# 114067)

Made in China.

ECCO - 116109 Ecco-Cam 6 Wired 8inch LCD

US\$ 483.60

ECCO-Cam-6 Wired Intraoral Camera 8 inches LCD with TF Card -[Weight 2.2kg] [china]ECCO - Cam - 6 Wired Intraoral Camera
Intraoral Cameras
116109



Feature

Cam - 6 Wired Intraoral Camera 8inches LCD with TF Card inside

Specifications:

- * 8 inch LCD integrated
- * Camera with TF card inside. Can save more than 500 pictures.
- * Adjusts brightness, contrast and color in LCD freely
- * Flexible LCD can be 45- Degree adjustment.
- * Video Output Function.
- * Replace traditional LCD on dental chair.
- * Collocate with gih-quality intraoral camera. High resolution and easy to operate.
- * Suitable for PAL or NTSC system either wired and wireless.

Weight: 2.2kg



Made in China.

ECCO - 114226 Ecco-Cam 6 Wireless 8in LCD

US\$ 520.00

ECCO - CAM 6 Wireless Intraoral Camera 8 inches LCD

Specifications:

Intra oral camera and 8 inch LCD integrated

Camera with TF card inside. Can save more than 500 pictures.

Adjusts brightness, contrast and color in LCD freely

Flexible LCD can be 45- Degree adjustment.

Video Output Function.

Replace traditional LCD on dental chair.

Collocate with gih-quality intraoral camera. High resolution and easy to operate.

Suitable for PAL or NTSC system either wired and Wireless.



ECCO - 119573 Ecco-Cam 7 WIFI LCD + Rcvr

US\$ 522.00

ECCO-Cam-7 WIFI Wireless Intraoral Camera + TF Memory card + 2.5in LCD Screen + Wired Video streaming - multiple formats 2 megapixel -- Resolution 2 mega pixels Accumulation point 5mm 50mm Angle 70-- Image Resolution 640 x 480 pixels
ECCO - Cam 7 Wifi Wireless Intraoral Camera 2.5Intraoral Cameras# 119573 - Mfg: M-99

Technical Data: * Model: M-99 * Display screen: 2.5TFT-LCD* Light source: LED* Specifications: Display Size: 36.52 (H) 27.38 (V) * Resolution: 558 (H) 234 (V) * Brightness: 250 LUX * Visual range: ?15/30/45/45?* System standard: PAL/NTSC* Mirror image function: left/right/up/down reverse control* System format: PAL / NTSC choose one * Video input: 1Vpp 75? * Voltage Input: DC 5V 1.0W * Working temperature: -10 ? - +60 ? * Storage temperature: -30 ? - +80 ?

OpetarionLet the M-99 small LCD monitor insert into the camera. Camera LED lights automatically open after the power supply, small screen automatically will be display. After take the pictures, the pictures can save in the SD card directly. It can press Previous image bottoms and Next image bottom to check the pictures



ECCO - 119574 Ecco-Cam 7 WIFI wireless Mem

US\$ 306.00

ECCO-Cam-7 WIFI Wireless Intraoral Camera (Direct to Phone or tablet) + TF Memory card - -- Resolution 2 mega pixels Accumulation point 5mm 50mm Angle 70-- Image Resolution 640 x 480 pixels
ECCO - Cam 7 Wifi Wireless Intraoral Cam + Memory CardIntraoral Cameras# 119574 - Mfg: M-980



FeauresDesign and smooth contours makes it both comfortable to hold and easy to use. Taking images with cameras integrated



capture button makes video capture a simple one-step operation. And its built-in LED light source provides reliable, long-life illumination.

Characteristic* 2 megapixel* TF memory card* Imagen resolution 640 x 480 pixels* Accumulation point 5mm 50mm Angle 70° 1/4 CMOS 200 mega pixels high resolution intra oral camera* With high resolution, high performance and auto focus.* Built-in lithium battery ,with a charging station that can be used and charged,easy to use * Built-in 6pcs high brightness long-life white LED* Innovative Design, it can be displayed one images, four small images, and nine small images, two kinds of capture angles, display the clear images* Built-in WI-FI function can transmit the cameras images to mobile phone, Tablet PC and windows system PC at the same time.* The Front Five control buttons: freeze, save, previous image, next image, delete, and the reverse side control buttons: freeze and save* Built-in SD card, according to the SD card storage capacity, It can save up to 10000 images.* Insert the SD card to the computer can read and permanently stored the pictures in the computer.* Video output function* Suitable for NTSC /PAL * Optional 2.5inch LCD screen and M-70 Wi-Fi receiver for monitor , let dentists take pictures more convenient

DINE - 113528 Led background Photography

US\$ 899.00

Dine - ILED background Photography Dines new LED Light Panel is designed to completely eliminate shadows in portrait and profile photography. The high intensity light panel provides a constant light making it functional with virtually any digital SLR camera flash -eliminating back flash delay and synchronization issues.**Say Goodbye to Background Shadows!**Dine's new LED Light Panel is designed to completely eliminate shadows in portrait and profile photography. The high intensity light panel provides a constant light making it functional with virtually any digital SLR camera flash, eliminating back flash delay and synchronization issues.

LED Light Panel- Shadowless Portraits and ProfilesDines new LED light panel is lightweight and extremely thin allowing it to be placed anywhere in the office. The Dine LED Light Panel weighs 8 lbs with lighted dimensions of 33? x 21 and a thickness of 1 . Unlike slave light boxes that need to be built into walls or occupy office space by extending outward, the flat light panel requires no elaborate installation and requires nothing more than wall space. The panel runs on ac power. Also included is a wireless remote control that allows users to control light intensity for brighter or a more subtly lit background. The panel is designed to create esthetically pleasing portraits by eliminating all background shadows. Dines **NEW LED panel** is available with white and blue backgrounds.



DINE - 113527 PENTAX Intra-Oral Photography

US\$ 795.00

Dine - Intra-Oral Photography modifier without a ring Flash - Full package **DINE - Intra-Oral Photography modifier without a ring Flash - Full package**

The Dine Digital Solution Camera/Accessory KitCamera/Accessory Kit Our simplest intra-oral camera ever!! featuring a Dine modified small format digital camera. The camera weighs under a pound and fits into the palm of almost any hand. The camera is capable of accomplishing the full range of dental photography with ease from the 1:1 extreme close-up of a posterior quadrant to anterior, lateral, and all mirror photos including occlusals and linguals. The camera also works great for portraits and personal photography. The latest model is waterproof and shock proof making it the most durable dental camera on the market.



DINE - 113529 Pixelease Imaging Software

US\$ 320.00

Pixelase Imaging Software The days of overpriced dental imaging software have ended!!!!Dines PixelEase is powerful dental software designed to make using digital images on your practices computer easy The system consists of three components:Photo Base- Photo Studio and Photo Printer. Each component is linked together at the touch of button. This powerful imaging software is designed to rival the highend dental imaging softwares but at a fraction \$**The days of overpriced dental imaging software have ended!!!!**

Dines PixelEase is powerful dental software designed to make using digital images on your practices computer easy. The system consists of three components:Photo Base, Photo Studio and Photo Printer. Each component is linked together at the touch of button. This powerful imaging software is designed to rival the highend dental imaging softwares but at a fraction of the price. Plus lifetime telephone support is included for free.



→ **FREE SHIPPING IN USA** for orders over 500 us\$ (placed online only)
→ **15 us\$ FLAT RATE** for orders over 100 us\$ → **FREE SHIPPPING in Backorders**

Does not include equipment, heavy powders and hazzardous materials



Camera Intraoral

Mirrors for Photography



SMILE LINE - 783-3100 Flexi Palette 4 Piece Set

US\$ 165.75



SMILE LINE Flexi Palette Complete Set (4 shapes in total) # FP-3100 - Mirrors for oral Photography contrastors for intra-oral photography and mirrors for intra oral cameras . **Flexipalette Complete Set**

Mfg # FP-3100 - Flexipalette Complete Set (4 shapes in total) Contrastors for intra-oral photography

INCLUDES:

Flexipalette A Form Flexipalette B Form Flexipalette C Form Flexipalette Color Match

ADVANTAGES!

Can be sterilized in autoclave at 135 C Absolutely opaque and reflection free Soft surface that avoids any unpleasant contact in the mouth Can be bended to a 30-45 angle for more ergonomy Resistant to alcohols, phenols, glutaldehyde, their mixtures and other mercury free disinfectants

The innovative design of Flexipalette facilitates the acquisition of complete black backgrounds when taking pictures.

Their ergonomic shape allows an easy handling for the photographer as well as for the patients self-positioning.

Flexipalette are made out of a copper sheet completely covered by a medical grade plastic rubber, latex-free, hypoallergenic and suitable for intraoral use.



SMILE LINE - 783-3004 Flexi Palette Color Match

US\$ 45.00



Flexi Palette Color Match Contrastor # FP-3004 - Mirrors for oral Photography contrastors for intra-oral photography and mirrors for intra oral cameras . **Flexipalette Color Match**

Mfg # FP-3004 - Flexipalette Color Match Contrastors for intra-oral photography

The innovative design of Flexipalette facilitates the acquisition of complete black backgrounds when taking pictures.

ADVANTAGES!

Can be sterilized in autoclave at 135 C Absolutely opaque and reflection free Soft surface that avoids any unpleasant contact in the mouth Can be bended to a 30-45 angle for more ergonomy Resistant to alcohols, phenols, glutaldehyde, their mixtures and other mercury free disinfectants

Their ergonomic shape allows an easy handling for the photographer as well as for the patients self-positioning.

Flexipalette are made out of a copper sheet completely covered by a medical grade plastic rubber, latex-free, hypoallergenic and suitable for intraoral use.



SMILE LINE - 783-3001 Flexi Palette Form A

US\$ 42.75



Flexi Palette Form A Contrastor # FP-3001 - Mirrors for oral Photography contrastors for intra-oral photography and mirrors for intra oral cameras . **Flexipalette A Form**

Mfg # FP-3100 - Flexipalette A Form Contrastors for intra-oral photography

The innovative design of Flexipalette facilitates the acquisition of complete black backgrounds when taking pictures.

ADVANTAGES!

Can be sterilized in autoclave at 135 C Absolutely opaque and reflection free Soft surface that avoids any unpleasant contact in the mouth Can be bended to a 30-45 angle for more ergonomy Resistant to alcohols, phenols, glutaldehyde, their mixtures and other mercury free disinfectants

Their ergonomic shape allows an easy handling for the photographer as well as for the patients self-positioning.

Flexipalette are made out of a copper sheet completely covered by a medical grade plastic rubber, latex-free, hypoallergenic and suitable for intraoral use.

SMILE LINE - 783-3002 Flexi Palette Form B

US\$ 45.00



Flexi Palette Form B Contrastor # FP-3002 - Mirrors for oral Photography contrastors for intra-oral photography and mirrors for intra oral cameras . **Flexipalette B Form**

Mfg # FP-3002 - Flexipalette B Form Contrastors for intra-oral photography

The innovative design of Flexipalette facilitates the acquisition of complete black backgrounds when taking pictures.

ADVANTAGES!

Can be sterilized in autoclave at 135 C Absolutely opaque and reflection free Soft surface that avoids any unpleasant contact in the mouth Can be bended to a 30-45 angle for more ergonomy Resistant to alcohols, phenols, glutaldehyde, their mixtures and other mercury free disinfectants

Their ergonomic shape allows an easy handling for the photographer as well as for the patients self-positioning.

Flexipalette are made out of a copper sheet completely covered by a medical grade plastic rubber, latex-free, hypoallergenic and suitable for intraoral use.



SMILE LINE - 783-3003 Flexi Palette Form C

US\$ 45.00



Flexi Palette Form C Contrastor # FP-3003 - Mirrors for oral Photography contrastors for intra-oral photography and mirrors for intra oral cameras . **Flexipalette C Form**

Mfg # FP-3003 - Flexipalette C Form Contrastors for intra-oral photography

The innovative design of Flexipalette facilitates the acquisition of complete black backgrounds when taking pictures.

ADVANTAGES!

Can be sterilized in autoclave at 135 C Absolutely opaque and reflection free Soft surface that avoids any unpleasant contact in the mouth Can be bended to a 30-45 angle for more ergonomoy Resistant to alcohols, phenols, glutaldehyde, their mixtures and other mercury free disinfectants

Their ergonomic shape allows an easy handling for the photographer as well as for the patients self-positioning.

Flexipalette are made out of a copper sheet completely covered by a medical grade plastic rubber, latex-free, hypoallergenic and suitable for intraoral use.

Camera Intraoral

Parts for Intraoral cameras



ECCO - 112381 Cable for Ecco-cam-1

US\$ 47.24

ECCO-Cable for ECCO - cam-1.3 USB conection # 1 0 0 5 8 0 [china] **ECCO - Cable cam. 1.3 USB conection**

Parts For Intraoral Cameras

112381

Number: # 100580

ECCO - 115487 Video Converter Ecco-cams

US\$ 180.00



ECCO - Video converter (dock station) connects to TV - Video conection and camera - includes Super Video cable for wired video streaming - [china] **Ecco- Video converter (dock station) connects to TV Video conection and camera - includes Super Video cable for wired video streaming**

ECCO - 114069 Wireless Rec & Tran Ecco-cam 5

US\$ 95.00



ECCO - Wireless Receiver and transmitter Intraoral Camera ECCO - cam5 #113495 (connects to Computer through USB) - This receiver is a replacement part - at the same time that you are monitoring on the small screen 2.5 inches - [china]

ECCO - 114067 Wireless Receiver Ecco-cam 4

US\$ 240.00





**US
DENTAL
DEPOT**

www.usdentaldepot.com - sales@usdentaldepot.com - 1 1-866-625-5558 - 1-954-874-6325

Camera Intraoral Parts for Intraoral cameras

ECCO - Wireless Receiver /Emitter /Video converter & software for Intraoral Camera ECCO - Cam4 #113494 (connects to TV - Video connection) - This receiver is a replacement part - But also is an optional accessory for # 113495 with this upgrade package you will be able to stream video at the same time that you are monitoring on the small screen 2.5 inches - [china]**ECCO - WIRELESS RECEIVER- EMITER VIDEO CONVERTER & SOFTWARE** Wireless Receiver Emitter / Video converter & software for Intraoral Camera Ecco-Cam4 #113494 (connects to TV - Video connection) -

This receiver is a replacement part But also is an optional accessory for # 113495 with this upgrade package you will be able to stream video at the same time that you are monitoring on the small screen 2.5 inches -



Catalog Index / Índice del Catálogo

Intraoral Cameras	1
Mirrors for Photography	6
Parts for Intraoral cameras	8