# OWNER'S MANUAL




## AWR391 UHF 460-470 MHz Two - WAY RADIO

## ARE YOU WIRELESS YET?®



20809 Kensington Blvd. Lakeville, MN 55044 I-800-475-5852 www.advancedwireless.com



#### THANK YOU!

We are grateful for your purchase of Advanced Wireless Communications product. We believe this easy-to-use radio will provide you with dependable and reliable communications. This Advanced Wireless Communications portable two-way radio is a precision device. Treat it with care, and you will enjoy years of reliable operation.

#### MODELS COVERED IN THIS MANUAL

AWR391(The Mini): UHF 460-470 MHz Model Number: 420855102498 6-Ganged Charger

Model Number: 420855208640

#### Product Safety and RF Exposure for Portable Two-Way Radios Compliance with RF Energy Exposure Standards

NOTICE: This radio is intended for use in occupational/controlled applications where users have been made aware of the potential for exposure and can exercise control over their exposure. This radio device is NOT authorized for general population, consumer or similar use.

BEFORE USING THIS RADIO, READ THE TRAINING MATERIAL BELOW WHICH CONTAINS IMPORTANT OPERATING INSTRUCTIONS FOR SAFE USAGE AND RF ENERGY AWARENESS AND CONTROL INFORMATION FOR COMPLIANCE WITH RF ENERGY EXPOSURE LIMITS IN APPLICABLE NATIONAL AND INTERNATIONAL STANDARDS.

#### Federal Communication Commission (FCC) Regulations

The FCC has established limits for safe exposure to radio frequency (RF) emissions from portable two-way radios. The FCC requires manufacturers to demonstrate compliance with RF exposure limits before portable two-way radios can be marketed in the U.S. When two-way radios are approved for occupational/controlled environment exposure limits, the FCC requires users to be fully aware of, and exercise control over, their exposure. Awareness and control of RF exposure can be accomplished by the use of labels, or by education and training through appropriate means, such as information and instructions in user manuals or safety booklets. Your Advanced Wireless two-way radio has an RF exposure information label in the battery compartment. The training material below includes useful information about RF exposure and helpful instructions on how to control your RF exposure.

Your Advanced Wireless two-way radio is designed and tested to comply with a number of national and international standards and guidelines (listed below) regarding human exposure to RF electromagnetic energy. In terms of measuring RF energy for compliance with FCC exposure guidelines, your radio radiates measurable RF energy only while it is transmitting (during talking), not when it is receiving (listening) or in standby mode.

#### Compliance and Control Guidelines and Operating Instructions for Portable Two-Way Radios

To control your exposure and ensure compliance with the occupational/controlled environment exposure limits, always adhere to the following procedures:

\* Transmit no more than 50% of the time. To transmit (talk), push the Push-To-Talk (PTT) button. To receive calls, release the PTT button. Transmitting 50% of the time or less is important since the radio generates measurable RF energy exposure only when transmitting (in terms of measuring standards compliance).

\* For body-worn operation, always place the radio in an AWC approved belt-clip or similar accessory that contains no metallic components and provides a minimum separation distance of 1.3 cm between the back of the radio and the user's body. AWC-approved accessories, antennas, and device combinations comply with the occupational/controlled environment RF exposure limits. Using non AWC approved accessories may result in exposure levels which exceed the FCC's occupational/controlled environment RF exposure limits. AWC-approved accessories have been tested and comply with FCC RF exposure requirements.

If you are not using a body-worn accessory and are not using the radio held in front of the face, ensure the radio is kept a minimum of 1.3 cm from the body when transmitting. Keeping the radio at a proper distance is important since RF exposure decreases with increasing distance from the antenna.

\* Use only FCC-approved supplied or replacement headsets, batteries, and accessories intended for use with this radio. Use of non-FCC approved headsets, batteries and accessories may exceed FCC RF exposure guidelines.

#### **FCC** license Information

Your Advanced Wireless Communications radio operates on communications frequencies which are subject to FCC (Federal Communications Commission) Rules & Regulations. FCC Rules require that all operators using Private Land Mobile radio frequencies obtain a radio license before operating their equipment. Application for license must be made on FCC form 601, and schedules D, E, and G.

FAX: Forms can be obtained by fax from the FCC Fax-On-Demand system. Call 1-202-418-0177 from your fax machine and request document number 000600 for the form, schedules, and instructions.

MAIL: Forms can be ordered by telephone, and will be sent to you by first class mail. Call the FCC Forms Hotline at 1-800-418-FORM (1-800-418-3676).

INTERNET: Form 601 and instructions can be downloaded from the FCC Forms website at: http://www.fcc.gov/Forms/Form601/601.html

Before filling out your Form 601 application Technical Data section, you must decide which frequency (or frequencies) you will operate on.

Questions? Call the FCC for license application questions at 1-888-CALL-FCC (1-888-225-5322).

If you have any questions, call Advanced Wireless Communications: 1-800-475-5852

#### Notices to The User

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

One or more of the following statements may be applicable:

#### FCC WARNING

This equipment generates or uses radio frequency energy. Changes or modifications to this equipment may cause harmful interference unless the modifications are expressly approved in the instruction manual. The user could lose the authority to operate this equipment if an unauthorized change or modification is made.

#### INFORMATION TO THE DIGITAL DEVICE USER REQUIRED BY THE FCC

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can generate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that the interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

. Increase the separation between the equipment and receiver.

- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer for technical assistance.

#### SAFETY INFORMATION:

Your wireless portable two-way radio has been designed using a low power transmitter. When the PTT switch is pressed, the radio generates radio frequency (RF) electromagnetic energy (EME). This radio is designed to comply with the FCC Report and Order FCC 96-326 (August, 1996).

#### **User Safety Information**

## PLEASE READ THIS IMPORTANT INFORMATION BEFORE USING YOUR ADVANCED WIRELESS COMMUNICATIONS PORTABLE TWO-WAY RADIO.

Only qualified technicians are allowed to maintain this product.

♦ To avoid electromagnetic interference, turn off your radio in places where posted notices instruct you to do so. Hospitals or health care facilities may be using equipment that is sensitive to external RF energy. When traveling on aircraft, turn off your radio when the airline crew instructs you to do so.

♦ When in vehicles equipped with an air bag, do not place a portable radio in the airbag deployment area.

Turn off your radio prior to entering any area with a potentially explosive atmosphere. Do not remove, install, or charge batteries in such areas.

♦ To avoid possible interference with blasting operations, turn off your radio when you are near electrical blasting caps.

 $\diamondsuit$  Do not expose the radio to direct sunlight for long periods of time. Do not place the radio in direct contact with any heating source.

## CONTENTS

Thank You! I
FCC Declaration II-IV
Contents V
Introduction 1
Getting Acquainted1
Product inspection1
Transceiver radio view2
LCD display symbols 4
6-gang charger view 4
Safety and Care Instructions 5
Safety precautions5
Caring for this product5
Caution5
Getting Started6
Installing / removing / charging the battery6
Turn the unit ON/OFF7
Volume7
Reset 7
Talk to another transceiver
Keypad lock
Select a channel
VOX level / voice delay time 8
Dual watch (DW) 9
Scan for a Channel / CTCSS / DCS
Reset9
Troubleshooting 10
Optional Accessories10

#### INTRODUCTION

Advanced Wireless Communications is a leader in the design and integration of wireless communications solutions. Since 1992, we've been creating on site wireless systems that help businesses communicate effectively.

Whether it's a national chain of retail stores, a 50-story office tower, construction site, a large distribution center, a college campus or a retirement home, Advanced Wireless has the expertise and experience to create the best solution possible...

We're ready to partner with you to make your communications more effective and efficient.

Ken & Ben Coons Founders of Advanced Wireless Communications

## **GETTING ACQUAINTED**

#### **PRODUCT INSPECTION**

Thank you for your purchase of Advanced Wireless Communications Portable two-way radio model: Mini 391 420855102498. Before use, please inspect the product as follows. First check the shipping carton for any signs of damage if any damage has occurred, please contact your dealer immediately. Confirm the supplied product against the packing slip to assure accuracy.

#### PACKAGING CONTENTS:

	Part number	Item	Qty.
1.	420855102498	Mini 391	1 pc
2.	420855209289	Li-on Battery pack for Mini 391	1 pc
3.	420855209241	Holster for Mini 391	1 pc






2



3

#### **TRANSCEIVER RADIO VIEW**



#### Front View:

0. Antenna

Receives and transmits signals

1. LED indicator

Lights up red when transmitting a signal

2. Channel Up 🕑

Press and hold for more than 1.5 seconds to activate the auto scan or dual watch (selected by PC program) for available channel. While radio is on, press button to increase channel no.

3. Channel Down

Press and hold for more than 1.5 seconds to activate the key lock. While radio is on, press button to decrease channel no.

4. Speaker

Generates audible sound

5. Connection pins

Slot pins into a desktop charger docking pins station (docking station not included)

6. Microphone

Picks up voice sounds

7. Headset jack

Allows use of headset for hands-free communication.

8. Push to talk Push to Talk

Press and hold **PTT** button, speak into the microphone using your normal speaking voice.

9. Volume Up +


Press and hold more than 1.5 seconds to rapidly increase the volume. While radio is on, press button to increase the volume by a single unit.

10. Volume Down 🖯

Press and hold for more than 1.5 seconds to rapidly decrease the volume. While radio is on, press button to decrease the volume by a single unit.

11. Power 💿


Press and hold for more than 1.5 seconds to turn the unit on or off.



#### Back View:


- 1. Battery door Remove to access battery compartment
- 2. Battery compartment Uses lithium 3.7 V - 830 mAh rechargeable battery
- 3. **Mon** button Activate MONITOR function

## LCD DISPLAY SYMBOLS



SYMBOL	FUNCTION		
38	Channel number: Select between 8 channels		
DW Dual Watch: Scan 2 channels			
	Battery indicator: Provides battery status during operation		
	Keypad lock: Locks keypad to prevent accidental button activation		
Q	Auto-scan: Unit is scanning Channels or CTCSS		
	VOX: Voice activation system		

## 6-GANG CHARGER VIEW



- 1. Docking cradle
- 2. DC adaptor socket: Charge radio units; provide power for cloning operation
- 3. LED status indicator for extra batteries

- 4. USB socket: download settings from PC to radio units
- 5. CHG-CLON switch: Charge radio units; clone radio unit settings
- 6. PROG: Clone radio unit settings from source radio to other radio units

## SAFETY AND CARE INSTRUCTIONS

#### SAFETY PRECAUTIONS

Please observe the following safety precautions when setting up and using this product.

- LCD panel The LCD panel is made of glass, and may break if the unit is dropped or impacted.
- Heat sources Keep the product away from heat sources such as radiators, stoves, heaters, and other heat-generating products.
- Water and moisture Do not use the product in or near water or in high moisture areas such as a bathroom. Indoor use only.

#### **CARING FOR THIS PRODUCT**

To ensure you receive the maximum beneft from using this product, please observe the following guidelines.

- Cleaning Use a damp cloth. Do not use liquid cleaning agents, benzene, thinner, or aerosols.
- Repair Do not attempt to repair the product or modify the circuitry by yourself. Only replacement parts that are recommended by Advanced Wireless Communications at 1-800-475-5852 are to be used.
- \* Do not scratch hard objects against the LCD display as this may cause damage.

#### CAUTION

- \* To avoid risk of fire or injury, do not attempt to charge non-rechargeable batteries. Please turn off the unit while charging.
- \* Replace only batteries with the same or equivalent type recommended by the manufacturer.
- \* Please dispose of old, defective batteries in an environmentally friendly manner in accordance with the relevant legislation.
- \* See additional battery warnings in the "WARNING" section of the user manual.
- \* Do not dispose this product as unsorted municipal waste. Collection of such waste separately for special treatment is necessary.
- \* No open flames, such as lighted candles, should be placed near the apparatus.
- \* To reduce the risk of electric shock, do not expose this application to rain or moisture.

#### **GETTING STARTED**

**INSTALLING / REMOVING / CHARGING THE BATTERY** 

#### To insert the battery:

- 1. Slide the battery door open.
- Insert the lithium battery into the battery compartment, making sure the polarities (+ and -) match.
- 3. Slide the back cover and clip into place.





WARNING: There is a danger in which incorrectly placing the battery can cause an explosion. Always make sure the radio is switched off before installing or changing the battery. Replace only with the same or equipment type. Use ONLY with lithium 3.7V 830mAH rechargeable battery. Contact Advanced Wireless Communications at 1-800-475-5852 or www.adavncedwireless.com for more information.

#### To charge the battery using 6 gang charger:

**IMPORTANT**: Charge the battery for 12 hours on the first charge. After that, it should take 4 or less hours to charge.

Make sure the adapter is not obstructed and is easily accessible to the unit.

- 1) Connect 6 gang charger to AC power using DC adaptor provided.
- 2) Slide CHG-CLON switch to select CHG.
- Insert radio unit into 1<sup>st</sup> docking cradle (insert additional radio units into docking cradles, 2 through 6). Please ensure radio screen faces forward (same direction as LED lights on gang charger).

Battery Status	Extra Batteries LED	Radio screen
Battery charging	Red	LCD backlight on
Battery charged	Green	LCD backlight off

#### NOTE:

- To completely disconnect from power, the adapter should be disconnected from the 6-Ganged Charger.
- · Batteries should not be exposed to excessive heat such as sunshine or fire.
- The 6-Ganged Charger and adapter should not be exposed to wet conditions. No
  objects filled with liquid, such as vases, should be placed on the main unit and adapter.
- To maintain the battery life of your two-way transceiver it is recommended that you only charge the battery when needed. Overcharging the battery will reduce performance.
- For best results ensure that the unit is turned off before charging.
- Remove batteries before storing your radio for extended periods. Batteries corrode over time and may cause permanent damage to your radio.

#### TURN THE UNIT ON / OFF

#### To turn the unit ON or OFF:

Press and hold () until you hear a beep and the LCD display appears or disappears.

#### VOLUME

#### To change the volume level:

Jse (+) or (-) to increase or decrease volume.

### TALK TO ANOTHER TRANSCEIVER

For best transmission speak about 2" away from the radio and leave a short pause

before speaking once you have pressed (PUSH TO TALK

#### To talk to another transceiver:

- 1. Press and hold "Mon" to check if the channel is free.
- Press and hold (PUSHTOTALK) and speak into the microphone to transmit.
- Release (PUSHTOTALK) once you have finished speaking to allow other radios to respond. The transceiver will automatically play received transmissions.

**NOTE**: You can only communicate with another transceiver that is on the same channel and using the same CTCSS/DCS code as your transceiver.

**KEYPAD LOCK** 

To avoid accidentally changing the channel and the unit's preferred settings, you can lock the keypad.

## To lock or unlock the keypad:

Press and hold () for 1.5 seconds. A appears when the keypad is locked.

**NOTE**: While the keypad is on you can still use the (PUSHTOTALK) and ((1)).

#### **SELECT A CHANNEL**

The transmitter and receiver **must** be on the same channel using the same CTCSS code or DCS code in order for you to communicate with another party.

# To select between maximum 8 channels (the CTCSS code or DCS code is set by PC program):

1. Press () to increase channel no. To activate auto scan for available channels,

press and hold for more than 1.5 seconds.

 Press to decrease channel no. To activate key lock, press and hold for more than 1.5 seconds.

### VOX LEVEL / VOICE DELAY TIME

The Voice Activated Transmission (VOX) function allows your voice to activate transmission automatically when the transceiver is used with an optional hands-free microphone / headset. If the unit is set to VOX level 1, 2 or 3, it will automatically detect and transmit your voice through to the selected channel. The VOX level and transmission delay time should be adjusted according to your voice loudness and personal preference.

#### To set up a headset:

- 1. Press and hold (b) to switch the radio off.
- 2. Plug in the headset.
- 3. Press and hold (b) to switch the radio back on again.

**NOTE:** This product is only compatible with AWC headsets, please ask your local retailer for further information.

### SCAN / DW FOR A CHANNEL / CTCSS / DCS

NOTE: A or will be disabled when Scan function is activated. To auto-scan / DW for a channel / CTCSS / DCS:

- 1. DW or Scan function is selected by PC program.
- 2. Channel for DW is chosen by PC program.
- 3. Press and release ( to enter scan mode.
- Press (PUSHID TALK) to enter the Tx mode on the last valid channel in memory and continue to scan after the button is released.
- Long press to terminate the All Scan mode. The radio will then return to the last valid channel.

**NOTE:** If you activate a scan while your code is set to 0, the radio will check for any activity on each channel, regardless of the code used on that channel. If you activate a scan while the CTCSS or DCS code is set, the radio will only check for activity on the specified channel and code combinations set on your radio.

### TROUBLESHOOTING

See below for some common problems and their remedies. DO NOT attempt any repairs yourself. This will invalidate your warranty.

PROBLEM	POSSIBLE CAUSES / REMEDIES	
Can't turn the radio on	<ul> <li>Check the battery is correctly installed and has been fully charged</li> </ul>	
Can't communicate with other radios	• For this and all other issues contact Advanced Wireless Communications at 1-800-475-5852 or www.advancedwireless.com for more information	
VOX function is not working	Check the headset is correctly plugged in and is compatible with the Mini 391 radio	

OPTIONAL ACCESSORIES					
Picture	Part number	Model No.	Item		
	420855208640	AWGC-391	6 gang charger		
R	420855209265	AWC-391	Plug in Charger for Mini 391		
•6	420855207698	AWFEL-391	Flexible Earloop for Mini 391		
6 b	420855209395	AWSVM-391	Surveillance Headset for Mini 391		
16	420855203041	AWEB-Mini	Earbud Headset for Mini 391		
6	420855205120	AWMFEL-391	Modular Earloop for Mini 391		
6	420855204857	AWMEB-391	Modular Earbud for Mini 391		
Ð	420855204871	AWMSV-391	Modular Surveillance for Mini 391		
6	420855209593	AWMPA-391	Modular PTT Headset Cord		
	420855209555	AWL-391	Lanyard for Mini 391		
	420855209586	AWAB-391	Armband for Mini 391		
to	420855207087	AWEM391	Ear Mold Left Large		
to	420855204420	AWEM391	Ear Mold Left Medium		
de la	420855207094	AWEM391	Ear Mold Right Large		
de la	420855204413	AWEM391	Ear Mold Right Medium		
J.	420855207070	AWEM391	Ear Mold Right Small		

# These products are available form: Advanced Wireless Communications at 1-800-475-5852 or www.advancedwireless.com

