

RU Builder User Manual

Version 3.2 7/4/2005

Version:	3.2
Date:	7/4/2005
Authors:	S. Murray
CI identifier	EVB_D_18306





Revision History

Date	Version	Description	Author
July 11, 2003	0.1	Document creation	S. Murray
July 31, 2003	1.0	Finalization of version 1.0	J. Gutleber
May 24, 2004	2.0	Updated for version 2.0 of the EVB, now referred to as the RU builder	S. Murray
November 1, 2004	2.1	Updated for version 2.1 of the RU builder	S. Murray
May 2, 2005	3.0	Updated for version 3.0 of the RU builder	S. Murray
July 4, 2005	3.2	Updated for version 3.2 of the RU builder	S. Murray

CI Record

Field	Description
CI Identifier	EVB_D_18306
Description	Describes the RU builder for an integrator who will put the builder into a full DAQ system
Submission Date	July 4, 2005
Submitted By	S. Murray
Components	None
Dependencies/Related	Version 3.1 of the XDAQ core framework
External Identifier	None
Point of Contact	S. Murray (Steven.Murray@cern.ch)
Comments	None
Physical Location	http://smurray.home.cern.ch/smurray/RUB_V3_2.doc

Table of Contents

1	Intro	duction	6
	1.1	Document purpose and scope	6
	1.2	Intended readership	7
	1.3	System requirements and dependencies	7
	1.4 1.5	References	8
•	T.0		0
2	RUb		9
	2.1	How the RU builder fits within the EVB	9
	2.2	What the EVB does	10
	2.3	The RO builder applications	10
3	RU b	uilder application FIFOs	11
	3.1	BU FIFOs	11
	3.2	EVM FIFOs	12
	3.3	RUFIFOs	13
4	120 i	nterface	14
	4.1	TA/EVM interface	15
	4.2	RU/RUI interface	17
	4.3	BU/FU interface	18
5	Appl	ication state machines	22
	5.1	Commonalities of the application finite state machines	22
	5.2	BU, EVM and RU finite state machines	23
6	Start	ing the RU builder	24
7	Stop	ping the RU builder	25
8	Ехро	orted configuration parameters	26
9	How	to obtain and build the RU builder	29
	9.1	Checking out the source code from CVS	29
	9.2	Building the application libraries	30
10	F	RU builder self test	30
11	C	Configuration guidelines	33

List of Figures

Figure 1 RU builder applications and how they interact with the rest of the EVB	9
Figure 2 BU FIFOs	11
Figure 3 EVM FIFOs	12
Figure 4 RU FIFOs	13
Figure 5 External I2O interfaces of the RU builder	14
Figure 6 TA/EVM interface sequence diagram	15
Figure 7 RU/RUI interface sequence diagram	17
Figure 8 BU/FU interface sequence diagram	
Figure 9 FSTN of a RU builder application	22
Figure 10 BU, EVM and RU FSTNs	23
Figure 11 HyperDAQ web page for self test	31
Figure 12 RUBuilderTester web page	

List of Tables

Table 1	Exported	configuration	parameters	.26
---------	----------	---------------	------------	-----

2 3

4

5

6

7 8 9

10

11

12

13

14

15

16

17 18 19

21

22

24

26

27

28

1 Introduction

The RU builder is a distributed XDAQ application that is part of a larger system called the event builder (EVB). The CMS data acquisition group is presently developing the EVB as described in the TriDAS TDR [1]. This document explains how to obtain, build and configure version 3.2 of the RU builder.

Features introduced with version 3.2 of the RU builder:

- Example TA and FU use FRL and FED headers/trailers within trigger messages
- Loggers are named using the class names and instance numbers of their respective applications
- Exported parameters are divided into 4 groups:
 - "Standard" configuration
 - o "Debug " configuration
 - "Standard" monitoring
 - o "Debug " monitoring
- BU, EVM and RU applications calculate statistics about data throughput based around:

$$rms = \sqrt{\frac{\sum x^2}{n} - x^2}$$

Each application exports the following parameters with respect to the above equation:

- o deltaT
- o deltaN
- o deltaSumOfSquares
- o deltaSumOfSizes
- BU, EVM and RU applications publish monitoring information into info spaces specifically created for use within the future XDAQ monitoring framework
 - Each application now has an I2O exception handler that logs asynchronous exceptions raised by peer transports when dealing with RU builder I2O messages
- The RUBuilderTester gathers and displays more monitoring information
- The web interface of each application has been improved (this is subjective)

2 1.1 Document purpose and scope

33

31

34 The goal of this document is to enable the reader to integrate the RU builder into a "running system" 35 composed of the RU builder itself, a trigger source, one or more event data sources, one or more data sinks and some form of run-control. The RU builder cannot run without the components just listed. This 36 37 document describes how to obtain, build and configure the RU builder. This document does not describe 38 the other components of a "running system", such as run control software or how to setup a trigger or event data source. It is also not the purpose of this document to describe the internal workings of the RU 40 builder. Developers are referred to the source code for such information. The code has been structured 41 and commented so that it can be easily read and understood. It is recommended to use Doxygen to 42 generate documentation from the code, as compatible comment tags have been used. If the reader is not 43 familiar with Doxygen, then they are referred to its website: http://www.doxygen.org



45



It must be emphasized that the RU builder is still under development and subject to change. No description of the RU builder given in this document can be relied upon to be valid beyond this release.



1.2 Intended readership

This document is intended for a system integrator - someone that needs to integrate the RU builder into a data acquisition system (DAQ). It is assumed that the DAQ system is based on the XDAQ framework. If the reader is not familiar with this framework, then they are referred to the XDAQ website: <u>http://xdaq.web.cern.ch/xdaq</u>.

8 1.3 System requirements and dependencies

9

7

1 2

10 Version 3.2 of the RU builder only supports the Linux operating system running on an Intel x86 processor.

11 The code was tested using version 3.2.3 of gcc. This version of the RU builder is dependent on version 12 3.1 of the XDAQ core framework.



1.4 References

[1] The CMS collaboration, The Trigger and Data Acquisition project, Volume II, Data Acquisition & High-Level Trigger. CERN/LHCC 2002-26, ISBN 92-9083-111-4

1.5 Definitions, Acronyms and Abbreviations

BU	Builder Unit	120	Intelligent Input/Output
CVS	Concurrent Versioning System	RU	Readout Unit
DAQ	Data Acquisition system	RUI	Readout Unit Input
EVB	Event builder	ΤΑ	Trigger Adapter
EVM	Event Manager	TDR	Technical Design Report
FED	Front End Driver	TriDAS	Trigger and Data Acquisition
FSTN	Finite State Transition Network	XDAQ	Cross platform data acquisition toolkit
FU	Filter Unit		



2

3 4

5 6

7

8 9 10

2 *RU builder overview*

2.1 How the RU builder fits within the EVB

The RU builder is a component of a larger system called the event builder (EVB). The EVB is a distributed application that reads out event fragments from one set of nodes and assembles them into entire events in another set of nodes. Figure 1 shows the applications of the RU builder and how they interact with the rest of the EVB.





44

The external interfaces of the RU builder assume that triggers are given to the EVM in the same order as their corresponding event data is given to the RUs.



2.2 What the EVB does

For each event the EVB:

- Reads out the trigger data. This trigger data will become the first super-fragment of the event.
- Reads out the fragments of the event from the detector front-end drivers (FEDs).
- Builds the fragments into RU super-fragments using the FED builder.
- Builds the whole event using the RU builder. The whole event is the trigger super-fragment plus the set of RU super-fragments.
- Decides whether or not the event is interesting for physics using the filter units (FUs).
- Sends the event to permanent storage if it is interesting for physics, or discards it if it is not.

14 2.3 The RU builder applications

15

1 2 3

4 5

6 7

8

9

10

11

12 13

The RU builder consists of a single event manager (EVM), one or more readout units (RUs) and one or more builder units (BUs). The EVM is responsible for controlling the flow of data through the RU builder. The RUs are responsible for buffering super-fragments until they are requested by the BUs. The BUs are responsible for building and buffering events until they are requested by the filter units (FUs).

20

The trigger adapter (TA), readout unit inputs (RUIs) and filter units (FUs) are external to the RU builder. The TA is responsible for interfacing the DAQ trigger to the EVM. The RUIs are responsible for pushing super-fragment data from the FED builder into the RUs. The FUs are responsible for selecting interesting events for permanent storage.



RU builder application FIFOs 3

The RU builder applications use FIFOs to keep track of requests, trigger data and event data. Knowledge of these FIFOs is required in order to correctly configure the RU builder. This chapter is divided into three sections, one for the BU, one for the EVM and one for the RU. Each section gives a brief description of the application's behavior and how its FIFOs are used.

3.1 BUFIFOs

10 A BU is responsible for building events. An event is composed of one trigger super-fragment and N RU 11 super-fragments, where N is the number of RUs. To understand the internal FIFOs of a BU, it is first necessary to know its dynamic behavior. Figure 2 shows the internal FIFOs of a BU. With free capacity 12 13 available, a BU requests the EVM to allocate it an event (step 1). The EVM confirms the allocation by 14 sending the BU the event id and trigger data of an event (step 2). This trigger data is the first superfragment of the event. The BU now requests the RUs to send it the rest of the event's super-fragments 15 (step 3). The BU builds the super-fragments it receives from the RUs (step 4) into a whole event within its 16 17 resource table (step 5). FUs can ask a BU to allocate them events (step 6). A BU services a FU request by 18 asking the FU to take a whole event (step \mathbf{J}). When a FU has finished with an event, it tells the BU to 19 discard it (step 8).

21 Each BU has its own worker thread that executes the behavior of that BU. The eventIdFIFO, blockFIFO. requestFIFOs and discardFIFO are used by the peer transport thread(s) to store incoming messages ready for the worker thread to process them. The fullResourceFIFO is manipulated solely by the worker 23 24 thread. It is used to store which events were built in which order. This enables a BU to service a FU 25 request with the next event that was built.



46 Figure 2 BU FIFOs

1 2 3

4

5

6 7



3.2 EVM FIFOs

1

13

3 The EVM is responsible for controlling the flow of event data through the RU builder. To understand the 4 internal FIFOs of the EVM, it is first necessary to know its dynamic behavior. Figure 3 shows the internal 5 FIFOs of the EVM. The EVM tells the TA the capacity of the RU builder by sending it trigger credits (step 1). One trigger credit represents the ability to build one event. Given a credit, the TA sends the EVM the 6 7 trigger data of an event (step 2). The EVM pairs the trigger data with a free event id (step 3). The EVM also requests the RUs to readout the event's data (step 4). A BU with the ability to build an event will ask 8 9 the EVM to allocate it an event (step 5). Within such a request, a BU will normally give back the id of an event to be cleared. For each cleared event id, the EVM sends a trigger credit to the TA and makes the id 10 a free event id (step 6). The EVM confirms the allocation of an event by sending the requesting BU the 11 12 event id and trigger data of the allocated event (step 7).

The EVM has a worker thread that executes the behavior of the EVM. The triggerFIFO, clearedEventIdFIFO and requestFIFO are used by the peer transport thread(s) to store incoming messages ready for the worker thread to process them. The pairFIFO and freeEventIdFIFO are manipulated solely by the worker thread. The pairFIFO keeps track of the "event id / trigger data" pairs that have yet to be sent to requesting BUs. The freeEventIdFIFO stores the ids of free events for which trigger credits have been sent to the TA.



43 Figure 3 EVM FIFOs



3.3 RUFIFOs

1

11

15 16

A RU is responsible for buffering super-fragments until they are request by the BUs. To understand the 3 4 internal FIFOs of a RU it is first necessary to know its dynamic behavior. Figure 4 shows the internal 5 FIFOs of a RU. The EVM sends a RU an "event id / trigger event number" pair when it asks the RU to readout the corresponding event's data (step 1). In parallel, the RUI informs the RU of event data that is 6 7 ready to be processed (step 2). A RU places each super-fragment for which it has received a pair into the 8 fragment lookup table (step 3). BUs ask RUs to send them the super-fragments of the events they are 9 building (step 4). A RU services a BU request by retrieving the super-fragment from its fragment lookup table and asking the BU to cache the super-fragment (step 5). 10

Each RU has a worker thread that executes the behavior of that RU. All of the internal FIFOs of a RU, that is to say the pairFIFO, blockFIFO and requestFIFOs, are used by the peer transport thread(s) to store incoming messages for the worker thread to process.







4

5 6

7

8 9 10

11 12

13 14

15

16

17

18

4 I2O interface

All the I2O messages of the EVB, including the internal and external messages of the RU builder, are defined in the package:

TriDAS/daq/interface

The I2O function codes of all the RU builder I2O messages are given in the file:

TriDAS/daq/interface/shared/include/i2oXFunctionCodes.h

The C structures that define the I2O messages are in the file:

TriDAS/daq/interface/evb/include/i2oEVBMsgs.h



The I2O interface of the RU builder is subject to change. The description of the interface provided by this document cannot be relied upon to be valid beyond this release.

Figure 5 shows the external I2O interfaces of the RU builder: the TA/EVM interface, the RUI/RU interface and the BU/FU interface. This chapter is divided into three sections, one for each interface.



41 Figure 5 External I2O interfaces of the RU builder





typedef	struct I20_EVENT_DATA_BLOCK_MESSAGE_FRAME
{	
120	_PRIVATE_MESSAGE_FRAME
U32	eventNumber;
U32	nbBlocksInSuperFragment;
U32	blockNb;
U32	eventId;
U32	buResourceId;
U32	fuTransactionId;
U32	nbSuperFragmentsInEvent;
U32	<pre>superFragmentNb;</pre>
U32	padding;
} 120_E	VENT_DATA_BLOCK_MESSAGE_FRAME, *PI20_EVENT_DATA_BLOCK_MESSAGE_FRAME
The TA m	ust fill:
e	ventNumber
nl	oBlocksInSuperFragment
b	lockNb



4.2 RU/RUI interface

```
2
     The RU/RUI interface specifies how a RUI passes super-fragments to a RU. Figure 7 is a sequence
3
4
     diagram describing the protocol between the RUI and the RU.
5
                       RUI
6
                                                                                    RU
 7
8
                             Function code: I20_RU_DATA_READY
9
                            C structure : I2O_EVENT_DATA_BLOCK_MESSAGE_FRAME
10
11
12
13
14
     Figure 7 RU/RUI interface sequence diagram
15
     A super-fragment is composed of one or more 120_EVENT_DATA_BLOCK_MESSAGE_FRAMEs. The
16
     120 EVENT DATA BLOCK MESSAGE FRAME C structure is as follows:
17
18
     typedef struct I2O_EVENT_DATA_BLOCK_MESSAGE_FRAME
19
     {
20
          120 PRIVATE MESSAGE FRAME PvtMessageFrame;
21
          U32 eventNumber;
22
         U32 nbBlocksInSuperFragment;
23
         U32 blockNb;
24
         U32 eventId;
25
         U32 buResourceId;
26
         U32 fuTransactionId;
27
         U32 nbSuperFragmentsInEvent;
28
         U32 superFragmentNb;
29
         U32 padding;
30
     } 120_EVENT_DATA_BLOCK_MESSAGE_FRAME, *P120_EVENT_DATA_BLOCK_MESSAGE_FRAME;
31
32
     The RUI must fill:
            eventNumber
34
            nbBlocksInSuperFragment
35
            blockNb
36
     The nbBlocksInSuperFragment field gives the number of blocks the super-fragment is composed of.
37
     The blockNb field indicates the block's position within the super-fragment. Blocks are numbered from 0
38
```

39 to nbBlocksInSuperFragment - 1.





The BU/FU interface of this version of the RU builder does not support partial events. Partial events may be supported in a future version.

```
1
     The 120_BU_ALLOCATE_MESSAGE_FRAME C structure and its companion BU_ALLOCATE C structure
2
     are as follows:
3
4
     typedef struct _BU_ALLOCATE
5
     {
6
          U32 fuTransactionId;
7
          U32 fset;
8
     } BU_ALLOCATE, *PBU_ALLOCATE;
9
10
     typedef struct _I20_BU_ALLOCATE_MESSAGE_FRAME {
11
          I20_PRIVATE_MESSAGE_FRAME PvtMessageFrame;
12
          U32
                                         n;
13
          BU ALLOCATE
                                         allocate[1];
14
     } 120_BU_ALLOCATE_MESSAGE_FRAME, *P120_BU_ALLOCATE_MESSAGE_FRAME;
15
16
     The FU must fill:
17
            n
18
            allocate[]
19
     The n field specifies the number of events the FU is requesting. The allocate field is an array of FU
20
21
     transaction ids and fragment sets. For each event a FU requests, the FU fills in the furransactionId
22
     field and the fset field of a BU_ALLOCATE C structure and puts it in the allocate array. The
23
     fuTransactionId field is a transaction id that a FU can use to match its requests with the events it
24
     receives. A BU treats the furransactionId field as being opaque, in other words it is not interpreted.
25
             will send back a copy of the furransactionId field in each of the
     A BU
26
     120_EVENT_DATA_BLOCK_MESSAGE_FRAMEs that make up the requested event. The fset field is a
27
     fragment set identifier. Fragment sets are a way to describe partial events. The fset field is ignored by
28
     the BU in this version of the RU builder, because this version does not support partial events.
```

The 120_EVENT_DATA_BLOCK_MESSAGE_FRAME C structure is as follows:
typedef struct I20_EVENT_DATA_BLOCK_MESSAGE_FRAME
{
<pre>120_PRIVATE_MESSAGE_FRAME PvtMessageFrame;</pre>
U32 eventNumber;
U32 nbBlocksInSuperFragment;
U32 blockNb;
U32 eventId;
U32 buResourceId;
U32 fuTransactionId;
U32 nbSuperFragmentsInEvent;
U32 superFragmentNb;
U32 padding;
<pre>} I20_EVENT_DATA_BLOCK_MESSAGE_FRAME, *PI20_EVENT_DATA_BLOCK_MESSAGE_FRAME;</pre>
The FU should only read:
nbSuperFragmentsInEvent
superFragmentNb
nbBlocksInSuperFragment
blockNb
buResourceId
fuTransactionId
An event is composed of 120_EVENT_DATA_BLOCK_FRAME s. The nbSuperFragmentsInEvent
superFragmentNb, nbBlocksInSuperFragment, blockNb fields are used to identify the position o
an event data block within an event. An event is composed of one trigger super-fragment plus N RU

an event data block within an event. An event is composed of one trigger super-fragment plus N RU
 super-fragments, where N is the number of RUs. Therefore the nbSuperFragmentsInEvent field is set
 to the number of RUs plus 1. The superFragmentNb field is numbered from 0 to
 nbSuperFragmentInEvent - 1. The blockNb field is numbered from 0 to
 nbBlocksInSuperFragment - 1.

The **buResourceId** field is an opaque handle that a FU should use to identify events/resources to be discarded. The **fuTransactionId** field is the FU transaction id of the FU request that caused the BU to reply with the current event.

4 I2O interface User Manual

1	The 120_BU_DISCARD	C structure is as follows:		
2				
3	typedef struct _I	20_BU_DISCARD_MESSAGE_F	RAME {	
4	I20_PRIVATE_ME	SSAGE_FRAME PvtMessageF	rame;	
5	U32	n;		
6	U32	buResourceI	d[1];	
7	<pre>} 120_BU_DISCARD_</pre>	MESSAGE_FRAME, *PI2O_BU	_DISCARD_MESSA	GE_FRAME;
8				
9	The FU must fill:			
10	n			
11	buResourceI	d[]		
12				
13				
17	The m field specifies th	a number of events/resources t	a bo discorded Th	buBegeur

14 The **n** field specifies the number of events/resources to be discarded. The **buResourceId** field is an 15 array of the ids of the BU resources to be discarded.



5 Application state machines

5.1 Commonalities of the application finite state machines

The finite state machines of the BUs, EVM and RUs have commonalities. Figure 9 shows the finite state transition network (FSTN) which all three types of application follow. There are three common behaviors. Firstly, all RU builder applications read and act upon configuration parameters when they receive a Configure SOAP message. Secondly, all RU builder applications only participate in event building when they are enabled. Thirdly, all RU builder applications throw away their internal data and any incoming I2O message frames when they are halted.



28 Figure 9 FSTN of a RU builder application



5.2 BU, EVM and RU finite state machines

The FSTNs specific to each type of RU builder application are shown in figure 10.



Figure 10 BU, EVM and RU FSTNs



10 11

12 13

14

15 16

17

21

23

24

26

27

30

6 Starting the RU builder

The RU builder is part of a larger system called the event builder (EVB). Besides run-control, the RU builder communicates with a TA, one or more RUIs and one of more FUs. The RU builder cannot be started at any arbitrary moment in time; its start-up must be synchronized with that of the TA, RUIs and FUs. The RU builder and the EVB components it interacts with are XDAQ applications, and as such depend on one or more peer transports to communicate with each other. These peer transport must be up and running before these applications try to communicate with each other. To start the RU builder and the components it interacts with, run-control should do the following in order:

- 1. Start the necessary peer transports so that the RU builder and its surrounding applications can communicate
- 2. Start the TA so that is can service credits from the EVM
- 3. Start the RU builder so that it can receive super-fragments from the RUIs
- 4. Start the RUIs and FUs so they can start pushing in super-fragments and extracting events respectively

The RU builder is a distributed application whose nodes (BUs, EVM and RUs) need to be started up in a specific order. To put the RU builder into the state where it will build events, run-control should do the following in order:

- 1. Send Configure to all of the RU builder applications
- 2. Send Enable to all of the RUs
- 3. Send Enable to the EVM
- 4. Send Enable to the BUs



Unlike version 2.x of the RU builder, the state changes of version 3.0 are synchronous. There is no need to poll the state of an application after a request to change state.

The RUs have to be enabled first because they have to be ready to receive "event number" / "event id" pairs from the EVM. The EVM can start sending these pairs immediately after it has been enable.

The EVM has to be enabled before the BUs so that it is ready to service their requests for event ids. BUs can start requesting event ids as soon as they are enabled. Enabling the EVM causes it to send an initial trigger credit count to the TA. The number of initial credits is equal to the total number of event ids in the RU builder. As soon as trigger data arrives at the EVM from the TA, the EVM sends "event number" / "event id" pairs to the RUs. As explained in the previous paragraph, this is why the RUs have to be enabled before the EVM.

- 37
- Enabling a BU causes it to send its initial request for event ids to the EVM. The number of initial event ids
- requested is equal to the maximum number of event ids the BU is allowed to acquire at any single moment in time.



7 Stopping the RU builder

The current version of RU builder foresees two ways of stopping the RU builder:

- Stop the trigger and event data entering the RU builder
- Halt all of the RU builder application

When stopping the trigger and event data entering the RU builder, it is useful to know when the RU builder has finished building the events for which it has received triggers and event data. This can be found out by reading the following exported parameter of the EVM:

EVM::ruBuilderIsEmpty

Halting a RU builder application causes it to discard (destroy) all the data in its internal data structures and
 to release all incoming I2O messages.



8 Exported configuration parameters

Configuration parameters need to be set before an application is sent a Configure SOAP message.

Table 1 lists the exported control parameters of each type of RU builder application. The type and default value of each parameter is given.

5 6 7

4

1 2 3

ΔΟΟ			VALUE
APP	PARAIVIE I ER INAIVIE	TTPE	VALUE
BU, EVM & RU	nbEvtldsInBuilder	unsigned long	4096
BU, EVM & RU	ageMessages	bool	true
BU, EVM & RU	msgAgeLimitDtMSec	unsigned long	1000
BU, EVM & RU	exitOnFail	bool	false
BU	blockFIFOCapacity	unsigned long	16384
BU	discardFIFOCapacity	unsigned long	65536
BU	I2O_EVM_ALLOCATE_CLEAR_Packing	unsigned long	8
BU	maxEvtsUnderConstruction	unsigned long	64
BU	requestFIFOCapacity	unsigned long	1024
BU	I2O_RU_SEND_Packing	unsigned long	8
EVM	sendCreditsWithDispatchFrame	bool	false
EVM	I2O_RU_READOUT_Packing	unsigned long	8
EVM	I2O_TA_CREDIT_Packing	unsigned long	8
RU	fblockFIFOCapacity	unsigned long	16384

8 Table 1 Exported configuration parameters

9

10 The default values are set when the RU builder application is instantiated. The default values have been

11 chosen with the goal of covering the majority of use-cases for the RU builder. A user should rarely need

12 to diverge from these default values.

The for config	ollowing assumptions were made when uration parameters:	calculating the default values of the RU builder's
•	A RU builder is composed of 64 BUs and	64 RUs.
•	A RU has 64MB of physical memory for o	caching super-fragments
•	An event is 1MB	
•	An event is made up of 64 super-fragmer	nts (1 per RU) of equal size; therefore the size of a super-
	fragment is 16KB.	
•	The block size (size of an I2O message fr	ame used to transport event data) is 4KB
•	The RUIs only give as many events to the	RUs as the TA gives triggers to the EVM
•	The maximum number of FUs per BU is a	54
•	A FU will never have more than 1024 out	standing requests for events
•	Fast control messages are sent if they are	older than 1 second
•	The packing factor of fast control messag	es is 8
The ne builde	eed to know the total number of event ids r applications.	s in the RU builder is common to all three types of RU
•	The total number of event ids in the RU	builder is a function of RU memory. Assuming each RU
	has 64MB of memory for buffering super-	fragments and that the size of an event is 1 MB:
	BU, EVM & RU::nbEvtIdsInBuilde	er = sum of the memory of all RUs / size of an event
		= (64 × 64MB) / 1MB
		= 4096
The BI	Us, and EVM send fast control messages.	
•	Fast control messages are sent if they are	older than 1 second
	BU & EVM::ageMessages	= true
	BU & EVM::msgAgeLimitDtMSec	= 1000
~	It has been assumed that all events h	ave the fixed size of 1MB. If the RU builder is to build



It has been assumed that all events have the fixed size of 1MB. If the RU builder is to build events of varying sizes then the appropriate safety factor needs to be taken into account when calculating the number of event ids in the RU builder.

 To preven can acqui BU::max The block data. In t event data BU::blo A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	nt a BU from monopolizing event ids, each BU has a maximum number of event is re at any moment in time. Assuming all BUs are equal, each BU is allowed to acqu EvtsUnderConstruction = nbEvtIdsInBuilder / number of BUs = 4096 / 64 = 64 FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
can acqui BU::max • The block data. In t event data BU::blo • A BU has requestFIF assuming BU::dis BU::req The default values • The block RUI only worst case in the RU	re at any moment in time. Assuming all BUs are equal, each BU is allowed to acqu EvtsUnderConstruction = nbEvtIdsInBuilder / number of BUs = 4096 / 64 = 64 FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
BU::max The block data. In t event data BU::blo BU::blo BU::dis BU::req The default values The block RUI only worst case in the RU 	EvtsUnderConstruction = nbEvtIdsInBuilder / number of BUs = 4096 / 64 = 64 FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
 The block data. In t event data BU::blo A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	= 4096 / 64 = 64 FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
 The block data. In t event data BU::blo A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	= 64 FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
 The block data. In t event data BU::blo A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	FIFO of a BU (see figure 2 in section 3.2) is responsible for buffering incoming e he worst case this FIFO would have to buffer the blocks of all outstanding request
data. In t event data BU::blo • A BU has requestFIF assuming BU::dis BU::req The default values • The block RUI only worst case in the RU	he worst case this FIFO would have to buffer the blocks of all outstanding request
BU::blo A BU has requestFIF assuming BU::dis BU::req The default values • The block RUI only worst case in the RU	н. Табата (табата) (таба
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	ckFIFOCapacity = maxEvtIdsUnderConstruction ×
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	size of an event / block size
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	$= 64 \times 1 \text{ MB} / 4 \text{ KB}$
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	$= 64 \times 256$
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	= 16384
 A BU has requestFIF assuming BU::dis BU::req The default values The block RUI only worst case in the RU 	
requestFIF assuming BU::dis BU::req The default values • The block RUI only worst case in the RU	a single FIFO called discardFIFO for FU discard messages, and one FIFO per FU ca
BU::dis BU::req The default values • The block RUI only worst case in the RU	O for FU request messages. Knowing that a BU can service a maximum of 64 FUs
BU::dis BU::req The default values • The block RUI only worst case in the RU	that a single FU will never have more than 1024 outstanding requests for events:
BU::req The default values • The block RUI only worst case in the RU	cardFIFOCapacity = 1024 × maximum number of FUs
BU::req The default values • The block RUI only worst case in the RU	= 1024 × 64
BU::req The default values • The block RUI only worst case in the RU	= 65536
The default values • The block RUI only worst case in the RU	uestFIFOCapacity = 1024
The block RUI only worst case in the RU	of the RU exported parameters were calculated as follows:
 The block RUI only worst case in the RU 	
RUI only worst case in the RU	FIFO of the RU is responsible for buffering incoming super-fragment data. Assumi
worst case in the RU	gives as many super-fragments to a RU as the TA gives triggers to the EVM, then ir
in the RU	the blockFIFO must hold the blocks of as many super-fragments as there are even
	builder:
blockFI	FOCapacity = nbEvtIdsInBuilder × (size of a super-fragment / block size)
	$= 4096 \times (16 \text{K} / 4 \text{KB})$
	= 16384

43 problems with the RU builder.

9 How to obtain and build the RU builder

This chapter is divided into two sections. The first explains how to obtain the RU builder source code and the second explains how to build it. Both sections assume the following:

- The user has already installed version 3.1 of the XDAQ core framework
- The user has defined the shell environment variable **\$XDAQ_ROOT** to point to the root of their XDAQ installation, in other words their TriDAS directory
- The shell of the user is **tsch**
- The user accesses the CMS CVS server as an anonymous read-only user

9.1 Checking out the source code from CVS

The RU builder source code is stored in the CMS CVS server. For more information about this server, please look at the webpage <u>http://cmsdoc.cern.ch/cmsoo/projects/cvs_server.html</u>. You must login to the CMS CVS server if you wish to use it. To do so, enter the following:

```
setenv CVSROOT :pserver:anonymous@cmscvs.cern.ch:/cvs_server/repositories/TriDAS
cvs login
```

You will be prompted for a password:

CVS password:

26 Please enter:

1 2 3

4

5 6

7

8

9 10

11 12

13 14

15

16 17

18 19

21

23 24

25

27 28

29

98passwd

The RU builder source code needs to be placed in the directory **\$XDAQ_ROOT/daq/evb**. Enter the following commands to put it there using the CMS CVS server:

```
cd $XDAQ ROOT/..
34
         cvs export -r EVB_S_18305_V3_2 TriDAS/daq/evb
35
36
     The RU builder source code depends on two I2O interface files in the directory
37
     $XDAQ_ROOT/daq/interface. Enter the following commands to obtain these files from the CMS CVS
38
     server.
39
40
     cd $XDAQ_ROOT/..
41
     cvs export -r EVB_S_18305_V3_2 TriDAS/daq/interface/evb/include/i2oEVBMsgs.h
42
     cvs export -r EVB_S_18305_V3_2 TriDAS/daq/interface/shared/include/i2oXFunctionCodes.h
```



9.2 Building the application libraries

The RU builder is composed of seven XDAQ application libraries. There is one library for each of the RU builder applications: libBU.so, libEVM.so and libRU.so. Plus there is one library for each example application: libFU.so, libRUI.so and libTA.so. Finally, there is one library for the RUBuilderTester application. As its name suggests, this application performs the self test feature of the RU builder. The locations of the libraries are as follows:

TriDAS/daq/evb/bu/lib/linux/x86/libBU.so TriDAS/daq/evb/evm/lib/linux/x86/libEVM.so TriDAS/daq/evb/ru/lib/linux/x86/libRU.so

```
TriDAS/daq/evb/examples/fu/lib/linux/x86/libFU.so
TriDAS/daq/evb/examples/rui/lib/linux/x86/libRUI.so
TriDAS/daq/evb/examples/ta/lib/linux/x86/libTA.so
```

TriDAS/daq/evb/rubuildertester/lib/linux/x86/libRUBuilderTester.so

Enter the following to build these libraries:

cd \$XDAQ_ROOT/daq/evb make

```
23
24
```

28

35

36 37

40 41

42

43

1

8 9

10

11

12 13

14

15

16 17

18 19

20 21

22

25 10RU builder self test

This section explains how to perform the self test of the RU builder. This test helps determine whether or not the RU builder has been successfully installed.

The self test consists of the RUBuilderTester application plus one EVM, one RU and one BU all running on the same XDAQ executive. The EVM is told to generate dummy triggers, the RU is told to generate dummy super-fragments and the BU is told to drop the events it builds. The step by step instructions to run the self test are:

34 Step 1

Obtain and build the RU builder. See section 9 for instructions.

Step 2

- Open a terminal and create the XML configuration file for the self test by typing:
 - cd \$XDAQ_ROOT/daq/evb/xml
 - ./produceSelfTestXml.pl HOST PORT \$XDAQ_ROOT 1x1SingleXDAQ.template.xml > 1x1SingleXDAQ.xml
- 44 Where **HOST** and **PORT** indicate the port on which the executive shall service HTTP requests.



10 RU builder self test User Manual

Step 3

1

2

3

Run the XDAQ executive by typing :

\$XDAQ_ROOT/daq/xdaq/bin/linux/x86/xdaq.sh -h HOST -p PORT -c 1x1SingleXDAQ.xml

Where **HOST** and **PORT** are the same as those given in step 2.

Step 4

Open a web browser and enter the following URL

http://HOST:PORT

Where *HOST* and *PORT* are the same as those of steps 2 and 3.

You should now see the HyperDAQ page of the XDAQ executive you started in step 3. It should look similar to the following screenshot.

HyperDAQ http://localhost:65432 urn:xdaq-application:lid=3 PeerTransportHTTP PeerTransportFifo HyperDAQ Control Panel Executive XRelay urn:xdaq-application:lid=0 urn:xdaq-application:lid=1 urn:xdaq-application:lid=8 urn:xdaq-application:lid=3 urn:xdaq-application:lid=4 RUB Test RUBuilderTester EVM RU BU XMem um:xdaq-application:lid=5 um:xdaq-application:lid=12 um:xdaq-application:lid=12 um:xdaq-application:lid=14-um:xdaq-application:lid=15

36 Figure 11 HyperDAQ web page for self test

32



Step 5

1

2

3

- Go to the default web page of the RUBuilderTester application by clicking on the "RUBuilderTester" link.
- Your web browser should now display something similar to:

4			
5	RUB		T BT
6	Test		Tarket.
7			
8			
9	start stop		
10	EVMO	EVM0	
11	eventNb 0	state	Halted
12		deltaT	1.009878e+00
13		deltaN	0
14			
15			
16		deltaSumOfSizes	0
17		throughput	0 MB/s
18		average	DIV BY 0
19		rate	0 KHz
20		rms	
20		1113	DIVDIV
22		19850/2012/00/10	
20		<u>RU0</u>	
24	state	Halted	
20	2.111.12.00		
26			

27 Figure 12 RUBuilderTester web page

28

29 Step 6

30

31 Start the self test by clicking the "start" button. Clicking the refresh button of your browser should show 32 events being built. For example the "eventNb" variable of the EVM0 should increment.



11 Configuration guidelines

This chapter summarizes and highlights the most important points with regards to configuring the RU builder.

The default values of the RU builder control parameters have been chosen for the majority of use-cases. The user should rarely need to diverge from these values.

The RU builder is dependent on the instance numbers of the BUs, EVM, FUs, RUs, and TA:

- RUs must be assigned instance numbers from 0 to the number of RUs 1
- BUs must be assigned instance number from 0 to the number of BUs 1
- The EVM must be assigned instance number 0
- The TA must be assigned instance number 0

The RU builder has the following configuration restrictions:

- A single BU can service a maximum of 64 FUs.
- The sum of the maximum number of event ids each BU can have at any moment in time (BU::maxEvtsUnderConstruction) must not exceed the total number of event ids in the RU builder (BU, EVM, RU::nbEvtIdsInBuilder). If this is the case, then there is no guarantee that the EVM will be able to buffer BU requests for event ids, or that the RUs will be able to buffer BU requests for event data.
 - The configuration parameters of a RU builder application must be set before it is configured.

13

14

15

16 17 18