



The pleasure of discovery...

The pleasure of discovery... The THOMSON catalogue offers you a selection of THOMSON products available in Europe. It does not represent any commitment to supply all of these products, as some may not be marketed locally, may not be available at the time the catalogue is published or may be out of stock. Irrespective of performance, these products are aimed at the general market and are not intended for professional use. Given the changing nature of technological development, the information and presentations in this brochure are for indicative purposes only and are not binding in any way. Please contact your dealer for information on the features and availability of the products you are interested in.



Nathalie Fraysse Design and production Publicis - Mundocom **Product photography** Thierry Laroche Indoor photography Tim Evan Cook **Underwater pictures:** Getty Images Stylism: Cinna • Emilio Robba • Falke • Kiabi • Krizia Uomo • Muji • Paraboot @ 2003 THOMSON All rights reserved No reproduction in whole or in part is permitted without authorisation.

Co-ordination

Dolby, Dolby Pro Logic, Dolby Digital and the double D symbol are registered trademarks of Dolby Laboratories Licensing Corporation. Copyright 1992-1997 Dolby Laboratories Inc. All rights reserved. DTS, DTS Digital Out and DTS Surround are registered trademarks of Digital Theater Systems Inc. The MPEG-2 audio logo is a registered trademark of PHILIPS corp. MultiMediaCard is a registered trademark of SanDisk Corporation, USA. ShowView® is a registered trademark of Gemstar Development Corporation, Pasadena, USA. Real G2® RealAudio® RealJukebox® and RealNetworks® are registered trademarks of Realnetworks, Inc. MusicMatch Jukebox® is a registered trademark of MusicMatch. Windows Media Audio® is a registered trademark of Microsoft Corp.



THOMSON

Feeling takes on a new dimension

Beware! You are entering a world in which each experience is amplified. A world that makes unprecedented demands on your senses, where what you see and what you hear compel emotions never experienced before. A world where design meshes perfectly with technology. As you scan these pages, you will discover that THOMSON has embodied in its products the same expertise, the same desire to excel. To ensure that your relationship with the object of your choice is pure enjoyment.

This catalogue is a meeting-place between THOMSON and its public. In its continual search to better meet your wishes, THOMSON has perfected its product range so that you can find your natural place in it. We have broken down the products into three major families. All of them embody the common wish to offer the highest quality of sound and image.



Experience Home Cinema as never before







Designed especially with you in mind





On the move

Cinema is becoming an ordinary feature of home life, thereby radically reshaping your entire relationship with sound and image. Can one still speak of television? Any distance there may have been between you and what you are watching disappears. You are immersed in the image, absorbed in the sound. With THOMSON Scenium, start-of-the-art technology is combined with the most carefully-tailored aesthetics: Home Cinema has reached the summit of its art.

These are objects to desire. They bring lightness to life; they accommodate your every whim; they are changeable, mobile and so practical that using them is literally child's play. Their colourful, rounded design strikes notes of joy in everyday life. THOMSON Life is a state of mind that goes so well with your own.





You navigate in technology with the ease of a fish in water, you are connected world-wide; for you, music is the fifth element, THOMSON Lyra offers your hearing a boundless digital-audio universe. The mp3 format gives you the fullest freedom to listen to, receive, exchange and store works.









THOMSONSCENIUM

Experience Home Cinema like never before

Home Cinema is becoming a household word. Look forward to an extraordinary experience. The quality of the Hi-Pix high-definition image and
Digital Pure Sound bring you sensations as intense as the cinema.
The intensity of feeling is there, and you have already forgotten
what went before. THOMSON Scenium has orchestrated this magic with
a prestigious collection: plasma and LCD screens, 16/9 televisions with
extra-flat screens, rear projectors, DVD players, ampli-tuner and speaker
kits to boost the sound tenfold. Such sheer technological sophistication
called for out-of-the-ordinary design. The elegance and purity of
the styling and the highest-quality materials conspire to satisfy all
your senses.



DESIGN


by THOMSON SCENIUM

To fit in with your home décor, each THOMSON Scenium element is housed in a design to match its technology. At the very first glance, you realise you are in the presence of an exceptional object. The horizontal lines, the studied harmony of the proportions, screens virtually without limit, finishes perfected down to the smallest detail, the attention to materials: brushed aluminium, mirrors emphasising horizontals, black gloss paintwork... everything speaks of purity and modern style.





All THOMSON Scenium products offer the beholder the same perfect accord between technology and aesthetics. A consistently elegant, pared-down design pervades the whole range.




THE IMAGE

by THOMSON SCENIUM

THOMSON has accomplished a multitude of technological feats to offer you an image as beautiful as you get at the cinema. Thanks to plasma technology, screens have been designed of perfect flatness, of a revolutionary thinness, that impart to images a fascinating intensity. Another technological prowess that is causing people's habits to change radically is the LCD screen (with built-in DVD player). Incredibly light, it can follow you from room to room, into your study, bedroom or drawing room... You can even hang it on the wall, and you will then be entranced by the magic impression that the image is coming directly out of it.






The large-format THOMSON Scenium screens, like the 61" rear projector, afford brightness, contrast and definition that are exceptional for such large dimensions.


With the 100 Hz Hi-Pix technology, the video signal is raised from 320 to 800 points per line, while the image achieves never-before-reached precision and fineness of detail. Furthermore, colour sampling rate is doubled, enhancing the colours' vividness and contrast.





A sound universe of extreme immediacy and purity pervades your drawing room... wowing even those with the most demanding ear. This has involved the latest technological innovations. The Dolby amps with built-in DVD players offer commendably convergent solutions. They are equipped with all the processes to be found in today's cinemas: DTS, Dolby Digital and Dolby ProLogic II, all of which recreate in your own home the inimitable acoustics of cinema sound.





AUDIO AND VIDEO

by THOMSON SCENIUM



Enjoying television in total freedom, without your having to find the time or be available: this you will discover with the THOMSON Scenium range of digital audiovideo recorders. For the first time, with

the combined hard disk drive recorder and DVD player, you are free to watch your programme whenever suits you. If you are interrupted, you can freeze the broadcast and then resume watching later as though you were watching live, thanks to the TV Live Pause function which allows you to record and play back simultaneously. Another innovation is going to change your relationship with television: the new DVD recorder. Equipped with the Naviclick programme guide, it easily records your favourite television programmes in digital quality, with a choice of 6 quality levels (up to 8 hours on a DVD). Its front-face USB input can be used to connect a Memory Card reader, enabling you to easily read and transfer your JPEG-format digital photographs and mp3 files to your DVD disks.

MAKE YOUR CINEMA A LIVE EVENT

by THOMSON SCENIUM



Your Home Cinema unit is always made up of a 16/9 screen, DVD player, pack of 5 speakers and a subwoofer, an amplituner and connector cables for all the elements.





Soon, in the comfort of your drawing room, you will be able at a single gesture to order the show to begin. Both sound and image will take you by storm. A new height of sensation is at your doorstep. But first, you will compose your Home Cinema kit. Depending on the space you have available, THOMSON Scenium's advisers will help you find what suits you best.





All the kits are designed to provide you with maximum user convenience. The new THOMSON Scenium remote control incorporates all the functions that make your relationship with your Home Cinema system easier and more free-flowing.









A wide range of cables and connectors enables all products to interconnect and renders them all compatible. Considerable care has also been taken to ensure consistency in the design of each unit, so as to enhance technical performance. The top-of-the-range styling of your Home Cinema system will make it blend in with the decoration of your drawing room.



THOMSON LIFE

Designed especially for you

Take a large quantity of imagination, add a healthy dose of unorthodoxy, sprinkle the whole with a good-humoured pinch of salt and house it with practical good sense: such is the THOMSON Life range. A whole collection of appetising objects that fit in to perfection with your personality and lifestyle. Why do THOMSON Life products have such great appeal? Their rounded styling, zesty colours, unexpected materials and irresistible looks; their wandering ways, enabling you to carrying them with you everywhere; and some staggering technological qualities, given their compactness. These are fun and companionable objects that inject gaiety into everyday life.

THOMSON LIFE









"Digital Station" is a 14" portable television set with built-in DVD player, CD audio and CD-R / mp3. It transforms effortlessly into a TV tuner, DVD film screen and Music PlayBack station. With its stereo quality sound reproduction, and fine, sharply-contrasted image, this is a must for you!

AM 2180 Micro System
Stunning to look at, with its mirror
front face and its removable panel
masking the controls, this is just as
stunning to listen to with the
generous, powerful sound from its
two 25-Watt speakers, their equaliser
and a boomer. Nothing short of a tour
de force for a particularly compact
micro system.





Portable, lightweight, with aesthetics giving a new look to the television as an object, THOMSON Life televisions are so much a part of your everyday life that they follow you wherever you live: into the bedroom, kitchen, study or playroom... You ought to give them a closer look: they have many surprises in store for you.



The star wanderers are "Iced Sugar" and "Xinox". Their handle is an invitation to carry them about; "Xinox" is particularly at ease in the kitchen. "Iced Sugar" is ready to follow you aboard a caravan or boat thanks to its 12/24V function (you just need to connect it to a battery). A waterproof remote control to withstand splashes of water and grease leaves the way open for every adventure!



As easy as pie, the 14" combined TV/VCRs. "Fizzy", with its Kid Pass function to monitor the time kids spend in front of the television, and the "Show View" function to simplify recording of broadcasts. "Tekno", with its rounded forms and metal finish, offers "intelligent" navigation using the Naviclick programming system.





The three 14" "Halo" portable television sets have a phosphorescent rear shell and remote control that glow in the dark. Choose the colour of your dreams: white, yellow or mauve.



Another wandering kind, the TM9140 radio-cassette CD is particularly compact and packs a punch: the Twinbass function boosts the sound power through better bass separation. The sound is clearer, more dynamic, more intense.



The ultra-sophisticated "Deeply Blue" CD player boasts a high-performance shockproofing system, a control locking function and over 20 hours' battery life. The practical, comfortable E-clipz earphone attachments clip onto each ear.



THOMSONLYRA

On the move

"Never without my music, never without my images", is what you say. We hear you. Technological innovation is what THOMSON Lyra products are about. Check out the THOMSON A/V jukebox which allows you to not only store and listen to music, but to store and VIEW video content, digital photos and computer files on a portable screen. As co-inventor of the mp3 and mp3PRO formats, THOMSON knows what you want and the best way to give it to you: digital sound quality, user convenience, immense storage capacities and innovation. Of course, these features come in compact designs, perfect for your lifestyle. Feel free to travel as you will... wherever you qo, so will your THOMSON Lyra.


THOMSONLYRA

Mp3 compression format reduces the weight of a music file by 10, while supplying CD quality digital sound.









The latest Lyra breakthrough is the PDP 2860. Equipped with a 20 Gb hard disk, it can store music, videos, digital photos and computer files. Its capabilities are amazing. Store up to 600 hours of music (mp3 format) or 80 hours of video (Mpeg 4 format). Record video directly from a TV, transfer pictures directly from a digital camera or download audio or video content on your computer. The ultimate portable digital product.

Surprisingly light, but with a 64Mb built-in memory that allows you to play up to 2 hours of music (mp3 format). Its "plug and play" capability means that when plugged in to the computer, it is automatically recognised and ready to go.



With mp3, you can transfer sound files from one digital medium to another, and make your own compilations. With mp3PR0 technology, music storage capability is doubled as the the compression format halves the audio tracks. Storage capacity is doubled, while sound quality maintained. mp3PR0 is also backward and forward compatible with THOMSON Lyra players.









Another option for the digital music fan is the PDP 2840 Personal Jukebox. This jukebox boasts a 206b hard disk drive that can store upwards of 600 hours of music (based on 64kb bitrate mp3PRO)

This jukebox also understands that with 600 hours of music comes the need for organisation. Its' LCD screen displays the name of the artist, the title and playing time.



100 Hz Intelligent

a more stable picture and second. 100 Hz Intelligent receiver provides a picture scanned at 25 times a A normal television greater viewing comfort. to reduce flicker and obtain digital technologies used Mastering, adapted from for picture processing,

editing or for analysing a slow motion (useful for both normal and long play provide optimum quality for scene). The video recorders perfect freeze frames and Video recorders allow The four heads on THOMSON

Disc Resume Memory

and allow you to pick up films where you left off. on the last five discs you stopped playback The DVD player will remember exactly where

4 video heads and 2 audio 6 heads 6 head video recorders have recorders have hi-fi stereo heads. All of these video

signal level is too low. Signal level is defined by European norms (Automatic Level Control): stops transmission if audio

reduces surrounding noise; (Active Noise Control)

> assign a number to each Afterwards, you simply all available TV channels. Auto Install (Automatic installation, the Auto During television and VCR Channel Programming) television to find and store Install function enables the

Auto Install +

automatically finds, stores and classifies the available or the television During installation, the VCR

> contrast (+15%), a much screen definition, improved brighter, gives a better

lower amount of reflection

colours are clearer and taceplate ensures that

Auto Long Play

will not be cut off. switches to long play recorder automatically programmed is greater than When the length of the cassette, the video the time left on the recording which has been The show you are recording the length of the cassette). recording (doubles

On certain DVD disks, the

Camera Angle

Auto Phase adjustment

of pre-recorded tapes. optimises viewing Ihis function automatically

Auto Sequence Memory

of these sequences selected. Auto Sequence each sequence and the order beginning and the end of allows you to edit control the copying sequences from one video on to the second video need to do is indicate the Auto Sequence Memory recorder without any Yemory will automatically recorder to another. All you

a new very dark glass gives a better distribution of the image in the tube, the Black PEARL tube's dark considerably improves The Black PEARL tube has the image quality on your television. Together with raceplate which the new electron gun, which

giving a direct fronta Digital Pure Sound

sound can also be delivered. Dolby Surround Pro Logic® digital, CD-quality sound Digital Stereo Sound: or listening and recording

geometry and convergence.

incomparable image

rom the screen and an

Digital Vision Mastering 100 Hz — 50 Hz

same scene may have been filmed from different 50 Hz mode. The image This process doubles

Channel Lock

then be selected. camera angles which can

channels). It is necessary the channel again to enter your confidential partially locked (individua code in order to watch the television can be

Child Protection Lock

using the remote control. only be turned on again by control. The television can button on the remote totally by pressing a The television can be locked

Cinerama Zoom

4/3 broadcasting formats, your 16/9 screen, even with To take full advantage of

> or photo by photo. on CD-R either as slide show a perfect stability, vivid on your TV screen with and enjoy your pictures Connect your digital camera colours and incredible

and clearest sound, with and powerfull BASS effect or a cinema sensation. a unique Boomer system Enjoy the most natural

Digital Stereo Sound

and realistic. It also vertical resolution using its PSI (Picture Signal providing a more stable, doubles image refresh rate in the DVM 100 Hz mode, is much more detailed Digital Vision Mastering mproved using the original s also systematically ich and clear image. mprovement) process. lorizontal resolution

Dolby Digital®

3 front, 2 rear surround speakers and subwoofer. in 5.1 discrete channels: the incredible theatre sound Sound format recreating

Dolby ProLogic II

this new format allows you Jolby Pro Logic® standard, The next evolution in the

> the DVD-Audio compatible lower distortion rate better signal to noise ratio 192 KHz/24 bits processor. the new advanced receiver is equipped with

Dynamic Bass

A new sound processing to boost bass effects and to enlarge the bass restitution armosphere. to enjoy an incredible sound

e.clipz

Clip on earphones, more comfortable and convenient.

audio systems (mini/micro of electricity. reduced to avoid wastage mode has been much consumption in standby systems) energy For DVD players, VCRs and

Fast 24 hour timer Express Programme

by turning the shuttle ring on your VCR. turning on the TV, just programming without

Flash Card Reader

A useful accessory to plug your home video/audio unit from your memory card to transferring photos or music into the to a USB port for

Front Connection Jacks Video In, S-Video in, Ideo recorders udio L/R in, Headphones

lhe audio and video jacks

blossary

Cinema, Dolby Digital™, DTS™, THX™, etc., formats. centre, rear left and rear channel to enable right) + 1 subwooter Lonnection for five to all types of Home the device to be adapted 5 + 1 ready

a cigarette lighter plug (mobile home, boat, car, etc.) thanks to its 12 V function. connected to a battery with The television may be

100Hz Digital Vision

and perfect rendering optimises the image system, a Digital process of fast moving images improved picture stability quality: no image flickering, In addition to HI-FOCUS

00 Hz HI-FOCUS

viewing comfort. A specific stable picture and greater A normal television receiver movement, bad reception... Motion Adaptive noise Hicker and obtain a more scanning speed to reduce processing, doubles the adapted from digital at 25 times a second. 100 Hz the pictures in case of fast Intelligent Mastering, provides a picture scanned reduction reduce noises on rechnologies used for picture

00 Hz HI-PIX

pixels by line, picture quality is closed to High-definition By doubling the number of

> at the exact level to the noise, a special electronic a built-in microphone extra, unwanted noise. speaker, which cancels the the exact opposite sound circuit analyses the received signal and sends

Antishock ESPXTREME 180"

a full song. There is no more limit for the usage your activity to the Xtreme up to 180 seconds meaning personal CD can easily store sytem allows you to extend running, Jumping, playing, travelling... This antishock you can enjoy it while of your personal CD; With this feature, your

Audio Dubbing

a new sound track (by using a microphone of a video recording with recorder to a stereo). or by connecting the video replacing the original sound Audio dubbing consists in

programmes in 16:9 format and playback these and allows you to record A signal is used to identify programmes in the correct

Auto Format

switches to 16:9 format and When receiving programmes is being broadcast), the in 16:9 "letter box" format from the top and bottom of the black bands disappear relevision automatically (if the appropriate signal

and enhances picture

improves colour separation

contrast and a very bright contrast. It gives very high

image across the entire

Black Matrix technology stability over time. The purity of colours and their quality and ensures the additional manipulation

Autoclock Setting

exactly (date and time). video recorder's clock to be set automatically and This function allows the

Autotuning

no manual adjust. to the best, most clear frequency. This feature is automatic and requires Automatic adjustment

AV Timer

A recording can be started automatically by some satellite or cable decoders

Bit Rate Stream in Mbit/sec

Data recording speed

super-flat surface of the colour resolution. The incomparable quality and with enhanced contrast, and gives you a bright picture Black DIVA tube tube gives an excellent The Black DIVA. cinema tube ımage sharpness and very

Navilight menu. using the television's assistance can be accessed lelephone or Internet

which contributes to the

tube uses a very dark glass high viewing comfort. This

improvement of the image

Digital PhotoView

photos recordeo to directly display JPEG Your DVD player is abl

of the screen, THOMSON eliminates distortion at the are equipped with a zoom widescreen televisions and view the picture across when the full-screen mode by stretching the image centre of the screen caused Cinerama Zoom completely the image horizontally. unction to stretch the entire surface

> notes, allowing you to hear tor transmission of treble

The dome is the ideal form

Dome Tweeter

their purity.

even from a stereo source. environment in 5 channels to recreate a sound

and interchangeable. of times, and is both stable offers a pure sound and car memory card fits in the be re-recorded any number up to two hours of music. It 64Mb capacity can contain palm of your hand, yet its The Compact Flash 🖪 Compact Flash 🏽

environments: Arena, Church, Stadium, Club, Theatre.

Digital signal processing allows you to recreate sound

frequency response and the sound quality.

at high sound level

reduces ear compression

(Dynamic Sound Device)

and improves the bass

(Y, Pr, Pb/Y/Cb/Cr)

or video projectors). projectors, plasma screens connectors. (e.g. Some LCD which do not have Scart RGB to some types of monitors DVD player, when connected picture quality from your to have the best possible nese connectors allow you

Digital® sound, through

characteristics to Dolby

process, to allow high a reduced compression

perrormance.

used in movie theatres,

channel surround sound latest technologies for 5.1 DTS, also derived from the

offers similar

Contact us

DVD Audio

a DVD audio player. experienced in the home in the highest quality ye uncompressed sound DVD to give multi-channel DVD audio discs require builds on the success of A new audio format which

DVD Audio Compatibility

UVU-Audio sound nigher dynamic sound, performances (more details lo enjoy fully of the new

of TV at the touch of a button, record and playback at the same time, pause live TV and archive your photos or files, with instant access to all your recordings.

Help Mode

A user-friendly, super-easy interface explains the function of each key on the display of the Hi-Fi system, providing you with a builtin user's manual.

Home Cinema

Recreates visual and audio sensations normally found in a movie theatre. Easy to install and use, THOMSON Home Cinema products integrate the latest digital technologies.

ndex Search

The Index Search System gives you quick and easy access to the beginning of your recordings.

Interactive Menu Control

are displayed, for example, automatically as well as the cassette is indicated been used, the length of settings available have setting overlaps another, or when one programme make using your video menus and instructions on system which appears on the amount of time left on when all programme recorder easier. Messages your television screen and the screen to display help This is an interactive menu

Learning

Remote control function that allows specific functions from different remotes to be copied to a "master" remote in order to consolidate functions.

Live Pause Recording

Allows you to pause the TV programme you are watching and then start it from where you paused, if you are interrupted by a phone call for example. You do not need to wait till the end of the film as you would if you started recording with a VCR for example.

Long Play Mode

This facility doubles the recording time of a tape compared to standard mode [5P] (for example, a recording time of 6 hours on a VHS E-180 cassette).

Macro Functions

Programme that lets consumers store a sequence of keystrokes (ie, "all devices on/off"; for an easier control of multidevice equipment).

Mode +

On a 2 or 3 in 1 remote
control Mode + allows the
consumer to choose the 2nd
or 3rd device to control
with dedicated Mode+
button. Mode + is adapted
to meet the equipment
diversity found in many
consumers' homes

your VCR and are compatible with most commercially available TV sets.

Multi-brand TV-Audio system Remote control

Allows you to control your TV and your HiFi system as well as your DVD player.

Music Match™

Music file software that transforms your computer into a real jukebox. Use it to create compilations from your CD collection or from mp3 files downloaded from the Internet.

Mylar Dome

Membrane-like material which improves high frequency performance.

Z

Vaviclick

a programme, which the simple clicks, programming session. Naviclick: with two control to end your on the OK key of the remote programming, simply click programming sequence. automatically in its HDD/DVD unit then stores DVD Recoder or the programmes. This makes A simple press of a key on When you're done it easy for you to select the list of upcoming the remote control displays nas never been easier!

NAVILIGHT System™ (television)

The new generation of user interfaces providing user-friendly, intuitive

to remember to set the video recorder channel to the one you want to record.

LAM

The NICAM process consists in transmitting a digital sound of audio CD quality via an analogue channel in addition to the usual mono sound. Films, sports events or concerts encoded in Dolby Surround® can also be received, which allows you to use the Dolby Surround Pro Logic® function or the Virtual Dolby Surround function integrated in some televisions.

Nicam Hi-fi Stereo

This allows you to play back or record programmes in Hi-Fi stereo and Dolby Surround® which are broadcast in Nicam with CD quality sound.

NTSC Playback to PAL TV

of the player, even or from Japan. Hi-fi with a PAL television on all models: allows you corresponds to tha the regional code in NTSC format where you to play any disk For DVD players, record) in Stereo/Hi-fi. systems can play from the United States in NTSC format which comes This function is available his function allows and on some models, o play or record a cassette

FC

Oxygen Free Copper refers to a type of cable used on

reinforcing blacks and revealing whites.

Perfect picture freeze This function is used

This function is used to obtain exact picture freezing with no image distortion.

Perfect Picture System

This optimisation process for video circuits and automatic alignment of playback heads gives you even better image quality.

Personal Settings for Picture and Sound The latest generation of

and b programmable sound and personal mode) and picture characteristics choose the sound watching, you can instantly what programme you are standard, optimised and presets (film, music, voice studio, sport, standard, simply and clearly with exchange information Navilight interface lets you personal modeJ. No matter picture presets (film, comes with 5 programmable rhat best suit your needs. your television set. It The latest generation of the

Picture Freeze

Because it records images, the 100 Hz Motion
Mastering technology
allows you to freeze
an image of a show that
you are watching if you want
to write down a telephone
number, an address or to
simply look closely at a
detail of the frozen image.
All you need to do this
is press a button
on the remote control.

6lossary

video recorders allow you on the front of THOMSON other devices. having to turn the VCR accessible, they avoid directly to the front. Easily to connect portable devices round when connecting

and are therefore easily possibilities. These jacks are connected on the front headphone or a video game accessible. They allow you or the side of the television to connect a camcorder, a many connection THOMSON televisions offer The connection jacks on

Full Index System (index/marker system

system then gives you last, sequence. The index search beginning of a film or simple access to selected allows you to mark the recordings on the tape. The Full Index System

Graphic equaliser

of the sound reproduction. tune the frequency response Feature used to manually

Hard Disc Drive (HDD)

allows you to record hours and audio recorder that A new type of home video

of each track automatically. allows you to find the audio CD uses this function Your DVD player or persona track you want to listen to. to play the first 10 seconds The Intro Scan function

Infra Red transmission

of all barriers. can travel up to 9 m clear transmission. IR signals Type of wireless

nvar Mask

and stability. exceptional colour purity image quality and provides The Invar mask improves

Jog and Shuttle Ring

a particular image with very player) allows you to select frame using the "Jog"). ring, advance frame by video recorder or DVD to see using the "Shuttle" high precision (quick access (which is on the front of the to the image you wish The Jog and Shuttle ring

Kid Pass

automatically turn off once and the television will of time per day assign a certain amount preferences. Parents can children to manage their combination has a real Equipped with the Kid Pass this time has been used. function, the TV-VCR reaching role. It teaches

> or cable box, or DVDJ. or 2nd satellite receiver, VCR but satellite receiver, (ie 2nd/3rd devices are not

size by a factor of 12 while quality. Using mp3, music with digital sound quality still maintaining audio audio compression developed by Thomson. This compression format jointly mp3 is the audio may be delivered on the technique reduces music file

Internet and downloaded.

stored on a memory card. as much music can be same digital quality, twice powerful: mp3 Pro. With the standard that is twice as After the mp3 format, Thomson launched a new

Multimedia Pack

of your computer with the sound quality of your audio system. The CD-ROM Music or download music Combine the performances from the Internet. your music library, store your favourite pieces rom your CD collection Yatch helps you to manage

Multi-TV Remote Control

you to control both your video recorder or DVD well as most other brands). player and your television Ihis remote control allows THOMSON televisions as

Remote Lontrol Multi-brand TV-VCR

controls allow you to control Multi-brand TV-VCR remote

> NaviLight system™ lets you enter the world of your TV navigation which is fun to guide you very rapidly. simple press of a key use, with colours attributed appear on the screen in the set: all the functions on the remote control unit, to each adjustment. At the orm of illustrations that

Neodynium Magnet

and treble performance. to improve both bass High quality magnet used

NexTView Link (television)

simply by pressing a key or more of these broadcasts on the remote control unit. video recorder for one nstantly programme your are announced on your When Forthcoming relevision programmes elevision screen you can

recorder NexTView Link (video

a NexTView TV set. Finally automatically starts and in the same order. a programme in a nurry, appearing on the screen, selecting the TV channel record function the 505 (Snap-On-Screen) a video recorder from allows you to programme on the TV set and installs recognises the channels you start recording and starts recording. up the video recorder, In addition, NexTView Link them automatically the video recorder Using this function, -rom then on, when

> conductivity for superior sound resolution. mproves electrical neadphones. This material

On-Screen Menu System

the operation of the device. the user with information on Ihis menu system guides

Optical in/out

output allows to connect quality dubbing. surround sound. Optical Optical input allows recorder or MD, for digital recordable devices like CD growing number of box to enjoy digital devices like satellite/cable connecting compatible

Pan-European

are compatible with the and I standards. Pal/Secam BG, DKK', LL' Pan-European tuners

PAP (Picture and Picture)

are slightly compressed two active images that The screen is divided into

PAT (Picture and Text)

compressed and a full page of text. image that is slightly wo sections: an active The screen is divided into

Perfect Contrast 1

reinforcing blacks. image contrast by his process improves

Perfect Contrast 2

mage contrast by his process improves

player with Component screens or video projectors). LCD projectors, Plasma high end monitors (some output to some TV or other

Signal Improvement horizontal image resolution systematically improves The PSI process (Picture thanks to:

Contrast Expand

 Natural Green/Blue contrasts for blacks and This process improves the

This function makes greens

and blues appear natural. helps improve the definition transitions between colours This digital processing of Improvement Transient Colour

Vertical Picking

and sharpness of the image.

up the image. horizontal lines that make This process improves the

Punch-Ihrough Sound

sound level regardless of gives direct access to selected mode/used device On a remote control, this

Punch-Through VCR/DVD

gives direct access to VCR On a remote control, this regardless of selected or UVD main functions, mode/used device.

providing you with the best Exclusive THOMSON process Intelligent Noise Reduction mages. Ihanks to the unction, interference

> allow you to pick up films where you left off. you stopped playback and remember exactly where

RDS (Radio Data System

signal: the station name, being received to add for example) and time. the singer and song title, type of programme, text information to the FM Allows the radio station

RGB Connection Jacks The RGB video output

advantage of the digital image quality available on Digital VHS and DVD. allows you to take full

Satellite Receiver/Cable

changes on the satellite satellite. The video recorder recording on cable and is sufficient for error-free Une programming action eceiver or cable. controls and stores channel

Scene Again

see the last scene again, it you missed what happened. DVD player remote control to ust press one key on your

Shielding

are amplifying. By shielding speakers, interference with speakers and the consumer picture or image reception electronic device the speaker providing a barrier between Speaker shielding means the magnets utilised in prevented.

Show ViewTM

programme a recording This function allows you to

> without having to increase track, even at low volume, dynamics of the sound advantage of the full to special effects. tor dialogue in relation the sound volume

Subwoofer

specifically dedicated High quality speaker is essential to enjoy a high (below 80 Hz). The subwooter requency audio information to reproduction of low dome Linema sound.

Reflex System Subwoofer with Bass

of very good sound quality. allows for a perfect rendering of low frequencies which are the main elements a total power of 80 watts. located on top of the set Furthermore, the Subwoofer The television set has

Synchro-Scan

of your movies. enjoy 1.5 more detailed your TV and automatically with component output to pictures than using a scart To connect your DVD device the real digital definition RGB) connection, to enjoy

Teletext

of information (weather, service is a database names (Top Text, Fast Text, countries under different Floftext, Video lext), television channels. This that is offered by Teletext is a tree service Used in a number of

> videosenders in order to headphones or reduce any interterence.

TruSurround™ Sound

audio disks, as if using rear or Dolby Surround or CDspeakers, even with a TV sound when listening or hi-ti stereo unit. to DVD DoIby Digital™ bives a virtual ambient

dynamic and powerful. New technology diameter, the sound is more with special length and separate enclosure and power, better sound with recorders bringing more thanks to bass reflex ports cach speaker box has mplemented in Radio better bass separation.

UHF transmission

transmission. UHF up to 80m through barriers. rransmission, able to trave or videosender, 2.4 GHz to 80m through barriers. transmissions can travel up Wireless 863 or 433 MHz Audio-video wireless

or music files from device you can transfer photos memory card reader to your to a computer or from a data from a video camera Useful for transmitting JVD/HDD unit. In this way Universal Serial Bus

by Microsoft. format developed This is a music compression (Windows Media Audio)

Your DVD player can select the part of the image to be or movement mode. zoomed (x2 or x4), in pause

Zoom (TV

of 6 zooms to take equipped with a full range programmes broadcast in advantage of a screen in 16:9 format, even with THOMSON televisions are

- 4:3 The image is displayed as it would be on a 4:3 relevision.
- a 4:3 image so that it takes - 14:9 Letterbox — Enlarges up most of the screen.
- up all of the screen. a 4:3 image so that it takes - 16:9 Letterbox - Enlarges
- subtitles The image is - 16:9 Letterbox with raised in order to see the
- are stretched while leaving - Linerama - Image edges unchanged and keeping the same proportions. the central section
- switch the television allows you to manually - 16:9 Format - This mode in 16:9 is not signalled to real 16:9 format when the source being broadcast

6lossary

programme being watched, this function allows a in the corner of the screen. displayed second programme to be PIP (Picture in Picture) In addition to the

Programme Info

and VCR have the NexTView automatically when the ends, and the name of the next programme. With the A simple press of the select a programme, and it Link, you can also simply Finally, if your television select a programme from broadcast by the station in programmes that will be List function (blue key), programme started and programme, the time the control gives you access will be taped automatically. programme is broadcast. will be switched on this list. Your television the next few days, and you can review the to the name of the current yellow key on the remote

Progressive Scan

displayed on the screen. To enjoy the real digital picture definition of your brightness of the picture. definition and improves the Each 1/50-second, all the whole picture is displayed picture is stored and the With this process, each half DVD movies, connect your This doubles the vertical lines of the pictures are line per line, progressively.

> and movements. automatically reduced. caused by bad reception is into account noise the image as it takes This function improves

irrespective of the video to digital signals (MPEG2) converts analogue signals Encoding / Decoding" source. This function The "Realtime MPEG2 Encoding/Decoding Realtime MPEG2 full advantage of digital runction allows you to take

Rear Connection Jacks

and vice versa.

a sound amplifier or a or four Linch out jacks. stereo system using two can also be used to connect decoder, and also give you four connecting clips for as a video recorder or a are also very advanced. The rear connection jacks Euro-AV sockets to connect The rear connection jacks Dolby Pro Logic® speakers. three different devices such They allow you to use three

Remote Control Function

Allows control from another the devices connected to universal remote control, room, with existing or videosender transmitter.

Sub-titles transmitted by the video tape for viewing teletext are recorded on Recording of sub-titles

The DVD player will Resume Memory

> chance of errors by using easily and without any in TV programme guides. the codes that are indicated

Sleep Timer

of time, in increments off, after a certain period automatically programme of 15 minutes. your television to switch With it you can menu and is available on all can be quickly accessed thanks to the interactive THOMSON television sets. This easily-used function

Slow Motion

to obtain high quality slow motion with no image This function allows you

Smart Trax

or play list he desires mp3 and mp3 Pro. can find any song through "artist", "album", "genre", version 7.0 and above). You on his CDR or CDR-W discs intuitively access any song consumer to quickly and SmartTrax will allow compressed audio files, play and navigate through A revolutionary concept to (burnt with MusicMatch

505 Record

See NextView Link (video recorder).

Sound Logic

to DVD Dolby Digital™ at night, the DVD player To avoid disturbing your neighbors when listening allows you to take full

> all you need to do is press different coloured squares, are represented by shown on the screen, which any moment. To get access sporting results, news, on the remote control. on the same coloured buttons to the different subjects games, etc.) available at

the purity of colours and perfect stability over time surface of the screen. This perfect distribution of the stretched masks gives this new generation of flat, Used with flat screens Tension Mask mage quality and ensures rechnology improves the ight beam over the entire

THOMSON TV-VCR Remote

you to control your THOMSON VCR and TV set. This remote control allows

litanium Speakers

a Pure Sensitive Sound: dynamic sound, 3 technological assets for 2 woofers for a more Those speakers include

- polypropylene for a more expressive and detailed - a Titanium plating in
- bung - a dust cap for a clearer

Transmission Channels

are different frequencies another with wireless from one channel to allow consumers to switch For videosender, as there n a single bandwidth, transmission channels

Virtual Dolby

all the emotion a new sound generation, and atmosphere Dolby sound, you'll fee without any additional (centre, right, left, and rear surround). Virtual Dolby sound fully integrated in amplifiers built into the Dolby laboratories. exclusive process from offered on most of the speakers. With Virtual encoded on four channels Dolby system, usually sound of a conventiona channels to provide the Dolby Processor uses two television, the Virtual Associated with two line. This innovation is an televisions in the THOMSON Virtual Dolby sound is the television set operates

VPS - PDC

of a real movie theatre.

The VPS or PDC signal, a starting signal which is broadcast by television channels, lets you start and programme starts is even if the time the begins and finishes, time when the programme stop a recording at the exact from its scheduled time.


Wake up Timer


of programming the device to catch the start of a show and is a simple way This function is available on most THOMSON relevision receivers











TELEVISIONS

THOMSON televisions stand for heightened sensation. An entire range offering the best in each category: televisions in conventional or 16/9 formats, plasma or LCD screens, rear projectors; the one that suits you awaits your pleasure and, when you gasp at the excellent image, and marvel at the sound quality, you will wonder how you ever managed to live without it.







FLAT SCREENS

Plasma, LCD: two advanced technologies are looking to move in with you.

Choose which is yours. Plasma technology for large-sized screens: a screen slab made of two glass plates only 100 microns apart, enclosing a mixture of rare gases. When excited electrically, they produce a controlled energy, immediately coloured using red, green and blue phosphors. LCD technology for screen sizes up to 30": between two glass plates are polarizing filters combined with liquid crystals. Screens so flat and light, they can be hung on a wall or moved all around the house at will.

50 WB 03P



SCENIUM SCENIUM

50" plasma DVI monitor with tuner box

- 2 Tuners / PIP / PAP / PAT and text functions
- XGA / Pure Color Filter to get a better picture stability, resolution and contrast
- More connectivity thanks to the tuner box
- DVI Connector: optimal picture thanks to digital transmission between plasma screen and tuner box
- Encased Cell Structure: eliminates light leakage and increases phospor area for a brighter and clearer picture
- Advanced Continious Emission Display Technology: 10 bits signal processing to produce smooth accurate,

low intensity images (gradation reproduction 96 times better than other PDPS)

	50 WB 03P
Screen size WxH (mm) / diagonal (cm)	1048 x 620 / 127
Aspect ratio	16/9
VGA, SVGA, XGA, SXGA, MAC compatibility	•
Resolution (H x V)	1280 x 768
Number of Pixels	1280 × 768 × 3
Contrast ratio	750 : 1
Luminosity in cd/m ²	850
Viewing angle (Horizontal & Vertical)	160°
PAL, SECAM, NTSC 3.58 & 4.43 standard	•
PAL 60 Hz 525 lines / Pure Color Filter (PCF)	•/•
Frequency 50/60 Hz progressive	•
Teletext : Number of pages / Level	1000 / 2.5
PIP / PAP / PAT	•/•/•
Stereo sound / Music Power (Watt)	•/2 x 10
Tuner box provided	•
Desktop stand: optional / provided	•/-
Wall-mounting bracket / optional	•/•
Cable DVI / cable RS232C provided	•/•
CVBS / RGB / S-Video scarts	•

42 WM 025T





international
TELETEXT

NAVILIGHT

system ▶

42" plasma Home Cinema screen

- Ready to use plasma TV: speakers, tuner, amplifier. Directly plug your TV antenna into your plasma and enjoy your favorite programmes
- Multi connections: Video, S-Video, Scart, YuV, computer connection (RGB input), DVI in
- Integrated tuner with various features: PIP, PAT, text, ...
- Brightness 700 cd/m² and Contrast ratio: 600:1 to get hight brightness performances to enjoy vivid colours in all conditions
- Fan free: new "cold" panel technology reduces heat on plasma
- Desktop stand included. Wall mount and stand optional

	42 WM 02ST
Screen size WxH (mm) / diagonal (cm)	932 x 532 / 106
Aspect ratio	16/9
VGA, SVGA, XGA, SXGA, MAC compatibility	•
Resolution (H x V)	852 x 480
Number of Pixels	852 x 480 x 3
Contrast ratio	600 : 1
Luminosity in cd/m²	700
Viewing angle (Horizontal & Vertical)	160°
PAL, SECAM, NTSC 3.58 & 4.43 standard	•
PAL 60 Hz 525 lines / Pure Color Filter (PCF)	•/-
Frequency 50/60 Hz progressive	•
Teletext : Number of pages / Level	10 / 2.5
PIP / PAP / PAT	•/-/•
Stereo sound / Music Power (Watt)	•/2×10
Tuner box provided	
Desktop stand : optional / provided	-/•
Wall-mounting bracket / optional	•/•
Cable DVI / cable RS232C provided	-/-
CVBS / RGB / S-Video scarts	•

42 WB 025



42" plasma DVI monitor with tuner box

- Plasma + DVI feature on tuner box which converts analogue input signal to digital, and signal carried out with DVI feature to panel. It avoids any interferences and enhances picture quality
- Multi-connections on tuner box: 3 scart, Cinch audio out, PC in, PC out, RS 232, DVI out.

Simplify appliances connections and cable management with plasma panel.

Easily plug all your devices and control them with only one remote

- TV features on tuner box: PIP, PAP, PAT, Zoom, text functions, 2 tuners ...Select your programme with PIP or PAP, choose your favourite format (4/3, 16/9, cinerama...) like on your TV set
- Brightness 700 cd/m²
- Contrast ratio: 600: 1 for a high brightness performances to enjoy vivid colours in all conditions
- Fan free: new "cold" panel technology reduces heat on plasma
- Depth: 9.5 cm. Thin, the plasma will perfectly fit in your interior (on a wall, on furniture...)
- Desktop stand: elegant stand to display your plasma panel in your home interior

	42 WB 025
Screen size WxH (mm) / diagonal (cm)	932 x 532 / 106
Aspect ratio	16/9
VGA, SVGA, XGA, SXGA, MAC compatibility	•
Resolution (H x V)	852 × 480
Number of Pixels	852 x 480 x 3
Displayable colours Levels / million	16.77 millions
Contrast ratio	600:1
Luminosity in cd/m²	700
Viewing angle (Horizontal and Vertical)	160°
PAL, SECAM, NTSC 3.58 and 4.43 standard	•
PAL 60 Hz 525 lines	•
Frequency 50 - 60 Hz progressive	•
Teletext: number of pages / Level	1000 / 2.5
PIP / PAP / PAT	•/•/•
Stereo sound / Music Power (Watt)	•/2×10
Tuner box provided	•
Desktop stand: optional / provided	-/•
Wall-mounting bracket / optional	•/•
Cable DVI / cable RS232C provided	•/•
CVBS / RGB / S-Video scarts	•

42 WM 03L 42 WM 02L



42" plasma monitor

- Enjoy easily all your video sources (DVD, VCR, computers...) on the ultimate plasma technology
- Essential connections: Video, S-Video, YuV, computer connection (RGB input), Plug and play directly your appliances on plasma... DVD on S-Video or YuV, VCR on Video, PC and connect your own speakers to enjoy your movies
- Brightness 700 cd/m²
- Contrast ratio: 600: 1 for a high brightness performances to enjoy vivid colours in all conditions
- Fan free: new "cold" panel technology reduces heat on plasma
- Depth: 8.2 cm. Thin, the plasma will perfectly fit in your interior (on a wall, on stand...)
- Optimal stands: wall mouting bracket, desktop bracket. A complete elegant proposal to perfectly install your plasma panel according to your home interior

	42 WM 02L	42 WM 03L
Screen size WxH (mm) / diagonal (cm)	921.2 x 519.4 / 106	921.2 x 519.4 / 106
Aspect ratio	16/9	16/9
VGA, SVGA, XGA, SXGA, MAC compatibility	•	•
Resolution (H x V)	852 x 480	852 x 480
Number of Pixels	852 x 480 x 3	852 x 480 x 3
Displayable colours Levels / million	16.77 million	16.77 million
Contrast ratio	600 : 1	1000:1
Luminosity in cd/m²	700	1000
Viewing angle (Horizontal and Vertical)	160°	160°
PAL, SECAM, NTSC 3.58 and 4.43 standard	•	•
PAL 60 Hz 525 lines	•	•
Frequency 50 - 60 Hz progressive	•	•
Teletext: Number of pages / Level	-/-	-/-
PIP / PAP / PAT	-/-/-	-/-/-
Stereo sound / Music Power (Watt)	•/2 x 10	•/2 x 10
Tuner box provided	-	•
Desktop stand: optional / provided	• / -	• / -
Wall-mounting bracket / optional	•/•	•/•
Cable DVI / cable RS232C provided	-/-	-/-
CVBS / RGB / S-Video scarts	-	•

THOMSON

30" and 27" Liquid Cristal Display TV

- lacktriangle The ultimate technology for absolute pleasure with this LCD display with integrated TV tuner
- Brightness: 500cd / m²
- Contrast 500:1 (the best in class) to enjoy your TV even in bad light conditions
- Wide angle of vision : no need to stay in front of your display: enjoy your TV picture from different locations
- PC + DVI connectors
- Virtual Dolby Surround to enjoy cinema sound without additional speakers
- 2 x 20W Music Power : high sound quality
- 16/9 look to enjoy cinema films and your DVDs wtih real 16/9 format



20" Liquid Cristal Display TV

- $\ \ \,$ The ultimate technology for absolute pleasure with this LCD display with integrated TV tuner
- Brightness: 500cd / m²
- Contrast 500:1 (the best in class) to enjoy your TV even in bad light conditions
- Wide angle of vision: no need to stay in front of your display: enjoy your TV picture from different locations
- SVGA: highest definition on the 20" market
- PC Connector
- Compatible for games

20 LCDB 03B



	30 LCDB 03B	27 LCDB 03B	20 LCDB 03B
Screen size / visible size in cm	76 / 76	67 / 67	51 / 51
Resolution	WXGA	WXGA	SVGA
Horizontal / vertical viewing Angle	170° / 170°	170° / 170°	160° /160°
Progressive frequency	•	•	•
Picture Noise Reduction	•	•	•
Brightness	500cd	500cd	500cd
Picture Contrast	500:1	500:1	500:1
Picture enhancement	•	•	•
Stereo Nicam / Virtual Dolby Surround	•/•	•/•	•/•
Music Power (Watt)	2 x 20	2 x 20	2 x 12
Sleep / wake-up timer	•/•	•/•	•/•
Program auto switch off	•	•	•
Navilight on screen menu	•	•	•
Number of pages for teletext	10	10	10
PC interface	VGA	VGA	VGA
Parental Lock	•	•	•

TV - I ſ N



20" Liquid Cristal Display TV

- $\hfill \blacksquare$ The ultimate technology for absolute pleasure with this LCD display with integrated TV tuner
- Brightness: 500cd / m²
- Contrast 500:1 (the best in class) to enjoy your TV even in bad light conditions
- Wide angle of vision: no need to stay in front of your display: enjoy your TV picture from different locations
- SVGA: highest definition on the 20" market
- PC Connector
- Compatible for games

15 LCDVD



15" Liquid Cristal Display TV with integrated DVD

- The ultimate technology for absolute pleasure with this LCD display with integrated TV tuner
- DVD slot integrated (17mm) for an easy insertion of DVD discs
- Brightness: 450cd /m²
- Contrast 400:1 (the best in class) to enjoy your TV in bad light conditions
- 170° angle of vision: no need to stay in front of your display: enjoy your TV picture from different places
- Articulated stand (standing option from 5 to 40° with smooth transition)

15 LCDM 03B





NAVILIGHT international TELETEKT

15" Liquid Cristal Display TV

- $\ \, \bullet \,$ The ultimate technology for absolute pleasure with this LCD display with integrated TV tuner
- Brightness: 450cd /m²
- Contrast 500:1 to enjoy your TV even in bad light conditions
- Articulated stand with 2 positions:
- standing option from 5 to 40° with smooth transition
- wall mount to place your TV as you want and to change it very easily
- PC Connector
 Compatible for games

	20 LCDM 03B	15 LCDVD	15 LCDM 03B	
Screen size / visible size in cm	51 / 51	38/38	38 / 38	
Integrated DVD	-	•	-	
Resolution	SVGA	XGA	XGA	
Horizontal / vertical viewing Angle	160° /160°	170° / 170°	140° / 130°	
Progressive frequency / Picture Noise Reduction	•/•	•/•	•/•	
Brightness	500cd	450cd	450cd	
Picture Contrast	500:1	500:1	500:1	
Picture enhancement	•	•	•	
Stereo Nicam / Virtual Dolby Surround	• / -	•/•	• / -	
Music Power (Watt)	2 x 10	2 x 6	2 x 6	
Sleep / wake-up timer	•/•	•/•	•/•	
Navilight on screen menu	•	•	•	
Number of pages for teletext	10	10	10	
PC mode	VGA	-	VGA interface	
Dolby Digital 5.1 / DTS / MPEG 2 audio passthrough	-	•/•/•	-	
DVD video / VCD	-	•/•	-	
CD audio / CD-R / CD-RW	-	•/•/•	-	
Still picture / frame advance	-	•/•	-	
Parental lock	•	•	•	















16/9 TELEVISION REAR PROJECTORS

Concentrated in 16/9 televisions and rear projectors are innovations that spectacularly improve image and sound. 100 Hz Hi-Pix technology doubles the number of points per line, imparting to the image a precision and fineness of detail close to high-definition TV. On the sound side, Digital Pure Sound integrates tiny loudspeakers of exceptional Hi-Fi quality. Insulation eliminates all vibration from the housing: the sound is still purer and clearer. Combined with a unique boomer system, the more directional bass speakers give immediacy to the image.

16/9 rear projector with integrated DVD

61 TW 610S







61" rear projector with integrated DVD

- The best of Thomson's technology for a real home cinema experience
- DVD integrated CDR + mp3 create the best condition to watch your favorite movies.
- Digital Vision mastering 100 Hz: improved resolution and stability for digital image quality
- Virtual Dolby Surround 80W music power: enjoy cinema sound without additional speakers
- PAT: Picture And Text to preview other channels without leaving the one you are watching
- Dolby Digital™ / DTS™ passthrough to enjoy the latest cinema sound via amplifier
- Program Info
- Scart x 3

	61 TW 6105
Picture	
Screen size / visible size in cm	155 / 155
100 Hz Digital Vision Mastering	·
Picture contrast: PSI / contrast expander	•/•
Format control / Fast zoom transition	•/•
Multipicture: PIP / PAP / PAT	-/-/•
Sound	
Stereo Nicam sound / Virtual Dolby Surround	•/•
Music Power (Watt)	2 x 20 + 40
Loudspeakers built in (T/M/B)	2/2/1
User convenience	
Program Info / NexTView link	•/•
Navilight on screen menu	•
Number of pages for Teletext	1500
DVD	
Screen format selection	4/3 + 16/9 + Letterbox
CD / CD-R / mp3	•/•/•
Dolby Digital 5.1 and DTS compatible	·
Optical digital audio out	•



52" rear projector

- 100 Hz HiPIX: by doubling the number of pixels by line, picture quality is closed to High-definition
- PIP / PAP / PAT Picture In Picture / Picture And Picture / Picture And Text to preview other channels without leaving the one you're watching
- Virtual Dolby Surround 80W Music Power and Digital Pure Sound
- Auto convergence: the best of picture quality automatically set up on your PTV
- Digital Photo View: connect your Digital Camera and enjoy your pictures on your TV screen with perfect stability, vivid colours and incredible sharpness
- Home Cinema connections: connect all your home-cinema devices (3 scarts, Synchro-scan, DVD output, Audio-Video plugs, ...)

	52 JW 642 S	
Picture		
Screen size / visible size in cm	133 / 133	
100 HZ HI-PIX	•	
Picture contrast: PSI / contrast expander	•/•	
Format control	•	
Fast zoom transition	•	
Multipicture: PIP / PAP / PAT	•/•/•	
Sound		
Stereo Nicam sound	•	
Music Power (Watt)	2 x 20 + 40	
Loudspeakers built in (T/M/B)	2/2/1	
Virtual Dolby Surround	•	
User convenience		
Program Info / NexTView link	•/•	
Sleep / wake-up timer	•/•	
Parental Feature: Child Lock	•	
Navilight on screen menu	•	
Number of pages for Teletext	1500	

44 JW 6425



44" rear projector

- 100Hz HiPIX: by doubling the number of pixels by line, picture quality is closed to High-definition
- PIP / PAP / PAT Picture In Picture / Picture And Picture / Picture And Text to preview other channels without leaving the one you're watching
- Virtual Dolby Surround 80W Music Power and Digital Pure Sound
- Digital Photo View: connect your Digital Camera and enjoy your pictures on your TV screen with perfect stability, vivid colours and incredible sharpness
- Home Cinema connections: connect all your home-cinema devices
 [3 scarts, Synchro-scan, DVD output, Audio-Video plugs, ...]



40 KW 6125



40" rear projector

- 100Hz HiPIX: by doubling the number of pixels by line, picture quality is closed to high-definition
- Virtual Dolby Surround 40W Music
- Digital Photo View: connect your Digital Camera and enjoy your pictures on your TV screen with perfect stability, vivid colours and incredible sharpness
- Program Info: a full Thomson programme guide about the current channel
- Home Cinema connections: connect all your home-cinema devices

(3 scarts, Synchro-scan, DVD output, Audio-Video plugs, ...)



	44 JW 6425	40 KW 6125
Picture		
Screen size / visible size in cm	112 / 112	102 / 102
100HZ HI-PIX	•	
Picture contrast: PSI / contrast expander	•/•	•/•
Format control	•	•
Fast zoom transition	•	•
Multipicture: PIP / PAP / PAT	•/•/•	-/-/•
Sound		
Stereo Nicam sound	•	•
Music Power (Watt)	2 x 20 + 40	2 x 20
Loudspeakers built in (T/M/B)	2/2/1	0/2/0
Virtual Dolby Surround	•	•
User convenience		
Program Info / NexTView link	•/•	•/•
Sleep / wake-up timer	•/•	•/•
Parental Feature: Child Lock	•	•
Navilight on screen menu	•	•
Number of pages for Teletext	1500	1500

46 KH 4125 42 KH 4125





46" and 42" rear projector

- 100Hz High Focus: a new dynamic 100Hz for a high picture quality whatever the source is
- Virtual Dolby Surround 40W Music Power
- Dynamic Bass: a new sound processing system to enlarge the BASS effects for a better sound atmosphere
- A full Thomson programme guide about the current channel with Program Info
- 3 in 1 (TV-DVD-VCR) multi brand product remote control
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD, ...)

	46 KH 4125	42 KH 4125
Picture		
Screen size / visible size in cm	117 / 117	107 / 107
100Hz High Focus	•	•
Picture contrast: PSI	•	•
Format control	•	•
Sound		
Stereo Nicam sound	•	•
Music Power (Watt)	2 x 20	2 x 20
Loudspeakers built in (T/M/B)	0/2/0	0/2/0
Virtual Dolby Surround	•	•
User convenience		
Program Info	•	•
Sleep / wake-up timer	• / •	•/•
Parental Feature: Child Lock	•	•
Program auto switch off	•	•
Navilight on screen menu	•	•
Number of pages for Teletext	128	128

16/9 televisions with integrated DVD

28 WD 2105











28" 16/9 TV-DVD 50 Hz

- The integrated DVD creates the best condition to watch your favourite movies
- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision and perfectly flat outlook
- Virtual Dolby Surround 40W Music Power
- Program Info: a full Thomson programme guide about the current channel
- Dolby Digital / DTS passthrough to enjoy the latest cinema sound via amplifier
- Scarts x 2 to connect 2 devices at the same time (VCR / DVD...)



24 WT 25EG











24" 16/9 TV-DVD 50 Hz

- The integrated DVD creates the best condition to watch your favourite movies
- Black DIVA Tube SF Contour: thanks to "Invar Mask", you get a high quality picture even in the corners of the screen
- Virtual Dolby Surround 40W Music Power
- Program Info
- Dolby Digital / DTS passthrough to enjoy the latest cinema sound via your amplifier
- Scarts x 2

	28 WD 2105	24 WT 25EG	
Picture			
Screen size / visible size in cm	70 / 66	60 / 56	
Tube type: Extra-Flat / Black DIVA	• / -	-/•	
Picture Contrast 2	•	•	
Sound			
Sound type: stereo Nicam	•	•	
Music Power (Watt)	2 x 20	2 x 20	
Virtual Dolby Surround	•	•	
User convenience			
Sleep / wake-up timer / Child Lock	•/•/•	•/•/•	
Program auto switch off / Auto Install	•/•	• / •	
Navilight on screen menu	•	•	
Number of pages for teletexte	6	6	
DVD			
Dolby Digital 5.1 / DTS / MPEG 2 audio passthrough	•/•/•	•/•/•	
Still picture / frame advance	•/•	•/•	
Zoom x1,5 , x2 , x4	•	•	
Audio out: digital / optical	-/•	-/•	

4/3 and portable televisions with integrated DVD

25 CT 25ES











25" DVD integrated TV set

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision
- CLIP'On: personnalise your TV!
- Perfect Contrast 2 reinforces your picture contrast
- Virtual Dolby Surround 40W Music Power
- Program Info
- Dolby Digital / DTS passthrough

21 CT 1805









21" DVD integrated TV set

- X-Flat Tube TF Contour for the best picture quality
- Modern and sharp design
- Perfect Contrast 1 reinforces black contrast
 Virtual Dolby surround
- Mp3 CDR compatibility to listen to your favourite music written on CDR
- Dolby Digital / DTS passthrough

21 DT 1805





DOTBA AISANY F

21" DVD integrated TV set

- X-Flat Tube TF Contour for the best picture quality
- With the new Focus Gun, pictures are pure, bright and sharp
- Virtual Dolby surround
- Mp3 CDR to listen to your favourite music written on CDR
- Dolby Digital / DTS passthrough
- Cinch outputs (Amplifier, Hifi, Active Subwoofer, ...)

DIGITAL









14" DVD integrated TV set

Designed especially for you and to make life easier.

Original and trendy. As unique as you are!

- Carry handle for easy transportation from room to room
- Perfect Contrast 1 reinforces black contrast for a better picture
- International Teletext 24

	25 CT 25ES	21 DT 1805	21 CT 1805	DIGITAL
Picture	23 61 2323	E1 B1 1003	E1 E1 1003	BIOTIAL
Screen size / visible size in cm	63 / 59	55 / 51	55 / 51	36 / 34
Tube type: Extra-Flat / Black Matrix	• / -	•/-	•/-	-/•
Picture Contrast 1	•	•	•	•
Sound				
Sound type: stereo Nicam / biphonic	• / -	• / -	• / -	-/•
Music Power (Watt)	2 x 20	2 x 12.5	2 x 6	2 x 2.5
Virtual Dolby Surround	•	•	•	-
Wide / AVL	-/-	•/•	-/-	-/-
User convenience				
Sleep / wake-up timer / Child Lock	•/•/•	•/-/•	• / - / •	•/-/•
Program auto switch off / Auto Install	•/•	•/•	•/•	•/•
On screen menu: Symbols / Navilight	•	• / -	-/•	• / -
DVD				
Dolby Digital 5.1 / DTS / MPEG 2 audio passthrough	•/•/•	•/•/•	•/•/•	-/-/-
Mp3 decoder built in	-	•	•	-
Still picture / frame advance	•/•	•/•	•/•	•/•
Zoom x1,5 , x2 , x4	•	•	•	•
Audio out: digital / optical	-/•	• / -	-/•	• / -

16/9 televisions

32 WB 8425



THOMSON

32 WB 8425

32" 16/9 TV - 100 Hz HI-PIX

- SCENIUM design with stand attached integrates the best of Thomson's technology for a real home cinema experience with the best picture quality, comfort of vision fitting with all home environments
- 100 Hz HiPIX: latest technology innovation, by doubling the number of pixels by line, picture quality is close to high-definition
- X-Flat tube: TF Contour for the best picture quality
- DVM: no image flickering, improved picture stability and perfect rendering of fast moving images
- Digital Pure Sound PLUS 80 W Music Power: natural and pure sound reproduction, no resonance, no vibration with a unique Boomer system giving a direct frontal and powerful BASS effect for a cinema sensation
- Digital Photo View: enjoy all your personal still pictures on your TV set with perfect stability, a vivid colour and incredible sharpness

32 WB 6425



- Synchro Scan (component connection): connect your DVD device with component output to your TV and automatically enjoy more detailed pictures than using a scart (RGB) connection
- Home Cinema connections: connect all your home cinema devices
- Program Info, NexTViewlink
- PAT / PAP Picture And Text / Picture And Picture to preview other channels
- 6 in 1 (TV-DVD-VCR-SAT-HIFI-AUX) remote control

32 WB 6425

32" 16/9 TV - 100 Hz DVM HI-PIX

Same as 32 WB 842S without stand attached

	32 WB8425	32 WB6425	
Picture			
Screen size / visible size in cm	81 / 76	81 / 76	
Extra Flat tube	•	•	
100 Hz DVM	•	•	
HI-PIX	•	•	
Multipicture: PAP - PAT 2 tuners	•	•	
Picture Contrast: PSI + Contrast expander	•	•	
Format control / fast zoom transition	•/•	• / •	
Sound			
Stereo Nicam	•	•	
Music Power (Watt)	2 x 20 + 40	2 x 20 + 40	
Loudspeakers built in (T / M / B)	2/2/1	2/2/1	
Virtual Dolby Surround / Digital Pure sound	•/•	• / •	
User convenience			
Digital Photo View	•	•	
Program Info / NexTViewlink	•/•	• / •	
Sleep / wake-up timer / Child lock	•/•/•	•/•/•	
Navilight on screen menu	•	•	
Number of pages for teletext	1500	1500	











32 WH 4025 28 WH 4025

32" and 28" 16/9 TV - 100 Hz HI-FOCUS

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision and perfectly flat outlook
- 100 Hz High Focus: a new dynamic 100 Hz for a high picture quality whatever the source is
- 2 x 20 W Music Power
- Auto Format: enjoy widescreen picture whatever the source is [4/3 or Cinema scope]
- 3 in 1 (TV-DVD-VCR) remote control
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD,...)

32 WH 2105

32" 16/9 TV 50 Hz

- X-Flat Tube TF Contour for the best picture quality
- Virtual Dolby Surround 40W Music Power
- Program Info: a full Thomson programme guide about the current channel
- 3 in 1 (TV-DVD-VCR) remote control
- Scarts x 2

28 WH 2005

28" 16/9 TV 50 Hz

- X-Flat Tube TF Contour for the best picture quality
- 2 x 20 W Music Power
- 3 in 1 (TV DVD VCR) multi brand product remote control
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)

	22 1/11 4025	22 5/11 2400	20 5/11 4025	20 5/11 2000
	32 WH 4025	32 WH 210S	28 WH 4025	28 WH 2005
Picture				
Screen size / visible size in cm	81 / 76	81 / 76	70 / 66	70 / 66
Extra Flat tube	•	•	•	•
100Hz High Focus / 50 Hz	• / -	-/•	• / -	-/•
Picture Contrast: PSI / Perfect Contrast 2	• / -	-/•	• / -	-/•
Format control / fast zoom transition	•/•	•/•	•/•	•/•
Sound				
Stereo Nicam	•	•	•	•
Music Power (Watt)	2 x 20	2 x 20	2 x 20	2 x 20
Loudspeakers built in (T / M / B)	0/2/0	2/2/0	0/2/0	0/2/0
Virtual Dolby Surround	-	•	-	-
User convenience				
Program Info / NexTViewlink	-/-	•/•	-/-	-/-
Navilight on screen menu	•	•	•	•
Number of pages for teletext	128	6	128	6

36 WX 6425









THOMSON

36" 16/9 TV - 100 Hz DVM HI-PIX

- X-Flat tube: TF Contour for the best picture quality
- 100 Hz HiPIX: latest technology innovation, by doubling the number of pixels by line, picture quality is close to high-definition
- DVM: no image flickering, improved picture stability and perfect rendering of fast moving images
- 80 W Music Power Virtual Dolby
- Digital Photo View: enjoy all your personal still pictures on your TV set with perfect stability, a vivid colour and incredible sharpness (Camera, Pause on DVD/VCR...)
- Synchro Scan (component connection): connect your DVD device with component output to your TV and automatically enjoy more detailed pictures than using a scart (RGB) connection to enjoy the real DIGITAL definition of your movies
- Home Cinema connections: connect all your home-cinema devices (3 scarts, Synchro-scan, Audio-Video plugs...)
- Program Info, NexTViewlink
- PAT / PAP Picture And Text / Picture And Picture to preview other channels without leaving the one you're watching
- 6 in 1 (TV-DVD-VCR-SAT-HIFI-AUX) remote control

	36 WX 6425	
Picture		
Screen size / visible size in cm	92 / 86	
Extra Flat tube	•	
100 Hz DVM	•	
HI-PIX	•	
Multipicture: PAP - PAT 2 tuners	•	
Picture Contrast: PSI + Contrast expander	•	
Format control / fast zoom transition	•/•	
Sound		
Stereo Nicam	•	
Music Power (Watt)	2 x 20 + 40	
Loudspeakers built in (T / M / B)	2/2/1	
Virtual Dolby Surround	•	
User convenience		
Digital PHOTO View	•	
Program Info / NexTViewlink	•/•	
Sleep / wake-up timer / Child lock	•/•/•	
Navilight on screen menu	•	
Number of pages for teletext	1500	

32 WZ 4125 28 WZ 4125 28 WZ 2105



■ 32 WZ 4125 ■ 28 WZ 4125

32" and 28" 16/9 TV - 100 Hz HI-FOCUS

- X-Flat Tube TF Contour for the best picture quality
- lacktriangle 100 Hz High Focus: a new dynamic 100 Hz for a high picture quality whatever the source is
- Virtual Dolby Surround 40 W Music Power
- Dynamic Bass: new sound processing system to enlarge the BASS effects for a better sound atmosphere
- Program Info: a full Thomson programme guide about the current channel
- 3 in 1 (TV-DVD-VCR) remote control
- Scarts x 2 to connect 2 devices at the same time (VCR / DVD...)

28 WZ 2105

28" 16/9 TV - 50 Hz

- X-Flat Tube TF Contour
- Virtual Dolby Surround 40W Music Power
- Program-Info, NexTViewLink
- 3 in 1 (TV-DVD-VCR) remote control
- Scarts x 2 to connect 2 devices at the same time (VCR / DVD...)

	32 WZ 4125	28 WZ 4125	28 WZ 2105
Picture Picture			
Screen size / visible size in cm	81 / 76	70 / 66	70 / 66
Extra Flat tube	•	•	•
100Hz High Focus / 50 Hz	• / -	• / -	-/•
Picture Contrast : PSI / Perfect Contrast 2	• / -	• / -	-/•
Format control / fast zoom transition	•/•	•/•	• / •
Gound			
Stereo Nicam	•	•	•
Music Power (Watt)	2 x 20	2 x 20	2 x 20
oudspeakers built in (T / M / B)	2/2/0	2/2/0	2/2/0
Virtual Dolby Surround	•	•	•
User convenience			
orogram Info / NexTViewlink	• / -	• / -	• / •
Gleep / wake-up timer / Child lock	•/•/•	•/•/•	•/•/•
Navilight on screen menu	•	•	•
Number of pages for teletext	128	128	6

32 WF 402G 32 WF 200G 28 WF 200G



X-FLAT 100hz high focus NAVILIGHT system international

32 WF 402G

32" 16/9 TV - 100 Hz HI-FOCUS

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision and perfectly flat outlook
- 100 Hz High Focus : a new dynamic 100 Hz for a high picture quality whatever the source is
- 2 x 20 W Music Power
- 3 in 1 (TV-DVD-VCR) multi brand product remote control
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)
- 32 WF 200G 28 WF 200G

32" and 28" 16/9 TV - 50 Hz

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision and perfectly flat outlook
- 2 x 20 W Music Power
- Scarts x 2

	32 WF 402G	32 WF 200G	28 WF 200G	
Picture				
Screen size / visible size in cm	81 / 76	81 / 76	70 / 66	
Extra Flat tube	•	•	•	
100Hz High Focus / 50 Hz	• / -	-/•	-/•	
Picture Contrast : PSI / Perfect Contrast 2	• / -	-/•	-/•	
Format control / fast zoom transition	•/•	•/•	•/•	
Sound				
Stereo Nicam	•	•	•	
Music Power (Watt)	2 x 20	2 x 20	2 x 20	
Loudspeakers built in (T / M / B)	0/2/0	0/2/0	0/2/0	
User convenience				
Sleep / wake-up timer / Child lock	•/•/•	•/•/•	•/•/•	
Navilight on screen menu	•	•	•	
Number of pages for teletext	128	6	6	



100hz high focus

✓ NAVILIGHT
system

international TELETEXT

32 WR 4025

32" 16/9 TV - 100 Hz HI-FOCUS

- Black DIVA Tube SF Contour for a perfect combination of colours, brightness and resolution
- 100 Hz High Focus: a new dynamic 100 Hz for a high picture quality whatever the source is
- 2 x 20 W Music Power
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)

32 WR 23EG 28 WR 23EG

32" and 28" 16/9 TV - 50 Hz

- Black DIVA Tube SF Contour
- 2 x 20W Music Power
- Program Info: a full Thomson programme quide about the current channel
- Scarts x 2

24 WK 25EG



24" 16/9 TV - 50 Hz

- Black DIVA tube SF Contour
- Virtual Dolby Surround 40W Music Power
- Program-Info: a full Thomson programme guide about the current channel
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)

VIRTUAL DOLBY

NAVILIGHT international **TELETEXT**

	32 WR 4025	32 WR 23EG	28 WR 23EG	24 WK 25EG
Picture				
Screen size / visible size in cm	81 / 76	81 / 76	70 / 66	60 / 56
Black DIVA tube	•	•	•	•
100Hz High Focus / 50 Hz	• / -	-/•	-/•	-/•
Picture Contrast : PSI / Perfect Contrast 2	• / -	-/•	-/•	-/•
Format control / fast zoom transition	•/•	•/•	•/•	•/•
Sound				
Stereo Nicam	•	•	•	•
Music Power (Watt)	2 x 20	2 x 20	2 x 20	2 x 20
Loudspeakers built in (T / M / B)	0/2/0	0/2/0	0/2/0	0/2/0
Virtual Dolby Surround	-	-	-	•
User convenience				
Program Info / NexTViewlink	-/-	•/•	•/•	•/•
Sleep / wake-up timer / Child lock	•/•/•	•/•/•	•/•/•	•/•/•
Navilight on screen menu	•	•	•	•
Number of pages for teletext	128	6	6	6

Very large screens

37 DF 640G 34 DF 400G

34 DF 220G















34 DC 6505











37 DF 640G

37" TV set

- X-Flat tube TF contour for the best picture quality
- Improved resolution and stability thanks to Digital Vision Mastering 100 Hz
- PIP 2 tuners (Picture In Picture)
 Virtual Dolby Surround 80 W Music Power
- Program InfoScarts x 3 (VCR, DVD, satellite decoder...)
- 34 DF 400G

34" TV set

- X-Flat tube TF contour for the best picture quality
- 100 Hz Intelligent Mastering to get a better image stability without flickering
- Program Info
- Scarts x 3 (VCR, DVD, satellite decoder...)
- 34 DF 220G

34" TV set

- X-Flat tube TF contourVirtual Dolby Surround
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)

- X-Flat tube TF contour
- Improved resolution and stability thanks to Digital Vision Mastering 100 Hz
- PIP 2 tuners (Picture In Picture)
- Virtual Dolby Surround 80 W Music Power
- Program Info
- Scarts x 3 (VCR, DVD, satellite decoder...)
- 6 in 1 (TV-DVD-VCR-SAT-HiFi-AUX) remote control

<u></u>	37 DF 640G	34 DF 220G	34 DF 400G	34 DC 650S	
Picture					
Screen size / visible size in cm	94 / 90	86 / 82	86 / 82	86 / 82	
Extra-Flat tube	•	•	•	•	
100 Hz Digital Vision Mastering /					
100 Hz Intelligent Mastering / 50 Hz	• / - / -	-/-/•	-/•/-	• / - / -	
Picture Contrast : PSI / Perfect Contrast 2	• / -	-/•	-/•	•/-	
Multipicture: Picture in Picture	•	-	-	•	
Sound					
Stereo Nicam sound / Virtual Dolby Surround	•/•	•/•	• / -	•/•	
Music Power (Watt)	2 x 20 + 40	2 x 12.5	2 x 20	2 x 20 + 40	
Loudspeakers built in (T/M/B)	2/2/1	2/2/0	2/2/0	2/2/1	
User convenience					
Program Info / NexTView Link recording	•/•	-/-	•/•	•/•	
Child Lock	•	•	•	•	
Navilight on screen menu	•	•	•	•	
Number of pages for teletext	1500	10	128	1500	
Headphone connector (mm)	3.5	3.5	3.5	3.5	
Optional stand	STTF3702	STTF3402	STTF3402	STHA347	

33 MS 220G



33" TV set

- Black MATRIX Tube SF Contour to get a perfect combination of colours, brightness and resolution
- Perfect Contrast 1 reinforces black contrast
- Virtual Dolby Surround to enjoy Cinema sound without additional speakers
- Program info: a full Thomson programme guide about

the current channel

Scarts x 2 to connect 2 devices at the same time (VCR / DVD...)

33 MF 170G

PROGRAMINFO



33" TV set

DOLBY

- Black PEARL Tube SF Contour to get a perfect combination of colours, brightness and resolution
- Perfect Contrast 1 reinforces black contrast for a better picture
- Automatically installs your TV channels ready for use in less than 3 minutes
- International Teletext 24 to view information broadcast by channels

(sport events, programs, stock exchange...)

international TELETEXT

	33 MS 220G	33 MF 170G	
Picture			
Screen size / visible size in cm	85 / 80	85 / 80	
Black Pearl tube	•	•	
Picture Contrast: Perfect Contrast 1	•	•	
Sound			
Stereo Nicam sound / Virtual Dolby Surround	•/•	• / -	
Music Power (Watt)	2 x 12.5	2 x 10	
Loudspeakers built in (T/M/B)	0/2/0	0/2/0	
User convenience			
Program Info	•	-	
Sleep / wake-up timer	•/•	• / -	
Child Lock / Kid Pass	-/•	• / -	
On screen menu: Navilight / symbols	• / -	-/•	
Auto installation	•	•	
Number of pages for teletext	10	1	
Headphone connector (mm)	3.5	3.5	
Optional stand	STTH3352	STTH3352	











29 DZ 840W 29 DZ 640S

29" TV set

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision and perfectly flat outlook
- Improved resolution and stability thanks to Digital Vision Mastering 100 Hz
- Digital Pure Sound 80W Music Power: natural and pure Sound reproduction, no resonance, no vibration
- PIP 2 tuners (Picture In Picture): preview other channels without leaving the one you are watching
- Program Info: a full Thomson programme guide about the current channel

29 DZ 6105

29" TV set

- X-Flat Tube TF Contour for the best picture quality
- Digital Vision Mastering 100 Hz to get an improved resolution and stability
- Digital Pure Sound 80 W Music Power
- Program Info

29 DZ 2205

- X-Flat Tube TF Contour for the best picture quality
- New Focus Gun: pictures are pure, bright and sharp
- Virtual Dolby Surround
- Scarts x 2 (VCR, DVD, Sat Decoder...)
- TV DVD VCR Remote control

	29 DZ 840 W	29 DZ 640S	29 DZ 610S	29 DZ 22OS
Picture				
Screen size / visible size in cm	72 / 68	72 / 68	72 / 68	72 / 68
Extra-Flat tube	•	•	•	•
100 Hz Digital Vision Mastering / 50 Hz	• / -	• / -	• / -	-/•
Picture Contrast : PSI / Perfect Contrast 1	• / -	• / -	• / -	-/•
Multipicture : Picture in Picture	•	•	-	-
Sound				
Stereo Nicam sound / Virtual Dolby Surround	•/•	•/•	•/•	•/•
Music Power (Watt)	2 x 20 + 40	2 x 20 + 40	2 x 20 + 40	2 x 12.5
Loudspeakers built in (T/M/B)	2/2/1	2/2/1	2/2/1	2/2/0
User convenience				
Program Info / NexTView Link recording	•/•	•/•	•/•	-/-
Sleep / wake-up timer	•/•	•/•	•/•	•/•
On screen menu : Navilight / symbols	• / -	• / -	• / -	• / -
Number of pages for teletext	1500	1500	1500	10
Headphone connector (mm)	3.5	3.5	3.5	3.5
Optional stand	STTZ297	STTZ 290	STTZ 290	STTZ 290
Clip'on color	white	beige	beige	baltik grey



29 DX 4005

DOLBY SURROUND



29 DC 6305

29" TV set

- X-Flat Tube TF Contour for the best picture quality
- Improved resolution and stability with Digital Vision Mastering 100 Hz
- Program Info Scarts x 3 (VCR / DVD / satellite decoder...)
- White pearl colour
- 29 DC 4105

29" TV set

- X-Flat Tube TF Contour for the best picture quality, incomparable comfort of vision
- 100 Hz Intelligent Mastering for a better image stability without flickering
- Virtual Dolby Surround
 Scarts x 2 (VCR, DVD...)
- **29 DC 2205**

29" TV set

- Perfect combination of colours, brightness and resolution with Black MATRIX Tube - SF Contour
- Pictures are pure, bright and sharp with th New Focus Gun
- Virtual Dolby SurroundScarts x 2 (VCR / DVD...)
- 29 DX 4005 29 DX 1755

- X-Flat Tube TF Contour
- Better image stability without flickering with 100 Hz Intelligent Mastering
- New Focus Gun: pictures are pure, bright and sharp (29 DX 175 S)
- Virtual Dolby Surround 40W Music Power (29 DX 400 S) or stereo Nicam [29 DX 1755]
- Scarts x 2 (VCR, DVD...)

	29 DC 630S	29 DC 4105	29 DC 2205	29 DX 400S	29 DX 1755
Picture					
Screen size / visible size in cm	72 / 68	72 / 68	72 / 68	72 / 68	72 / 68
Extra-Flat tube	•	•	•	•	•
100 Hz Digital Vision Mastering / 100 Hz Intelligent Mastering / 50 Hz	•/-/-	-/•/-	-/-/•	-/•/-	-/-/•
Picture Contrast : PSI / Perfect Contrast 1	•/-	• / -	-/•	• / -	-/•
Sound					
Stereo Nicam sound / Virtual Dolby Surround	•/•	•/•	•/•	•/•	• / -
Music Power (Watt)	2 x 20	2 x 20	2 x 12.5	2 x 20	2 x 12.5
Loudspeakers built in (T/M/B)	2/2/1	0/2/0	0/2/0	0/2/0	0/2/0
User convenience					
Program Info / NexTView Link recording	•/•	• / -	-/-	•/•	-/-
Sleep / wake-up timer	•/•	•/•	•/•	•/•	• / -
Child Lock / Kid Pass	•/-	• / -	-/•	• / -	• / -
On screen menu : Navilight / symbols	•/-	• / -	• / -	• / -	-/•
Number of pages for teletext	1500	128	10	128	1
Headphone connector (mm)	3.5	3.5	3.5	3.5	3.5
Optional stand	STHA297	STHA290	STHA290	STTZ290	STTZ290
Colour	white pearl	silver	silver	silver	silver

29 DF 400G

29 DF 170G



29" TV set

- X-Flat Tube TF Contour for the best picture quality
- Better image stability without flickering with 100 Hz Intelligent Mastering (29 DF 400G)
- Stereo Nicam
- Program Info (29 DF 400G)
- Automatically installs your TV channels
- ready for use in less than 3 minutes

100Hz_











28 DP 175G



100 Hz intelligent mastering







28 DP 420G

28" TV set

- Better image stability without flickering with 100 Hz Intelligent Mastering
- Virtual Dolby Surround
- Scarts x 2 to connect 2 devices at the same time (VCR,DVD...)
- **28 DP 175G**

- New Focus Gun: pictures are pure, bright and sharp gives a better readability
- Stereo Nicam
- Perfect contrast 1 reinforces black contrast for better picture
- Automatically installs your TV channels ready for use in less than 3 minutes
- Scarts x 2 (VCR, DVD...)

<u></u>	29 DF 400G	29 DF 170G	28 DP 420G	28 DP 175G	
Picture					
Screen size / visible size in cm	72 / 68	72 / 68	70 / 66	70 / 66	
Tube: Extra-Flat / Black Pearl	• / -	• / -	• / -	-/•	
100 Hz Intelligent Mastering / 50 Hz	•/-	-/•	• / -	-/•	
Picture Contrast: Perfect Contrast 1 / Perfect Contrast 2	-/•	• / -	• / -	-/-	
Sound					
Stereo Nicam sound / Virtual Dolby Surround	•/-	• / -	•/•	• / -	
Music Power (Watt)	2 x 20	2 x 10	2 x 20	2 x 12.5	
Loudspeakers built in (T/M/B)	2/2/0	0/2/0	0/2/0	0/2/0	
User convenience					
Program Info / NexTView Link recording	•/•	-/-	• / -	-/-	
Sleep / wake-up timer	•/•	•/-	•/•	• / -	
Child Lock	•	•	•	-/•	
On screen menu: Navilight / symbols	• / -	-/•	• / -	-/•	
Number of pages for teletext	128	1	128	1	
Headphone connector (mm)	3.5	3.5	3.5	3.5	
Optional stand	STTZ290	STTZ290	-	-	

28 DN 420G



28" TV set

- Better image stability without flickering with 100 Hz Intelligent Mastering
- Virtual Dolby Surround to enjoy Cinema sound without additional speakers
- Scarts x 2 to connect 2 devices at the same time (VCR, DVD...)



DOLBY SURROUND







28 DR 430G

28 DR 220G



- Perfect combination of colours brightness and resolution with the Black PEARL tube
- 100 Hz Intelligent Mastering for better image stability without flickering (28 DR 430G)
- Virtual Dolby Surround
- Program Info: a full Thomson programme guide about the current channel (28 DR 430G)
- 3 in 1 (TV-DVD-VCR) remote control











	28 DN 420G	28 DR 430G	28 DR 220G	
Picture				
Screen size / visible size in cm	70 / 66	70 / 66	70 / 66	
Tube: Extra-Flat / Black Pearl	• / -	-/•	-/•	
100 Hz Intelligent Mastering / 50 Hz	• / -	• / -	-/•	
Picture Contrast: PSI / Perfect Contrast 1 / Perfect Contrast 2	• / - / -	-/-/•	-/•/-	
Format control	•	•	•	
Sound				
Stereo Nicam sound / Virtual Dolby Surround	•/•	•/•	•/•	
Music Power (Watt)	2 x 20	2 x 20	2 x 12.5	
Loudspeakers built in (T/M/B)	0/2/0	0/2/0	2/2/0	
User convenience				
Program Info / NexTView Link recording	• / -	•/•	-/-	
Sleep / wake-up timer	•/•	•/•	•/•	
Child Lock / Kid Pass	• / -	• / -	-/•	
On screen menu: Navilight / symbols	• / -	• / -	•/-	
Number of pages for teletext	128	128	10	
Headphone connector (mm)	3.5	3.5	3.5	

4/3 televisions

25 DX 1755



25" TV set

- Perfect combination of colours, brightness and resolution with the X-Flat Tube - TF contour
- New Focus Gun: pictures are pure, bright and sharp
- Stereo Nicam
- Automatically installs your TV channels
- ready for use in less than 3 minutes
- Scarts x 2 (VCR, DVD...)





28 DG 170G

25 DG 170G



DOLBY SURROUND









■ 28 DG 170G ■ 25 DG 170G

28" and 25" TV set

- Perfect combination of colours, brightness and resolution with the Black PEARL tube
- Perfect contrast 1 reinforces black contrast for better picture
- Stereo Nicam
- Automatically installs your TV channels
- International Teletext 24
- Front connectors

25 DG 25EG

25" TV set

- Black PEARL tube
- Perfect contrast 2 reinforces your picture contrast

by darkening black and brightening white

- Virtual Dolby Surround 40W Music Power
- Program Info
- Scarts x 2

	25 DV 4755	30 pc 470c	25 85 2555	25 pc 4705
m	25 DX 1755	28 DG 170G	25 DG 25EG	25 DG 170G
Picture				
Screen size / visible size in cm	63 / 59	70 / 66	63 / 59	63 / 59
Tube: Extra-Flat / Black Pearl	• / -	-/•	-/•	-/•
Picture Contrast:				
Perfect Contrast 1 / Perfect Contrast 2	• / -	• / -	-/•	• / -
Sound				
Stereo Nicam sound / Virtual Dolby Surround	• / -	• / -	•/•	•/-
Music Power (Watt)	2 x 12.5	2 x 6	2 x 20	2 x 6
Loudspeakers built in (T/M/B)	0/2/0	0/2/0	0/2/0	0/2/0
User convenience				
Program Info / NexTView Link recording	-/-	-/-	•/•	-/-
Sleep / wake-up timer	• / -	• / -	•/•	•/-
Child Lock	•	•	•	•
On screen menu: Navilight / symbols	-/•	-/•	• / -	-/•
Number of pages for teletext	1	1	б	1
Headphone connector (mm)	3.5	3.5	3.5	3.5

21 DX 1755





21" TV set

- X-Flat Tube TF Contour
- With the new Focus Gun: pictures are pure, bright and sharp
- Stereo Nicam
- International Teletext 24
- 2 Scarts (VCR, DVD, SAT, ...)
- Front connectors







21" TV set

- X-Flat Tube TF Contour for the best picture quality
- Perfect Contrast 1 reinforces black contrast
- Stereo Nicam (21 MX 1705)
- Auto Install automatically installs your TV channels
- International Teletext 24
- Front connectors

21 DC 1505

21 DC 2205











- X-Flat tube TF Contour
- With the new Focus Gun, pictures are pure, bright and sharp
- Virtual Dolby Surround (21 DC 2205)
- Kid Pass: you can allocate you kids time in front of the TV each day and manage their preference
- 2 Scarts
- Front connectors

	21 MX 1705	21 MX 1305	21 DX 1755	21 DC 2205	21 DC 1505
Picture					
Screen size / visible size in cm	55 / 51	55 / 51	55 / 51	55 / 51	55 / 51
Extra-Flat tube	•	•	•	•	•
Picture Contrast 1	•	•	•	•	•
Sound					
Sound mono / stereo Nicam / Virtual Dolby	-/•/-	• / - / -	-/•/-	-/•/-	•/-/-
Music Power (Watt)	2 x 6	6	2 x 12.5	2 x 12.5	1 x 12.5
Wide / AVL	-/-	-/-	•/•	•/•	-/•
User convenience					
Program number	99 + 1	99 + 1	99 + 2	99 + 2	99 + 2
Sleep / wake-up timer	• / -	• / -	• / -	•/•	• / -
Parental Feature: Child Lock / Kid Pass	•/-	• / -	• / -	-/•	• / -
Program auto switch off / Auto installation	•/•	•/•	•/•	•/•	•/•
On screen menu: symbols / Navilight	• / -	• / -	• / -	-/•	• / -
Number of pages for teletext	1	1	1	10	1
Headphone connector (mm)	3.5	3.5	3.5	3.5	3.5

4/3 televisions

21 DR 220G 21 DP 130G











international TELETEXT

21 DR 220G

21" TV set

- Black Matrix tube for optimal contrast of colours
- With the new Focus Gun, pictures are pure, bright and sharp
- Virtual Dolby
- Kid Pass: you can allocate you kids time in front of the TV each day and manage their preference
- Wake Up Timer: wake up with your TV on your favourite programme
- Scarts x 2 and TV DVD VCR Remote control
- **21 DP 130G**

21" TV set

- Black PEARL tube for the perfect combination of colours
- Perfect contrast 1 reinforces black contrast
- Auto Install
 International Teletext 24
- Front connectors for easy connections of entertainment devices

21 DG 170G





21" TV set

- Black PEARL tube for the perfect combination of colours
- Perfect contrast 1 reinforces black contrast
- Stereo NicamAuto Install
- International Teletext 24
 Front connectors

21 MG 18EG 21 MG 130G





international TELETEXT

- Black PEARL tube with Perfect contrast 1
- Stereo Nicam (21 MG 18 EG)
- Auto Install and International Teletext 24
- Front connectors

	21 DR 220G	21 DP 130G	21 DG 170G	21 MG 18EG	21 MG 130G
Picture					
Screen size / visible size in cm	55 / 51	55 / 51	55 / 51	55 / 51	55 / 51
Black Pearl tube	•	•	•	•	•
Picture Contrast 1	•	•	•	•	•
Sound					
Sound mono / stereo Nicam / Virtual Dolby	-/•/•	•/-/-	-/•/-	-/•/-	•/-/-
Music Power (Watt)	2 x 12.5	6	2 x 6	2 x 6	6
Wide / AVL	•/•	-/-	-/-	-/-	-/-
User convenience					
Programme number	99 + 2	99 + 1	99 + 1	99 + 1	99 + 1
Sleep / wake-up timer	•/•	• / -	• / -	• / -	• / -
Parental Feature : Child Lock / Kid Pass	-/•	• / -	• / -	• / -	• / -
Program auto switch off / Auto installation	•/•	•/•	•/•	•/•	•/•
On screen menu : symbols / Navilight	-/•	• / -	• / -	• / -	• / -
Number of pages for teletext	10	1	1	1	1
Headphone connector (mm)	3,5	3,5	3,5	3,5	3,5

20 MG 130G



20" TV set

- Black MATRIX tube
- Perfect contrast 1 reinforces black contrast
- Sleep timer: automatically turns off after a given period
- Auto Install and International Teletext 24
 Front connectors

14 MK 140G



14" TV set

- $lue{}$ 12 24 V: watch your TV wherever you want (plug on battery : mobile home, boat, truck, ...)
- Carry handle for easy transportation from room to room
- Perfect contrast 1
- Auto Install and International Teletext 24
 Front connectors

20 DG 130G





internationa

20" TV set

- Black MATRIX tube
- Perfect contrast 1
- Sleep timer automatically turns off after a given period
- Auto Install and International Teletext 24
 Front connectors

14 MG 120B 14 MG 130G 14 MG 110G





- Black MATRIX tube
- Perfect contrast 1
- Sleep timer automatically turns off after a given period
- Auto Install and International Teletext 24
 Front connectors

	20 MG 130G	20 DG 130G	14 MK 140G	14 MG 130G	14 MG 110G	14 MG 120B
Picture						
Screen size / visible size in cm	51 / 48	51 / 48	36 / 34	36 / 34	36 / 34	36 / 34
Black Matrix tube	•	•	•	•	•	•
Picture Contrast 1	•	•	•	•	•	•
Sound						
Sound mono	•	•	•	•	•	•
Music Power (Watt)	6	6	3	3	3	3
User convenience						
Programme number	99 + 1	99 + 1	99 + 1	99 + 1	99 + 1	99 + 1
Sleep / wake-up timer	• / -	• / -	• / -	• / -	• / -	• / -
Parental Feature : Child Lock	•	•	•	•	•	•
Programme auto switch off / Auto installation	•/•	•/•	•/•	•/•	•/•	•/•
Symbols on screen menu	•	•	•	•	•	•
Number of pages for teletext	1	1	1	1	-	1
Headphone connector (mm)	3,5	3,5	3,5	3,5	3,5	3,5
12 - 24 V	-	-	•	-	-	-

Portable televisions

HALO WHITE



















14" Portable LIFE TV set

- Designed especially for you and to make life easier. Original and trendy. As unique as you are!
- Phosphorescent TV: at night, the TV surprisingly lights up, glowing in the dark
- Carry handle for easy transportation from room to room
- Perfect contrast 1 reinforces black contrast for better picture
- Auto install: automatically installs your TV channels ready for use in less than 3 minutes
- International Teletext 24 to view information broadcast by channels (sport events, programs, stock exchange...)
- Front connectors for easy connections of entertainment devices (game stations, camcorders, digital photo camera...)

	HALO WHITE	HALO YELLOW	HALO PURPLE
Picture			
Screen size / visible size in cm	36/34	36 / 34	36 / 34
Black Matrix tube	•	•	•
Picture Contrast 1	•	•	•
Sound			
Music Power (Watt)	3	3	3
User convenience			
Programme number	99 + 1	99 + 1	99 + 1
Sleep / Child lock	•/•	•/•	•/•
Programme auto switch off	•	•	•
Symbols on screen menu	•	•	•
Auto installation	•	•	•
Number of pages for teletext	1	1	1
Headphone connector (mm)	3.5	3.5	3.5

XINOX TV







THOMSON LIFE









10" Portable LIFE TV set

- Designed especially for you and to make life easier. Original and trendy. As unique as you are!
- Carry handle for easy transportation from room to room
- Splash proof remote control: splashproof design water and grease resistant
- Perfect Contrast 1 reinforces black contrast for a better picture
- International Teletext 24 to view information broadcasted by channels (sport events, programs, stock exchange...)
- Front connectors for easy connections of entertainment devices (game stations, camcorders...)
- 12 24 V: watch you TV wherever you want (plug on battery: mobile home, boat, truck...) for SUGAR

	XINOX TV	SUGAR
Picture		
Screen size / visible size in cm	25 / 23	25 / 23
Black Matrix tube	•	•
Picture Contrast 1	•	•
Sound		
Music Power (Watt)	3	3
User convenience		
Programme number	99 + 1	99 + 1
Sleep / Child lock	•/•	•/•
Programme auto switch off	•	•
Symbols on screen menu	•	•
Auto installation	•	•
Number of pages for teletext	1	1
Headphone connector (mm)	3.5	3.5
12 - 24 V	-	•

TV with integrated VCR

TEKNO



THOMSON LIFE

14" LIFE TV with integrated VCR

- Original and perfectly adapted to your needs, this new combi will make your life easier and colourful
- 2 tuners allow you to watch a programme while recording an another one
- With the Naviclick function, just click twice with your remote control and the programming is done
- Teletext allows you to view information broadcast by channels
- Tilting: either on the floor or on a table, two positions on your combi gives you the best vision comfort
- Carry Handles for easy transportation from room to room

FIZYPLUS



international SHOWVIEW® NAVICLICK KID**PASS**

THOMSON LIFE

14" LIFE TV with integrated VCR

- Designed especially for you and to make life easier.
- Original and trendy As unique as you are!
- Kid Pass allows you to allocate your kids' time in front of the TV each day and manage their preferences
- ShowView for an easy error-less programming
- ChromaPro issued from professionnal technology, for better picture contrast and exceptionnal sound
- Tilting: either on the floor or on a table, two positions on your combi gives you the best vision comfort
- Carry Handles for easy transportation from room to room

	TEKNO	FIZYPLUS
TV Part		
Screen size / visible size in cm	36/34	36 / 34
Picture Contrast 1 / 2	•/-	•/-
Music Power (Watt)	5	5
Number of Tuner	2	1
Sleep / wake-up timer / Kid Pass	•/•/-	•/•/•
Programme auto switch off	•	•
Navilight on screen menu	•	•
Auto install (auto naming + auto sorting)	•	•
Number of pages for teletext	4	
Headphone connector (mm)	3.5	3.5
VCR Part		
Heads (Video+Audio)	2	2
Clock: Auto Setting / Auto Adjust	•/•	•/-
Timer capacity: 4 events on 1 year	•/•	•/•
Daily repeat recording	•	•
VPS decoder / PDC decoder	•/•	•/•
ShowView programming / Naviclick programme quide	•/•	•/•

21 CH 200G



NAVILIGHTsystem ▶

international SHOWVIEW* NAVICLICK

21" TV with integrated VCR

- Enjoy CD quality sound on your combi with 4 loudspeakers
- 2 tuners allow you to watch a programme while recording an another one
- 4 heads for better picture quality and double recording
- With the Naviclick function, just click twice with your remote control and the programming is done
- Karaoke function: to liven up musical evenings with your friends or with your family
- Teletext

14 CD 25CG 14 CB 130G





international TELETEXT

SHOWVIEW NAVICLICK

■ 14 CD 25FG ■ 14 CD 25CG

14" TV with integrated VCR

- 12 V function to watch your TV wherever you want (plug on battery: mobile home, boat...)
- 2 tuners allows you to watch a programme while recording an another one
- ShowView for an easy error-less programming
- ChromaPro: issued from professionnal technology, for better picture contrast and exceptionnal sound

14 CB 130G

14" TV with integrated VCR

- Easy to install and use
- Teletext allows you to view information broadcasted by channels
- Chroma Pro: issued from professionnal technology,

for better picture contrast and exceptional sound

Front connectors

	21 CH 200G	14 CD 25FG	14 CD 25CG	14 CB 130G	
TV Part	ET CIT EUOU	14 (8 2310	14 CB E3C0	14 CB 1300	
Screen size / visible size in cm	55 / 51	36 / 34	36 / 34	36 / 34	
Picture Contrast 1 / 2	-/•	•/-	• / -	• / -	
Music Power (Watt)	2 x 8	5	5	5	
Number of tuners	2	2	2	1	
Sleep / wake-up timer / Kid Pass	•/•/-	•/•/-	•/•/-	•/•/-	
Navilight on screen menu	•	•	•	•	
Auto install (auto naming + auto sorting)	•	•	•	•	
12 - 24 V	-	•	•	-	
Number of pages for teletext	4	4	-	4	
Karaoke micro	•	-	-	-	
VCR Part					
Heads (Video+Audio)	4	2	2	2	
Clock: Auto Setting / Auto Adjust	•/•	•/•	• / -	•/•	
Timer capacity: 4 events on 1 year	•/•	•/•	•/•	•/•	
Daily repeat recording / Auto longplay	•/•	• / -	• / -	• / -	
VPS decoder / PDC decoder	•/•	•/•	•/•	•/•	
ShowView programming / Naviclick programme guide	•/•	•/•	•/•	-/-	
HIFI Stereo / Karaoke function	•/•	-/-	-/-	-/-	











HOME CINEMA

With THOMSON, Home Cinema means the enjoyment of intense sensation shared by the whole family within the confines of its drawing room. A whole range of products delivers the stunning sensations of both image and sound. Consistency has been built in right from the start: in the design, aesthetics, intercommunication among the different elements and user interfaces, and also in the well-thought-out connections. A wide choice of specific features, digital recording with hard disk and DVD player, recordable DVD, 6-channel digital amplification...; all these afford you uncomplicated enjoyment of the cinema experience at home, and give fresh meaning to the word "friendliness".

Hard disk drive recorders and DVD players







80 GB Combined Hard Disk Drive recorder and DVD player - Digital Media Recorder

- Digital Video recorder with 120 GB HDD to get more than 80 hours recording with Live Pause and simultaneous recording and playback
- Naviclick programme guide for an easy timer-programming recording using on-screen menus and automatic naming of TV recordings thanks to Naviclick
- Easy connection for transfering digital photos and mp3 music files to hard disc with the front USB input for connection to Memory Card reader
- Audio Jukebox stores hours of music on hard disc
- Built-in mp3 decoder, allows playback of DVD video discs most of DVD+R / +RW, DVD -R/-RW discs, CD audio and most CD-R / CD-RW*, Video -CD and S-VCD as well as listening to your own mp3 CD-Rs*
- RGB input and output for best recording and playback picture quality
- Front connection to easily connect portable equipment
- Digital Photo View to view J-PEG photos recorded on CD-R or photo albums stored on hard disc
- * Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not guaranteed















THOMSON

40 GB Combined Hard Disk Drive recorder and DVD player - Digital Media Recorder

- Digital Video recorder with 40 GB HDD to get more than 30 hours recording with Live Pause and simultaneous recording and playback
- All other features same as DTH 7500E (but without S-VCD)

	DTH 7500E	DTH 7000E
Hard Disk capacity (GB)	80	40
Play Disc and Record on HDD -simultaneously-	• (same or other stream)	• (same or other stream)
Record to HDD and Play HDD -simultaneously-	• (same or other stream)	• (same or other stream)
Data move from Disc to HDD	• (mp3/JPEG)	• (mp3/JPEG)
Recording quality levels (HDD)	4 levels (up to 120/60/40/20 hrs)	3 levels (up to 30/19/9 hrs)
Time shift ("live TV pause ") on HDD	• (up to 45 min)	• (up to 45 min)
Reception standards (LL', BG,I, DKK')	•/•/•	•/•/•
Auto installation / Auto Sorting / AV link (Channel Sync. With TV)	•/•/•	• / • / •
Easy timer programming (Naviclick) / auto naming of TV recordings from Teletext	•/•	•/•
Satellite and cable Box commander (external)	•	•
Audio Digital to analogue converter	96 kHz / 24 bits	96 kHz / 24 bits
Dolby Digital 5.1 / DTS / MPEG 2 audio (passthrough)	•/•/•	•/•/•
Mp3 decoder built in / TruSurround / Zoom	•/•/•	•/•/•
JPEG photos playback / Kodak Picture CD Playback	•/•	•/•
Front jacks: USB v.1.1 IN / Y/C IN / 2xRCA Audio IN / RCA video IN	•/-/•/•	•/-/•/•
Number of scart sockets (1 with Y/C / 2 with RGB)	2	2
Rear jacks: 2xRCA audio in/out - RCA video in/out - Y/C in/out (Hosiden)	•/•/•	•/•/•
Digital audio out: coaxial / optical	•/•	•/•

^{*} Playback of most CO-R discs according to disc type and recording method. Playback, especially of mp3, can only be ensured by using certain methods.
* Playback of most DVD+RW /+R /-RW /-R discs according to disc type and recording method.



THOMSON

DVD Recorder

- Record your TV programmes in digital quality on Write once / ReWritable DVDs (DVD+R/ DVD+RW)
- Up to 8 hours recording time: you can select one of the 6 record modes, ranging from the 1 hour top quality mode, to the extra long 8-hours recording mode
- Naviclick programme guide for easy timer-programming recordings using on-screen menus and automatic naming of TV recordings thanks to Naviclick
- Disc Library to instantaneously view the contents of your recorded DVD+R / + RW discs (up to 200 titles)
- "SmartRecord" to get the highest recording quality level with the amount of space available on the disc
- "Time Base Corrector" to provide the highest picture quality when copying VHS tape to disc
- Front USB input for connection to Memory Card reader: easy connection for playback and transfering digital photos and mp3 files to DVD +R/+RW discs
- RGB input and output for best recording and playback picture quality from analogue sources
- Front connectors (S-Video, video, and audio L/R) to easily record from a camcorder
- Digital Photo View, and buit-in mp3 decoder, allows mp3 playback during J-PEG photo slideshow;
- Playback of DVD Video discs, most of DVD +R / +RW, DVD -R / -RW discs, CD audio, most CD-R / CD-RW *, Video- CD and S-VCDs, as well as listening to your own mp3 CD-Rs*

	DTH 8000E
Recording Quality Levels Selection	6 levels (8/6/4/3/2/1 hours)
Optimum Recording Level / Time Base Correction	•/•
Disc library	• (up to 200 titles)
Video Editing (chapter creation / hide / unhide)	•/•/•
Timer capacity	16 events / 1 year
Easy timer programming (Naviclick) / auto. naming of TV recordings thanks to Naviclick	•/•
Satellite and cable Box commander (external)	•
Instant recording	•
Reception standards (LL', BG,I, DKK')	•/•/•
Auto installation / Auto Sorting / AV link (Channel Sync. With TV)	•/•/•
16/9 identification record / playback	•/•
Audio Digital to analogue converter	96 kHz / 24 bits
Dolby Digital 5.1 / DTS / MPEG2 audio (passthrough)	•/•/•
Mp3 decoder built in / TruSurround / Zoom	•/•/•
JPEG photos playback / Kodak Picture CD Playback	•/•
Mp3 music playback during JPEG picture slide-show	<u> </u>
Front jacks: USB v.1.1 IN / Y/C IN / 2xRCA Audio IN / RCA video IN	•/•/•
Number of scart sockets (1 with Y/C / 2 with RGB)	2
Rear jacks: 2xRCA audio in/out - RCA video in/out - Y/C in/out (Hosiden)	•/•/•
Digital audio out: coaxial / optical	•/•

^{*} Playback of most CD-R discs according to disc type and recording method. Playback, especially of mp3, can only be ensured by using certain methods.

* Playback of most DVD+RW/+R /-RW/ -R discs according to disc type and recording method.

^{*} Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not quaranteed

DTH 311E











PAL Progressive Scan - Slot -in DVD player

- Slot loader for easy operation
- Progressive Scan (PAL & NTSC Output) to enhance picture quality transmitted to TV, Plasma, LCD, ...
- Full connectivity with: 2 scarts (with 1 loop through RGB), S-Video output +Y/PR/Pb component video output for an easier installation with other Audio / Video equipment
- Digital Photo View with simultaneous J-PEG and Music PlayBack to view J-PEG photos recorded on CD-R, while listening to mp3 or WMA music recorded on the same CD-R
- Multi disc playability: DVD video discs, most of DVD +R/+RW, DVD -R / -RW discs as well as CD audio and most of CD-R/CD-RW*, mp3 & WMA CD-Rs, Video CD & S-VCD
- * Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not quaranteed

DTH 231E







DVD player

- Progressive Scan (NTSC Output)
- Full connectivity with: 2 scarts (with 1 loop through RGB), S-Video
- +Y/PR/Pb component video output
- Digital Photo View with simultaneous J-PEG and Music PlayBack: allows viewing of J-PEG photos recorded on CD-R, while listening to mp3 music recorded on the same CD-R
- Multi disc playability: allows to playback DVD video discs, most of DVD-R/-RW, DVD+R/+RW as well as CD audio and most of CD-R/CD-RW*, mp3 & WMA CD-Rs, Video CD & S-VCD
- * Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not guaranteed

	DTH 311E	DTH 231E	
Progressive Scan (PAL / NTSC output)	•/•	-/•	
Audio Digital to analogue converter	96Hz / 24 bit	96Hz / 24 bit	
Dolby Digital 5.1 ch decoder: built in / passthrough	-/•	-/•	
DTS 5.1 ch decoder: built in / passthrough	-/•	-/•	
mp3 / WMA decoder	•/•	•/•	
Virtual surround	•	-	
CD audio / most CD-R / CD-RW / mp3 / WMA	•/•/•/•	•/•/•/•	
Video CD / S-VCD	•/•	•/•	
Still picture / frame advance / parental lock	•/•/•	•/•/•	
Zoom (x2, x3, x4, x5)	•	•	
Jpeg photos playback (Max 5 M Pix, 2MB) / Zoom with pan & scan	•	•	
Mp3 / WMA music playback during JPEG slideshow	•/•	• / -	
Kodak Picture CD playback	•	•	
Number of scart sockets (of which 1 with RGB)	2	2	
RCA video / S-Video / YUV component out	1 / 1 / 1 set	1 / 1 / 1 set	
Digital audio out: coaxial / optical	•/•	•/•	

^{*} Playback of most CD-R discs according to disc type and recording method. Playback, especially of mp3, can only be ensured by using certain methods.
* Playback of most DVD+RW / + R / -RW /-R discs according to disc type and recording method.



DVD player

- Digital Photo View with simultaneous J-PEG and Music PlayBack to view J-PEG photos recorded on CD-R, while listening to mp3 or WMA music recorded on the same CD-R
- Multi disc playability to playback DVD video discs, most of DVD-R/-RW, DVD+R/+RW discs, as well as CD audio and most of CD-R/CD-RW*, mp3 & WMA CD-Rs, Video CD & S-VCD
- *Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not guaranteed

DTH 6100E













Combined DVD player and HiFi VCR with ShowView

- Combines all features of a DVD player and HiFi VHS videorecorder
- Built-in mp3 decoder, CD-R, CD-RW & S-VCD playback: playback of DVD video discs, most of DVD +R /+RW, DVD -R / -RW, CD audio and most CD-R / CD-RW* as well as Video CD & S-VCDs
- Digital Photo View with simultaneous J-PEG & mp3 playback to view J-PEG photos recorded on CD-R, while listening to mp3 music recorded on the same CD-R
- 2 Scarts with loop and RGB output from DVD
- Front A-V connectors
- Showview and VPS PDC function
- * Most CD-R/-RW DVD-R/-RW/+R/+RWs Total compatibility not guaranteed

	DTH 211E		DTH 6100E
Progressive Scan (PAL / NTSC output)	-	Audio Digital to analog converter	96 kHz / 24 bits
Audio Digital to analogue converter	96Hz / 24 bit	Dolby Digital 5.1 ch decoder: built in / passthrough	-/•
Dolby Digital 5.1 ch decoder: built in / passthrough	-/•	DTS 5.1 ch decoder: built in / passthrough	-/•
DTS 5.1 ch decoder: built in / passthrough	-/•	Virtual surround / mp3 decoder built in	•/•
Mp3 / WMA decoder	•/•	CD audio / most CD-R / CD-RW / mp3 / WMA	•/•/•/•
Virtual surround	•	Video CD / S-VCD	•/•
CD audio / most CD-R / CD-RW / mp3 / WMA	•/•/•/•	Jpeg photos playback / Kodak Picture CD playback	•/•
Video CD / S-VCD	•/•	Mp3 / WMA music playback during JPEG slideshow	•/-
Still picture / frame advance / parental lock	•/•/•	HIFI Stereo VCR	•
Zoom (x2, x3, x4, x5)	•	VCR: auto power on / auto playback / auto longplay	•/•/•
peg photos playback (Max 5 M Pix, 2MB) / Zoom with pan & scan	•	VPS / PDC decoder	•/•
Mp3 / WMA music playback during JPEG slideshow	•/•	Easy timer programming (ShowView)	•
Kodak Picture CD playback	•	Number of scart sockets (of which 1 with RGB)	2
Number of scart sockets (of which 1 with RGB)	1	Digital audio out: coaxial / optical	•/•
RCA video / S-Video / YUV component out	1/-/-		
Digital audio out: coaxial / optical	• / -		

^{*} Playback of most CD-R discs according to disc type and recording method. Playback, especially of mp3,

can only be ensured by using certain methods.

* Playback of most DVD+RW / +R / -RW /-R discs according to disc type and recording method.

^{*} Playback of most CD-R discs according to disc type and recording method. Playback, especially of mp3,

can only be ensured by using certain methods.

* Playback of most DVD+RW / +R / -RW /-R discs according to disc type and recording method.

DPL 950VD











DPL 950VD



DPL 910VD

THOMSON SCENIUM

Ultra-slimline Home Cinema system:

great solution when in your home space is limited

- 450 W RMS output power for optimum audio performance
- Built-in DVD / VCD- S-VCD / CD / CD-R / CD-RW/ mp3 player
- Built-in DTS™, Dolby Digital® and Dolby Prologic II® Decoders
- Tuner RDS
- Full Audio / Video and Digital connections:

Y / Cb / Cr to enjoy an exceptional quality on TVor projector, Scart RGB for easy connection, Optical in/out

- Universal Remote Control
- Motorised mirror door with touch sensor
- Optional speaker stand HS 200

DPL 910VD



THOMSON SCENIUM

Home Cinema Pack CD / DVD player

- 200 W RMS output power
- A full THOMSON Scenium Pack: amplifier with DVD and speakers
- Built-in DVD / VCD / CD / CD-R / CD-RW and mp3 player
- Built-in DTS™, Dolby Digital™ and Dolby Prologic II® decoder
- Thin and Scenium style
- Full Audio / Video and Digital connections to connect easily and quickly your devices
- Multibrand and multiproducts Navilight remote control
- Optional speaker stand HS 200

Total output power (RMS)	450	200	
Digital tuner / RDS / number of station presets	• / • / 40	•/•/30	
Tuner FM / MW / LW	•/•/-	•/•/•	
Dolby Pro Logic / Dolby Pro Logic II / Dolby Digital / DTS	•/•/•/•	•/•/•	
DVD video / CD Audio / VCD / S-VCD	•/•/•	• / • / • / -	
CD-R / CD-RW / mp3 compatibility / JPEG	• /• / • / -	•/•/-	
DVD slow motion playback	•	•	
Frame advance / quick search (forward / reverse)	•/•	•/•	
Fine still picture / zoom function (x2, x4, x8)	•/•	• / •	
Scart	1 RGB	•	
Audio IN / Audio OUT	2/1	2/1	
Video IN / Video OUT	2/1	2/2	
S-Video IN / OUT	0/1	1/1	
Component in / out	0/1	-	
Optical in/out	1/1	1/1	
Remote control	Universal	Universal	

DPL 909VD

Home Cinema DVD system with extra-slim design

- 200 W RMS Total Ouput Power
- Tuner RDS
- Built-in DVD / CD / CD-R / CD-RW / VCD-S-VCD / mp3 player compatible with Digital Photoview JPEG pictures
- DTS™, Dolby Digital® and Dolby Prologic II® Decoders

















Home Cinema compact system

- A Home Cinema Compact System with 2 speakers and 1 subwoofer to enjoy Home Cinema
- Built-in DVD / VCD/ S-VCD / CD / CD-R / CD-RW and mp3 player to watch your favourite movies and listen to your music whatever their formats are
- Digital Photoview to watch your pictures through your TV set
- Built-in Dolby Digital™ and DTS™ ready decoder to enjoy cinema sound technologies
- Scart RGB to connect easily and quickly your TV
- TruSurround by SRS for a rich and convincing surround sound
- 5 Eq Presets: Jazz, Rock, Pop, Classic, Flat
- 3 band RDS Tuner to display broadcast info: station name, radio text, ...

	DPL 909VD	CS 1200VD
Total output power (RMS)	200	80
Digital tuner / RDS / number of station presets	• / • / 30	•/•/30
Tuner FM / MW / LW	•/•/-	•/•/-
Dolby Pro Logic / Dolby Pro Logic II / Dolby Digital / DTS	•/-/•/•	-/-/•/-
DVD video / CD Audio / VCD / S-VCD	•/•/•	•/•/•
CD-R / CD-RW / mp3 compatibility / JPEG	•/•/•/•	•/•/•
DVD slow motion playback	•	•
Frame advance / quick search (forward / reverse)	•/•	•/•
Fine still picture / zoom function (x2, x4, x8)	•/•	•/-
Scart	1 RGB	1 RGB
Audio IN / Audio OUT	2/1	1/0
Video IN / Video OUT	2/2	2/2
S-Video IN / OUT	0/1	1/1
Optical in/out	-/-	1/1
Remote control	TV / DVD	•

Home cinema kits



Home Cinema Pack

- 600W RMS Total output power
- RDS tuner
- DTS™ and Dolby Digital™ and Dolby Prologic II®
- 5.1 ready: 6 channels inputs for compatibility with future cinema standards
- Audio, Video and S-Video inputs on front panel to quickly and easily connect your camcorder
- 6 DSP modes and 5 EQ presets to simulate various environments and to enjoy your favourites music types
- Universal remote control
- Scart socket
- Optional speaker stand HS 200





Home Cinema Pack

- 300W RMS Total output power
- RDS tuner
- DTS™ and Dolby Digital™ and Dolby Prologic II® decoders
- 6 DSP modes and 5 EQ presets: various environments to enjoy your favourites music types
- Full package of 5 speakers and one subwoofer: essential to enjoy a huge home cinema sound
- Optional speaker stand HS 200

	DPL 660HT	DPL S70HT	
Total output power (Watt RMS)	600	300	
Digital tuner / RDS / number of station presets	• / • / 40	• / • / 40	
FM / MW / LW bands	•/•/•	•/•/•	
Left - right speakers: way number / power efficiency (W)	2 / 100	2 / 50	
Center speaker: way number / power efficiency (W)	1 / 100	1 / 50	
Rear speakers: way number / power efficiency (W)	2 / 100	2 / 50	
Subwoofer output power	100	50	
Dolby Pro Logic / Dolby Pro Logic II / Dolby Digital / DTS	•/•/•	•/-/•/•	
Surround Sound / Equalizer presets	• / 5	•/6	
5+1 ready	•	-	
Sub out	•	•	
Audio IN / Audio OUT	4/2	4/2	
Video IN / Video OUT	5/1	5/1	
Digital IN (coaxial / optical)	2/2	1/1	
Main speakers connection	Clips	Clips	
Surround connections	Clips	Clips	
Headphone jack	6.35 mm	6.35 mm	
Remote control	Universal	TV/DVD	

TIS DISTANT CO R-D-S

DPL 4000















Home Cinema receiver with unique stylish design: motorised door with touch sensor and mirror finishing

- 110W per channel @ 0,09% THD
- DTS™ and Dolby Digital™ and Dolby Prologic II® decoders-
- DVD-Audio ready:
 - Frequency range from 10 Hz to 80 kHz @-3db
 - 24 bit/192 kHz DAC High performance transformer
- Carefully selected and accurate components
- Full audio-video gold plated connections:
 - Optical 3 inputs / 1 outputs
 - Component Y/Cb/Cr: 2 inputs / 1 outputs
 - S-video: 2 inputs / 1 output
 - Full Audio-Video cinch connections
 - 5+1 ready
- Universal remote control



SPL 2000



Home Cinema speaker package: the best sound with stylish design

- 5 satellite speakers 100 W: left, right, centre, rear left, rear right and a 100 W subwoofer
- Two way speaker, bass reflex. Impedance: 6 ohms
- Active subwoofer
- Supplied with a swivel base, the speakers can be used vertically, horizontally or attached to the wall
- Magnetic speaker shielding prevents interference with the TV image
- Optional speaker stand HS 2000

	DPL 4000
Total output power (Watt RMS)	550
THD (%)	0,09
Digital tuner / RDS /number of station presets	•/•/40
FM / MW / LW bands	•/•/•
Dolby Pro Logic / Dolby Pro Logic II / Dolby Digital / DTS	•/•/•
Surround Sound	•
Equalizer presets	5
DVD-Audio and SACD Ready	•
Sub out	_ •
Audio IN / Audio OUT	4/1
Video IN / Video OUT	5/1
S-Video IN / OUT	3/1
Digital IN (coaxial / optical)	1/3
Digital OUT (optical)	1
Speakers connections	Screws
Surround connections	Screws
Headphone jack	6.35 mm
Remote control	Universal

VTH 6420E





6 heads HIFI with ShowView and front AV connections

- Auto long play: automatic switching to long play mode if the tape is not long enough
- Auto install plus: no need to search for the channels.
 They are set up and sorted automatically
- Auto clock: clock is automatically updated every day.
 No concerns about accuracy
- Don't miss your recording if the programme starts late [on VPS / PDC channels] with the VPS / PDC function
- NTSC playback on PAL TV to playback imported tapes from USA and Japan
- Front connections to easily connect portable equipment to the front of the VCR

VTH 6410E





6 heads HIFI with ShowView

- Auto long play: automatic switching to long play mode if the tape is not long enough
- Auto install: no need to search for the channels.
 They are set up automatically
- NTSC playback on PAL TV to playback imported tapes form USA and Japan
- Auto clock: clock is automatically updated everyday.

No concerns about accuracy

 Don't miss your recording if the programme starts late on the VPS and PDC channels with the VPS / PDC function



	VTH 6420E	VTH 6410E	
HiFi Stereo	•	•	
Easy Timer programming (ShowView)	•	•	
Cable Reception	•	•	
Programme Number	88	88	
Auto installation / Auto sorting	•/•	•/•	
NTSC playback (PB) on PAL TV	•	•	
Child lock	•	•	
Timer capacity: 7 events in 1 month	•	•	
Daily / weekly repeat	Mo-Fr∕•	Mo-Fr / •	
VPS / PDC decoder	•/•	•/•	
Instant recording	•	•	
Auto longplay	•	•	
Noiseless still picture / slow motion / frame advance	•/•/•	•/•/•	
Front AV jacks: 2xRCA Audio IN / video IN	•	-	




6 heads HIFI

- Auto long play: automatic switching to long play mode if the tape is not long enough
- Auto install: no need to search for the channels. They are set up automatically
- $\ lue{\ }$ NTSC playback on PAL TV to playback imported tapes from USA and Japan

	VTH 6400E
HiFi Stereo	•
Easy Timer programming (ShowView)	-
Cable Reception	•
Programme Number	88
Auto installation / Auto sorting	•/-
NTSC playback (PB) on PAL TV	•
Child lock	•
Timer capacity: 7 events in 1 month	•
Daily / weekly repeat	Mo-Fr∕•
VPS / PDC decoder	-/-
Instant recording	•
Auto longplay	•
Noiseless still picture / slow motion / frame advance	•/•/•
Front AV jacks: 2xRCA Audio IN / video IN	













PERSONAL AUDIO AND VIDEO


Listen to your favourite music or the news, view your videos, always and everywhere. This is the THOMSON range of leisure and information products; hip design objects that will never leave your side. From mp3 personal video players that fit in your pocket to the micro system in the teenagers' bedroom, THOMSON audio products change the pace of life. They come complete with the latest special features, such as Smart Trax, a technological revolution that enables you to browse your mp3 and mp3PRO recordings. You can also rapidly access a title using a search by artist, album, genre or title.

Mp3 personal digital players











PDP 2860

THOMSONLYRA

Audio/Video player and recorder with 20GB hard disc drive

- Up to 80 hours of video playback (mpeg 4)
- Line-in plug to connect your player to an analogue source (TV) to record video
- Line-out plug to watch videos and view photos on your TV
- Audio Player (mp3PRO, WMA): up to 600 hours of music (mp3PRO at 64 kbps)
- Compact flash slot for external memory card for direct photo transfer from a digital camera
- 9 cm LCD colour display: you can watch videos and view photos wherever you are
- USB 2.0 connectivity to get a highspeed transfer of any kind of computer files
- Rechargeable battery: 12 hours of battery life in music mode (4 hours in video)

A PORTABLE AUDIO / VIDEO RECORDER

You can record audio and video directly from your television: up to 80 hours of video with the 206B hard disc drive! Watch your videos wherever you are on the color LCD display.

A PORTABLE AUDIO / VIDEO PLAYER

You can connect your device to your computer using USB 2.0 to transfer compressed music, photos, videos at a highspeed level. Plays mp3, mp3PRO and Windows Media Audio files. It connects to a television set with its line out plug to watch videos or view photos in your living room. You can store and view digital images without a computer: the device has a CompactFlash slot to let you to pull images of a CompactFlash card

PDP 2860
20GB
•/•/•
USB 2.0
3,5
PC + Mac
•
•
•
•
233 MHz/-
•/•/•/•
•/•
4 MB
•
•
135 x 80 x 24
400

PDP 2840





THOMSONLYRA

Audio player with 20 GB hard disc drive

- New hard disc drive technology with a 20 GB capacity: you can get more than 600 hours music with mp3PR0 format [64 Kbps]
- Playback mp3, mp3PRO and WMA
- Can store any type of computer files (Word, Excel, j-peg...): this can be used as an external hard disc drive
- USB 2.0 technology for a highspeed transfer
- Large LCD display: alphanumeric and backlit to display artist name, song and album title, elapsed time, volume level, ...
- Rechargeable Lithium Ion battery (Up to 15 hours battery life)
- 8 MB SDRAM buffer memory to get up to 8 minutes antishock system



THOMSONLYRA

Mini audio player with 1.5GB hard disc drive

- Small portable hard disc drive with 1.5 GB capacity
- Up to 45 hours of music (mp3PRO at 64 kbps)
- User friendly display with artist name, song and album title, ...[8 lines backlit LCD display]
- USB 2.0 technology for a highspeed transfer of any kind of computer files
- Rechargeable battery: 12 hours battery life
- Rechargeable function through the USB plug: no need to use an AC/DC adaptor

	PDP 2840	PDP 2810	
On board memory format	20GB	1.5GB	
Compatibility: mp3 + mp3 PRO + WMA	•/•/•	•/•/•	
Port	USB 2.0	USB 2.0	
Headphone Jack (mm)	3,5	3,5	
Computer compatibility	PC + Mac	PC + Mac	
Display backlight	•	•	
USB direct computer connection	•	•	
Software MusicMatch™	•	•	
Audio cable	•	•	
Processor PC / Mac	233 MHz / -	233 MHz / -	
Operating System: Windows 98 / Me / 2000 / XP / 05 X	•/•/•/•	•/•/•/•	
Internet Navigator: Explorer 5.0 / Net Access	•/•	•/•	
Hard disk space	4 MB	4 MB	
USB port	•	•	
Sound card	•	•	
Dimensions (W x H x D)	80 x 115 x 28	58 x 60 x 30	
Weight in gr	300	150	

Mp3 personal digital players



THOMSONLYRA

Personal Digital Player

- On-board 128 MB flash memory and external slot for removable memory card (not supplied)
- Combines internal and external flash memory (not supplied) to expand the storage capacity
- mp3PRO ready to get more than 4 hours of music with the 128MB on-board flash memory
- Can store any type of computer files (Word, Excel, jpeq...). This can also be used as an external data storage
- "Plug and play": the player is automatically recognised by the PC
- Large LCD display: alphanumeric and backlit display for easy reading (artist name, song title...)
- MusicMatch™ software to create and manage your own compilation with your PC
- FM tuner with 10 presets to enjoy your favourite FM radios



musicosatch

THOMSONLYRa

Pocket Digital Player

- Ultra compact size
- On-board 128 MB flash memory and external slot for removable memory card (not supplied)
- Combines internal and external flash memory to expand the storage capacity
- mp3, mp3PRO and WMA playback to get more than 4 hours of music with the 128 MB on-board flash memory
- Can store any type of computer files (Word, Excel, jpeq...). This can also be used as an external data storage
- "Plug and play": the player is automatically recognised by the PC
- Large alphanumeric display for easy reading (artist name, song title, ...)
- MusicMatch™ software to create and manage your own compilation with your PC





Pocket Digital Player

- Ultra compact size
- On-board 64 MB flash memory and external slot for removable memory card (not supplied)
- Combines internal and external flash memory to expand the storage capacity
- mp3, mp3PRO and WMA playback to get more than 2 hour of music with the 64 MB on-board flash memory
- Can store any type of computer files (Word, Excel, jpeq...). This can also be used as an external data storage
- "Plug and play": the player is automatically recognised by the PC
- Large alphanumeric display: user friendly display with an easy reading
- MusicMatch™ software to create and manage your own compilation with your PC

	PDP 2225	PDP 2448	PDP 2444
On board memory format	128	128	64
External memory format	MMC, SD	MMC, SD	MMC, SD
Compatibility: mp3 + mp3 PRO + WMA	•/•/•	•/•/•	•/•/•
Port	USB	USB	USB
Headphone Jack (mm)	3.5	3.5	3.5
Computer compatibility	PC	PC	PC
Tuner type / FM	PLL / •	-/-	-/-
Display backlight	•	-	-
USB direct computer connection	•	•	•
Software MusicMatch™	•	•	•
Processor PC / Mac	233 MHz/-	233 MHz / -	233 MHz / -
Operating System: Windows 98 / Me / 2000 / XP / 05 X	•/•/•/-	•/•/•/-	•/•/•/-
Internet Navigator: Explorer 5.0 / Net Access	•/•	•/•	•/•
Hard disk space	6 MB	6 MB	6 MB
USB port	•	•	•
Sound card	•	•	•
Dimensions (W x H x D)	60 x 64 x 20 mm	55 x 50 x 20 mm	55 x 50 x 20 mm
Weight in gr	50	50	50



mp3PRO CD player

- CD, CD-R, CD-RW, mp3 PRO playback: up to 300 titles on a single disc, 20 hours of music
- 4 lines LCD display and SmartTrax navigation system (search by artist, by album, by song, by genre)
- Electronic antishock 180s / 720 s (mp3 64 kbps)
- Multimedia p@ck: MusicMatch CD Rom and cable to create and manage your own compilations on your computer
- DSP: Normal / DBBS / Surround / DBBS + surround
- e.clipz earphones: very convenient, comfortable and easy to carry around
- Wired remote control
- Delivered with batteries and AC/DC adaptor



mp3 personal CD player with FM tuner

- CD, CD-R, CD-RW, and mp3 playback: up to 150 titles on a single disc, 10 hours of music
- 3 lines LCD display and SmartTrax navigation system (search by artist, by album, by song, by genre)
- Electronic antishock Proof 45s / 200 s (mp3 64 kbps)
- Multimedia p@ck: MusicMatch CD Rom to create and manage your own compilations on your computer
- e.clipz earphones: very convenient, comfortable and easy to carry around
- 4 preset EQ: Jazz / Pop / Rock / Flat
- Delivered with batteries and AC/DC adaptor



mp3 personal CD player

- CD, CD-R, CD-RW, and mp3 playback: up to 150 titles on a single disc, 10 hours of music
- 3 lines LCD display and SmartTrax navigation system (search by artist, by album, by song, by genre)
- Electronic antishock Proof 45s / 200 s (mp3 64 kbps)
- Multimedia p@ck: MusicMatch CD Rom to create and manage your own compilations on your computer
- e.clipz earphones and electronic volume control (30 levels)
- 4 preset EQ: Jazz / Pop / Rock / Flat
- Bass Boost
- Delivered with AC/DC adaptor











	PDP 2099R	PDP 2069	PDP 2060	
Antishock protection	180" ESPX	45" ESPX	45" ESPX	
Antishock protection for mp3 playback at 64 kps	720"	200"	200"	
Compatibility CD + CD-R + CD-RW	• + mp3 PRO	• + mp3	• + mp3	
Autonomy / with extrapack (hours)	20 / -	20/-	18 / -	
Programme memory	30	30	30	
Rechargeable capability	•	•	•	
Mix / Introscan / Repeat / Search	• / - / • / •	•/-/•/•	•/-/•/•	
SPC: Sound Pressure Control	•	•	•	
Bass Boost	•	•	•	
Digital tuner	-	•	-	
Display type	4 lines LCD	3 lines LCD	3 lines LCD	
Navigation Systems for mp3	SmartTrax	SmartTrax	SmartTrax	
Remote control	•	-	-	
CD MusicMatch™ Software provided	•	•	•	
Multimedia P@ck: software / cable	•/•	• / -	•/-	

Personal CD players



Personal CD Player

- Super slim design: 20 mm height
- 20 hours autonomy and till 50 hours with the extrapack
- Joggable 45" electronic antishock ESPX
- CD, CD-R and CD-RW playback
- Wired remote control with LCD display
- Delivered with batteries and AC/DC adaptor

LAD 1099R



Personal CD Player with FM tuner

- FM PLL tuner to enjoy the music of your radio
- ESP. XTREME 180" antishock to listen to the music on the move
- CD, CD-R and CD-RW playback
- Wired remote control with e.clipz earphones
- Delivered with batteries and AC/DC adaptor





Personal CD Player

- Rechargeable portable CD player
- ESP. XTREME 180" to enjoy music on the move
- Wired remote control with e.clipz earphones
- CD, CD-R and CD-RW playback
- Delivered with batteries and AC/DC adaptor

	LAD 990RC	LAD 1099RC	LAD 899RC
Antishock protection	45" ESPX Joggable	180"	180"
Compatibility CD + CD-R + CD-RW	•	•	•
Autonomy / with extrapack (hours)	20 / 50	24 / -	24/-
Programme memory	24	24	24
Rechargeable capability	•	•	•
Mix / Introscan / Repeat / Search	•/•/•/•	•/•/•/•	•/•/•/•
SPC : Sound Pressure Control	•	•	•
Bass Boost	•	•	•
Digital tuner	-	•	-
Display type	LCD	LCD	LCD
Remote control	•	•	•







Personal CD Player

- Rechargeable portable CD player with ESP. XTREME 180" antishock to enjoy music on the move
- e.clipz earphones: very convenient, comfortable and easy to carry around
- Create your own play list with the 24 program CD tracks memory
- Electronic volume control (30 levels)
- CD, CD-R and CD-RW playback
- Delivered with batteries and AC/DC adaptor



Personal CD Player

- Rechargeable portable CD player with ESP. XTREME 180" antishock to enjoy music on the move
- Create your own play list with the 24 program CD tracks memory
- Electronic volume control (30 levels)
- CD, CD-R and CD-RW playback



Personal CD Player

- Rechargeable portable CD player with ESP 45" antishock
- 24 program CD tracks memory to create your own play list
- Electronic volume control (30 levels)
- CD, CD-R and CD-RW playback to enjoy your customised CD's

	LAD 889	LAD 879	LAD 795	
Antishock protection	180"	180"	45"	
Compatibility CD + CD-R + CD-RW	•	•	•	
Autonomy / with extrapack (hours)	24 / -	24 / -	20 / -	
Programme memory	24	24	24	
Rechargeable capability	•	•	•	
Mix / Introscan / Repeat / Search	•/•/•/•	•/•/•/•	•/•/•/•	
SPC : Sound Pressure Control	•	•	•	
Bass Boost	•	•	•	
Display type	LCD	LCD	LCD	
<u> </u>				
•				

5 CD mini systems

MS 6000

















MS 4000

















ORDS @



Mini system 2 x 150 W music power

- mp3 Playback to read mp3 encoded CD, 144 titles, 10 hours of music per disc
- Multimedia P@ck (MusicMatch CD Rom) to manage your music library on your computer
- Alphanumeric display with SmartTrax navigation system
- 5 CD changer with simultaneous play and load system: play up to 5 hours (50 hours with mp3 CD's)
- RDS Tuner
- Magic demo
- Get a pure sensitive sound: more dynamic, expressive and clearer thanks to the speakers with 2 woofers and Titanium cones

Mini system 2 x 150 W music power

- 5 CD changer with simultaneous play and load system: play up to 5 hours of non-stop music
- RDS Tuner to get broadcast info: station name, radio text...
- 5 EQ presets: Jazz, Pop, Rock, Classic or Flat
- Bass boost and X-Surround
- More dynamic, expressive and clearer sound thanks to the speakers with 2 woofers and Titanium cones
- Magic demo

MS 2000

Mini system 2 x 80 W music power

- 5 CD changer with simultaneous play and load system: play up to 5 hours of non-stop music. You can even change 4 discs while playing
- RDS Tuner to display broadcast info: station name, radio text...
- CD synchro dubbing, one touch recording, automatic level control
- Clock timer function to wake up with radio, CD or tape
- 5 EQ presets: Jazz, Pop, Rock, Classic or Flat
- Bass boost and X-Surround to appreciate bass frequencies and surround effect

■ VTCD 790

Mini system 5 CD 2 x 20 W music power

	MS 6000	MS 4000	MS 2000	VTCD 790
Watt Music (x 2)	150	150	80	20
Bass Boost / Surround Sound	•/•	•/•	•/•	• / -
Equalizer: custom / presets	1/5	1/5	1/5	1/5
Full range amplification	•	•	•	•
Digital tuner / RDS	•/•	•/•	•/•	• / -
Number of CD	5	5	5	5
Programme memory / mix / repeat / introscan	32/•/•/•	32/•/•/•	32/•/•/•	32/•/•/•
Compatibility: CD / CD-R / CD-RW / mp3	•/•/•/•	•/•/-	•/•/-	•/•/-
Full Logic / mechanic cassette type	• / -	• / -	• / -	-/•
Bass Reflex	•	•	•	•
Ways number / speaker drivers (x 2)	2/3	2/3	2/2	1/1
Headphone jack 3.5 mm	•	•	•	•
Audio in / out	•/•	• / -	• / -	-/-
Digital in / out / optical	-/•/•	-/•/•	-/•/•	- / -/ -
MusicMatch(tm) software	•	-	-	-
Remote control	•	•	•	•

CS 550







Compact system 2 x 200 W music power

- 5 CD changer
- RDS Tuner to display broadcast info: station name, radio text...
- 5 EQ presets: Jazz, Pop, Rock, Classic or Flat
- Bass boost
- Get a pure sensitive sound: more dynamic, expressive and clearer thanks to the speakers with 2 woofers and Titanium cones
- Magic demo









CS 500







Micro system 2 x 100 W music power

- 5 CD changer
- RDS Tuner to display broadcast info: station name, radio text...
- 5 EQ presets: Jazz, Pop, Rock, Classic or Flat
- Bass boost to appreciate bass frequencies
- Speakers with 2 woofers and Titanium cones to get a pure sensitive sound
- Magic demo







	CS 500	CS 550	
Vatt Music (x 2)	100	200	
Bass Boost	•	•	
qualizer: custom / presets	0/5	0/5	
ull range amplification	•	•	
ligital tuner / RDS	•/•	•/•	
lumber of CD	5	5	
rogramme memory / mix / repeat / introscan	32/•/•/•	32/•/•/•	
ompatibility: CD / CD-R / CD-RW / mp3	•/•/-	• / • / • / -	
assette Type: Full Logic / mechanic	• / -	• / -	
ass Reflex	•	•	
Vays number / speaker drivers (x 2)	2/3	2/3	
leadphone jack 3.5 mm	•	•	
udio in / out	• / -	• / -	
ligital in / out / optical	-/•/•	-/•/•	
Remote Control	•	•	

3 CD micro systems











CS 350











CS 300







Micro system 2 x 50 W music power

- Mp3 playback to read mp3 encoded CD, 144 titles, 10 hours of music per disc
- Multimedia P@ck (MusicMatch CD Rom) to manage your music library on your computer
- Alphanumeric display with artist or title of the songs
- 3 way speakers with polypropylene boomer to get more bass and less midrange distortions
- Motorized key board
 RDS with station name, radio text and programme type

THOMSON LIFE

Micro system 2 x 50 W music power

- Mp3 playback to read mp3 encoded CD, 144 titles, 10 hours of music per disc
- Multimedia P@ck (MusicMatch CD Rom) to manage your music library on your computer
- Alphanumeric display with artist or title of the songs
- 3 way speakers with polypropylene boomer to get more bass and less midrange distortions
- RDS with station name, radio text and programme type
- 3 CD elevator: more than 3 hours non-stop music



Micro system 2 x 50 W music power

- 3 CD elevator to get more than 3 hours non-stop music
- 3 way speakers with polypropylene boomer to get more bass and less midrange distortions
- RDS with station name, radio text and program type
- Full CD functions: Intro, Mix, Repeat, Programme
- Clock timer and sleep functions to programme your system to switch ON or OFF, just like a clock radio... with CD
- 5 EQ presets: Jazz, Rock, Pop, Classic, Flat

	AM 2180	CS 350	CS 300	
Watt Music (x 2)	50	50	50	
Bass Boost	•	•	•	
Equalizer: number of presets	5	5	5	
Full range amplification	•	•	•	
Digital tuner / RDS	•/•	•/•	•/•	
Number of CD	3	3	3	
Programme memory / mix / repeat / introscan	20/•/•/•	60 / • / • / •	60/•/•/•	
Compatibility: CD / CD-R / CD-RW / mp3	•/•/•	•/•/•	•/•/-	
Full Logic cassette type	•	•	•	
Bass Reflex	•	•	•	
Ways number / speaker drivers (x 2)	3/3	3/3	3/3	
Headphone jack 3.5 mm	•	•	•	
Audio in / out	•/•	•/•	•/•	
Digital in / out / optical	-/•/•	-/•/•	-/•/•	
MusicMatch(tm) software	•	•	-	
Remote Control	•	•	•	

3 CD micro systems

AM 1480

















CS 150









Micro system 2 x 30 W music power

- mp3 playback to read mp3 encoded CD, 144 titles,
- 10 hours of music per disc
- Multimedia P@ck (MusicMatch CD Rom) to manage your music library on your computer
- Alphanumeric display with artist or title of the songs
- RDS with station name, radio text and programme type
- Full CD functions: Intro, Mix, Repeat, Programme
- 5 EQ presets: Jazz, Rock, Pop, Classic, Flat





Micro system 2 x 30 W music power

- Digital tuner with 30 presets
- RDS with station name, radio text and programme type
- Full CD functions: Intro, Mix, Repeat, Programme
- Full logic cassette deck
- 2 way speakers
- 5 EQ presets: Jazz, Rock, Pop, Classic, Flat

CS 100









Micro system 2 x 20 W music power

- Digital tuner with 30 presets
- RDS with station name, radio text and programme type
- Full CD functions: Intro, Mix, Repeat, Programme
- Full logic cassette deck
- Clock timer and sleep functions
- 5 EQ presets: Jazz, Rock, Pop, Classic, Flat

CDR-D-S

	AM 1480	CS 150	CS 100	
Watt Music (x 2)	30	30	20	
Bass Boost	•	•	•	
Equalizer: number of presets	5	5	5	
Full range amplification	•	•	•	
Digital tuner / RDS	•/•	•/•	•/•	
Number of CD	1	1	1	
Programme memory / mix / repeat / introscan	20/•/•	20/•/•	20/•/•	
Compatibility: CD / CD-R / CD-RW / mp3	•/•/•/•	•/•/-	•/•/-	
Full Logic cassette type	•	•	•	
Bass Reflex	•	•	•	
Ways number / speaker drivers (x 2)	2/2	2/2	1/1	
Headphone jack 3.5 mm	•	•	•	
Audio in / out	• / -	-/-	-/-	
Digital in / out / optical	-/•/•	-/-/-	-/-/-	
MusicMatch(tm) software	•	-	-	
Remote Control	•	•	•	

CD radio cassettes



Radio CD / mp3 player

- 2 x 5 W music power
- Digital tuner and Smart Trax (3 lines text display)
- CD player compatible with CDR / CDRW / mp3 / mp3 Pro / WMA
- Twinbass and 4 EQ presets: Rock / Classic / Jazz / Pop
- P@ck multimedia (with Music Match software)



Radio CD

- 2 x 5 W music power
- Digital tuner
- CD player compatible with CDR/CDRW
- Twinbass technology for more power and better bass separation



Radio cassette CD

- 2 x 5 W music power
- Digital tuner with 4 EQ presets: Rock / Classic / Jazz / Pop
- CD player compatible with CDR/CDRW
- Remote control



Radio cassette CD

- Top load CD player
- Mix Repeat 1 / repeat All: listen to the music as you like
- 20 tracks CD memory
- CD-R compatible
- 3 Bands analog tuning FM / MW / LW

	TM 9250	TM 9140	TM 9238	TM 9232
Watt Music	5	5	5	2.5
Tuner digital / FM / MW / LW	• /• / • / •	•/•/•/•	•/•/•/•	-/•/•/•
Station presets	30	20	25	-
CD programme memory	32	20	20	-
Mix / repeat / introscan	•/•/•	•/•/-	•/•/-	•/•/-
Compatibility: CD / CD-R / CD-RW / mp3 / mp3PRO / WMA	•/•/•/•/•	•/•/•/-/-	•/•/•/-/-/-	•/•/•/-/-
Cassette number	-	-	1	1
Bass Boost	Twinbass	Twinbass	•	•
Headphone Jack	3.5 mm	3.5 mm	3.5 mm	3.5 mm
Remote Control	•	-	•	-
Dimensions (W x H x D) in mm	360 x 150 x 260	360 x 150 x 260	320 x 172 x 280	300 x 150 x 250
Weight in kg 2,8	2.8	2.8	2.8	2.5
Software	MusicMatch™	-	-	-

Radio cassettes with and without CD player





- 2 x 2,5 W music power
- Digital tuner
- 4 EQ presets : Rock / Classic / Jazz / Pop
- CD player compatible with CDR / CDRW
- 20-track programmable to store up to 20 of your favorite CD-tracks
- Remote control



Radio cassette CD

- 2 x 2,5 W music power
- Analogue tuner
- CD player compatible with CDR/CDRW
- 4 EQ presets : Rock / Classic / Jazz / Pop
- 20-track programmable CD-Tracks





Radio cassette CD

- 2 x 2,5 W music power
- Digital tuner
- 4 EQ presets : Rock / Classic / Jazz / Pop
- CD player compatible with CDR/CDRW
- 20-track programmable to store up to 20 of your favorite CD-Tracks

TM 7680



- Better sound performance with Bass boost
- 3 bands radio:
- FM / LW / MW
- Stereo

TM 2020



- Bass boost for a better sound performance
- 3 bands radio:

FM / LW / MW

	111 3 143	111 3148	111 3038	
Watt Music	2.5	2.5	2.5	
Tuner digital / FM / MW / LW	•/•/•	•/•/•/•	-/•/•	
Station presets	25	25	-	
CD programme memory	20	20	20	
Mix / repeat	•/•	•/•	•/•	
Compatibility: CD / CD-R / CD-RW	•/•/•	•/•/•	•/•/•	
Cassette number	1	1	1	
Bass Boost	•	•	•	
Headphone Jack	3.5 mm	3.5 mm	3.5 mm	
Remote Control	•	-	-	
Dimensions (W x H x D) in mm	360 x 150 x 260	360 x 150 x 260	360 x 150 x 260	
Weight in kg	2.8	2.5	2.5	

	TM 7680	TM 2020	
Tuner FM / MW / LW	•/•/•	•/•/•	
Mono / Stereo / Bass Boost	-/•/•	• / - / •	
Cassette number / cassette deck	1/•	2/•	
Full Auto Stop / Automatic level control	•/•	•/•	
Dimensions (W x H x D) in mm	378 x 135 x 145	313 x 135 x 143	
Weight in kg	1.5	1.4	

Portable Radios-infotapes



Portable radio

- 4 bands portable radio: FM / MW / LW / SW
- 2 way speakers and bass reflex for a better sound quality to enjoy your favourite music

RT 582



Portable radio

- 4 bands portable radio: FM / MW / LW / SW
- Digital tuner to easily find and preset your favorite radio stations
- RDS function and digital display

RT 304



Portable radio

- 3 bands portable radio: FM / MW / LW
- Bass reflex speakers

RT 552



Portable radio

- 4 bands portable radio: FM / MW / LW / SW
- Digital tuner and digital display
- Dual clock function to select your daily wake up time at home or when travelling



Shoe box Infotape

- One touch recording
- Tape counter 3 digits
- AC / DC adaptor included
- Sliding carry handle

DK 52



Micro Infotape

- AVR (Automatic Voice Recording)
- Tape counter 3 digits
- Microphone sensitivity switch (2 positions Hi / Low)
- Double tape speed for a faster access to your data
- Full package (batteries, carry bag, earphones and blank tape) provided

RT 212



Pocket Radio

- Digital tuner with 2 band radio: FM / MW
- Stereo earphones
- Digital display

RT 210G



Portable radio

- Clock function with alarm
- or buzzer
- Digital display
- 2 band pocket radio: FM / MW

RT 233M



Portable radio

- 2 band pocket radio: FM / MW
- Headphones jack



C 60 type Infotape

- AVR (Automatic Voice Recording)
- Record easily with one touch recording
- Microphone sensitivity switch (2 positions Hi / Low)

<u></u>	RT 464	RT 304	RT 582	RT 552	RT 233 M	RT 212	RT 210 G
Digital tuner / RDS	-/-	-/-	•/•	• / -	-/-	• / -	-/-
Stations presets	-	-	20	20	-	20	-
FM / MW / LW / SW	•/•/•/•	•/•/•/-	•/•/•/•	•/•/•/•	•/•/-/-	•/•/-/-	•/•/-/-
Headphone Jack	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm
Clock	-	-	•	•	-	-	•
Alarm	-	-	•	•	-	-	Buzzer
Dimensions (W x H x D) in mm	235 x 146 x 85	235 x 146 x 85	270 x 140 x 80	207 x 130 x 45	74 x 130 x 43	60 x 100 x 30	175 x 74 x 70
Weight in ar	710	710	800	610	170	70	290

	MG 3000	DK 52	DK 32
Recording Support	Standard C 60 type	Micro	Standard C 60 type
AVR (automatic voice recording)	-	•	•
Recording speed	1	2	1
One touch recording	•	•	•
Built in microphone	•	•	•
Microphone sensibility switch	-	High / Low	High / Low
Pause function	•	•	•
Tape counter (Nb digits)	3	3	-
Speaker	•	•	•
Earphone jack (mm)	3.5	3.5	3.5
External microphone jack (mm)	3.5	3.5	-

RR 600CD



Clock Radio with CD

- Nice and compact design with its vertical motorised CD door
- Large LCD backlit display
- 2 alarms, progressive alarm and Nap function
- Digital tuner with 10 presets

RR 520 CD



Clock Radio with CD

- Large LCD backlit display with individual alarm readouts
- Day of week indicator
- 2 alarms, progressive alarm, week-end cancel and nap function
- Digital tuner with 10 presets
- Auto-time setting
- Duracell batteries back-up provided

RR 75 M



Clock Radio

- Auto time setting (ATS): plug and clock is automatically set-up after having selected your time zone (real time, month, date...)
- Mobile clock radio: your music will follow you everywhere!
- 2 bands radio: FM / MW
- Single wake with radio or buzzer alarm

RR 66 M



Clock Radio

- 2 alarms, nap function and progressive alarm
- Analoque tuner
- Day of week indication
- Auto-time setting
- Duracell batteries back-up provided



Clock Radio

- Original concept with interchangeable front panels
- Large LCD backlit display with individual alarm readouts
- 2 alarms, Nap function and progressive alarm
- Digital tuner

RR 65 M



Clock Radio

- 2 alarms, nap function and progressive alarm
- Analogue tuner

RR 95 M



Clock Radio

- Large LCD backlit display with individual alarm readouts and brightness control
- Digital tuner
- 2 alarms, nap function and progressive alarm

RR 60



Clock Radio


- Single alarm
- Analogue tuner
- Nap function and progressive alarm

<u></u>	RR 600CD	RR 520 CD	RR 220 PLM	RR 95 M	RR 75 M	RR 66 M	RR 65 M	RR 60 M
Clock radio / CD	•/•	•/•	• / -	• / -	• / -	• / -	• / -	• / -
Number of alarm	2	2	2	2	1	2	2	1
Alarm mode: Buzzer / radio / CD	•/•/•	•/•/•	•/•/-	•/•/-	•/•/-	•/•/-	•/•/-	•/•/-
Progressive alarm	•	•	•	•	-	•	•	•
Snooze mode (min)	9	9	9	9	9	9	9	9
Nap (min)	10 to 120	10 to120	10 to 120	10 to 120	-	10 - 120	10 - 120	10 - 120
Sleep Timer	120	120	up to 120	up to 120	90	up to 120	up to 120	up to 120
Clock / Timer	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
Tuner type: digital / analogue	• / -	• / -	•/-	• / -	-/•	-/•	-/•	-/•
CD Type	Motorised CD door	Top load	-	-	-	-	-	-
Mono / Stereo	-/•	-/•	-/•	• / -	• / -	• / -	• / -	• / -
Dimensions (W x H x D) mm	243 x 165 x 148	130 x 158 x 110	128 x 122 x 142	160 x 135 x 110	230 x 95 x 105	183 x 62 x 150	183 x 62 x 150	182 x 58 x 126













ACCESSORIES

Simple, powerful and versatile, the accessories enhance the enjoyment of using all your equipment. Wireless transmitters send any audio and/or video signal through floors and walls. Universal Remote Controls make child's play of running and programming all your devices. A wide choice of headphones make listening a pleasure anywhere. Comprehensive ranges of cables — from Home Cinema to audio/video — of indoor antennas, bowl antennas... THOMSON Consumer Solutions help you get the most out of your equipment.

Video sender - Wireless headphones



Wireless Video transmitter: transmits an audio-video signal from room to room

- Advanced technology allows satellite/DVD or satellite/VCR devices to be watched simultaneously on 2 TV
- High frequency range (2.46Hz). Signal goes through walls, up to 80m range in open field and 30m in-house (depending upon materials)
- Equipped with 4 transmission channels to avoid any interference
- Works with any audio and video source: DVD, digital decoder, VCR, camcorder
- Remote control transmitter included. Controls up to 3 A/V sources from one room to the other
- Fully rotating antenna to ensure optimum signal reception in any direction
- Compact design and all cables and accessories included...



Wireless Video transmitter: transmits an audio-video signal from room to room

- High frequency range (2.4GHz): sends and receives perfect colour video and stereo sound on a second TV anywhere in your house
- Signal goes through walls, up to 80m range in open field and 30m in-house (depending upon materials)
- Works with any audio and video source: DVD, digital decoder, VCR, camcorder
- Equipped with 4 transmission channels to avoid any interference
- Remote control transmitter included. Controls up to 3 A/V sources from one room to the other
- Fully rotating antenna to ensure optimum signal reception in any direction
- Compact design and all cables and accessories included.



Wireless Video transmitter: transmits an audio-video signal from room to room

- High frequency range (2.4GHz). Sends and receives perfect colour video and stereo sound on a second TV
 anywhere in your house
- Signal goes through walls, up to 80m range in open field and 30m in-house (depending upon materials)
- Works with any audio and video source: DVD, digital decoder, VCR, camcorder
- Equipped with 4 transmission channels to avoid any interference
- Remote control transmitter included. Controls up to 3 A/V sources from one room to the other
- All cables and accessories included



Wireless UHF rechargeable headphones

- High quality speakers and optimised earcup construction
- 863MHz transmission: signals pass through walls, up to 100m in open field
- Automatic adjustment to the best transmission frequency thanks to autotuning
- Just put the headset on the cradle to recharge batteries
- Adjustable headband and soft-touch ear cushions



Wireless stereo rechargeable headphones

- 863MHz UHF transmission with PLL: signal goes through walls; up to 80m in open field
- SRS technology for the ultimate surround sound experience
- Automatic adjustment to the best transmission frequency thanks to autotuning
- Excellent wearing comfort with its adjustable headband and soft touch ear cushions
- High mode transmitter with switch for 2 frequencies to switch to another frequency if any interference
- Built-in charge circuit and rechargeable batteries, AC/DC adaptor included

Wireless and Hi-Fi headphones







Wireless stereo rechargeable headphones

- 863MHz UHF transmission with PLL: signal goes through walls; up to 80m in open field
- Automatic adjustment to the best transmission frequency thanks to autotuning
- Excellent wearing comfort with its adjustable headband and soft touch ear cushions
- High mode transmitter with switch 3 positions to switch to another frequency if any interference
- Built-in charge circuit and rechargeable batteries, AC/DC adaptor included



Wireless stereo rechargeable headphones

- 863MHz UHF transmission with PLL: signal goes through walls; up to 80m in open field
- High mode transmitter with switch 3 positions to switch to another frequency if any interference
- Built-in charge circuit and rechargeable batteries, AC/DC adaptor included



Wireless stereo rechargeable headphones

- 863MHz UHF transmission allows audio signals to pass through barriers up to 80m in open field
- High frequency transmitter with 2 channels
- AC/DC adaptor and 2 AAA batteries included



Infra red stereo rechargeable headphones

- Infra red Hi-Mode transmission up to 7m.range
- 90° reception angle
- AC/DC adaptor and 2 AAA batteries included



Lightweight, wired headphones with Active Noise Control (ANC)

- Excellent sound performance delivered with ANC, a state of the art technology featuring electronic cancellation of ancillary noise
- ANC reduces surrounding noises up to 15dB
- Comfortable, adjustable dual headband with folding capabilities and velvet ear cushions
- 2 prong airplane adaptor
- Carry pouch and one AAA battery included



Top range Hi-Fi stereo headphones

- 50mm Mylar dome with extra-large acoustic chambers
- Special Neodymium magnet circuit to improve deep bass tone
- Full size ear-covering with enclosed rotating earpads and soft velvet ear-cushions
- Double headband with adjustable foam inner headband
- 3m of high grade LC-OFC (linear crystal oxygen free copper) single-sided cable
- lacksquare 6.35mm gold plated connector with 3.5mm gold plated adapter

Hi-Fi and stereo headphones



Hi-Fi stereo headphones

- 40mm Mylar dome with large accoustic chambers
- Neodymium magnet circuit
- Large ear-covering with enclosed rotating earpads
- Double headband with adjustable foam inner headband
- 3m LC-OFC single-sided cable
- 6.35mm gold plated connector and3.5mm gold plated adapter



Hi-Fi stereo headphones

- 40mm Mylar dome with large accoustic chambers
- Neodymium magnet circuit
- Large ear-covering with enclosed rotating earpads
- Double headband with adjustable foam inner headband
- 5m OFC (oxygen free copper) singlesided cable with volume control
- 3.5mm gold plated plug and 6.35mm gold plated adapter



Hi-Fi stereo headphones with studio monitoring feature

- 50mm Mylar dome with large accoustic chambers
- Neodymium magnet circuit
- 3m OFC single sided cable
- 90° earphone swivel feature with velvet ear cushion
- Single foam lined headband
- 6.35mm gold plated connector with 3.5mm gold plated adaptor





Hi-Fi stereo home cimena headphones

- 40mm Mylar dome with large accoustic chambers
- Neodymium magnet circuit
- 5m OFC (oxygen free copper) single sided cable with volume control
- Rotating earphones with velvet ear cushions
- Dual headband with adjustable foam lined inner band
- 3.5mm gold plated connector with6.35mm gold plated adaptor



Stereo headphones

- Special headphones with bass accoustic channel
- 30mm Mylar membrane and Neodymium magnet
- On-cord volume control
- 2m single sided cable, gold-plated
- 3.5 mm plug and 6.35 mm adaptor





Lightweight stereo headphones

- 30mm Mylar dome with accoustic chambers
- Neodymium magnet circuit
- Neckband headphone design with high qloss white finish and red insert
- Single-sided fiber cable
- 3.5 gold plated connector



Lightweight stereo headphones

- Mylar dome with accoustic chambers
- Neckband headphone design
- Single-sided cable

Headphones and earphones



Lightweight stereo headphones

- 30mm Mylar dome with accoustic chambers
- Neodymium magnet circuit
- Clip-On design with contoured ear hooks
- Asymmetrical cable provides single cable to audio device
- 3.5 gold plated connector



Lightweight stereo headphones

- 30mm Mylar dome with accoustic chambers
- Neodymium magnet circuit
- Clip-On design with contoured ear hooks
- 1.2m cord with 3.5 gold plated connector



Foldable earphones

- Neodymium magnet and Mylar membrane
- Foldable, on-cable volume control
- Gold-plated 3.5mm connector



Earphones with retractable cable case

- Slim line case with mute button and auto-winding option
- 13mm Mylar dome
- Neodymium magnet circuit



Earphones with manual wind case

- Compact manual wind case
- 13mm Mylar dome
- Neodymium magnet circuit

HED 146

 Same as HED 151 without wind case and without volume control





Ear clips earphones

- Detachable ear clips in orange
- 13mm Mylar dome
- Neodymium magnet circuit



Padded earphones

- 13mm Mylar dome
- 3.5mm gold plated connector

Speakers - universal remote controls

WSP 740



Wireless loudspeakers

- Signal can pass through walls
- Electromagnetic shielding for use with a computer
- 6 W music power and bass control
- Can be used with regular or rechargeable batteries





Wired active stereo speakers

- Bass and treble control
- 2 W music power

ASK 145





Wired active stereo speakers

- Electromagnetic shielding for use with a computer
- 6 W music power
- Volume control and bass boost button
- Can be used with regular or rechargeable batteries

ROC 650



6 in 1 Universal remote control

- 6 device universal remote control pre-programmed for most European brands
- Learning function
- Extensive library codes and code search function including X-box DVD control
- Ergonomic shape with silver, soft touch finish
- 2 AAA batteries included

ROC 340



ROC 340

3 in 1 Universal remote control

- 3 device universal remote pre-programmed for most European brands
- Navilight™ menu system
- Extensive library codes and code search function
- 2 AAA batteries included

ROC 240

2 in 1 Universal remote control

Same as ROC 340 for 2 devices

ROC 550



5 in 1 universal remote control

- 5 device universal remote re-progammed for most European brands
- Extensive library codes and code search function including X-box DVD control
- Ergonomic shape with silver, soft touch finish
- 2 AAA batteries included

ROC 130



Universal Remote Control

- Compatible with all TV brands
- 6 button stick remote, power, volume up and down, channel up and down and mute
- Includes 2 AAA batteries

ROC 350





3 in 1 Universal remote control

- 3 device universal remote pre-programmed for most European brands
- Exclusive MODE+ function allows any consumer electronic device to be controlled from dedicated MODE+ key
- Extensive library codes and code search function including X-box DVD control
- 2 AAA batteries included

ROC 250

2 in 1 Universal remote control

Same as ROC 350 for 2 devices

Indoor antennas - microphones



Universal indoor amplified antenna VHF / UHF / FM

- Wide band 42 dB (max.) amplifier with 2 variable gain control
- Adjustable UHF loop
- 2 telescopic and adjustable dipoles
- Noise reduction circuit





Universal indoor amplified antenna VHF / UHF / FM

- Wide band 40 dB (max.) amplifier with variable gain control
- Adjustable UHF loop
- 2 telescopic and adjustable dipoles

ANT 250



Universal indoor amplified antenna VHF / UHF / FM

- Wide band 39 dB (max.) amplifier with variable gain control
- Adjustable UHF loop
- 2 telescopic and adjustable dipoles

ANT 150



Universal indoor amplified antenna VHF / UHF / FM

- Wide band 38 dB (max.) amplifier with variable gain control
- Adjustable UHF loop
- 2 telescopic and adjustable dipoles

ANT 85



Universal indoor amplified antenna VHF / UHF / FM

- Wide band 36 dB (max.) amplifier with variable gain control
- Adjustable UHF loop
- 2 telescopic and adjustable dipoles

M 141



Monophonic, omnidirectional dynamic microphone

- 600 Ohms, XLR plug
- 6.35mm male mono jack + 3.5mm

female/6.35mm male mono jack adaptor

Length: 2.5m

M 142 G



Monophonic, omnidirectional dynamic microphone

- OFC cable, 600 Ohms, XLR plug, gold-plated connectors
- 6.35mm male mono jack + 3.5mmfemale/6.35mm male mono jack adaptor

Length: 2.5m

M 140



Monophonic, omnidirectional dynamic microphone

- 600 Ohms
- 6.35mm male mono jack + 3.5mm

female/6.35mm male mono jack adaptor

Length: 2.5m

Plasma

Picture Screen size W x H [mm] / diagonal [cm] Screen size W x H [inches] / diagonal [inches] Aspect ratio V6A, SV6A, X6A, SX6A, MAC Resolution [H x V] Number of Pixels Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle [Horizontal & Vertical] PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction Sound	1048 x 620 / 127 41.3 x 24.4 / 50 16/9 • 1280 x 768 1280 x 768 x 3 0.86 x 0.81 16 million 750:1 850 160° • • • / 1000 / 2.5 • / • / •	932 x 532 / 106 36.7 x 20.9 / 42 16/9 • 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160° •	932 x 532 / 106 36.7 x 20.9 / 42 16/9 • 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160° •	921.2 x 519.4 / 106 36.3 x 20.4 / 42 16/9 • 852 x 480 852 x 480 1.08 x 0.34 16.77 million 600:1 700 160°	921.2 x 519.4 / 100 36.3 x 20.4 / 42 16/9
Aspect ratio Bisplayable colours levels / million Contrast ratio Auminosity in cd / m2 (without filter) Airwing angle (Horizontal & Vertical) Airwing angle (Horizontal & Vertical) Airwing Aspect Solines Airwing Aspect Sol	41.3 x 24.4 / 50 16/9 • 1280 x 768 1280 x 768 x 3 0.86 x 0.81 16 million 750:1 850 160° • •	36.7 x 20.9 / 42 16/9 • 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160° •	36.7 x 20.9 / 42 16/9 • 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	36.3 x 20.4 / 42 16/9 - 852 x 480 852 x 480 1.08 x 0.34 16.77 million 600:1 700 160°	36.3 x 20.4 / 42 16/9 • 852 x 480 852 x 480 1.08 x 0.34 16.77 million 1000:1
Aspect ratio VGA, SVGA, XGA, SXGA, MAC Resolution (H x V) Number of Pixels Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	16/9 • 1280 x 768 1280 x 768 x 3 0.86 x 0.81 16 million 750:1 850 160° • • • •/1000/2.5	16/9	16/9 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	16/9 852 x 480 852 x 480 1.08 x 0.34 16.77 million 600:1 700 160°	16/9
VGA, SVGA, XGA, SXGA, MAC Resolution (H x V) Number of Pixels Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz SZS lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	• 1280 x 768 1280 x 768 x 3	• 852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 1.08 x 0.34 16.77 million 1000:1
Resolution (H x V) Number of Pixels Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	1280 x 768 1280 x 768 x 3 0.86 x 0.81 16 million 750:1 850 160° • • • 1000 / 2.5	852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 1.08 x 0.34 16.77 million 600:1 700 160°	852 x 480 852 x 480 1.08 x 0.34 16.77 million 1000:1
Number of Pixels Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	1280 x 768 x 3 0.86 x 0.81 16 million 750:1 850 160° • • • •/1000/2.5	852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160° •	852 x 480 x 3 1.08 x 0.34 16.77 million 600:1 700 160°	852 × 480 1.08 × 0.34 16.77 million 600:1 700 160°	852 x 480 1.08 x 0.34 16.77 million 1000:1 1000
Pixels size in mm Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	0.86 x 0.81 16 million 750:1 850 160° • • • •/1000/2.5	1.08 x 0.34 16.77 million 600:1 700 160° •	1.08 x 0.34 16.77 million 600:1 700 160°	1.08 x 0.34 16.77 million 600:1 700 160°	1.08 x 0.34 16.77 million 1000:1 1000
Displayable colours levels / million Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	16 million 750:1 850 160° • • • • / 1000 / 2.5	16.77 million 600:1 700 160° •	16.77 million 600:1 700 160°	16.77 million 600:1 700 160°	16.77 million 1000:1 1000
Contrast ratio Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	750:1 850 160° • • • •/1000/2.5	600:1 700 160° •	600:1 700 160° •	600:1 700 160°	1000:1 1000
Luminosity in cd / m2 (without filter) Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	850 160° • • • •/1000/2.5	700 160° •	700 160° •	700 160°	1000
Viewing angle (Horizontal & Vertical) PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	160° • • • •/1000/2.5	160° • •	160°	160°	
PAL, SECAM, NTSC 3.58 and 4.43 PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	• • • / 1000 / 2.5	•	•		IbU
PAL 60Hz 525 lines Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	• / 1000 / 2.5	•			•
Frequency 50 / 60Hz progressive Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	• / 1000 / 2.5				•
Teletext / Nb of pages / Level PIP / PAP / PAT Burn in reduction	• / 1000 / 2.5	•	•	•	
PIP / PAP / PAT Burn in reduction				•	•
Burn in reduction	0/0/0	• / 1000 / 2.5	• / 1000 / 2.5	-/-/-	-/-/-
		•/-/•	•/•/•	-/-/-	-/-/-
Sound	•	•	•	•	•
Stereo Stereo	•	•	•	•	•
Music Power (Watt)	2 x 10	2 x 10	2 x 10	2 x 10	2 x 10
General data					
	4340 744 00	10/0 5/0 05	4040 540 05	1055 535 53	(022 522
Monitor dimensions (W x H x D in mm)	1218 x 714 x 98	1040 x 648 x 95	1040 x 648 x 95	1056 x 635 x 82	1033 x 622 x 81
Monitor Weight Net (in kg)	38.9	31.2	31.2	33	34
Consumption (in W)	TBD	380	380	350	320
Standby consumption (in W)	1	5	5	5	5
Intensity (in A)	TBD	3.3	3.3	5	TBD
Operating temperature (min / max in C°)	TBD	0 / 40	0 / 40	0 / 40	0 / 40
Operating Humidity (min / max in %)	TBD	20 / 80	20 / 80	20 / 80	20 / 80
Provided accessories					
Remote Control type "Navilight"	•	•			
Remote Control Reference	RC41575	RCT41575	RCT41575	RCT120TA	RCS615TCLM1
Tuner Box	•	-		-	-
Package content (5) – 5 External speaker				ACC143 (optional)	ACC143 (optional)
Optional Desktop stand	TB5T5092			TBST4292	TBST4292
· · · · · · · · · · · · · · · · · · ·	10010002	•	•	10014606	10014606
Desktop stand Wall-mounting Bracket / optional	ACC914 / •	ACC914/•	ACC913 / •	 ACC912/•	ACC912/•
Cable DVI	ALL314/ •	ALL314/ •	ALL313 / •	ALLSIZ/•	ALLSIZ/ •
Cable RS232C	•	<u> </u>	•	<u> </u>	<u> </u>
	•	-	•	-	-
Connectors					
Scart: CVBS / RGB / S-Video	•/•/•	•/•/•	•/•/•	-/-/-	•/•/•
Scart: CVBS / S-Video	•/•	-/-	•/•	-/-	•/•
Cinch audio	•	•	•	•	•
PC in front / PC out Rear	•/•		•/•	-/-	-/-
DVI out	•		•	-	-
R5232	•		•	-	•
RGB - input 1 (Analog)	• (PC)	• (PC)	• (PC)	• (PC)	• (PC)
Video input	-	•	-	•	•
DVI in	•	•	•	_	•
5-Video	•	•	•	•	•
DVD / HD	•	•	•	•	•
External control	R5232	R5232	R5232	R5232	R5232
	•	• NJEJE	- "	• K2E2E	, (JEJE
radio darpa.					
Audio output					

Picture	27 LCDB 03B	20 LCDM 03B	20 LCDB 03B	15 LCDVD	15 LCDM 03B
	67 / 27	51/20	51 / 20	38 / 15	38 / 15
Screen size and visible: diagonale (cm / inch) Category	16/9	Portable 4/3	Portable 4/3	Portable 4/3	Portable 4/3
LCD panel type	• C/D1	• •	• I UI Idule 4/J	i di lable 4/3	• •
TFT-MVA technology	•	•	•	•	•
Resolution	WXGA	SVGA	SVGA	XGA connection	XGA connection
Horizontal and vertical viewing angle	170°	170°	170°	170°	140°
requency: progressive	•	•	•	•	•
Fall Time / raise time	8 ms / 8 ms	8 ms / 8 ms	8 ms / 8 ms	10 ms / 15 ms	10 ms / 15 ms
Picture Noise Reduction	•	•	•	•	•
Brightness	500Cd	500Cd	500Cd	450Cd	450Cd
Picture Contrast	500:01	500:01	500:01	400:01	500:01
Format control	•	-	-	-	-
16/9 autoformat (black bars canceller)	•	<u> </u>	-	-	_
Picture enhancement	•	•	•	•	•
Zoom: 4/3+ 16/9 letterbox	•	-	<u> </u>	-	
Picture presets: my picture	•	•	•	•	•
	<u>·</u>	<u> </u>	<u> </u>	<u> </u>	<u>`</u>
sound					
itereo Nicam	•	•	•	•	•
1usic Power (Watt RMS)	2 x 10	2 x 5	2 x 6	3W	2 x 3W
oudspeakers built in (T / M / B)	-/4/2	-/2/-	-/4/-	-/2/-	-/2/-
/irtual Dolby Surround	•	-	•	•	-
Special sound effects: Magic / spatial / pseudo / hall	•/•/•/-	•/•/•/-	•/•/•/-	•/•/•/•	•/•/•/-
Bass Reflex System Loud speaker	•	•	•	•	•
ound presets: My sound / music	•/•	•/•	•/•	•/•	•/•
ound presets: Film / Voice / Flat / Standard	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Graphic Equaliser	•	-	•	•	-
Reception					
·					
Pan European (LL' / BG / I / DKK')	•	•/•	•	•/•	•
/ideo standard (PAL / SECAM)	•/•		•/•		•/•
NTSC 3.58 / 4.43 (AV)	•/•	•/•	•/•	•/•	•/•
Video standard: Pal 60Hz (AV)	•	•	•	•	•
PLL Tuner synthesis	•	•	•	•	•
User convenience					
Gleep / wake-up timer	•/•	• / -	•/-	•/•	•/-
Programme auto switch off	•	•	•	•	•
Navilight on screen menu	•	•	•	•	•
nstallation: Al + (auto-naming, auto sorting)	•	•	•	•	•
Multi-product and multi-brand remote Control	•	•	•	•	•
Remote control reference	RCT311TAM1	RCT311TAM1	RCT311TAM1	RCV400	RCT311TAM1
1.5 fastext teletext / pages for teletext	• / 10	• / 10	• / 10	• / 10	• / 10
Connectors					
cont. CVDC / DCD / C VIDEO	-1-1-	•/•/•	-1-1-	- 1 - 1 -	•/•/•
Goart: CVBS / RGB / S-VIDEO	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
INCH audio INCH video	•	•	•	•	•
	•	•	•	•	•
5-video	• \/CA	• \/CA	• \/_\	<u> </u>	
C interface	VGA	VGA	VGA	-	VGA
Headphone connector (mm)	3.5	3.5	3.5	3.5	3.5
Other connectors	DVI	-	-		
OVD part					
RGB output signal	-		-	•	
Oolby Digital 5.1 / DTS / MPEG 2 audio passthrough	-	-	-	•/•/•	-
OVD video + VCD	-		-	•	-
Audio: CD audio / CD-R / CD-RW	-	-	-	•/•/•	-
itill picture / frame advance	-	-	-	•/•	-
Programme play / Random play / parental lock	-	-	-	•/•/•	-
com	-	-	-	x 1.5 , x 2 , x 4	-
ariable search speed	-		-	•	-
Resume memory	-		-	•	_
Optical digital audio out	_		-	•	_
Seneral data					
Power supply: external	-	•	•	•	•
Size (W x H x D) in mm	832 x 452 x 87	509 x 489 x 70	624 x 410 x 71	377 x 343 x 63	377 x 343 x 63
Weight: Net / Gross in kg	TBD	TBD	TBD	3.7 / 5.7	3.2 / 5.2
ower consumption working / standby	TBD	TBD	TBD	52.8 / 3.6	TBD
ncluded stand	•	•	•		•

Picture	28 WD 2105	24 WT 25EG	25 CT 25ES	21 DT 1805	21 CT 1805	DIGITAL	61 JW 6105
Screen size: diagonale (cm / inch)	70 / 28	60 / 24	63 / 25	55 / 21	55 / 21	36 / 14	155 / 61
Visible screen size: diagonale (cm / in)	66 / 26	56 / 22	59/23	51/20	51/20	34/13	155 / 61
Category	16/9	16/9	4/3	4/3	4/3	4/3	RP
Tube: Extra-Flat / Black DIVA / Black Matrix / Black Pearl	•/-/-/-	-/•/-/-	•/-/-/-	•/-/-/-	•/-/-/-	-/-/•/-	RP 16/9
Tube mask: Invar / tension / metal	•/-/-	-/-/•	•/-/-	-/-/•	•/-/-	-/-/•	-
100Hz: Hi-Pix / High Focus / Digital Vision Mastering / Intelligent Mastering	-/-/-/-	-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/-/•/-
Picture noise reduction	-	-	-	-	-	-	•
Picture Contrast: PSI + Contrast expander / PSI / Perfect Contrast 1 / 2	-/-/-	-/-/-	-/-/-	-/-/•/-	-/-/•/- -/-	-/-/•/- -/-	-/•/-/-
Format control / fast zoom transition 16/9 autoformat (black bars canceller)	•/•	•/•		-/-	-/-	-/-	•/•
Picture enhancement: earth field / line interpolation / digital comb filter / BSVM	•/-/-/-	•/-/-/-	•/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/•/•/•
Zoom: 4/3 + 16/9 letterbox / 16/9 Letterbox subtittle + cinerama	•/•	•/•	-/-	-/-	-/-	-/-	•/•
Zoom: 14/9 letterbox +widescreen 16/9	-	-	-	-	-	-	•
Multipicture: PIP / PAP / PAT	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/•
Picture presets: my picture / studio	•/•	•/•	•/•	•/-	• / -	•/-	•/•
Picture presets: film / sport / standard	•/•/•	•/•/•	•/•/•	-/-/-	-/-/-	-/-/-	•/•/•
Picture presets: game / video / camera	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	•/•/•
Sound							
Sound: Stereo Nicam / biphonic / mono	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	-/•/-	•/-/-
Music Power (Watt)	2 x 20	2 x 20	2 x 20	2 x 12.5	2 x 6	2 x 2.5	2 x 20 + 40
Loudspeakers built in (T / M / B)	2/2/0	0/2/0	2/2/0	0/2/0	0/2/0	0/2/0	2/2/1
Virtual Dolby Surround	•	•	•	•	•	-	•
Special sound effects: magic / spatial / pseudo / Wide / AVL	•/•/-	•/•/-	•/•/•/-	-/-/-/•	-/-/-	-/-/-	•/•/•/•
Bass Reflex System / Digital Pure Sound / Dynamic Bass / LS Combis / standard	-/-/-/•/-	-/-/-/•	-/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	•/-/-/-
Sound presets: my sound / music	•/•	•/•	•/•	-/-	-/-	-/-	•/•
Sound presets: film / voice / flat / standard	•/•/•	•/•/•/•	•/•/•/•	-/-/-	-/-/-	-/-/-	•/•/•/•
Sound presets: game / video / camera Topo control: graphic orgalicer / bass 5 troble	-/-/-	-/-/-	-/-/-	-/-/- -/•	-/-/- -/•	-/-/- -/•	•/•/•
Tone control: graphic equaliser / bass & treble Volume control headphones: separated / linked	-/•	-/•	-/•	-/•	-/•	-/• -/•	•/-
	-/•	-/•	-/•	-/•	-/•	-/•	• / -
Reception							
Pan European (LL' / BG / I / DKK')	•	•	•	•	•	•	•
Video standard: PAL / SECAM	•/•	•/•	•/•	•/•	•/•	•/•	•/•
Video standard NTSC 3.58 - 4.43 (AV) / Pal 60Hz (AV)	•/•	•/•	•/•	•/•	•/•	•/•	•/•
Programme number / PLL tuner User interface	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 1 / •	99 + 1 / •	99 + 1 / •	99 + 3 / •
Program Info / NexTViewlink	•/•	•/•	•/•	-/-	-/-	-/-	•/•
Sleep / wake-up timer	•/•	•/•	•/•	• / -	• / -	• / -	•/•
Child lock	•	•	•	•	•	•	•
Programme auto switch off On screen menu: Navilight / symbols	• / -	• / -	• / -	-/•	• / -	-/•	• / -
Installation: Al + (auto-naming, auto sorting) / auto install	•/-	•/-	•/-	-/•	-/•	-/•	•/-
Remote control reference	RCV300	RCV300	RCV300	DOLPHINMP	RCV300	RCV300	RCS615TCLM1
Teletext type: 2.5 / 1.5 / Fastext / Top	-/•/•/•	-/•/•/•	-/•/•/•	-/•/•/-	-/•/•/-	-/•/•/-	•/•/•/•
Number of pages for teletext	6	6	6	1	1	1	1500
Connectors							
Scart 1: CVBS / RGB / S-VIDEO	•/•/-	•/•/-	•/•/-	•/•/•	•/•/•	•/•/•	•/•/•
Scart 2: CVBS / RGB / S-VIDEO	•/-/•	•/-/•	•/-/•	-/-/-	-/-/-	-/-/-	•/•/•
Scart 3: CVB5 / S-VIDEO	-/-	-/-	-/-	-/-	-/-	-/-	•/•
CINCH audio in / out	-/-	-/-	-/-	0/2	0/2	0/2	0/3
CINCH in: audio / video	2/1	2/1	2/1	2/1	2/1	2/1	2/1
Synchro-scan (Yuv)	-	-	-	-	-	-	
S-video in	•	•	•	•	-	-	•
Headphone connector (mm)	3.5	3.5	3.5	3.5	3.5	3.5	3.5
General data							
Chassis	ICC17	ICC17	ICC17	ITC008	EUTVD2001	EUTVD2001	ETC221
Power supply: 220 - 240V + / - 10% - 50Hz	•	•	•	•	•	•	•
Size (W x H x D) in mm	805 x 551 x 503	667 x 497 x 476	711 x 578 x 535	TBD	529 x 501 x 473	408.5 x 398 x 389	1434 x 1472 x 578
Net weight in kg	49	33	40	TBD	24	11.5	75
Power consumption working	115Wh	105Wh	80Wh	ТВО	60Wh	40Wh	170
Power consumption standby	1Wh	1Wh	1Wh	TBD	3.5Wh	3.5Wh	1.5
Stand (optionnal)	STTZ280	STTD2416	-	-	-	-	-
DVD part							
4/3 + 16/9 + Letterbox screen format selection	•						
Passthrough: Dolby Digital 5.1 / DTS / MPEG 2 audio	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	Downmix	•/•/•
DVD video / VCD / 5-VCD / CD audio / CD-R / CD-RW	•/•/-/-/-	•/•/-/•/-/-		•/•/•/•/•	•/•/-/•/-	•/•/-/•/-/-	•/•/-/•/-
Still picture / frame advance / Zoom x 1.5, x 2, x 4	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
Random play / parental lock	•/•	•/•	•/•	•/•	•/•	•/•	•/•
Digital / optical audio out	-/•	-/•	-/•	•/-	-/•	-/-	•/•

Legend: • = built-in, - = not available

								10	ICVIDIUII
52 JW 6425 44 JW 6425	40 KW 6125	46 KH 4125 42 KH 4125	32 WB 8425 32 WB 642	32 WH 4025 28 WH 4025	32 WH 2105	28 WH 2005	36 WX 6425	32 WZ 4125 28 WZ 4125	28 WZ 2105
133 / 52, 112 / 44	102 / 40	117 / 46, 107 / 42	81 / 32	81 / 32, 70 / 28	81 / 32	70 / 28	92/36	81 / 32, 70 / 28	70 / 28
133 / 52, 112 / 44	102 / 40	117 / 46, 107 / 42	76 / 30	76 / 30, 66 / 26	76 / 30	66 / 26	86/34	76 / 30, 66 / 26	66 / 26
RP	RP	RP	16/9	16/9	16/9	16/9	16/9	16/9	16/9
RP 16/9	RP 16/9	RP 4/3	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-
-	-	-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
•/-/-/-	•/-/-/-	-/•/-/-	•/-/•/-	-/•/-/-	-/-/-/-	-/-/-/-	•/-/•/-	-/•/-/-	-/-/-/-
•/-/-/-	•/-/-/-	-/•/-/-	•/-/-/-	-/•/-/-	-/-/-/•	-/-/-/•	•/-/-/-	-/•/-/-	-/-/-/•
•/-/-	•/-/-	•/-	•/-/-	•/•	•/•	•/•	•/-/-	•/•	•/•
•	•	-	•	•	•	-	•	•	•
-/•/•/•	-/•/•/•	-/-/-/•	•/•/-/•	•/-/-/•	-/-/-/-	-/-/-/-	•/•/-/•	•/-/-/•	-/-/-
•/•	•/•	-/-	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•	•	<u> </u>	•	-	<u> </u>	•	•	-	-
•/•/•	-/-/•	-/-/-	-/•/•	-/-/-	-/-/-	-/-/-	-/•/•	-/-/-	-/-/-
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
•/•/•	•/•/•	-/-/-	•/•/•	-/-/-	-/-/-	-/-/-	•/•/•	-/-/-	-/-/-
	1 1					1 1	1.1		
•/-/- 2 x 20 + 40	•/-/- 2 x 20	•/-/- 2 x 20	•/-/- 2 x 20 + 40	•/-/- 2 x 20	•/-/- 2 x 20	•/-/- 2 x 20	•/-/- 2 x 20 + 40	•/-/- 2 x 20	•/-/- 2 x 20
2/2/1	0/2/0	0/2/0	2/2/1	0/2/0	2/2/0	0/2/0	2/2/1	2/2/0	2/2/0
•	•	•	•	-	•	-	•	•	•
•/•/•/•	•/•/•/•	•/•/•/•	•/•/-	-/•/•/-	•/•/•/-	-/•/•/-	•/•/-	•/•/•/-	•/•/-
•/•/-/-	•/-/-/-	-/-/•/-/-	-/•/•/-	-/-/-/•/-	-/-/-/•/-	-/-/-/•/-	-/-/-/-	-/-/•/•/-	-/-/-/-/-
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
•/•/•	•/•/•	-/-/-	•/•/•	-/-/-	-/-/-	-/-/-	•/•/•	-/-/-	-/-/-
• / -	-/•	• / -	• / -	• / -	•/-	•/-	• / -	•/-	•/-
•/-	•/-	-/•	•/-	-/•	-/•	-/•	•/-	-/•	-/•
•	•	•	•	•	•	•	•	•	•
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
99 + 4 / •	99 + 4 / •	99 + 3 / •	99 + 4 / •	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 4 / •	99 + 3 / •	99+3/•
•/•	•/•	•/-	•/•	-/-	•/•	-/-	•/•	•/-	•/•
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•/-	• / -	• / -	•/-	•/-	•/-	•/-	• / -	• / -	•/-
• / -	• / -	• / -	• / -	• / -	•/-	•/-	• / -	•/-	•/-
RCS615TCLM1	RCT311TAM1	RCT311TAM1	RCS615TCLM1	RCT311TAM1	RCT311TAM1	RCT311TAM1	RCT615TBLM1	RCT311TAM1	RCT311TAM1
•/•/•/•	•/•/•/•	-/•/•/•	•/-/•/•	-/•/•/•	-/•/•/•	-/•/•/•	•/-/•/•	-/•/•/•	-/•/•/•
1500	1500	128	1500	128	6	6	1500	128	6
•/•/•	•/•/•	•/•/-	•/•/•	•/•/-	•/•/-	•/•/-	•/•/•	•/•/-	•/•/-
•/•/•	•/•/•	•/-/•	•/•/•	•/-/•	•/-/•	•/-/•	•/•/•	•/-/•	•/-/•
•/•	•/•	-/-	•/•	-/-	-/-	-/-	•/•	-/-	-/-
2/3	0/3	-/-	2/3	-/-	-/-	-/-	2/3	-/-	-/-
2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1
			•	-	-	-	•	-	-
•	•	•	•	•	•	•	•	•	•
3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
ITC222	ITC222	ETC210 •	ITC222 •	ETC210 •	ICC17 •	ICC17 •	ITC222	ETC210 •	ICC17 •
1235 x 1312 x 578	970 x 1110 x 565	1009 x 1322 x 546	894 x 608 x 592	TBD	894 x 608 x 592	888 x 573 x 569	990 x 673 x 613	894 x 610 x 585	805 x 551 x 503
1083 x 1274 x 536		927 x 1257 x 546		TBD				805 x 551 x 503	
67, 60	46	48, 46	61, 54	61, 54	61, 54	70, 58	77	53, 47	47
170	165	165	125Wh	120Wh	95Wh	125Wh	125Wh	120Wh	95Wh
1.5	2.4	2.4	1.5Wh	2.4Wh	1Wh	2.3Wh	1.5Wh	2.4Wh	1Wh
			Included, STTB320	STHA320, STHA280	STHA320	STHA280	STTX361	STTZ320, STTZ280	STTZ280

.t	32 WR 4025	28 WF 200G	28 WR 23EG	24 WK 25EG	37 DF 640G	34 DF 220G	34 DF 400
cture							
reen size: diagonale (cm / inch)	81/32	81 / 32, 70 / 28	81 / 32, 70 / 28	60 / 24	94/37	86/34	86/34
sible screen size: diagonale (cm / in)	76 / 30 16/9	76 / 30, 66 / 26 16/9	76 / 30, 66 / 26 16/9	56 / 22 16/9	90 / 35 4/3	82 / 32 4/3	82 / 32 4/3
tegory pe: Extra-Flat / Black DIVA / Black Matrix / Black Pearl	• / - / -	•/-/-/-	-/•/-/-	-/•/-/-	•/-/-/-	•/-/-/-	•/-/-/-
pe mask: Invar / tension / metal	•/-/-	•/-/-	•/-/-	-/-/•	-/•/-	•/-/-	-/•/-
OHz: Hi-Pix / High Focus / Digital Vision Mastering / Intelligent Mastering	-/•/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/-/•/-	-/-/-/-	-/-/-/•
ture noise reduction	•	-	-	-	•	•	•
ture Contrast: PSI + Contrast expander / PSI / Perfect Contrast 1 / 2	-/•/-/-	-/-/-/•	-/-/-/•	-/-/-/•	-/•/-/-	-/-/•/-	-/-/-/•
rmat control / fast zoom transition	•/•	•/•	•/•	•/•	•/-	•/-	•/-
/9 autoformat (black bars canceller)	•	•	•	•	-	-	-
ture enhancement: earth field / line interpolation / digital comb filter / BSVM	•/-/-/•	-/-/-/-	-/-/-/-	-/-/-/-	•/-/•/•	•/-/-/•	•/-/-/
om: 4/3 + 16/9 letterbox / 16/9 Letterbox subtittle + cinerama	•/•	•/•	•/•	•/•	-/-	-/-	-/-
om: 14/9 letterbox +widescreen 16/9	-	-	-		-	-	-
Itipicture: PIP / PAP / PAT	-/-/-	-/-/-	-/-/-	-/-/-	•/-/•	-/-/-	-/-/-
ture presets: my picture / studio	•/•	•/•	•/•	•/•	•/•	•/•	•/•
ture presets: film / sport / standard	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
ture presets: game / video / camera	-/-/-	-/-/-	-/-/-	-/-/-	•/•/•	-/-/-	-/-/-
und							
und: Stereo Nicam / biphonic / mono	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
sic Power (Watt)	2 x 20	2 x 20	2 x 20	2 x 20	2 x 20 + 40	2 x 12.5	2 x 20
udspeakers built in (T/M/B)	0/2/0	0/2/0	0/2/0	0/2/0	2/2/1	2/2/0	2/2/0
tual Dolby Surround	-		-	•	•	•	-
ecial sound effects: magic / spatial / pseudo / Wide / AVL	-/•/•/-	-/•/•/-	-/•/•/-	•/•/•/-	•/•/•/•	-/-/•/•	-/•/•/
ss Reflex System / Digital Pure Sound / Dynamic Bass / L5 Combis / standard	-/-/-/•	-/-/-/•	-/-/-/•	-/-/-/•	•/-/-/-	•/-/-/-	•/-/-/-
und presets: my sound / music	•/•	•/•	•/•	•/•	•/•	•/-	•/•
und presets: film / voice / flat / standard	•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	-/-/-	•/•/•/
und presets: game / video / camera	-/-/-	-/-/-	-/-/-	-/-/- •/-	•/•/•	-/-/-	-/-/-
ne control: graphic equaliser / bass & treble	-/•	-/•	-/•	-/•	•/-	-/• -/•	-/-
lume control headphones: separated / linked	-/•	-/•	-/•	-/•	•/-	-/•	-/•
eception							
n European (LL' / BG / I / DKK')	•	•	•	•	•	•	•
leo standard: PAL / SECAM	•/•	•/•	•/•	•/•	•/•	•/•	•/•
leo standard NTSC 3.58 - 4.43 (AV) / Pal 60Hz (AV)	•/•	•/•	•/•	•/•	•/•	•/•	•/•
ogramme number / PLL tuner	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 2/•	99 + 3 /
er interface							
ogram Info / NexTViewlink	-/-	-/-	-/-	•/•	•/•	-/-	•/•
eep / wake-up timer	•/•	•/•	•/•	•/•	•/•	•/•	•/•
ild lock	•	•	•	•	•	Kid Pass	•
ogramme auto switch off	•	•	•	•	•	•	•
screen menu: Navilight / symbols	• / -	•/-	•/-	•/-	•/-	•/-	•/-
stallation: Al + (auto-naming, auto sorting) / auto install	•/-	•/-	•/-	•/-	•/-	-/•	•/-
mote control reference	RCT311TAM1	RC111TA1G	RC111TA1G	RCT311TAM1	RCT41575	RC311TA1G	RCT2100
etext type: 2.5 / 1.5 / Fastext / Top	-/•/•/•	-/•/•/•	-/•/•/-	-/•/•/•	•/-/•/•	-/•/•/-	-/•/•/
mber of pages for teletext	128	6	6	6	1500	10	128
nnectors							
art 1: CVBS / RGB / S-VIDEO	•/•/-	•/•/-	•/•/-	•/•/-	•/•/•	•/•/-	•/•/•
art 2: CVB5 / RGB / S-VIDEO	•/-/•	•/-/•	•/-/•	•/-/•	•/•/•	•/-/•	•/•/•
ort 3: CVB5 / 5-VIDEO	-/-	-/-	-/-	-/-	•/•	-/-	•/•
ICH audio in / out	-/-	-/-	-/-	-/-	0/3	0/3	0/2
ICH in: audio / video	2/1	2/1	2/1	2/1	2/1	2/1	2/1
nchro-scan (Yuv)	-	-	-	-	-	-	-
video in	•	•	•	•	•	•	•
adphone connector (mm)	3.5	3.5	3.5	3.5	3.5	3.5	3.5
neral data							
assis	ETC210	ICC17	ICC17	ICC17	ICC21	ITCO08	ICC20
wer supply: 220 - 240V + / - 10% - 50Hz	•	•	•	•	•	•	•
re (W x H x D) in mm	888 × 573 × 569		863 x 559 x 570	602 x 449 x 448	974 × 750 × 583	885 x 685 x 544	885 x 685 x
	863 x 559 x 570		767 x 505 x 535				
t weight in kg	58	58, 40	50, 38	26.7	90	65	65
wer consumption working	120Wh	95Wh	120Wh	90Wh	135Wh	TBD	135Wh
wer consumption standby	2.4Wh	1Wh	1Wh	1Wh	2.4Wh	2.8Wh	2.3Wh
and (optionnal)	-, STTH3242	-	STTH3242, ST2416	ST2416	STTF3702	STTF3402	STTF340

34 DC 650S	33 MS 220G	33 MF 170G	29 DZ 840W	29 DZ 640S	29 DZ 6105	29 DZ 220S 29 DC 220S	29 DC 630S	29 DC 4105	29 DX 4005
86 / 34	85 / 33	85 / 33	72 / 29	72 / 29	72 / 29	72 / 29	72 / 29	72 / 29	72 / 29
82 / 32	80/31	80/31	68 / 27	68 / 27	68 / 27	68 / 27	68 / 27	68 / 27	68 / 27
4/3	4/3	4/3	4/3	4/3	4/3	4/3	4/3	4/3	4/3
•/-/-/-	-/-/•/-	-/-/-/•	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-
-/•/-	-/-/•	-/-/•	-/•/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
-/-/•/-	-/-/-/-	-/-/-/-	-/-/•/-	-/-/•/-	-/-/•/-	-/-/-/-	-/-/•/-	-/•/-/-	-/•/-/-
•	-	-	•	•	•	-	•	•	•
-/•/-/-	-/-/•/-	-/-/•/-	-/•/-/-	-/•/-/-	-/•/-/-	-/-/•/-	-/•/-/-	-/•/-/-	-/•/-/-
• / -	•/-	-/-	•/-	•/-	•/-	•/-	•/-	• / -	•/-
-	-	-				-			
•/-/•/•	-/-/-	-/-/-	-/-/•/•	-/-/•/•	-/-/•/•	-/-/-	-/-/•/•	-/-/-	-/-/-/•
-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-
•/-/•	-/-/-	-/-/-	•/-/•	•/-/•	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-
•/•	•/•	•/-	•/-	•/-/•	•/-	•/•	•/-	•/•	•/•
•/•/•	•/•/•	-/-/-	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
•/•/•	-/-/-	-/-/-	•/•/•	•/•/•	•/•/•	-/-/-	•/•/•	-/-/-	-/-/-
-,-,-	, ,	, ,	- 1 - 1 -	-,-,-	-,-,-	, ,	-7-7-	, ,	, ,
•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
•/-/- 2 x 20 + 40	•/-/- 2 x 12.5	•/-/- 2 x 10	• / - / - 2 × 20 + 40	•/-/- 2 x 20 + 40	• / - / - 2 x 20 + 40	•/-/- 2 x 12.5	•/-/- 2 x 20	•/-/- 2 x 20	•/-/- 2 x 20
2/2/1	0/2/0	0/2/0	2/2/1	2/2/1	2/2/1	2/2/0	2/2/1	0/2/0	0/2/0
•	•	-	•	•	•	•	•	•	•
•/•/•/•	-/-/•/•	-/-/-/-	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•,-/-/•/•	•/•/•/•	•/•/•/•	•/•/•/•
•/-/-/-	-/-/-/-	-/-/-/-	-/•/-/-	-/•/-/-	-/•/-/-	-/-/-/-	-/-/-/-	-/-/•/-/-	-/-/•/-/-
•/•	•/-	•/-	•/•	•/•	•/•	•/-	•/•	•/•	•/•
•/•/•/•	-/-/-/-	-/-/-/-	•/•/•/•	•/•/•/•	•/•/•/•	-/-/-/-	•/•/•/•	•/•/•/•	•/•/•/•
•/•/•	-/-/-	-/-/-	•/•/•	•/•/•	•/•/•	-/-/-	•/•/•	-/-/-	-/-/-
•/-	-/•	-/•	•/-	•/-	•/-	-/•	•/-	• / -	•/-
•/-	-/•	-/•	•/-	•/-	•/-	-/•	•/-	-/•	-/•
•	•	•	•	•	•	•	•	•	•
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•
99 + 3 / •	99 + 2 / •	99 + 1 / •	99 + 3 / •	99 + 3 / •	99 + 3 / •	99 + 2 / •	99 + 3 / •	99 + 3 / •	99 + 3 / •
•/•	-/-	-/-	•/•	•/•	•/•	-/-	•/•	• / -	•/•
•/•	•/•	• / -	•/•	•/•	•/•	•/•	•/•	•/•	•/•
•	Kid Pass	•	•	•	•	Kid Pass	•	•	•
•	•	•	•	•	•	•	•	•	•
• / -	•/-	-/•	•/-	•/-	•/-	•/-	•/-	• / -	•/-
-/•	-/•	-/•	•/-	• / -	•/-	-/•	•/-	•/-	•/-
RCT615TBLM	RC311TAG1	RCT100	RCT4157W	RCT41575	RCT41305	RCT311TAM1 / TA1	RCT311TAM1	RC311TA1	RC311TA1G
•/-/•/•	-/•/•/-	-/•/•/-	•/-/•/•	•/-/•/•	•/-/•/•	-/•/•/-	•/-/•/•	-/•/•/•	-/•/•/•
1500	10	1	1500	1500	1500	10	1500	128	128
•/•/•	•/•/-	•/•/•	•/•/•	•/•/•	•/•/•	•/•/-	•/•/•	•/•/-	•/•/-
•/•/•	•/-/•	-/-/-	•/•/•	•/•/•	•/•/•	•/-/•	•/•/•	•/-/•	•/-/•
•/•	-/-	-/-	•/•	•/•	•/•	-/-	•/•	-/-	-/-
0/3	-/-	-/-	0/3	0/3	0/3	0/3,-/-	0/3	-/-	-/-
2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1	2/1
-	-	-	-	-	-	-	-	-	-
•	• 2 E	- 2 E	•	•	•	• 2 E	• 2 E	• 2 E	• 0.0
3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	ITC008	TX807C5	ICC21	ICC21	ICC21	ITC008	ICC21	ETC210	ETC210
ICC21	•	762 x 676 x 544	777 v [0] v [1]	777 [0] [1]	• 777 v F03 v F13	777 [0] [1]	• Tnn	Tnn	777 v [0] v [11
•		(b/ V b / b V b///	777 x 593 x 513	777 x 593 x 513	777 x 593 x 513	777 x 593 x 513 TBD	TBD	TBD	777 x 593 x 511
	762 x 676 x 544	/ OL X 0/ O X J++							
• TBD	762 x 676 x 544		50	50	50		50	50	44
• TBD	762 x 676 x 544 55	55	50 130Wh	50 130Wh	50 130Wh	50 - TBD	50 130Wh	50 TBD	44 120Wh
• TBD	762 x 676 x 544		50 130Wh 2.4Wh	50 130Wh 2.4Wh	50 130Wh 2.4Wh		50 130Wh 2.4Wh	50 TBD TBD	44 120Wh 2.3Wh

	29 DX 1755 25 DX 1755	29 DF 400G	29 DF 170G	28 DP 175G	28 DP 420G 28 DN 420G	28 DR 430G	28 DR 220
Picture							
creen size: diagonale (cm / inch)	72 / 29	72 / 29	72 / 29	70 / 28	70 / 28	70 / 28	70 / 28
isible screen size: diagonale (cm / in)	68 / 27	68 / 27	68 / 27	66 / 26	66 / 26	66 / 26	66 / 26
ategory	4/3	4/3	4/3	4/3	4/3	4/3	4/3
ube: Extra-Flat / Black DIVA / Black Matrix / Black Pearl	•/-/-/-	•/-/-/-	•/-/-/-	-/-/-	-/-/-/•	-/-/-/•	-/-/-/•
ube mask: Invar/tension/metal	-/-/-	-/•/- -/-/-	•/-/- -/-/-	-/-/-	-/-/• -/-/-	-/-/•	-/-/• -/-/-/-
.00Hz: Hi-Pix / High Focus / Digital Vision Mastering / Intelligent Mastering Picture noise reduction	-/-/-/-	-/-/-/•	-/-/-	-/-/-	•	-/-/-/•	-/-/-
Picture Contrast: PSI + Contrast expander / PSI / Perfect Contrast 1 / 2	-/-/•/-	-/-/-/•	-/-/•/-	-/-/•/-	-/•/-/-	-/-/-/•	-/-/•/-
Format control / fast zoom transition	•/-	•	-/-	•/-	•/-	•/-	•/-
6/9 autoformat (black bars canceller)	-	-	-	-	<u> </u>	-	-
Picture enhancement: earth field / line interpolation / digital comb filter / BSVM	-/-/-/-	-/-/-/•	-/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-
oom: 4/3 + 16/9 letterbox / 16/9 Letterbox subtittle + cinerama	-/-	-/-	-/-	-/-	-/-	-/-	-/-
oom: 14/9 letterbox +widescreen 16/9	-	-	-	-	-	-	-
1ultipicture: PIP / PAP / PAT	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-
Picture presets: my picture / studio	•/-	•/•	•/-	•/-	•/•	•/•	•/•
licture presets: film / sport / standard	-/-/-	•/•/•	-/-/-	-/-/-	•/•/•	•/•/•	•/•/•
icture presets: game / video / camera	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-
ound							
ound: Stereo Nicam / biphonic / mono	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
usic Power (Watt)	2 x 12.5	2 x 20	2 x 10	2 x 12.5	2 x 20	2 x 20	2 x 12.5
oudspeakers built in (T / M / B)	0/2/0	2/2/0	0/2/0	0/2/0	0/2/0	0/2/0	2/2/0
irtual Dolby Surround	-	-	-	-	•	•	•
pecial sound effects: magic / spatial / pseudo / Wide / AVL	-/-/•/•	-/•/•/•	-/-/-	-/-/•/•	•/•/•/•	•/•/•/•	•/•/•/
ass Reflex System / Digital Pure Sound / Dynamic Bass / LS Combis / standard	-/-/-/-	-/-/-/-	-/-/-/-	-/-/-/-	-/-/•/-/-	-/-/-/-	-/-/-/-/
ound presets: my sound / music	• / -	•/•	•/-	•/-	•/•	•/•	•/-
ound presets: film / voice / flat / standard	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-
ound presets: game / video / camera one control: graphic equaliser / bass & treble	-/-/-	•/-	-/-/-	-/-/-	•/-	•/-	-/-/-
olume control headphones: separated / linked	-/•	-/•	-/•	-/•	-/•	-/•	-/•
	-/•	-/-	-/•	-/•	-/•	-/•	-/•
Reception							
an European (LL' / BG / I / DKK')	•	•	•	•	•	•	•
ideo standard: PAL / SECAM	•/•	•/•	•/•	•/•	•/•	•/•	•/•
ideo standard NTSC 3.58 - 4.43 (AV) / Pal 60Hz (AV)	•/• 99 + 2/•	99 + 3 / •	99 + 1/•	•/• 99 + 2/•	99 + 3 / •	99 + 3 / •	•/• 99 + 2/•
rogramme number / PLL tuner	33 + 2 / •	33+3/•	33 + 1 / •	33+2/•	33+3/•	33+3/•	33 + 2 / •
lser interface							
rogram Info / NexTViewlink	-/-	•/•	-/-	-/-	•/-	•/•	-/-
leep / wake-up timer	•/-	•/•	•/-	•/-	•/•	•/•	•/•
hild lock	•	•	•	-/-	•	•	Kid Pass
rogramme auto switch off	•	•	•	•	•	•	•
n screen menu: Navilight / symbols	-/•	•/-	-/•	-/•	•/-	•/-	•/-
nstallation: Al + (auto-naming, auto sorting) / auto install	-/•	•/- nct100	-/•	-/•	•/-	• / -	-/•
emote control reference	RC311TA1G -/•/•/-	RCT100	RCT100	RC311TA1G	RC311TA1 / G	RCT311TAM1	RCT311 TAM
eletext type: 2.5 / 1.5 / Fastext / Top umber of pages for teletext	1	-/•/•/• 128	-/•/•/- 1	-/•/- 1	-/•/•/• 128	-/•/•/• 128	-/•/•/- 10
	I	120	<u> </u>	<u> </u>	160	160	10
onnectors							
cart 1: CVBS / RGB / S-VIDEO	•/•/-	•/•/•	•/•/•	•/•/-	•/•/-	•/•/•	•/•/-
cart 2: CVBS / RGB / S-VIDEO	•/-/•	•/•/•	-/-/-	•/-/•	•/-/•	•/•/•	•/-/•
cart 3: CVBS / S-VIDEO	-/-	•/•	-/-	-/-	-/-	•/•	-/-
INCH audio in / out	-/-	0/2	-/-	-/-	-/-	0/2	-/-
INCH in: audio / video	2/1	2/1	2/1	2/1	2/1	2/1	2/1
ynchro-scan (Yuv) -video in	<u> </u>	•	-	<u> </u>	•	•	<u> </u>
eadphone connector (mm)	3.5	3.5	3.5	3.5	3.5	3.5	3.5
eneral data	3.3	5.3	3.3	3.3	3.3	3.3	
	ITCCCC	10000	TVOCZEC	ITCOOR	ETC240	15520	/TCOO
nassis	ITC008	10020	TX807C5	ITCO08	ETC210	10020	ITC008
ower supply: 220 - 240V + / - 10% - 50Hz	777 v F03 v F11	761 × 605 × 633	7E1 v CDC F33	7E0 × 4CF · . 40F	• Tpn	Tnn	Tnn
ize (W x H x D) in mm	777 x 593 x 511 710 x 578 x 457	761 X 606 X 522	761 x 606 x 522	750 x 465 x 495	TBD TBD	TBD	TBD
et weight in kg	44, TBD	46	46	35	35, 36	36	TBD
ower consumption working	75Wh, TBD	120Wh	75Wh	75Wh	TBD	TBD	TBD
ower consumption standby	2.8Wh	2.3Wh	4Wh	2.8Wh	TBD	TBD	2.8Wh
tand (optionnal)	STTZ290	STTZ290	STTZ290	-	-	-	-
2 - 24V	-	-	-	-	-	-	

66/26, 59/23 59 4/3	/ 25	55/21 51/20 4/3 •/-/-/ -/-/	55/21 51/20 4/3 •/-/-/-,-//-//-//-//-//-//-//-//-//-/- 2×6 0/2/0/-/-/////////////////	55/21 51/20 4/3 •/-/-/ -/-//-//-//-//-//-//-//-//-//-//-/- 2×12.5 0/2/0 -/-/-//	55/21 51/20 4/3 •/-/-/-,-/-//-//-//-//-//-//-/- 2×12.5 0/2/0 • -/-/-/	55/21 51/20 4/3 •/-/-//-/• -/-//-//-//-//-//-//-//-/- 1x12.5 0/1/0 -/-/-//	55/21 51/20 4/3 -/-/-/ -/-/ -/-//-//-//-//-///-/	55/21 51/20 4/3 -/-/-/ -/-//-//-/	51/20 48/19 4/3 -/-/•//-/• -/-/
4/3 -/-/-/• -/-//-//-//-/-///-/-///-/-///-///-///-///-///-//- 2x6 0/2/0 0/2/0 0/2/0/-//	4/3 /-/• /-//- /-/- /-/- /-/- /-/- /-/	4/3 •/-/-//	4/3 •/-/-,-/-/• -/-/• -/-/- -/-/- -/-/- -/-/- -/-/- -/-/- -/-/- •/-/- 2×6 0/2/0 /-/-/ -/-/- -/-//-/- -/-//	4/3 •/-/-//-/• -/-//-//-//-//-//-//-//-//-/- 2 x 12.5 0/2/0/-/-//-//-//-//-//-/-//-//-//-///-	4/3 •/-/-,-/-//-/ -/-//-//-//-//-//-//-//-//-/- •/-/- 2 x 12.5 0/2/0 • -/-/-////////	4/3 •/-/-/- -/-/• -/-/• -/-/-/- -/-/-/- -/-/- -/-/- -/-/- •/• 1 x 12.5 0 / 1 / 0 -/-/-/- -/-/- -/-/- -/-/-//-/-//-/-//-/-//-/-//-/-//-/-/	4/3 -/-/-/• -/-/• -/-//	4/3 -/-/-/ -/-//-//-//-//-//-//-//-//-//-//-/- 2×6 0/2/0/-//-//-//-//-//-//-//-//-//-//-//-//-//-////////////////////////////////	4/3 -/-/•//-/• -/-/
-/-/-/ -/-//-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-//-/-/ -/-/- 2x6 2 0/2/0 0//-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/-/ -/-/	/-/• /-/- /-/- /-/- /-/- /-/- /-/- /-/-	•/-/-//-/• -/-/-	*/-/-,-/-/* -/-/* -/-/* -/-/* -/-//-//-	•/-/-//-/• -/-//-//-//-//-//-//-//-//-//-/- 2x12.5 0/2/0/-//////	*/-/-,-/-/*//-/* -/-/* -/-/-//-//-/	•/-/-/ -/-/• -/-/• -/-//-//-//-//-//-//-//-//-/- 1 x 12.5 0 /1 / 0 -/-/-//	-/-/-/ -/-/-	-/-/-/ -/-//-//-//-//-//-//-//-//-//-//-/- 2x6 0/2/0/-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-	-/-/•//-/• -/-/-
-/-/* -/-/-//-/-//-/-///-/-////-///-//-//-//-//-//-//-//-//-//-//-//-//-//-//* -/*	-/• /-/ /-/ /-/- / /-/- / /-/- /-	-/-/• -/-/-//-/-/-	-/-/• -/-/-//-/-//-/-//-/-//-//-//-//-//-/- 2xb 0/2/0/-//-//-//-//-//-//-//-//-//-//-//-//-////-///-///-///	-/-/• -/-//-//-///-//-	-/-/• -/-/-//-/-//-/-//-/-//-//-//-//-//-/- 2x12.5 0/2/0 • -/-/-//	-/-/• -/-//-//-//-//-//-//-//-//-//-/- 1x12.5 0/1/0 -/-/-//-//-//-//-//-//-//-//-//-//-//-//-//-/-	-/-/• -/-/-/	-/-/• -/-//-//-//-//-//-//-//-//-//-/- 2x6 0/2/0/-//-//-//-//-//-//-//-//-//-//-//-///	-/-/• -/-/-
-/-/-///-/-///-/-///-	/-/ /-/ /-/ /-/- / /-/- /-	-/-/-//-/-///-///-//	-/-/-//-/-//-/-//-/-//-//-//-//-//-//-/- 2x6 0/2/0/-//	-/-/-//-//-/-//-//-//-//-//-//-//-//-/- 2x12.5 0/2/0/-/-/-	-/-/-//-/-//-/-//-/-//-///-//-//-/- 2 x 12.5 0 / 2 / 0 -/-/-/-	-/-/-/	-/-/-/	-/-/-/	-/-/-/
	- /-/• /-/- /- /- /- /- /- /- /- /- /- /- /- /	/-/•///////-//		/-/•/////////		/-/*///-///-///-//-//-/- 1x12.5 0/1/0/-/-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-/-	/-/•/////-///-/-	/-/*/////////	/-/•///-/-
-/-/•/////////-	/-/• /-/- / /-/- / /-/- /- /-/- x 20 2 / 0 • / • / • / • / • / • / • / • / • / • / • / • / •	-/-/•///-//	-/-/•/////////-	-/-/•///-///-///-//-//-/- 2 x 12.5 0 / 2 / 0 -/-/-/	-/-/-//-//-//-//-//-//-//-//-/- 2 x 12.5 0/2/0 -/-/-//-//-//-//-//-//-//-//-//-//-//-//-//-	-/-/•////-///-///-//-//-/- 1 x 12.5 0 / 1 / 0 -/-/-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-/-	-/-/•/////////-	-/-/•/////////-	-/-/•///-/-
	- /-/- /- /- /- /- /- /- /- /- /- /- /-			/-/-////////		/-/-/ -///-/ -//-/ -/-/ -/	/-/-/ -//-/-	/-/-/ -//-//-//-//-/- 2x6 0/2/0/-//-//-//-//-//-//-//-//-//-	/-/-/ -//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-/-
-/-/-//////-///-///-///-//- 2x6 2 0/2/0 0//-/-//-/ -/-//-/ -/-//-/ -/-//-/ -/-///-///-///-///-///-///-///-///-//	/-/- /- /- /- /- /- /- /- /- /- /- x 20 2 / 0 • /-/- /- /- /- /- /- /- /- /- /- /- /- /	-/-/-///-//	-/-/////////	-/-/////////-/- 2 x 12.5 0 / 2 / 0/-/-//-//-/-//-	-/-/-/ -////-//-//-/- */-/- 2 x 12.5 0/2/0 -/-/-//-//-//-//-//-//-//-//-	-/-/-////-//-//-//-/- 1x12.5 0/1/0/-//-/-//-/-//-/-//-/-//-/-//-/-	-/-/-/ -///-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-//-/-	-/-/-/////-//-//-/- 2 x 6 0/2/0/-/-//-//-//-//-//-///-//-	-/-/-/ -//-/-
-///-//-//-//-//-//-/- 2x6 20/2/0 0//-/-//-//-//-//-//-//-///	/	-//-/- •//-/- -/-/- 6 0/1/0/-//-//-/////-	-////////- 2x6 0/2/0/-//-/ -//////-	-////// 2 x 12.5 0/2/0/-/-///////////-	-////////- */-/- 2 x 12.5 0/2/0 -/-/-//-//-///////////-	-//-/- •/• •/•/• -/-/- 1x12.5 0/1/0 -/-/-//-/-//-/-//-/-//-/-//-/-//-/-//-/-/-	-//-/- •//-//-//-/- 6 0/2/0,0/1/0/-/-//-//-//-//-//-//-//-//-/-	-//-/- •//-/- 2×6 0/2/0/-//-//-//-//-//-//-//-//-//-	-//-/- •//-//-/- 6 0/1/0,0/2/0/-//-//-//-//-//-//-//-//-//-/-
-/-/- •/- •//-//-//-/- 2×6 2 0/2/0 0//-//-/- •//-//-//-//-	-/- /* -/- x 20 2 / 0 -/-/- /* -/- /* /* -/-/- /* /* /* /* /* /* /*	-/-/- •//-//-/- 6 0/1/0/-//-//-//-//-//-//-//////////-	-/-/- •//-//-/- 2×6 0/2/0/-//-//-/////	-/-/- •//-/- 2×12.5 0/2/0/-/-//-//-///-//	-/-/- •/• •/•/• -/-/- 2 x 12.5 0/2/0 • -/-/-/- •//-/-//-//-//	-/-/- •/• •/•/• -/-/- 1 × 12.5 0 / 1 / 0/-/-//-/-//-//-//-//-//-//-//-//-/-	-/-/- •//-//-/- 6 0/2/0,0/1/0/-//-//-//-//-//-//-//-//-/-	-/-/- •//-/- 2×6 0/2/0/-//-//-//-///-//////////-	-/-/- •//-//-/- 6 0/1/0,0/2///-//-//-//-//-//-//-//-/-
•//-//-/- •/-/- 2x6 2x6 0/2/0 0//-/- •//-/- •//-////	/ • / • / • / • / • / • / • / • / • / •	•//-//-/- 6 0/1/0/-//-//-//-//-//-//-/////////-	•//-/- 2×6 0/2/0/-//-//-//-//-//	•//-/- 2×12.5 0/2/0/-/-//-//-//-///-///-///-	•/• •/•//-/- 2 x 12.5 0/2/0 • -/-/-/- •//-/-//-//-//	•/• •/•/• -/-/- 1×12.5 0/1/0/-/-//-/-//-/-//-//-//-//-//-/-	•//-//-/- 6 0/2/0,0/1/0/-//-//-//-//-//-//-//-//-/-	•//-/- 2×6 0/2/0/-//-//-//-//-//-//-//-	•//-//-/- 6 0/1/0,0/2//-//-//-//-//-//-//-//-/-
-/-/-	-/- x 20 2 / 0 -/- /-/- /- /- /- /- /- /- /- /- /- /-	-/-//-/- 6 0/1/0/-//-//-//-//-//-//-////////-	-/-//-/- 2×6 0/2/0/-//-//-//-//////////////-	-/-//-/- 2x12.5 0/2/0/-/-//-//-/-///-//-//	•/•/• -/-/- 2 x 12.5 0/2/0 • -/-/•/• -/-/-/- -/-/- -/-/- -/- -/- -/- -/- -/- -/- -/- -/-	•/•/• -/-/- 1 x 12.5 0/1/0 /-/-//-/-///-//-/////-	-/-//-/- 6 0/2/0,0/1/0/-//-//-//-//-//-//-//-//-/-	-/-//-/- 2 x 6 0/2/0/-//-//-//-///-////////-	-/-//-/- 6 0/1/0,0/2///-/-//-/-//-/-//-//-//-/-
-/-//- •/-/-	-/- x 20 2 / 0 - /-/- /- /- /- /- /- /- /- /- /- /- /	-/-/- -/-/- 6 0/1/0 /-/-//-///-//-//-	-/-/- 2x6 0/2/0 /-//-//-///-///	-/-/- 2 x 12.5 0/2/0 /-/-//-/-///-///-	-/-/- 2 x 12.5 0 / 2 / 0 -/-/-/- -/-/-/- -/-/-/- -/-/- -/- -/- -/- -/- -/- -/- -/- -/- -/-	-/-/- 1 x 12.5 0 / 1 / 0 /-/-//-/-///-///-//////-	-/-/- -/-/• 6 0/2/0,0/1/0 /-/-//-/-//-//-//-//-//-//-/-	-/-/- 2 x 6 0 / 2 / 0 /-/-//-//-///-//-////////-	-/-/- -/-/• 6 0/1/0,0/2// /-/-//-/-///-//-//-//-
*/-/- */ 2 x 6	2-/- x 20 2/0	-/-/• 6 0/1/0/-/-//-/-///-//-//-	•/-/- 2x6 0/2/0/-//-//-////-//-	•/-/- 2x12.5 0/2/0/-/•/• -/-/-//////	•/-/- 2 x 12.5 0/2/0 • -/-/•/• -/-/-/- •//-//-//	-/-/• 1 x 12.5 0 / 1 / 0/-/•/• -/-/-///-////-	-/-/• 6 0/2/0,0/1/0/-/-//-/-//-//-//-//-//-//-/-	•/-/- 2x6 0/2/0/-/-//-//-///-//	-/-/• 6 0/1/0,0/2//-/-//-///-//-//-//-
2 × 6	x 20 2 / 0 • / • / • · · · · / · · · · · · / · · · ·	6 0/1/0/-//-///////	2 x 6 0/2/0 - -/-/-/- -/-/-/- -/-/- -/-/- -/• -/•	2 x 12.5 0/2/0 - -/-/•/• -/-/-/- -/- -/-/- - -/- -/-	2 x 12.5 0/2/0 • -/-/•/• -/-/-/- •/- -/-/- -/ -/• -/•	1 x 12.5 0 / 1 / 0 - - / - / • / • - / - / - / - - / - / - - / - / - - / - / • • • • / •	6 0/2/0,0/1/0 - -/-/-/- -/-/-/- -/-/- -/-/- -/-/-	2 x 6 0/2/0 - -/-/-/- -/-/-/- -/-/- -/-/- -/-/-	6 0/1/0,0/2/0 - -/-/-/- -/-/-/- -/-/- - -/-/-
2 × 6	x 20 2 / 0 • / • / • · · · · / · · · · · · / · · · ·	6 0/1/0/-//-///////	2 x 6 0/2/0 - -/-/-/- -/-/-/- -/-/- -/-/- -/• -/•	2 x 12.5 0/2/0 - -/-/•/• -/-/-/- -/- -/-/- - -/- -/-	2 x 12.5 0/2/0 • -/-/•/• -/-/-/- •/- -/-/- -/ -/• -/•	1 x 12.5 0 / 1 / 0 - - / - / • / • - / - / - / - - / - / - - / - / - - / - / • • • • / •	0/2/0,0/1/0/-/-//-/-///-//-//-//-//-/-	0/2/0 - -/-/-/- -/-/-/- -/-/- -/-/- -/•	0/1/0,0/2/(- -/-/-/- -/-/-/- -/-/- -/-/- -/-/-
	•	- -/-/-/- -/-/-/- -/- -/-/- - -/- -/- -	- -/-/-/- -/-/-/- -/- -/-/- -/- -/• -/•	- -/-/•/• -/-/-/- -/- -/-/- - -/•		- -/-/•/• -/-/-/- -/- -/-/- - -/-/- - -/•	- -/-/-/- -/-/-/- -/- -/-/- - -/-/-	- -/-/-/- -/-/-/- -/- -/-/- -/- -/•	- -/-/-/- -/-/-/- -/- -/-/- - -/-/-
-/-//-//-//-//-//-//-//-///	/•/• -/-/- /• /•/• /•/• -/-/- /- /- /- /- /- /- /- /- /- /- /-	-/-/- -/-/-/- -/- -/-/- -/- -/- -	-/-/- -/-/-/- -/- -/-/- -/- -/- -	-/-/•/• -/-/-///-///-//-	-/-/•/• -/-/-/- •//-/-//-///	-/-/•/• -/-/-////-///-//-	-/-/- -/-/-/- -/- -/- -/-/- - -/-/•	-/-/- -/-/-/- -/- -/- -/-/- -/- -/•	-/-/-//-/-///-//-//-//-//-/-
-/-/-/- -/-/-/- -/-/-/- -/-/- -/-/- -/	/• /•/• /-/- /- /- /- /- /- /- /- /- /- /-	-//-//-//•	-/-/-///-//////• -/•	-/- -/-/- -/-/- - -/•	•//-////• -/•	-/- -/-/- -/-/- - -/•	-/- -/-/- -/-/- - -/•	-/- -/-/- -/ -/• -/•	-/-/-/- -/- -/-/- -/-/- - -/•
-/-/////////-	/•/• /-/- /- /• /• /• /• /•	-/-/- -/-/- - -/•	-/-/- -/-/- -/• -/•	-/-/- -/-/- - -/•	-/-/- -/-/- -/• -/•	-/-/- -/-/- - -/•	-/-/- -/-/- - -/•	-/-/- -/-/- -/• -/•	-/-/-/- -/-/- - -/•
-/-//• -/• -/• -/• -/• -/• -/• -/• -/	-/- /- /• /• /•	-/-/- - -/•	-/-/- -/• -/•	-/-/- - -/•	-/-/- -/• -/•	-/-/- - -/•	-/-/- - -/•	-/-/- -/• -/•	-/-/- - -/•
-/• -/• -/• -/• -/• -/• -/• -///-	· /- /• /• /•	- -/• • •/• •/•	-/• -/•	- -/• • •/•	-/• -/•	- -/• • •/•	-/•	-/• -/•	- -/•
-/• •/• •/• •/• 99+1/• 99- -/- •/- • -/- • MB100 RCT -/•/•/- 1	· · /•	-/• • •/• •/•	-/• • •/• •/•	-/• • •/•	-/• • •/•	-/• • •/•	-/•	-/•	-/•
//	• /• /•	• •/• •/•	• •/• •/•	• • • • • • • • • • • • • • • • • • • •	•	•	•	•	•
/ */* 99 + 1/* 99 - -/- */- * -/- * MB100 RCT -/*/- 1	/• /•	•/•	•/•	•/• •/•	•/•	•/•			
/ 99 + 1 / * 99 - -/- */- * -/- * -/- * MB100 RCT -/*/- 1	/•	•/•	•/•	•/•			•/•	•/•	•/•
99 + 1 / • 99 - • • • • • • • • • • • • • • • •					•/•	•/•			
-/- •/- • • -/• -/• MB100 RCT -/•/•/- 1	+3/•	99 + 1 / •	99 + 1 / •	00 , 7 / -			•/•	•/•	•/•
•/- • • -/• -/• MB100 RCT -/•/•/- 1				33 + 2 / •	99 + 2 / •	99 + 1 / •	99 + 1 / •	99 + 1 / •	99 + 1 / •
•/- • • -/• -/• MB100 RCT -/•/•/- 1	/•	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-
• -/• -/• -/• MB100 RCT -/•/•/- 1	/•	•/-	•/-	•/-	•/•	•/•	•/-	•/-	•/-
-//- MB100 RCT -/-//- 1	•	•	•	•	Kid Pass	Kid Pass	•	•	•
-/• MB100 RCT -/•/•//• 1	•	•	•	•	•	•	•	•	•
-/• MB100 RCT -/•/•//• 1	/-	-/•	-/•	-/•	• / -	-/•	-/•	-/•	-/•
MB100 RCT -/•/•//• 1 •/•/• •/	/-	-/•	-/•	-/•	-/•	-/•	-/•	-/•	-/•
-/•/• -/• 1 •/•/• •/	21005	MB100	RCT100	DOLPHIN	DOLPHINMP	DOLPHINMP	RCT100	RCT100	RCT100
1	/•/•	-/•/•/-	-/•/•/-	-/•/•/-	-/•/•/-	-/•/•/-	-/•/•/-	-/•/•/-	-/•/•/-
	6	1	1	1	10	10	1	1	1
-/-/-	-/-	•/•/•	•/•/•	•/•/-	•/•/-	•/•/•	•/•/•	•/•/•	-/-/-
-/	-/• -/-	-/-/-	-/-/-	•/-/•	-/-	-/-/-	-/-/- -/-	-/-/-	-/-/-
	/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-
	/1	1/1	2/1	2/1	2/1	1/1	1/1	2/1	1/1
-	-	-	-	-	-	-	-	-	-
	• 3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
		۲.۰	3.3	د.د	3.3	د.د	د.د	د.د	د.د
	C17	TX807C5	TX807CS	ITC008	ITCO08	ITC008	TX807C	TX807CS	TX807C
•	•	•	•	•	•	•	•	•	•
08 x 553 x 467 634 x 5 34 x 507 x 444	507 x 444	529 x 501 x 473	529 x 501 x 473 603 x 464 x 480	625 x 467 x 472	635 x 468 x 483 605 x 450 x 500	635 x 468 x 483	605 x 450 x 500 531 x 479 x 472	531 x 479 x 472	513 x 463 x 47! 598 x 458 x 47!
	28	22	22 - 21.5	25	23.5 - 22	23.5	22	22	18.5, 21
75Wh, 70Wh 85	5Wh	50Wh	55Wh	60Wh	60Wh	60Wh	50Wh	55Wh	50Wh
	Wh	4Wh	4Wh	3Wh	3Wh	3Wh	4Wh	4Wh	4Wh
		-	-	-		-	-	-	-
	-								

Security Security	HALOP HALOW SUGAR HALOY XINOXTV	14 MG 120B	14 MG 110G	14 MK 140G 14 MG 130G	
isable stores and augusted (min'm) 43 43 43 40 40 40 and part and Piller (DIA) Biller (DIA) Biller (Min'r) Piller (Part) 42 43 43 40 40 40 and part and Piller (DIA) Biller (DIA) Biller (Min'r) Piller (Part) 41 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					icture
Apple Appl	36 / 14 25 / 10	36 / 14	36 / 14	36 / 14	creen size: diagonale (cm / inch)
					/isible screen size: diagonale (cm / in)
	4/3 4/3	4/3	4/3	4/3	ategory
					ube: Extra-Flat / Black DIVA / Black Matrix / Black Pearl
The third in product of the produc					
Inflict Contact PS Contact PS Prefect Contact 1/2	-/-/-		-/-/-	-/-/-	
Comman C			-	-	
Sch aufbreichnist planet kern canceller					
			-/-	-/-	
			-	-	,
Lull picture MP PR PR PR PR TW - / / / / / / / /					
with a pressets may picture of studied -1 - -					
International Section Inte					
Interpretates game / video / Camero 1-/- 1-/- 1-/- 1-/- 1-/- Interpretate Inte					· · · · · · · · · · · · · · · · · · ·
Second S					
Series Nican / Diptonic / mono	-/-/-	-/-/-	-/-/-	-/-/-	
Section Martin					
multipackers built in [T, M1/8] 0,1/10 0,1/10 0,1/10 intributal Daily Symmum Genes (1 Spatial / Speade / Wide / MVL					
Tithisal Diany Surround -					
pecial sound effects magic / spatial / psecula / Wilce / MIL sound pressts: magic / spatial / psecula / Wilce / MIL sound pressts: magic / spatial / psecula / Wilce / MIL sound pressts: magic / spatial / psecula / Wilce / MIL sound pressts: film / voice / flat / standard			0/1/0	0/1/0	
			-		
				<u>'</u>	
Control graphic equaliser/ bases is freble -, - , -/ -, -/ - -/ -/ - -/ - -/ - -/ -/ -/ -/ -/ -/ -/ -/ -/ -/ -/ -/ -/					
Notine control headphones: separated / linked -/-					
Page					
Part Lar Lar	-/• -/•	-/•	-/•	-/•	
rideo standard: PAL / SECAM -/- -/- -/- -/- Ideo standard NTSC JSB - 4.43 [AV] / Pal 60Hz [AV] •/- -					leception
ride standard: PAL / SELAM -/- -/- -/- -/- ride standard NTSC JSB - 4.43 [AV] / Pal 60Hz [AV] 9-1 9-1 99-1/-		•	•	•	an European (LL' / BG / I / DKK')
Segramme number / PLL tuner 99 + 1 /	•/•	•/•	•/•	•/•	
See interface	•/•	•/•	•/•	•/•	ideo standard NTSC 3.58 - 4.43 (AV) / Pal 60Hz (AV)
rogram Info / NexTViewlink	99 + 1/• 99 + 1/•	99 + 1 / •	99 + 1 / •	99 + 1 / •	rogramme number / PLL tuner
					Jser interface
	-//-	-/-	-/-	-/-	Program Info / NevTViewlink
Child lock					-
Programme auto switch off					
RETTIOD RETT					- · · · · · · · · · · · · · · · · · · ·
dumber of pages for teletext 1 - 1 1 Connectors Connec					
Connectors Con			-		
NCH audio in / out					
NCH in: audio / video					
cynchro-scan [Yuv] -					
-video in					
deadphone connector (mm) 3.5 3.5 3.5 3.5 steneral data TXB07C				-	
Seneral data TX807C T		- -		-	
hassis TX807C •	3.5 3.5	3.5	3.5	3.5	
ower supply: 220 - 240V + / - 10% - 50Hz •					
378 x 373 x 374 375 x 347 x 388 375 x 347 x 388 378 x 373 x 374 375 x 375					
STS x 347 x 388 STS x 347 x 348 STS x 347					
ower consumption working 30Wh 30Wh 30Wh 30Wh 30Wh 30Wh 4Wh 4				375 x 347 x 388	
ower consumption standby 2Wh, 4Wh 4Wh 4Wh 4Wh tand (optionnal)					
tand (optionnal)					
				2Wh, 4Wh	
2 - 24V •,				-	
	- •	-	-	•, -	2 - 24V

Digital A/V Recording

Type	DTH 7500E DVD player and HDD	DTH 7000E DVD player and HDD	DTH 8000E DVD recorder
Type Disc	nyn higger gild unn	nan hiaksi alin unn	DAD Lecol del
	s usp		s ven
Video: DVD + R / + Rw / - R / - Rw / VCD Audio: CD audio / most of CD-R / CD-RW	• + S-VCD • / • / •	•/•/•	• + 5-VCD • / • / •
Regional code	2	2	2
Disk sizes	8 + 12 cm	8 + 12 cm	8 + 12 cm
Recording			
Record to disc (DVD + R / + Rw)	-/-	-/-	•/•
Hard Disk capacity (GB)	-/- 80		
Recording Quality Levels Selection	4 levels (80 / 60 / 40 / 20 h)	3 levels (30 / 19 / 9 h)	6 levels (8 / 6 / 4 / 3 / 2 / 1 h)
Play Disc and Record on HDD	•	•	-
Record to HDD and Play HDD	•	•	-
Data move from disc to HDD (mp3 - JPG)	•	•	-
Live TV pause ("Timeshift"): 45 min	•	•	-
Disc Library (up to 200 titles)	-	-	•
Optimum recording level / Time Base Correction	-/•	-/-	•/•
Reception			
Tuning system	PLL	PLL	PLL
5tandard	LĽ, BG, I, DKK'	LL', BG, I, DKK'	LL', BG, I, DKK'
Programme Number	99	99	99
NICAM / FM Stereo Sound	L, BG, DK / BG, DK	L, BG, DK / BG, DK	L, BG, DK / BG, DK
Auto installation / auto sorting / Channel Sync with TV	AV link / • / •	AV link / • / •	AV link / • / •
PAL / PAL 60Hz / NTSC output signal	•	•	•
Audio			
Digital to analogue converter	96kHz / 24 bit	96kHz / 24 bit	96kHz / 24 bit
Signal to Noise ratio	110 dB	110 dB	110 dB
Oolby Digital 5.1 / DTS / MPEG 2 audio passthrough	•/•/•	•/•/•	•/•/•
1p3 decoder built in / Virtual surround	•/•	•/•	•/•
Playback			
5till picture / frame advance	•/•	•/•	•/•
Repeat function DVD: Disk / Title / A -B	•/•/•	•/•/•	•/•/•
Repeat function CD: Disk / Track / A-B / Program	•/•/•	•/•/•	•/•/•
Repeat mp3: track / programme	•/•	•/•	•/•
Programme play / random play	•/•	•/•	•/•
Parental lock / zoom	•/•	•/•	•/•
/ariable search speed / resume memory	•/•	•/•	•/•
ntroscan / Scene again	•/•	•/•	•/•
PEG photos playback 1p3 playback during JPEG photo slide show	•	•	•
· · · · ·	-	-	<u> </u>
Timer			
Quartz system / Auto (TXT / UTC) + manual clock setting	•/•	•/•	•/•
Fimer capacity	16 events / 1 year	16 events / 1 year	16 events / 1 year
Jaily / weekly repeat	Mo-Fr / •	Mo-Fr / •	Mo-Fr / •
Power back-up	Product life	Product life • / •	Product life • / •
/PS / PDC decoder Naviclick programming / Autom. naming of TV recordings thanks to Naviclick	•/•	•/•	•/•
iat timer link / Instant recording	•/•	•/•	•/•
Display and menus	.,-		
Graphical user interface	•	•	•
Connectors			
RCA Audio IN / RCA video IN	2/1	2/1	2/1
leadphone / front USB input (vers. 1.1) for Card Reader	-/•	•/•	-/•
lumber of scart sockets / of which Y / C / of which RGB	2/1/2	2/1/2	2/-/2
cart AV2 with RGB loop / RCA video out / Y / C out (Hosiden)	1/1/1	1/1/1	1/1/1
oaxial and optical digital audio out	•	•	•
R Blaster Link for Sat Box	•	•	•
Provided accessories			
Remote control model	RCT311DBM1	RCT 120 DM A1	RCT311DBM1
ICU battery	2 x AAA	2 x AA	2 x AAA
Power cable - plug	CEE	CEE	CEE
icart cable	•	•	•
Dimensions			
Product size (W x H x D in mm)	430 x 76 x 370	430 × 99 × 367	430 × 76 × 370
Net weight (Kg)	5.2 / 7.5	6/8	5.3 / 7.6
	230V - 50Hz	230V - 50Hz	230V - 50Hz
Power supply			
Power supply Power consumption Standby Power Consumption	36W < 3W	38W < 3W	36W < 3W

^{*} Most [CD-R / RW] & [DVD-R / + R / + RW / - RW] Legend: • = built-in, - = not available

DVD players

lisc	DTH 311E	DTH 231E	DTH 211E
VD Video , VCD & S-VCD	•/•/•	•/•/•	•/•/•
udio CD / most CD-R / CD-RW* / mp3	•/•/•	•/•/•	•/•/•
egional code + 12 cm disk sizes	2 12 cm	2 8 + 12 cm	2 8 + 12 cm
till picture / frame advance	•/•	•/•	8 + 12 cm •/•
lookmark function	• (6)	• [12]	• [6]
epeat function: DVD / CD	• / •	•/•	• / •
lp3 and WMA repeat	•	•	•
rogramme play / random play	•/•	•/•	•/•
ariable search speed: forward / reverse / slow	•/•/•	•/•/•	•/•/•
ntroscan 10 seconds	• (CD)	• (CD)	• (CD)
creenfit	•	•	•
cene again 10 seconds	• (DVD only)	• (DVD only)	• (DVD only)
arental lock	•	•	•
oom (DVD-JPEG)	•	•	•
disc resume memory	•	•	<u> </u>
imultaneous JPEG / mp3 playback	•	•	•
odak Picture CD Playback	•	•	•
PEG photos playback (Max 5 M Pix)	•	•	•
ideo			
AL / NTSC output signal	•/•	•/•	•/•
creen format selection: 4:3 / 16:9 / letterbox	•/•/•	•/•/•	•/•/•
igital to analogue converter	10 bit / 27MHz	10 bit / 27MHz	10 bit / 27MHz
udio			
ignal to Noise (ratio)	110 dB (A weighted)	110 dB (A weighted)	110 dB (A weighted)
olby Digital 5.1: compatible	•	•	•
TS: compatible	•	•	•
olby Prologic Down mix	•	•	•
IPEG 2 audio compatible	•	•	•
irtual surround	•	-	•
ynamic range compression	•	•	•
oice enhancing effect	•	•	•
p3 / WMA decoder built-in	•/•	•/•	•/•
lisplay			
raphical user interface	•	•	•
onnectors			
lumber of scart sockets / of which Y / C / of which RGB	2/-/1	2/-/1	1/-/1
cart AV2 with RGB loop	1	1	-
CA video out	1	1	1
CA audio L / R out	1 set	1 set	1 set
/ C out (Hosiden)	1	1	-
ligital audio out: coaxial / optical	•/•	•/•	•/-
PrPb (component) RCA interlaced outputs	•	•	-
PrPb RCA video progressive output	• (PAL and NTSC output)	• (NTSC output)	-
rovided accessories			
lemote Control	RCT311DA1	RCT311DA1	RCT311DA1
ype DVD - TH -VCR & TH -TV	•	•	•
CU battery	AAA × S	AAA × S	2 x AAA
ower cable / Plug	CEE	CEE	CEE
cart cable	•	•	
CA A / V cable	-	-	•
eneral			
VD dimensions (W x H x D in mm)	430 x 55 x 258	430 x 51 x 258	430 x 55 x 258
/eight: Net / Gross (Kg)	2.5 / 4.2	2.5 / 3.6	2.5 / 4.2
ower supply	230V - 50Hz	230V - 50Hz	230V - 50Hz
ower suppry	15W	15W	15W
tandby Power Consumption	3.5W	2W	3.5W

Legend: • = built-in, - = not available

*Most CD-R / - RW DVD-R / - RW / + R / + RWs (Total compatibility not guaranteed)

ī. ma	DTH 6100E	VTH 6420E	VTH 6410E	VTH 6400E
ype VD	DVD - VCR	VCR	VCR	VER
ideo: DVD + R / + RW / - R / - RW + VCD / 5-VCD	•	<u> </u>	<u> </u>	-
udio: CD audio + most of CD-R / CD-RW* eqional code	2	<u> </u>	-	
isk sizes	8 + 12 cm	<u> </u>		<u> </u>
utput signal	PAL / NTSC	-	-	-
ideo: Digital to analogue converter	10 bits / 27MHz	-	-	-
PEG and mp3 combination playback	•	-	-	-
till picture / frame advance	•/•	-	-	-
epeat function DVD	•	-	-	-
lepeat function CD	•	-	-	-
rogramme play / random play (CD / mp3)	•/•	-	-	-
Parental lock / zoom	•/•	-	-	-
variable search speed	•	-	-	-
desume memory 1 disc	•/•	-	-	-
ntroscan (CD) / Scene again peg photos playback / Kodak Picture CD Playback	•/•	-	<u> </u>	-
udio: Digital to analog converter	96kHz / 24 bits			
ignal to Noise ratio	100 dB	<u> </u>	<u> </u>	<u> </u>
olby Digital 5.1 / DTS / MPEG 2 audio passthrough	•/•/•	-	-	-
1p3 / WMA decoder built in	•/•	-	-	-
irtual surround	•	-	-	-
/CR				
Heads (Video+Audio+FEH)	4 + 2	4 + 2	4 + 2	4 + 2
HFI Stereo	•	•	•	•
uning system	PLL	PLL	PLL	PLL
tandard	LL', BG, DKK'	BG, DKK'	BG, DKK'	BG, DKK'
rogramme number	88	88	88	88
IICAM / FM Stereo Sound	L, BG, DK / BG, DK	BG DK/BG DK	BG DK / BG DK	BG DK / BG DK
uto installation / auto sorting	•/•	•/•	•/•	•/-
olour System	Pal	Pal	Pal	Pal
IESECAM / NTSC playback	•/•	•/•	•/•	•/•
ape speed	SP / LP / SLP (NTSC)	SP / LP / SLP (NTSC)	SP / LP / SLP (NTSC)	SP/LP/SLP (NTSC)
loiseless still picture / slow motion / frame advance	•/•/•	•/•/•	•/•/•	•/•/•
ligital Auto tracking 6:9 identif. REC. / PB	•	•	•	•
imer capacity	7 events / 1 month	7 events / 1 month	7 events / 1 month	7 events / 1 month
Jaily / weekly repeat	Mo-Fr/•	Mo-Fr/•	Mo-Fr/•	Mo-Fr/•
imer Power back-up	Product life	3 sec	3 sec	3 sec
/PS / PDC decoder	•/•	•/•	•/•	-/-
howView programming / Instant recording	•/•	•/•	•/•	-/•
leal time counter	•	•	•	•
epeat pb / rec	•/•			
luto power on / playback / rewind / eject	•/•/•	•/•/•/•	•/•/•	•/•/•
luartz system / Auto (TXT / UTC) clock setting	•/•	•/•	•/•	•/-
lock Power back-up (min)	1	3 sec	3 sec	3 sec
Provided accessories				
lemote control	RCT311DA1	RCT311DA1	RCT311DA1	RCT311DA1
lemote control type THOMSON DVD - TV - VCR	•	•	•	•
CU battery	2 x AAA	2 x AAA	2 x AAA	2 x AAA
ower cable / Plug	CEE	CEE	CEE	CEE
cart cable / RCA A / V cable	•/•	-/-	-/-	-/-
onnectors				
ront: RCA Audio IN / RCA video IN	2/1	2/1	0/0	1/0
lumber of scart sockets / of which RGB	2/1	2/1	2/1	1/0
cart AV2 with RGB loop / RCA video out	1/1	1/0	1/0	0/0
igital audio out: coaxial / optical	•/•			
limensions				
imensions (W x H x D in mm)	430 x 98 x 293	360 x 95 x 270	360 x 95 x 270	360 x 95 x 270
et / gross Weight (kg)	5.0 / 6.2	3.4 / 4.1	3.4 / 4.1	3.4 / 4.1
ower supply	230V - 50Hz	200 -240V / 50Hz	200 -240V / 50Hz	200 -240V / 50Hz
lower / Standby consumption	23W / 3.2W	12W / 3W	12W / 3W	12W / 3W

^{*} Most (CD-R / RW) & (DVD-R / + R / + RW / - RW) Legend: • = built-in, - = not available

Amplifiers with integrated DVD

igital tuner	DPL 950VD	DPL 910VD	DPL 909VD •	CS 1200VD
imber of presets	40	<u> </u>	<u> </u>	30
/ MW / LW	•/•/-	•/•/•	•/•/-	•/•/•
D.S.	•	•	•	•
D.S. functions: PTY / radio text / station name	-/-/•	-/-/•	-/-/•	•/•/•
eft / right speakers				
ay number / impedance (Ohms)	2/8	1/6	1/6	1/8
all mounted / magnetically shielded	•/•	•/•	•/•	-
enter speaker				
ay number / impedance (Ohms)	1/8	1/6	1/TBD	-/-
all mounted / magnetically shielded	•/•	•/•	•/•	-/-
ear speakers	- , -			,
<u> </u>	4.40	4.15	4.15	,
ay number / impedance (Ohms) all mounted / magnetically shielded	1/8	1/6	1/6	-/- -/-
	•/•	•/•	•,•	-/-
ubwoofer				
ssive / active	•/-	•/-	•/-	-/•
eaker drivers	6.5"	6.5"	6.5"	1
nplifier				
olby Prologic / DPL II / DD / DTS	•/•/•	•/•/•	•/-/•/•	-/-/•/-
tal output power (RMS)	450	200	200	80
ft / right output power (2 x)	2 x 65	2 x 32	2 x 30	2 x 20
nter output power (1 x)	65	32	30	-
ff / Right Rear output power (2 x)	2 x 65	2 x 32	2 x 30	-
bwoofer output power	125	40	50	40
ID (%) / Surround sound	10/•	10/•	10 / •	10/•
ualiser presets / DSP	5/5	5/5	TBC	5/-
gital control / rotary PL II sound enhancement / Surround bass boost	•/•	•/•	•/- -/-	•/-
'L II sound enhancement / Surround bass boost st signal	•/-	• / -	-/-	-/- -
-	•	•		
VD player				
/D video / CD Audio / VCD / S-VCD	•/•/•/•	•/•/-	•/•/•/•	•/•/•/•
J-R / CD-RW / mp3 compatibility / JPEG	•/•/-	•/•/•	•/•/•/•	•/•/•/•
gion code	2	2	2	2
ow motion playback	•	•	•	•
ame advance / quick search (forward and reverse)	•/•	•/•	•/•	•/•
ne still picture / zoom function x 2, x 4, x 8	•/•	•/•	•/•	•/•
B Playback (disc, chapter, title) / program play rental control / mark function	•/•	•/•	-/• •/-	•/•
	-,-	•,•	•/-	•/•
onnection				
art / Scart RGB	-/•	•/-	-/•	-/•
dio IN / Audio OUT	2/1	2/1	2/1	1/-
deo IN / Video OUT	2/1	2/2	2/2	2/2
Video IN / OUT	-/1	-/1	<u>"-/1</u>	1/1
gital IN: coaxial / optical	<u>-/1</u>	-/1	-/-	1/1
gital OUT (optical)	1 Cline	1 Cline	fline	1 Cline
ain speaker and surround connections 1 / AM Antenna	Clips • / -	Clips • / -	Clips • / -	Clips •/•
eadphone Jack	6.35 mm	6.35 mm	6.35 mm	3.5 mm
ser convenience	ווווו ככים	0.33	וווווו ככוט	וווווו נ.כ
icklit display	420./	•	420 /	00
eep Timer (min) / CD text	120 / •	90 / •	120 / -	90
eneral data				
wer cable: fixed / pluggable	•/-	•/-	• / -	• / -
wer consumption	220W	250W	220W	200W
andby power consumption	< 4W	< 3W	< 3W	<3W
ze main unit (W x H x D in mm)	433 x 60 x 362	430 × 85 × 360	430 x 52 x 347	250 x 87 x 288
ze subwoofer (W x H x D in mm)	238 x 373 x 301	160 x 350 x 356	160 x 350 x 356	180 x 241 x 120
ze center speaker (W x H x D in mm)	264 x 88 x 94	88 x 130 x 100	88 x 130 x 100	-
ze left, right and surround (W x H x D in mm)	90 x 135 x 106	88 x 130 x 100	88 x 130 x 100	111 x 241 x 120
cessories				
art cable	•	•	•	•
des estre	-	-	-	•
deo cable	•/•	•/•	•/-	•/•
deo cable ntenna: FM cable / AM Loop	•/•	-1-		
	•/-	•/-	-/•	-/•

Amplifiers

T	DPL 660 HT	DPL 570 HT	DPL 4000
Tuner			
Digital tuner / number of presets	• / 40	• / 40	• / 40
FM / MW / LW R.D.S.	•/•/•	•/•/•	•/•/•
R.D.S. functions: PTY / radiotext / clock / station name	•/•/•	•/•/•	•/•/•
Manual + auto scanning system / memory system	•/•	•/•	•/•
Left / right speakers			
Way number / Impedance (Ohms)	2/8	1/8	-/-
Power efficiency (W) / magnetically shielded	100/•	50/•	-/-
Connexion	clips	clips	-
Wall mounted	compatible	compatible	-
enter speaker			
Way number / Impedance (Ohms)	2/8	1/8	-/-
Ower efficiency (W) / magnetically shielded	100/•	50 / •	-/-
onnexion	clips	clips	-
Vall mounted	compatible	compatible	-
Rear speakers			
Vay number / Impedance (Ohms)	2/8	1/8	-/-
ower efficiency (W) / magnetically shielded	100/•	50 / •	-/-
onnexion	clips	clips	-
Vall mounted	compatible	compatible	-
ubwoofer			
assive / active	•/-	• / -	-
peaker drivers	6.5"	6.5"	-
lser convenience			
Backlit display	•	•	•
limmer: number of steps	3	3	3
ileep Timer (min)	120	120	120
Seneral data			
lower / standby estimated consumption	220W / < 3W	220W / < 3W	350W < 3W
limensions (W x H x D) main unit	430 x 130 x 410	430 x 130 x 410	430 x 150 x 400
limensions (W x H x D) subwoofer	198 x 355 x 360	160 x 355 x 355	-
Dimensions (W x H x D) center speaker	116 x 175 x 115	116 x 175 x 115	-
Dimensions (W x H x D) left, right and surround	116 x 175 x 115	116 x 175 x 115	-
Amplifier			
DPL / DPL II / DD / DTS	•/•/•	•/-/•/•	•/•/•/•
otal output power (RMS)	600	300	550
eft / right output power (2 x)	2 x 100	2 x 50	2 x 110
enter output power (1 x) eft / right Rear output power (2 x)	100 2 x 100	50 2 x 50	110 2 x 110
iubwoofer output power	100	50	-
HD (%)	0.9	0.9	0.09
urround sound	•	•	•
qualiser presets	5	5	5
SP	6	6	6
ligital rotary volume control	•	•	•
ound enhancement	•	•	•
10de: Phantom / Wide / Normal	•/•/•	•/•/•	•/•/•
est signal	•	•	•
Connections			
+ 1 Ready	•	-	•
IVD-Audio and SACD ready	•	-	•
cart / subwoofer out udio IN / Audio OUT	1/• 4/2	-/• 4/2	-/• 7/2
ideo IN / Video OUT	5/2	5/1	4/2
-Video IN / OUT	2/1	-/-	2/2
igital IN (coaxial / optical)	2/2	1/1	1/3
igital OUT (optical)	-	-	1
lain speakers connection	Clips	Clips	Screws
urround connections	Clips	Clips	Screws
leadphone jack	6.35 mm	6.35 mm	6.35 mm
Accessories			
M / AM Antenna	•/•	•/•	•/•
Remote control with batteries: Universal / Infra-red	•/-	-/•	•/-
Audio / Video cable	•/•	•/•	•/•

Mini micro

unor	MS 6000	MS 4000	MS 2000	VTCD 790	CS 550
uner					
igital tuner	32/•	32/•	32/•	32/•	32/•
Imber of presets / Intermix	•/•/•	32/• •/•/•	•/•/•	<u>3∠/•</u> •/•/-	•/•/•
1.5.	•/•/•	•/•/•	•/•/•	-	•/•/•
.5. functions: PTY / radiotext / clock / station name	•/•/•/•	•/•/•/•	•/•/•/•	-/-/-	•/•/•/•
	•/•/•/•	•/•/•/•	•/•/•/•	-/-/-	-,,,,,
player					
anger: 5 CD / 3 CD / 1 CD	•/-/-	•/-/-	•/-/-	•/-/-	•/-/-
chanism: caroussel / changer 5 CD / Drawer / top load	•/-/-	•/-/-/-	•/-/-/-	•/-/-/-	-/•/-/-
ogramme memory	32	32	32	32	32
x / Introscan / Remain time / Ellapse time	•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
earch function	•	•	•	•	•
mpatibility: CD / CD-R / CD-RW / mp3	•/•/•	•/•/-	•/•/-	•/•/-	•/•/•/-
/ A converter (bit)	16	16	16	16	16
ver sampling	8	8	8	8	8
assette					
ssette number	2	2	2	2	1
ssette Type: full logic / mechanic	•/-	•/-	•/-	-/•	•/-
toreverse / One Touch Recording	-/•	-/•	-/•	-/•	-/•
synchro start / full auto stop / continuous play	•/•/•	•/•/•	•/•/•	•/-/•	•/•/-
nplifier					
•	. / .	•/•	•/•	• / -	- /
ss Boost / Surround sound ualiser: custom / presets	•/• 1/5	1/5	1/5	1/5	•/- 0/5
•	•/•/•/•	1/5		•/•/•/•	
ualiser type: Rock / Pop / Classic / Flat / Jazz			•/•/•/•		•/•/•/•
gital control: rotary / up-down	•/-	•/-	-/•	-/•	•/-
Ill range amplification	150	100	•	•	•
att Music (x 2)	150	150	80	20	200
att RM5 (x 2)	75	75	40	10	100
eakers					
ss reflex	•	•	•	•	•
ays number / speaker drivers (x 2)	2/3	2/3	2/2	1/1	2/3
pedance (Ohms)	6	6	6	6	6
ower Efficiency (Watt)	150	150	80	20	200
olour: colour / wood finish	Dark grey / -	Dark grey / -	Dark grey / -	Light grey / -	Dark grey / -
onnection					
eadphone Jack	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm
ain speaker connection	Clips	Clips	Clips	Clips	Clips
udio in / out	•/•	•/-	•/-	-/-	•/-
igital in / out / optical	-/•/•	-/•/•	-/-/-	-/-/-	-/•/•
urround speackers connections	Clips	Clips	-/-/-	-/-/-	-/•/•
·	Liips	Liips			
ser convenience					
emote control / number of keys	• / 48	• / 24	• / 24	• / 24	• / 24
mmer: number of steps	3	3	3	3	3
eep Timer (min)	120	120	90	90	120
ock	•	•	•	•	•
ake-Up Mode: tuner / CD / tape	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
eneral data					
	140W	135W	80W	35W	110W
wer consumption					<3W
•		<3/M	<3/4	< 1/4/	
andby mode consumption	< 3W	<3W 306 x 311 x 390	<3W 306 x 311 x 390	<3W 306 x 329 x 390	
andby mode consumption mensions (W x H x D) in mm main unit	< 3W 306 x 311 x 390	306 x 311 x 390	306 x 311 x 390	306 x 329 x 390	200 x 265 x 305
andby mode consumption mensions (W \times H \times D) in mm main unit mensions (W \times H \times D) in mm speakers	< 3W 306 x 311 x 390 240 x 311 x 197	306 x 311 x 390 240 x 311 x 197	306 x 311 x 390 215 x 311 x 179	306 x 329 x 390 230 x 329 x 180	200 x 265 x 305 240 x 335 x 221.5
wer consumption andby mode consumption mensions (W x H x D) in mm main unit mensions (W x H x D) in mm speakers at weight in kg ovided software: MusicMatch™	< 3W 306 x 311 x 390 240 x 311 x 197 15.5	306 x 311 x 390	306 x 311 x 390	306 x 329 x 390	200 x 265 x 305 240 x 335 x 221.5 16 kg
andby mode consumption mensions $\{W \times H \times D\}$ in mm main unit mensions $\{W \times H \times D\}$ in mm speakers	< 3W 306 x 311 x 390 240 x 311 x 197	306 x 311 x 390 240 x 311 x 197 13.4	306 x 311 x 390 215 x 311 x 179 10.2	306 x 329 x 390 230 x 329 x 180 8.2	200 x 265 x 305 240 x 335 x 221.5

Mini micro

* 32/* */*/* * */*/* * */*/* * */*/* * */*/* * */*/* * */*/* */* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */*/* */* */*/**/*	• 30/•		CS 300	AM 1480	CS 150	CS 100
32/• •/•/• • •/-//•/-/-		•	•	•	•	•
•/•/• • •/•/-//•/-/-	JU / ●	40 / •	40 / •	30/•	30/•	30/•
•/•/• •/-/- -/•/-/-	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
•/-/- -/•/-/-	•	•	•	•	•	•
-/•/-/-	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
-/•/-/-	-/•/-	-/•/-	-/•/-	-/-/•	-/-/•	-/-/•
	-/-/•/-	-/-/•/-	-/-/•/-	-/-/-/•	-/-/-/•	-/-/-/•
32	20	60	60	20	20	20
•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
•	•	•	•	•	•	•
•/•/•/-	•/•/•/•	•/•/•/•	•/•/•/-	•/•/•/•	•/•/-	•/•/-
16	16	16	16	16	16	16
8	8	8	8	8	8	8
1	1	1	1	1	1	1
• / -	•/-	•/-	• / -	•/-	•/-	•/-
-/•	•/•	-/•	-/•	-/•	-/•	-/•
•/•/-	•/•/-	•/•/-	•/•/-	•/•/-	•/•/-	•/•/-
•/-	•/-	•/-	•/-	•/-	•/-	•/-
0/5	-/5	-/5	-/5	-/5	-/5	-/5
•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
•/-	-/•	-/•	-/•	•/-	•/-	•/-
•	•	•	•	•	•	•
100	50	50	50	30	30	20
50	25	25	25	15	15	10
•	•	•	•	•	•	•
2/3	3/3	3/3	3/3	2/2	2/2	1/1
6	6	6	6	8	8	8
100	50	50	50	30	30	30
Dark grey / -	-/•	-/•	-/•	-/•	-/•	-/•
3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm
Clips	Clips	Clips	Clips	Clips	Clips	Clips
•/-	•/•	•/•	•/•	•/-	-/-	-/-
-/•/•	-/•/•	-/•/•	-/•/•	-/•/•	-/-/-	-/-/-
-	-	-	-	-	-	-
- / 7/	•/27	•/27	• / 27	• / 27	• / 27	• / 27
• / 24	3	3	3	3		
120	120	120	120	90	15 - 120	15 - 120
	•	•	•	•	•	•
•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•	•/•/•
•/•/•		1001.4	ED./	2014	201.4	201.4
•/•/•	100)./	100W	50W < 3W	38W < 3W	38W	38W
•/•/• 100W	100W < 3W	< 1/4/	~ J VV	~ J VV	<3/A	/ 31A/
•/•/• 100W <3W	< 3W	< 3W			<3W	<3W
•/•/• 100W <3W 200 x 265 x 305	< 3W 180 x 245 x 325	180 x 245 x 325	184 x 245 x 352	146 x 236 x 222	146 x 237 x 231	146 x 237 x 23
•/•/• 100W <3W 200 x 265 x 305 204 x 267.5 x 190	< 3W 180 × 245 × 325 170 × 245 × 165	180 x 245 x 325 170 x 245 x 165	184 x 245 x 352 170 x 245 x 160	146 x 236 x 222 160 x 236 x 165	146 x 237 x 231 160 x 236 x 165	146 x 237 x 23 145 x 237 x 16
•/•/• 100W	< 3W 180 x 245 x 325	180 x 245 x 325	184 x 245 x 352	146 x 236 x 222	146 x 237 x 231	146 x 237 x 23

Thomson guarantee

For our complete customer satisfaction, THOMSON has introduced a guarantee system, which is valid in the majority of European countries as well as outside of Europe. In keeping with the degree of reliability associated with the THOMSON name, the THOMSON product guarantee covers a large geographical area: from the Middle East to Africa and from Eastern countries to Mediterranean ones, there is a distributor ready to provide a quality service.



DELTA RS

79, Musadak str. 4th floor Dokki — CAIRO / EGYPT Tel. +202 748.07.90 Fax +202 748.07.91 www.radioshackegypt.com

AHMED ABDULWAHED TRADING CO.

Hail Commercial Center P.O. BOX 3611 Jeddah 21481 – SAUDI ARABIA Tel. +966 2 642.53.33 Fax +966 2 644.64.22 aiwaserv@abdulwahedphoto.com

ALESAYI

PO Box 16999 Djebel Ali Free zone – DUBAI UNITED ARAB EMIRATES Tel. +971 4 883.5960 Fax +971 4 883.5175

G&M

PO box 1229 Dubai UNITED ARAB EMIRATES Tel: +971 4 266.9000 Fax +971 4 266.9216

PHARAON

Asseilly Building PO box 11-0022 Beirut – LEBANON Tel. +961 1 97.11.11 Fax +961 1 99.71.11 www.pharaon.com.lb

ORBIT MODERN ELECTRONIC

Technologies est PO Box 1078 11953 Tla El Ali Amman - JORDAN Tel. +962 6 551.61.71 Fax +962 6 551.61.17 orbitek@nol.com.jo

CTE EL ATHIR / EL ATHIR SERVICES

27 avenue Khereddine Pacha 1002 Tunis – TUNISIA Tel. +216 71 844.133 Fax +216 71 781.095 **Agence SFAX** Tel. +216 74 226.200 **Agence SOUSSE** Tel. +216 73 210.704 Cte.athir@planet.tn

THOMSON multimedia Maroc

29 rue Bnou Majid El Bahar 21000 Casablanca - MOROCCO Tel. +212 22 30.42.61 Fax +212 22 30.53.87 SAV@thomson.ma

BYA Electronic

ZI Ain el Bia Arzew - ALGERIA Tel. +213 41 47.47.19 à 21 Fax +213 41 48.62.19 Agence ALGER

Tel/Fax: +213 21 74.41.46 www.bya-electronic.com

GANY INDUSTRIES

ZI du chaudron 10, rue Pierre Aubert 97490 Sainte Clotilde -REUNION ISLAND Tel. +33 (0)2 62.29.43.18

ARNO

B.P 664 Douala - CAMEROON Tel. +237 342.04.28 / 342.89.55

MAXICARE

146 tenth avenue Edenvale – GAUTENG SOUTH AFRICA Tel +27 11 372 29 00

International Trade Andorra

30-32, av. Tarragona - 1st floor Andorra La Vella PRINCIPALITY OF ANDORRA Tel : +376 82.33.44 Fax +376 82.81.03

Hi-Tech (CHRIS RADIOVISION)

Kouloumbris Bldg., 23 Crete Street PO Box 21989 1515 Nicosia - CYPRUS Tel. +357 22 766.121 Fax +357 22 765.177

VHR

21 academias av, 10th Floor Kema Bldg, PO Box 23841 1686 Nicosia - CYPRUS Tel + 357 22 550.400

ACHELEC

Achilleos bldg n°1 2-8 Saripolou Str PO Box 50593 3036 Lemesos - CYPRUS Tel: +357 25 346.425 Fax + 357 25 748.553 www.achelec.cy.net

CUTAJAR

Triq I'Akkwadott Aquaduct street Birkirkara — MALTA Tel : +356 21 44.17.20 Fax +356 21 49.86.32

K&K

7, Trade Center Europe Iskarko Chaussee Bld. 1528 Sofia – BULGARIA Tel. +359 2 942.11.01 Fax +359 2 975.33.30 www.kkelectronics.com

AZMAN LTD.

Donga 1128, kv. 504 PO Box 370073 Baku – AZERBAIJAN Tel. +994 12 97.57.97 Fax +994 12 98.94.98

KVARK

Trg kralja Tomislava 19/ III 10000 Zagreb - CROATIA Tel : +385 1 481.11.33 Fax + 385 1 492.22.80 www.kvark.hr

ATG Ltd

43, Valikhanova street 480002 Almaty - KAZAKHSTAN Tel +7 3272 506.496 Fax +7 3272 503.678 www.atg.kz

ALTEX

6, Stefan Cel mare Str. 5600 Piatra Neamt – ROMANIA Tel +40 233 234.552 Fax +40 233 230.817 www.altex.ro

THOMSON

Belgium
Denmark
Finland
France
Germany
Greece
Italy
Luxemburg
Netherlands
Norway
Portugal
Spain
Sweden
Switzerland
United Kingdom

THOMSON MULTIMEDIA SALES EUROPE INTERNATIONAL BUSINESS OPERATIONS 46, QUAI ALPHONSE LE GALLO -F- 92648 BOULOGNE CEDEX

www.thomson-europe.com

