

Product Catalogue 2014

Bathroom TVs | Kitchen TVs | Home TVs | Cyber Mirrors | Cyber Tables | Mirror TVs | Outdoor TVs

# **TECH\_O** | Our Technology







### Innovative TV technology

We design and build every television you'll see in this catalogue – just for Tech<sub>2</sub>o customers. These are unique, innovative TVs that combine cuttingedge features and technology, beautifully.

Enjoy exceptional audio quality, pin-sharp picture, and get all the industryleading features and innovations you want...

Innovations like waterproof technology to ensure peerless viewing in high-humidity and wet environments. Innovative features like instant web access, essential apps and mirror-screen technology. These really are clever televisions. All wrapped up in superbly slim, stylish frames for easy on-the-wall or a flush in-the-wall finish.


Television has never looked or sounded better.

And, when you buy a Tech<sub>2</sub>o television you get more:

- 2-year warranty as standard.
- Impeccable safety every TV meets industry waterproof classifications (IP Ratings) and EU safety regulations (CE and RoHS).
- The widest choice of innovative, bathroom, and kitchen televisions in the market more colours, more sizes, more options.
- Our research team is one of the best in the business their innovative ideas help us keep our costs down, without ever compromising.

## TECH<sub>2</sub>O | Contents

	4	Bathroom TV	About Tech <sub>2</sub> o
	8	Kitchen TV	Tech₂o got going in 2008. We're a small, close-knit team; still managed by the same three guys who set up the company.
	12	Home TV	We're proud of our product range – these are some of the most innovative TVs on the market – and we think you're going to love
	16	Cyber Mirror	them.
	20	Cyber Table	We never set out to innovate for the sake of it. We did it because we wanted better, cleverer, more adaptable televisions – and we couldn't find them on the market.
	24	Mirror TV For Bathroom	
н.	28	Mirror TV For Home	But it's our customers who have really shaped our thinking. All the televisions you'll see in this catalogue have been inspired by our customers' drive for even better technical specifications, usability
	32	Outdoor TV	and price.









**IP65** 

### No ordinary bathroom televisions...

With a high-brightness HD LED screen and mist-free technology, these are no ordinary bathroom televisions. They're truly extraordinary. Tech<sub>2</sub>O's bathroom televisions are built with safety, style and ease of use in mind. Available in a range of styles, with screen sizes, from 15" up to 65" our televisions will enhance any bathroom.

There's a superb range of extras too – all included as standard. Our built-in Smart TV gives instant internet access – now you can keep up to date with social media, surf the web, listen to music, and watch TV from your bathroom. And you'll even enjoy built-in Freeview HD with loads of extra digital channels and radio stations to enjoy. And that's not all, the integrated Magic Eye IR Link system even lets you watch and control SKY, straight from your bathroom.

Designed to fit into any bathroom, wet room or pool room, our televisions are designed for a flawless in-the-wall application.

### Features:

- Sizes from 15" 65" available in Deep Black, Arctic White, Reflex Silver and Magic Mirror
- Full HD 1920 x 1080
- Fully IP65 waterproof and mist-proof
- Built-in Smart TV
- Built-in Freeview HD
- Premium quality, waterproof, external ceiling speakers
- Waterproof remote control and holder
- Built-in Magic Eye IR Link System
- RS-232 Control, Discrete IR Codes and IR IN/OUT Capability

SKY MAGIC RS-232

- Simple installation: 'In-wall' and 'on-wall' options
- 2 Year Manufacturer's Warranty





 $(\epsilon)$ 

Digglay         Column         Descret Type         ED         ED </th <th>TV Size</th> <th>15″</th> <th>19″</th> <th>22"</th> <th>26"</th> <th>32″</th> <th>42"</th> <th>46"</th> <th>55″</th> <th>65″</th>	TV Size	15″	19″	22"	26"	32″	42"	46"	55″	65″
Screen Type         LED         LED <th< td=""><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td></th<>			-					-		
Active Series Nove (Mx H)         445,5 x 195, 1920 x 1080         1920 x 1080		LED	LED	LED	LED	LED	LED	LED	LED	LED
control         1000/0         100/0         100		345.5 x 195	408 x 255	475 x 297.5	578 x 326	698 x 392	933 x 526	1019 x 573.5	1212 x 683	1430 x 805
pixels         pixels<	Active Screen Size (W x H)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
pixels         pixels<	Pesolution	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Aspect Ratio         16:9	Resolution	-		-		1		-	1	
Contrast Ratio         400:1         1000:1         1000:1         1500:11         1500:11         1500:11         1500:11         1500:11	Brightness	300 cd/m2	300 cd/m2		500 cd/m2	500 cd/m2				
Colour Depth         16.7 M         16.7 M         16.7 M         10.6 Billion         1.06 Billion         1.08 Billion         89' / 89'	Aspect Ratio	16:9	16:9		16:9	16:9	16:9		16:9	16:9
Viewing Angle (L / R / U / D)         89 ' / 89 ' / 89 / 89 '         89 ' / 89 ' / 89 / 89 '         89 ' / 89 ' / 89 / 89 '         89 ' / 89 ' 89 / 89 '         89 ' 89 ' 89 / 89 '         89 / 89 ' 89 / 89 '         89 / 89 ' 89 / 89 '         89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '         89 / 89 '	Contrast Ratio									
Viewing Angle (L / R / O / D)         89 / 89*         80 / 80         80 / 80         80	Colour Depth									
Installation         Vest Solution         Vest Solu	Viewing Angle (L / R / U / D)									
Recess Dimensions For In-wall         475 x 310 x         490 x 390 x         725 x 435 x         110 5 x 705 x         120 x 750 x         12	Response Time	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms
Installation (W X H x D)         90 (m)         100 (mm)         95 (m)         110 (mm)         125 (mm)         110 (mm)         110 (mm)         x 110 (mm)           Wall Bracket Compliance for Orwall Installation         VESA 100 x         VESA 100 x         VESA 100 x         VESA 200 x         VESA 200 x         VESA 200 x         VESA 400 x         AC 110-240 V         AC 110-240 V         AC 110-240 X         AC 110-240 X <td>Installation</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Installation									
Wall Bracket Compliance For On-wall Installation         VESA 100 x On-wall Installation         VESA 100 x VESA 200 x 200mm         VESA 400 x 200mm         VESA 200 x 200mm     <	Recess Dimensions For In-wall	475 x 310 x	490 x 345 x	560 x 390 x	725 x 435 x	810 x 545 x	1105 x 705 x	1200 x 750 x	1380 x 855 x	1625 x 1000
On-wall Installation         100mm         100mm         100mm         200mm         200mm         200mm         400mm         400mm           Power	Installation (W x H x D)	90 (mm)	100 (mm)	95 (mm)	110 (mm)	125 (mm)	110 (mm)	105 (mm)	110 (mm)	x 110 (mm)
Mains Power         110-240V (DC 12V/3A adaptor)         110-240V (DC 12V/3A adaptor)         110-240V (DC 12V/3A adaptor)         110-240V (DC 12V/3A adaptor)         AC 110-240V S/60Hz         AC 110-240										
Mains Power         (DC 12V/Aa adaptor)         (DC 12V/Fa adattor)	Power									
Power Consumption         25 watts         42 watts         42 watts         50 watts         100 watts         120 watts         120 watts         175 watts         250 watts           Standby Consumption         3 watts	Mains Power	(DC 12V/3A	(DC 12V/4A	(DC 12V/4A	(DC 24V/4A	(DC 12V/5A				
Standby Consumption         3 watts         3 watts <td>Power Consumption</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120 watts</td> <td>120 watts</td> <td>175 watts</td> <td>250 watts</td>	Power Consumption						120 watts	120 watts	175 watts	250 watts
Dimensions and Weights         493 x 325 x         536 x 360 x         597.5 x 406         736 x 449 x         842 x 558 x         1122 x 720 x         1219 x 767 x         1396 x 874 x         1650 x 1025 x           Unit Size         9 kg         12.5 kg         14.5 kg         24 kg         32 kg         42 kg         48 kg         76 kg         92 kg           Package Size (W x H x D)         56 x 41 x 24 (cm)         68 x 48 x 22 (cm)         70 x 53 x 23 (cm)         93 x 68 x 27 (cm)         131 x 73 x         127 x 86 x         138 x 92 x         155 x 101 x         30 (cm)         30 (cm)         37 (cm)         30 (cm)         <										
Unit Size         493 x 325 x 56 (mm)         536 x 360 x 62 (mm)         597.5 x 406 x 61.5 (mm)         736 x 449 x 84 (mm)         842 x 558 x 84 (mm)         1122 x 720 x 86 (mm)         1219 x 767 x 78 (mm)         1396 x 874 x 95 (mm)         1650 x 1025 x 87 (mm)           Unit Weight         9 kg         12.5 kg         14.5 kg         24 kg         32 kg         42 kg         48 kg         76 kg         92 kg           Package Size (W x H x D)         56 x 41 x 24 (cm)         (Cm)         70 x 53 x 23 (cm)         93 x 68 x 27 (cm)         101 x 73 x 31 (cm)         127 x 86 x 37 (cm)         138 x 92 x 30 (cm)         15 kg         145 kg         23 kg         36 kg         51 kg         76 kg         80 kg         115 kg         160 kg           Audio         Speakers         2 x External Speakers         2 x External Speakers         52 x External Speakers         55 x External Speakers </td <td><u> </u></td> <td>5 Watts</td>	<u> </u>	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts
Onic Size         S6 (mm)         62 (mm)         x 61.5 (mm)         68 (mm)         86 (mm)         78 (mm)         95 (mm)         x 87 (mm)           Unit Weight         9 kg         12.5 kg         14.5 kg         24 kg         32 kg         42 kg         48 kg         76 kg         92 kg           Package Size (W x H x D)         56 x 41 x 24         68 x 48 xc2         70 x 53 x 23         (m)         101 x 73 x         17 C x 80 x         30 (m)         37 (cm)         30 (cm)         30 (cm)         37 (c		402 y 225 y	526 x 260 x	507 5 × 406	726 x 440 x	012 V EEQ V	1122 x 720 x	1210 × 767 ×	1206 × 974 ×	1650 x 1025
Package Size (W x H x D)         56 x 41 x 24 (cm)         68 x 48 x 22 (cm)         70 x 53 x 23 (cm)         93 x 68 x 27 (cm)         101 x 73 x 37 (cm)         127 x 86 x 37 (cm)         30 (cm)         37 (cm)         30 (cm)	Unit Size									
Package Size (W x H x D)         (cm)         (cm)         (cm)         (cm)         31 (cm)         37 (cm)         30 (cm)         37 (cm)	Unit Weight	9 kg	12.5 kg	14.5 kg	24 kg	32 kg	42 kg	48 kg	76 kg	92 kg
AudioSpeakers2 x External SpeakersSpeaker Output80 WattsDesignScreen Finish OptionsDeep Black, Arctic White, Reflex Silver and Magic MirrorScreen MaterialGmm Tempered GlassFrame MaterialSteel ConstructionOperating EnvironmentWorking Temperature0°C ~ +50°CWorking Humidity10% ~ 90%SystemDVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TVPorts and ConnectorsTV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCeR, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Package Size (W x H x D)									
AudioSpeakers2 x External SpeakersSpeaker Output80 WattsDesignScreen Finish OptionsDeep Black, Arctic White, Reflex Silver and Magic MirrorScreen MaterialGmm Tempered GlassFrame MaterialSteel ConstructionOperating EnvironmentWorking Temperature0°C ~ +50°CWorking Humidity10% ~ 90%SystemDVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TVPorts and ConnectorsTV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCeR, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Gross Weight	15 kg	18.5 kg	23 kg	36 kg	51 kg	76 kg	80 kg	115 kg	160 kg
Speaker Output       80 Watts         Design       Screen Finish Options       Deep Black, Arctic White, Reflex Silver and Magic Mirror         Screen Material       6mm Tempered Glass         Frame Material       Steel Construction         Operating Environment       0°C ~ +50°C         Working Temperature       0°C ~ +50°C         Working Humidity       10% ~ 90%         System       DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV         Ports and Connectors       TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input         Certifications and Standards       CE, RoHS, ISO9001, ISO14001         Waterproof Rating       IP65         Package Contents       Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Audio									
Design         Screen Finish Options       Deep Black, Arctic White, Reflex Silver and Magic Mirror         Screen Material       6mm Tempered Glass         Frame Material       Steel Construction         Operating Environment       0°C ~ +50°C         Working Temperature       0°C ~ +50°C         Working Humidity       10% ~ 90%         System       DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV         Ports and Connectors       TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input         Certifications and Standards       CE, RoHS, ISO9001, ISO14001         Waterproof Rating       IP65         Package Contents       Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Speakers	2 x External S	peakers							
Design         Screen Finish Options       Deep Black, Arctic White, Reflex Silver and Magic Mirror         Screen Material       6mm Tempered Glass         Frame Material       Steel Construction         Operating Environment       0°C ~ +50°C         Working Temperature       0°C ~ +50°C         Working Humidity       10% ~ 90%         System       DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV         Ports and Connectors       TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input         Certifications and Standards       CE, RoHS, ISO9001, ISO14001         Waterproof Rating       IP65         Package Contents       Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Speaker Output	80 Watts								
Screen Material       6mm Tempered Glass         Frame Material       Steel Construction         Operating Environment       0°C ~ +50°C         Working Temperature       0°C ~ +50°C         Working Humidity       10% ~ 90%         System       DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV         Ports and Connectors       TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input         Certifications and Standards       CE, RoHS, ISO9001, ISO14001         Waterproof Rating       IP65         Package Contents       Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.										
Frame MaterialSteel ConstructionOperating Environment0°C ~ +50°CWorking Temperature0°C ~ +50°CWorking Humidity10% ~ 90%SystemDVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TVPorts and ConnectorsTV / Aerial Input, Component (YPDPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCE, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Screen Finish Options	Deep Black, A	rctic White, Re	flex Silver and	Magic Mirror					
Operating Environment           Working Temperature         0°C ~ +50°C           Working Humidity         10% ~ 90%           System         DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV           Ports and Connectors         TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input           Certifications and Standards         CE, RoHS, ISO9001, ISO14001           Waterproof Rating         IP65           Package Contents         Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Screen Material	6mm Temper	ed Glass							
Working Temperature0°C ~ +50°CWorking Humidity10% ~ 90%SystemDVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TVPorts and ConnectorsTV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCE, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Frame Material	Steel Constru	ction							
Working Humidity       10% ~ 90%         System       DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV         Ports and Connectors       TV / Aerial Input, Component (YPDPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input         Certifications and Standards       CE, RoHS, ISO9001, ISO14001         Waterproof Rating       IP65         Package Contents       Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Operating Environment									
Working Humidity10% ~ 90%SystemDVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TVPorts and ConnectorsTV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCE, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.		0°C ~ +50°C								
System         DVB-T / T2 / C TV System, HD Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System, Tech2o Smart TV           Ports and Connectors         TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input           Certifications and Standards         CE, RoHS, ISO9001, ISO14001           Waterproof Rating         IP65           Package Contents         Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.										
Ports and ConnectorsTV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB InputCertifications and StandardsCE, RoHS, ISO9001, ISO14001Waterproof RatingIP65Package ContentsBathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.		DVB-T / T2 / 0	TV System, HI	) Freeview (Dig	zital) TV & Radi	o. Analogue Tu	ner. MHEG 5 S	vstem. Tech2o	Smart TV	
Certifications and Standards         CE, RoHS, ISO9001, ISO14001           Waterproof Rating         IP65           Package Contents         Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.		TV / Aerial Inp	out, Componer	nt (YPbPr) Input	t, AV Input, SCA	RT Input, VGA				232 Input, RJ
Waterproof Rating         IP65           Package Contents         Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.	Certifications and Standards				, laalo o'acput,	cob input				
Package Contents         Bathroom Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.										
		Bathroom Te							art TV Remote	Control,
	Product Warranty			,						











### Designed for your kitchen...

The television is an essential component of the modern kitchen. And today's kitchen televisions from Tech<sub>2</sub>O show you why. Beautifully designed and built to exacting specifications – these TVs are safe for use in a wet and steamy environment. And they're specifically designed for kitchens – complete with built-in Freeview HD and Smart TV for access to the internet, as well as multimedia capabilities, giving you access to a world of recipes and cooking tips while you cook.

With sizes ranging from 15" all the way up to 42" inches, and a choice of installation options: in-the-wall, on-the-wall, or fitted in a cabinet, our TVs will enhance any kitchen. We've given you some exquisite colour and finish options too. Choose from: Brushed Stainless Steel, Carbon Black and Champagne Gold.

With a peerless HD screen and a perfect picture in any conditions - our kitchen television can help make your kitchen the place for your family and friends to get together.

### Features:

- Sizes from 15" 42" available in Brushed Stainless Steel, Carbon Black and Champagne Gold
- Full HD 1920 x 1080
- Fully IP63 waterproof and mist-proof
- Waterproof touch panel control
- Built-in Smart TV
- Built-in Freeview HD
- Built in Sky Magic Eye IR Link System
- RS-232 Control, Discrete IR Codes and IR IN/OUT Capability
- 'In-wall' and 'on-wall' and 'in-cabinet' installation options
- Waterproof remote control and holder
- 2 Year Manufacturer's Warranty

♦ IP63 WHeated Screen HD Touch Panel SMART Freeview HD Styme RS-232 CE









TV Size	15″	19"	22″	26"	32″	42"
Display						
Screen Type	LED	LED	LED	LED	LED	LED
Active Screen Size (W x H)	345 x 194.5 (mm)	407.5 x 254.5 (mm)	474.5 x 297 (mm)	578 x 326 (mm)	698 x 392 (mm)	933 x 526 (mm)
Resolution	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels
Brightness	300 cd/m2	300 cd/m2	300 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	400:1	1000:1	1000:1	1000:1	1500:1	1500:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	1.06 Billion	1.06 Billion
Viewing Angle (L / R / U / D)	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°
Response Time	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms
Installation						
Recess Dimensions For In-wall Installation (W x H x D)	475 x 310 x 100 (mm)	500 x 370 x 100 (mm)	565 x 410 100 (mm)	695 x 460 x 100 (mm)	820 x 550 x 110 (mm)	1080 x 705 x 110 (mm)
Recess Dimensions For In-the- cabinet Installation (W x H)	465 x 295 (mm)	495 x 355 (mm)	560 x 395 (mm)	685 x 440 (mm)	810 x 535 (mm)	1070 x 685 (mm)
Wall Bracket Compliance For On-wall Installation	VESA 100 x 100mm	VESA 100 x 100mm	VESA 100 x 100mm	VESA 200 x 100mm	VESA 200 x 200mm	VESA 200 x 200mm
Power						
Mains Power	110-240V (DC 12V/3A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 24V/4A adaptor)	110-240V (DC 12V/5A adaptor)	AC 110-240v 50/60Hz
Power Consumption	25 watts	42 watts	42 watts	50 watts	100 watts	120 watts
Standby Consumption	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts
Dimensions and Weights						
Unit Size	493 x 325 x 65 (mm)	516 x 385 x 65 (mm)	585 x 425 x 65 (mm)	710 x 480 x 70 (mm)	842 x 571 x 78 (mm)	1121 x 723 x 81 (mm)
Unit Weight	9 kg	13 kg	15 kg	24 kg	32 kg	42 kg
Package Size (W x H x D)	62 x 45 x 19 (cm)	63 x 51 X19 (cm)	71 x 55 x 19 (cm)	83 x 60 x 20 (cm)	95 x 68 x 18 (cm)	126 x 86 x 32 (cm)
Gross Weight	15 kg	18 kg	23 kg	36 kg	51 kg	76 kg
Audio						
Speakers	2 x Internal Speakers	5				
Speaker Output	3 Watts					
Design						
Screen Finish Options	Brushed Stainless St	eel, Carbon Black and	Champagne Gold			
Screen Material/s	2mm Stainless Steel	Sheet and 5mm Temp	pered Glass			
Frame Material	Steel Construction					
Operating Environment						
Working Temperature	0°C ~ +50°C					
Working Humidity	10% ~ 90%					
System	DVB-T / T2 / C TV Sys	tem, HD Freeview (Dig	gital) TV & Radio, Analo	ogue Tuner, MHEG 5 S	System, Tech2o Smart	TV
Ports and Connectors			t, AV Input, SCART Inp DIF Audio Output, USB		nput, Sky Magic Eye IR	Link, RS 232 Input,
Certifications and Standards	CE, RoHS, ISO9001, I	5014001				
Waterproof Rating	IP63					
Package Contents			ntrol and Holder, Sma allation Bracket, On-V			

Product Warranty

2 Year Warranty











### Beautiful tech, beautiful televisions...

Television has never looked more beautiful. Full HD (1920 x 1080) brings you an astonishingly crisp, clear and dynamic picture. Technology has never looked more beautiful. Tech<sub>2</sub>O televisions are designed for flawless in-the-wall installation, and available in a choice of sizes (15" – 65") and finishes, including Magic Mirror. When it's switched off it is a mirror. Switch on and it's a television.

In-the-wall installation gives you the perfect integration into your room. The huge, perfect viewing screen will be totally flush to the wall, so there's no disruption; your room won't seem any smaller, or more cluttered.

And surely television has never been this clever before – the built-in Smart TV turns any television into an easy web portal. Surfing, social networking and just keeping up with emails is fast, easy and fun on our LED HD screens.

Built-in HD Freeview extends your viewing options with another 50 channels and extra music stations. And with the external speakers, you even get concert hall quality sound too.

#### Features:

- Sizes from 15" 65" available in Deep Black, Arctic White, Reflex Silver and Magic Mirror
- Full HD 1920 x 1080
- Built-in Smart TV
- Built-in Freeview HD
- Built in Sky Magic Eye IR Link System
- RS-232 Control, Discrete IR Codes and IR IN/OUT Capability
- Premium quality, waterproof, external ceiling speakers
- 'In-wall' and 'on-wall' installation options
- Learning remote control for use with other devices
- 2 Year Manufacturer's Warranty







Freeview

TV Size	15″	19″	22″	26″	32″	42"	46″	55″	65″
Display					,				1
Screen Type	LED	LED	LED	LED	LED	LED	LED	LED	LED
	345.5 x 195	408 x 255	475 x 297.5	578 x 326	698 x 392	933 x 526	1019 x 573.5	1212 x 683	1430 x 805
Active Screen Size (W x H)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080					
Resolution	pixels	pixels	pixels	pixels	pixels	pixels	pixels	pixels	pixels
Brightness	300 cd/m2	300 cd/m2	300 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	400:1	1000:1	1000:1	1000:1	1500:1	1500:1	1500:1	1500:1	1500:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion
Viewing Angle (L / R / U / D)	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°					
Response Time	6 ms	6 ms	6 ms	6 ms					
Installation									
Recess Dimensions For In- wall Installation (W x H x D)	475 x 310 x 90 (mm)	490 x 345 x 100 (mm)	560 x 390 x 95 (mm)	725 x 435 x 110 (mm)	810 x 545 x 125 (mm)	1105 x 705 x 110 (mm)	1200 x 750 x 105 (mm)	1380 x 855 x 110 (mm)	1625 x 1000 x 110 (mm)
Wall Bracket Compliance For On-wall Installation	VESA 100 x 100mm	VESA 100 x 100mm	VESA 100 x 100mm	VESA 200 x 100mm	VESA 200 x 200mm	VESA 200 x 200mm	VESA 200 x 200mm	VESA 400 x 400mm	VESA 400 x 400mm
Power	1	1		•			1	1	
Mains Power	110-240V (DC 12V/3A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 24V/4A adaptor)	110-240V (DC 12V/5A adaptor)	AC 110-240v 50/60Hz	AC 110-240v 50/60Hz	AC 110-240v 50/60Hz	AC 110-240v 50/60Hz
Power Consumption	25 watts	42 watts	42 watts	50 watts	100 watts	120 watts	120 watts	175 watts	250 watts
Standby Consumption	3 watts	3 watts	3 watts	3 watts					
Dimensions and Weights									
Unit Size	493 x 325 x 56 (mm)	536 x 360 x 62 (mm)	597.5 x 406 x 61.5 (mm)	736 x 449 x 68 (mm)	842 x 558 x 84 (mm)	1122 x 720 x 86 (mm)	1219 x 767 x 78 (mm)	1396 x 874 x 95 (mm)	1650 x 1025 x 87 (mm)
Unit Weight	9 kg	12.5 kg	14.5 kg	24 kg	32 kg	42 kg	48 kg	76 kg	92 kg
Package Size (W x H x D)	56 x 41 x 24 (cm)	68 x 48 x 22 (cm)	70 x 53 x 23 (cm)	93 x 68 x 27 (cm)	101 x 73 x 31 (cm)	127 x 86 x 37 (cm)	138 x 92 x 30 (cm)	155 x 101 x 37 (cm)	182 x 120 x 30 (cm)
Gross Weight	15 kg	18.5 kg	23 kg	36 kg	51 kg	76 kg	80 kg	115 kg	160 kg
Audio									
Speakers	2 x External S	peakers							
Speaker Output	80 Watts								
Design									
Screen Finish Options	Deep Black, A	rctic White, Re	flex Silver and	Magic Mirror					
Screen Material	6mm Temper								
Frame Material	Steel Constru								
Operating Environment	·								
Working Temperature	0°C ~ +50°C								
Working Humidity	10% ~ 90%	-							
System		TV System, HI	D Freeview (Dig	gital) TV & Radi	o, Analogue Tu	ner, MHEG 5 S	ystem, Tech2o	Smart TV	
Ports and Connectors	TV / Aerial Inp	out, Componer	it (YPbPr) Inpu		RT Input, VGA	Input, HDMI In			232 Input, RJ
Certifications and Standards		9001, ISO1400		0 acput,					
Waterproof Rating	IP65								
Package Contents	Home Televis					e Control and I Il Installation B		TV Remote Cor	ntrol, Power
Product Warranty	2 Year Warra			installation de			acices.		
		i i cy							











### TV and Internet – now showing in your mirror...

At first glance it's a mirror... a perfect glass surface set in a beautiful frame. What else could it be?

Behind that impeccable, mirrored facade is a hidden world of TV and internet, movies, games and music. This isn't just a mirror, it's a Magic Mirror television.

With its chic, contemporary look, this is a television that can take pride of place in any room. When you switch it on, that screen comes to life... HD television pictures play through the mirror, just as they would through a normal TV screen. Internet too. The Cyber Mirror connects you to your digital world.

Integrated with rich, state of the art technology, the Cyber Mirror features embedded Intel® Core i3 Processor and Windows® 8 Software, with a full HD 1080P LED screen. You can surf the internet via the interactive touchscreen, and flick through apps and options with your finger. It even comes with built-in Freeview... this really is the only device you need to dip in and out of the net, organise your schedule and check your hair!

#### Features:

- Super bright full HD 1920 x 1080 32" LCD screen
- Intel<sup>®</sup> core i3 processor and Windows<sup>®</sup> 8 software
- Can be installed in either portrait or landscape orientation
- Built-in Wi-Fi, Smart TV and Freeview
- Interactive touch screen
- RS-232 Control
- 2 Year Manufacturer's Warranty



(intel) CORE i3 📕 Windows 8





SMART™




RS-232 (€


### **CYBER MIRROR** | Specifications

<u>.</u>		
Cyber Mirror	Display	
2	Screen Size	32"
, pe	Screen Type	LCD
S I	Resolution	1920 x 1080 pixels
	Brightness	500 cd/m2
	Aspect Ratio	16:9
	Contrast Ratio	1800:1
	Colour Depth	16.77 million
	Viewing Angle (H / V)	172 / 172
	Response Time	4ms
	Power	
	Mains Power	110-240v
	Power Consumption	210W
	Standby Consumption	2W
	Dimensions and Weights	
	Unit Size	1300mm (W) x 700mm (H) x 98.5mm (D)
	Unit Weight	56 kg
	Packaged Size	1450mm (W) x 950mm (H) x 280mm (D)
	Gross Weight	76kg
	Audio	
	Speakers	2 x Internal Speakers
	Speaker Output	10 Watts
	Integrated Media Player	
	Processor	Intel® Core i3-2100 Dual Core Processor 3.1GHz
	Chipset	Intel® H61 Chipset
	Graphics	Intel® HD Graphics 3000
	Memory	4GB DDR3
	Storage	320GB
	Operating System	Windows 8
	Network Connections	Wi-fi, RJ45 LAN
	Touch	
	Touch Technology	Nano Touch
	Touch Points	2 Touch
	Activation Source	No Pressure Required
	Touch Method	Finger
	Finger Touch Accuracy	< 1mm
	Touch Point Speed	18~50ms
	Design	
	Screen Finish	Magic Mirror
	Screen Material	6mm Tempered Glass
	Frame Material	Steel Construction
	Operating Environment	
	Working Temperature	-10°C ~ +50°C
	Working Humidity	10% - 90%
	TV System	Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System

Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System TV System TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, HDMI Input x 3, RS-232 Input, VGA Input, PC Ports and Connectors Audio Input, SPDIF Audio Output, RJ45 LAN Input, USB Input x 3 Wall Mounted: Can be installed in either portrait or landscape orientation Installation IP23 Waterproof Rating Certifications and Standards CE, WEEE, ROHS Cyber Mirror, Remote Control, Wireless Keyboard and Mouse, Power Adapter and Wired Plug, and Lockable Package Contents Wall-Mounted Bracket Product Warranty 2 Year Warranty







# From TV to tablet to table – the new technology is here...

This is unique. As a sleek, gleaming table, it's a perfect addition to your living room, bedroom, conservatory or office. But there's more to it than that. A lot more...

Designed exclusively by Tech<sub>2</sub>O, just for Tech<sub>2</sub>O customers, the Cyber Table comes to life at the flick of a switch. The gleaming surface reveals a super-bright 32" display, with instant access to the internet, through its embedded Intel® Core i3 Processor and Windows® 8 software.

The sensitive interactive touchscreen makes navigation a doddle. It's an incredibly ergonomic way to work. Download apps and ditch your tablet for a table. Or perhaps you'd like to watch some television... That highbrightness HD screen shows everything off to spectacular effect, while the in-built speakers give crystal clear audio to accompany those pin-sharp images. The Touch Table comes with in-built Freeview as well as all of the inputs you'd want in a typical television.

This isn't just innovative – effectively a PC and television in a table, it's practical and easy to use. You'll wonder how you ever managed without it...

### Features:

- Super bright full HD 1920 x 1080 32" LCD screen
- Intel® core i3 processor and Windows® 8 software
- IP23 waterproof construction (so protected against surface spills)
- Built-in Wi-Fi, Smart TV and Freeview
- Interactive touch screen
- RS-232 Control
- 2 Year Manufacturer's Warranty



**Touch** Screen

(intel) CORE<sup>®</sup> i3

Windows 8





Display           Screen Size         32"	
Screen Type LCD	
Resolution 1920 x 1080 pixels	
Brightness 500 cd/m2	
Aspect Ratio 16:9	
Contrast Ratio 1800:1	
Colour Depth 16.77 million	
Viewing Angle (H / V) 172 / 172	
Response Time 4ms	
Power	
Mains Power 110-240v	
Power Consumption     210W       Standby Consumption     2W	
Dimensions and Weights Unit Size 1300mm (W) x 700mm (H) x 98.5mm (D)	
Packaged Size         1450mm (W) x 950mm (H) x 280mm (D)           Cross Weight         761mm	
Gross Weight 76kg	
Audio	
Speakers 2 x Internal Speakers	
Speaker Output 10 Watts	
Integrated Media Player	
Processor Intel® Core i3-2100 Dual Core Processor 3.1GHz	
Chipset Intel® H61 Chipset	
Graphics Intel® HD Graphics 3000	
Memory 4GB DDR3	
Storage 320GB	
Operating System Windows 8	
Network Connections Wi-fi, RJ45 LAN	
Touch	
Touch Technology Nano Touch	
Touch Points 2 Touch	
Activation Source No Pressure Required	
Touch Method Finger	
Finger Touch Accuracy     <1mm	
Touch Point Speed 18~50ms	
Design	
Screen Finish Magic Mirror	
Screen Material 6mm Tempered Glass	
Frame Material Steel Construction	
Operating Environment	
Working Temperature     -10°C ~ +50°C	
Working Humidity 10% - 90%	
TV System Freeview (Digital) TV & Radio, Analogue Tuner, MHEG 5 System	
Ports and Connectors         TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, HDMI Input x 3, RS-232 Input, V Audio Input, SPDIF Audio Output, RJ45 LAN Input, USB Input x 3	'GA Input, PC
Certifications and Standards CE, WEEE, ROHS	
Waterproof Rating IP23	
Package Contents Cyber Table, Remote Control, Wireless Keyboard and Mouse, Power Adapter and Wired Plug	
Product Warranty 2 Year Warranty	







### Customise Your Mirror TV

- Choose your screen size Tech<sub>2</sub>O mirror televisions are available in 15", 19", 22", 26", 32", 42", 46", 55" and 65"
- 2. Choose a mirror size (we'll customise it to fit your exact specifications)
- Decide on where you'd like the TV to be positioned behind the mirror

# Switched OFF it is a mirror. Switched ON, the TV picture is bright, vivid and clear...

You know how it feels... it's been one of those days. All you want from the evening is a long, hot bath, a drink and some of your favourite television. Fortunately, bathroom televisions are transforming the no-frills bathroom into the ultimate hangout. The ultimate place to relax.

But this is something new. Now, instead of a straightforward waterproof bathroom television, you can choose a stunning bathroom mirror instead. But this is a mirror that can switch on and off. And when it's switched on, it will reveal a stunning HD, TV picture (with mist free technology), or give you instant internet access, all via your mirror. This is a Tech<sub>2</sub>o Magic Mirror Television.


With sizes ranging from 15" all the way up to 65", it'll fit right in. And it'll create that illusion of extra space too. You can even decide whether the TV screen occupies the whole mirror panel or just a portion of it. So whatever size your bathroom, wherever your television is going to go, we can create your perfect mirror.


### Features:

- Sizes from 15" 65" available
- Full HD 1920 x 1080
- Fully IP65 waterproof and mist-proof
- Built-in Smart TV
- Built-in Freeview HD
- Built-in Sky Magic Eye IR Link system
- RS-232 Control, Discrete IR Codes and IR IN/OUT Capability
- Premium quality, waterproof, external ceiling speakers
- Waterproof remote control and holder
- Simple "in-wall" installation method
- 2 Year Manufacturer's Warranty

● IP65 WHeated Screen M Magic Mirror Flush 2 Wall H□ SMART<sup>™</sup> Freeview H□ RS-232 Sty Marth CE

TV Size	15″	19″	22″	26″	32″	42"	46"	55″	65″	
Display										
Screen Type	LED	LED	LED	LED	LED	LED	LED	LED	LED	
Active Screen Size (W x H)	345.5 x 195 (mm)	408 x 255 (mm)	475 x 297.5 (mm)	578 x 326 (mm)	698 x 392 (mm)	933 x 526 (mm)	1019 x 573.5 (mm)	1212 x 683 (mm)	1430 x 805 (mm)	
Resolution	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	
Brightness	300 cd/m2	300 cd/m2	300 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	
Contrast Ratio	400:1	1000:1	1000:1	1000:1	1500:1	1500:1	1500:1	1500:1	1500:1	
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion	
Viewing Angle (L / R / U / D)	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	
Response Time	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	
Power	1		<u></u>				·	·	<u>.</u>	
Mains Power	110-240V (DC 12V/3A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 24V/4A adaptor)	110-240V (DC 12V/5A adaptor)	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz	
Power Consumption	25 watts	42 watts	42 watts	50 watts	100 watts	120 watts	120 watts	175 watts	250 watts	
Standby Consumption	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	
Audio										
Speakers	2 x External S	peakers								
Speaker Output	80 Watts									
Design										
Glass Type	High Intensity	y Tempered Gl	ass - Heat, Wea	ar and Scratch	Resistant					
Glass Thickness	8mm									
Mirror Size	Custom Sizes	Available								
TV Case Material	Steel Constru	iction								
Operating Environment										
Working Temperature	0°C ~ +50°C									
Working Humidity	10% ~ 90%	·	·	·						
System	DVB-T / T2 / 0	TV System, H	D Freeview (Dig	gital) TV & Radi	o, Analogue Tu	ner, MHEG 5 S	ystem, Tech2o	Smart TV		
Ports and Connectors			nt (YPbPr) Inpu nd OUT, SPDIF			Input, HDMI In	put, Sky Magic	Eye IR Link, RS	232 Input, RJ	
Certifications and Standards	CE, RoHS, ISC	9001, ISO1400	)1							
Waterproof Rating	IP65									
Package Contents	Mirror Televis Adapter and	sion, 2 x Exterr Wired Plug, Us	al Speakers ar er Manual and	nd Cabling, Wat Installation Gu	erproof Remot	te Control and Il Installation B	Holder, Smart rackets.	TV Remote Cor	ntrol, Power	
	Mirror Television, 2 x External Speakers and Cabling, Waterproof Remote Control and Holder, Smart TV Remote Control, Power Adapter and Wired Plug, User Manual and Installation Guide and In-Wall Installation Brackets.									







### Customise Your Mirror TV

- Choose your screen size Tech<sub>2</sub>O mirror televisions are available in 15", 19", 22", 26", 32", 42", 46", 55" and 65"
- 2. Choose a mirror size (we'll customise it to fit your exact specifications)
- Decide on where you'd like the TV to be positioned behind the mirror
- 4. Choose your favourite frame style from a range of high quality wooden frames

**IP65** 

# We thought it was time to re-design the home television...

High definition television means we can have larger and larger televisions without sacrificing quality of image. But we lose something else instead...

As TVs get bigger, so they start to dominate the rooms they're in. But we've solved this problem once and for all with our Magic Mirror televisions. Instead of putting a television on your wall, put up a stunning mirror. It makes a beautifully stylish addition to your home, because, to all intents and purposes it is just a mirror... But when you switch it on, a spectacular HD TV picture appears.

As well as HD TV (and in-built Freeview HD) our Mirror Television gives you instant internet access too. Each mirror can be uniquely customised. Choose from sizes ranging from 15" – 65". You can even choose whether the TV screen occupies the whole frame or just a portion of it.

This is television technology at its most beautiful.

#### Features:

- Sizes from 15" 65" available
- Full HD 1920 x 1080
- Built-in Smart TV
- Built-in Freeview HD
- Built-in Sky Magic Eye IR Link system
- RS-232 Control, Discrete IR Codes and IR IN/OUT Capability
- Premium quality, waterproof, external ceiling speakers
- Learning remote control for use with other devices
- Simple "in-wall" installation method
- 2 Year Manufacturer's Warranty

TV Size	15″	19″	22″	26″	32″	42″	46″	55″	65″
Display									
Screen Type	LED	LED	LED	LED	LED	LED	LED	LED	LED
Active Screen Size (W x H)	345.5 x 195 (mm)	408 x 255 (mm)	475 x 297.5 (mm)	578 x 326 (mm)	698 x 392 (mm)	933 x 526 (mm)	1019 x 573.5 (mm)	1212 x 683 (mm)	1430 x 805 (mm)
Resolution	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels
Brightness	300 cd/m2	300 cd/m2	300 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	400:1	1000:1	1000:1	1000:1	1500:1	1500:1	1500:1	1500:1	1500:1
Colour Depth	16.7 M	16.7 M	16.7 M	16.7 M	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion	1.06 Billion
Viewing Angle (L / R / U / D)	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°	89° / 89° / 89° / 89°
Response Time	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms	6 ms
Power									
Mains Power	110-240V (DC 12V/3A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 12V/4A adaptor)	110-240V (DC 24V/4A adaptor)	110-240V (DC 12V/5A adaptor)	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz	AC 110- 240v 50/60Hz
Power Consumption	25 watts	42 watts	42 watts	50 watts	100 watts	120 watts	120 watts	175 watts	250 watts
Standby Consumption	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts	3 watts
Audio									
Speakers	2 x External S	peakers							
Speaker Output	80 Watts								
Design									
Glass Type	High Intensity	/ Tempered Gl	ass - Heat, Wea	ir and Scratch l	Resistant				
Glass Thickness	8mm								
Mirror Size	Custom Sizes	Available							
TV Case Material	Steel Constru	ction							
Operating Environment									
Working Temperature	0°C ~ +50°C								
Working Humidity	10% ~ 90%								
System	DVB-T / T2 / 0	TV System, HI	D Freeview (Dig	gital) TV & Radi	o, Analogue Tu	ner, MHEG 5 S	ystem, Tech2o	Smart TV	
Ports and Connectors	TV / Aerial Input, Component (YPbPr) Input, AV Input, SCART Input, VGA Input, HDMI Input, Sky Magic Eye IR Link, RS 232 Input, RJ 12 Input, RJ 45 Input, IR IN and OUT, SPDIF Audio Output, USB Input								
Certifications and Standards	CE, RoHS, ISC	9001, ISO1400	)1						
Waterproof Rating	IP65								
Package Contents			nal Speakers ar er Manual and					TV Remote Co	ntrol, Power











# Introducing the weather-resistant outdoor television...

Tech<sub>2</sub>O's outdoor TVs are locked up tight against rain and guaranteed fully waterproof. They can withstand the very worst the weather can throw at them. With sizes ranging from 32" up to 65" Tech<sub>2</sub>O outdoor televisions are suitable for domestic and commercial use.

The stunning HD picture and crystal clear sound make this the only way to watch those big summer events outdoors. And the built-in Freeview gives you even more channels and music stations to choose from. Even internet. You can use your outdoor TV as a giant web portal – great for internet games outside, or just keeping up to date with your favourite sites and social networks.

But what about sunlight? We've got two options. Our Standard Brightness televisions offer a superb HD picture outside – and they're a great choice for shaded patios and under awnings. But if you want a no-restrictions outdoor television, choose the High Brightness option for stunning picture definition, even if your TV is in direct sunlight.

#### Features:

• Sizes from 32" – 65" available in regular or high brightness versions

SMART™ RS-232 (€

- Fully mist-proof and weatherproof with a IP55 rated waterproof casing
- Non reflective screen coating (to reduce glare and reflection)
- Full HD 1920 x 1080
- Built-in Smart TV
- Built-in Freeview
- RS-232 control
- Waterproof remote control and holder
- 2 Year Manufacturer's Warranty

TV Size	32″	42"	46″	55″	65″
Display		1		1	I
Screen Type	LCD	LCD	LCD	LCD	LCD
Resolution	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels	1920 x 1080 pixels
Brightness (Standard Model)	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2	500 cd/m2
Brightness (High Brightness Model)	1000 cd/m2	1000 cd/m2	1000 cd/m2	1000 cd/m2	1000 cd/m2
Aspect Ratio	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	4000:1	4000:1	4000:1	4000:1	4000:1
Colour Depth	16.77 million	16.77 million	16.77 million	16.77 million	16.77 million
Viewing Angle	178 / 178 (H / V)	178 / 178 (H / V)	178 / 178 (H / V)	178 / 178 (H / V)	178 / 178 (H / V)
Response Time	6.5ms	6.5ms	6.5ms	6.5ms	6.5ms
Installation					
Wall Bracket Compliance For On-wall Installation	VESA 400 x 200mm	VESA 400 x 200mm	VESA 400 x 200mm	VESA 600 x 300mm	VESA 600 x 300mm
Power					
Mains Power	110-240v 50/60Hz	110-240v 50/60Hz	110-240v 50/60Hz	110-240v 50/60Hz	110-240v 50/60Hz
Power Consumption	120W	180W	200W	300W	450W
Standby Consumption	< 1W	< 1W	< 1W	< 1W	< 1W
Dimensions and Weights					
Unit Size	810mm (W) x 510mm (H) x 110mm (D)	1050mm (W) x 640mm (H) x 110mm (D)	1180mm (W) x 690mm (H) x 120mm (D)	1320mm (W) x 820mm (H) x 150mm (D)	1580mm (W) x 950mm (H) x 150mm (D)
Unit Weight	22 kg	38 kg	48 kg	78 kg	95 kg
Packaged Size	1000mm (W) x 700mm (H) x 250mm (D)	1200mm (W) x 800mm (H) x 250mm (D)	1300mm (W) x 800mm (H) x 250mm (D)	1500mm (W) x 1000mm (H) x 250mm (D)	1750mm (W) x 1100mm (H) x 300mm (D)
Gross Weight	35 kg	50 kg	60 kg	92 kg	132 kg
Audio					
Speakers	2 x Internal Speakers				
Output	10 Watts				
Design					
Screen Finish	Non Reflective Film				
Frame Material	Anti Corrosive Metal				
Screen Material	Scratch Resistant Glass				
Operating Environment					
Working Temperature	-20°C ~ +50°C				
Working Humidity	10% - 90%				
System	Freeview (Digital) TV & R	adio, Analogue Tuner, Mł	HEG 5 System, Tech2o Sm	art TV	
Ports and Connectors	TV / Aerial Input, Compo	onent (YPbPr) Input, AV In	put, VGA Input, HDMI Inpu	ut x 2, RS 232 Input, USB Ir	nput
Certifications and Standards	CE, WEEE, ROHS				
Waterproof Rating	IP55				
Package Contents		erproof Remote Control, -wall application, Waterp		Plug, User Manual and In	stallation guide,
Product Warranty	2 Year Warranty				



www.tech2o.tv | enquiries@tech2o.tv | +44 (0) 1509 608006