

Instruction Manual SULVF01 - Electric Mosquito Fogger



www.mosquitofogger.com.au

Available from: SCINTEX

sales@scintex.com.au

📴 (07) 3137 0135 📄 (07) 3041 0541

Get To Know Your Fogger:

- 1. Solution Tank This is where you mix the insecticide and carrier solution.
- 2. Switch Turns the fogger on and off
- 3. Droplet size adjuster- Adjust the fog mist size
- 4. Nozzle Fog is discharged here
- 5. Air Inlet Air is drawn into the unit here. Care must be taken not to block the air inlet.



Safety Precautions:

- 1. Read the full instruction manual before attempting to use the fogger.
- 2. Always read the labels & MSDS for fogging chemicals before use.
- 3. Fogging involves contact with chemicals. Wear appropriate personal protection equipment when fogging which includes the following as a minimum; Carbon filter mask, gloves, long sleeve cotton shirt, eye protection.
- 4. The fogger will discharge solution approximately 6m. Plan your application prior to attempting to fog.

Instructions:

1. Fill the solution tank with carrier solution and insecticide as per below ratios. Take care not to overfill. Note if you are new to fogging consider use with water only to start with until the units operation is understood.

Note: Use water as a carrier solution.

- 2. Direct the fogger in the region you wish to fog
- 3. Turn the Fogger on
- 4. Adjust the droplet size to achieve the desired application rate.

Fogging Tips:

- 1. Fogging is most effective when mosquitoes are most active. Early mornings and late afternoons are recommended.
- 2. Fogging is most effective in low wind conditions as the fog will hang for longer. If low wind is present, ensure you work with the wind on your back to limit exposure to the fogging chemicals.

Recommended Dosage:

Fog Off Mozzie recommends mixing 6-18mL of natural pyrethrum concentrate per 1L of water. This should treat an area of approximately 1,000m2 area. Adjust the mixture as required.