Illuminations 4915 Stone/Frosted Sleeve Installation Instructions (Stone 95000962, Frosted 95000963)

Packing List

- (11) Cylinders (Stone or Frosted Plastic) of differing heights (see “Cylinder Layout” for details)
- (13) Candle Sleeves of differing heights (see “Cylinder Layout” for details)

Cylinder Layout

The cylinders (stone or frosted) and candle sleeves come in various heights. To help determine placement, use the table below to locate and place each cylinder and candle sleeve.

NOTE: The stone cylinders vary slightly in height and are close to the dimensions below (the diameter is slightly larger). Use the dimensions below as a guideline to insure correct cylinder orientation.

NOTE: The candle sleeves are stamped with a number to ease identification.

HINT: Start with the letter A candle (it is the tallest candle on the end - see Figure 1 below).

HINT: Place the cylinders and sleeves in front of the fireplace before installation to verify correct orientation.

HINT: Cylinders 1 and 9 are the same. Cylinders 2, 5, and 10 are the same. Cylinders 3, 6, and 11 are the same. Cylinders 4 and 7 are the same. Cylinder 8 is unique.

Candle	A	B	C	D	E	F	G	H	I	J	K
Cylinder Dimensions	9” Tall 3.25” Dia.	6” Tall 2” Dia.	6.5” Tall 5.5” Dia.	8” Tall 3.25” Dia.	6” Tall 2” Dia.	6.5” Tall 5.5” Dia.	8” Tall 3.25” Dia.	6” Tall 3.25” Dia.	9” Tall 3.25” Dia.	6” Tall 2” Dia.	6.5” Tal 5.5” Dia.
Candle Sleeve ID	1 and 2 placed together	4	5	1	5	6	1	6	1 and 3 placed together	4	5




Figure 1

 © Travis Industries, Inc.

Illuminations 4915 Stone/Frosted Sleeve Installation Instructions (Stone 95000962, Frosted 95000963)

Installation

1 Install the candle sleeves on the letter A and I candles first. These sleeves consist of two pieces and require you to place the smaller piece on first then tilt the candle tray forward to install the taller piece (see Figure 2). Do not pull on the bulb or bulb base. Tilt the tray by pulling forward on the threaded candle base. The remaining sleeves may be installed with the candle tray in place. Take care to prevent damage to the candle bulbs (see Figure 3).



Figure 2




Figure 3

2 Install the number 1 and 9 cylinders first. For these two cylinders you will need to tilt the candle tray forward, just as you had done for the candle sleeves (see Figure 4). Place the remaining cylinders in place, taking care to prevent damage to the candle bulbs (see Figure 5).



Figure 4




Figure 5

 © Travis Industries, Inc.

3 The candle tray is concealed using the two bags of crushed glass included with the fireplace. With the candle sleeves carefully centered over the candles, pour the crushed glass onto the tray (see Figure 6). When pouring the glass, make sure to distribute it evenly to provide for even coverage. Make sure to distribute the glass around the edges of the sleeves to allow for a seamless look (see Figure 7).



Figure 6



Figure 7

 © Travis Industries, Inc.