

## BODY FAT ANALYZER WITH CARRYING CASE

### • 27322 GIMA BODY FAT ANALYZER

Ideal for dieticians, gymnasia and sports centres, it is perfect also for homecare. It will help manage nutrition, fitness and weight control and can indicate if you are at the right weight and also whether or not you are nutritionally healthy. Advanced technology in your hands.

GIMA Body Fat Analyzer measures the flow of electrical signals (total body electrical resistance or impedance) as they pass through FAT, LEAN (muscle, bones, vital organs) or WATER. When the amount of fat, lean or water changes, so does the Body Fat signal, giving you a highly reliable and accurate measure of the amount of each of these components that make up your total weight. Specifically, 4 electrodes are placed over metacarpus and metatarsus where a 50 kHz current is introduced. The detected signal level will be an index of total body water and fat free mass.

#### Only 2 minutes for an essential and easy test

Testing and results take less than two minutes and have the same accuracy as other more expensive devices.

#### A lot of meaningful data

**FAT:** actual weight of fat on the body

**LEAN:** actual weight of lean, mostly muscle and vital organs

**WATER:** water content in the body

**% FAT:** percentage of fat weight in total body weight

**% LEAN:** percentage of lean weight in total body weight

**BMR:** basal metabolic rate

**Target Weight:** weight goal under optimal condition

**Target % Fat:** normal percent for sex and age

**Portable, for performing test everywhere**

Small size and light weight for portability.

**Body Fat Analyzer helps to get and stay fit.**

It helps to maximize personal level of fitness if you want to lose weight, build muscle, tone and trim, or simply be sure you are maintaining your current level of fitness:

- enables you to check effectiveness of weight loss program, telling exactly where your weight loss is coming from (fat-lean-water)
- it helps monitoring improvements in muscle mass as a result of exercise and/or diet
- establishes a baseline for your body composition, so that nutritional and fitness improvements can be regularly monitored. **Frequent calibration** (code 27324 calibration kit) is necessary for accurate results in the time.



Supplied with a carrying case, kit of 2 sensor cable, sensor pads (box of 20), 2x9 V batteries, transformer and manual (GB, IT, FR, ES).

• 27321 SPARE SENSOR CABLES (kit of two) units sold after 06/02

• 27323 SENSOR PAD (box of 20) - replacement

Each sensor can be reused 5-6 times.

• 32205 9V ALKALINE BATTERY

• 27324 CALIBRATION KIT

#### TECHNICAL SPECIFICATIONS

Size: 66x176x208 mm

Weight: 1,500 g (unit, battery and probe)

Test frequency: approx. 50 kHz

Test current: less than 1mA

Power source: two 9 Volt DC batteries or 230 V (by transformer)


## BODY FAT CALIPER

### • 27318 BODY FAT CALIPER

Plastic body fat caliper.

Size 16.5x10x0.5 cm. Weight 22 g.

Supplied into a polybag in a paper box.



## BODY FAT MONITOR



### • 27348 BODY FAT MONITOR

Portable and convenient body fat monitor for private use.

Main features:

- body fat analyzer function
- body fat ratio function
- BMI function
- calorie calculation function
- auto power off

(when no operation is detected for approximate 2 minutes)

- memory function stores up to 9 personals data

- 1 personal data for guest (will be initial after power off)

#### TECHNICAL SPECIFICATIONS

Size: 240x160x43 mm

Weight: 305 g

Power supply: 2xAAA batteries - not included

## HEART RATE MONITOR



#### TECHNICAL SPECIFICATIONS

- 30 meters water-resistant <watch>
- Weak battery detection
- 3V batteries changeable
- Auto power saving

### • 28400 HEART RATE MONITOR - 20 functions\* - with belt

#### 20 FUNCTIONS

- two automatic training programs per age input:
  - Fat burning program & Build cardiovascular strength program
- freely programmable target zone & exercise time
- three different audible alarms
- two different visual alarms
- current heart rate intensity %
- efficiency percentage of preset exercise time
- preset exercise time countdown <over low limit>
- current heart rate display 35~250 beats per minute
- maximum heart rate recorded 35~250 beats per minute
- average heart rate in 6 optional periods <10~60 minutes>
- total time over high limit of target zone <up to 9:59:59>
- total time over low limit of target zone <hour / minute / second>
- stopwatch 9:59:59 <hour/minute/second>
- 12/24 hour clock
- Target Zone indicator
- Target Zone re-settable and re-checkable
- current cardiovascular strength level
- time bar in seconds
- EL backlight

\*Suitable for person up to 60 years.

## PROFESSIONAL SKINFOLD CALIPERS: MECHANICAL AND DIGITAL



- 27320 PLICOMETRO - Professional skinfold caliper - mechanical
- 27346 PLICOMETRO - Professional skinfold caliper - digital with PC cable for data transfer USB

This high precision instrument measures the thickness of a fold of skin with its underlying layer of fat giving physicians the situation of the subcutaneous tissues of the patient.

### Possibility of re-calibration

Produced to meet International Standards, the Gima "Skinfold caliper" has springs which exert a pressure of 10 g/mm<sup>2</sup> on the skinfold and an accurate scale which measures thickness in mm. With possibility of re-calibration of the pressure it solves the major problem of traditional skinfold caliper that is reduction of the tension of the spring in the time.

### Easy to use and read

With double reading scale (code 27320) or digital display (code 27346), it is supplied with picture showing advised positions for measurements. Tables will help obtain correct % of body fat from measured data and make a correct evaluation of the patient.

### Stylish and user-friendly

A special nylon finish makes the device feel skin, avoiding trouble of contact with metal. Made in metal and sold in an attractive wooden box. Made in Italy, provided of medical device CE certification. User manual in English, French, Italian, Spanish.

### Data management on PC (only 27346)

For immediate data transfer on most programmes (Excel, Word, Open Office, ...). Requirements: Windows 2000, XP (Service Pack 2), 7. USB 2.0 minimum.



## BMI TAPE



### • 27341 BMI - Tape Measure

Pocket retractable tape measure 150 cm. BMI (Body Mass Index) calculator on front panel.

### • 27342 BMI - Tape Measure

Economical version of 27341. Available in 150 days for minimum orders of 1,000 pcs.



## FAT-1 SKINFOLD CALIPER

### • 27344 FAT-1 SKINFOLD CALIPER


Economic but precise and accurate skinfold caliper for professional use, made in Italy. Measures the thickness of skin folds over the body, based on the characteristics developed by Tanner and Whitehouse:

- pressure on the fold: approx 10 g/mm<sup>2</sup>
- contact surface on the fold: approx 6x11 mm

It allows a correct evaluation of the nutritional status and the sectoral distribution of adipose tissue. Raise a fold of skin with your fingers and measure its thickness by the forceps: on the top edge a scale in millimeters and an arrow measure the skin fold (triceps, subscapular muscles, etc...) with an accuracy of about 1/2 mm.

The coloured bands placed near the scale allow a simultaneous comparison of the measured value with referential percentages related to men and women. This information is included in the manual provided with the unit and helps an easy interpretation of the values. Advised in dietetics, cardiology, sports medicine, aesthetic medicine, gynaecology, pediatrics, ecc...

Multilanguage manual: GB, FR, IT, DE, ES, GR.



## BODY TAPE

### • 27343 BODY TAPE MEASURE

Track your body measurements and progress.

Measures any body part: arm, thigh, calf, chest, waist, hip....

Measures in inches and centimeters; total measurement length:

60 inches / 152 cm.

Stylish design, easy measurement.

Sturdy vinyl tape.

Push-button retraction and locking feature ensure easy measurement and superior accuracy.



## PROFESSIONAL BODY - HEAD TAPE

### • 27347 PROFESSIONAL BODY TAPE

### • 27350 PROFESSIONAL BODY TAPE with pediatric gauge box


Patented, professional body tape measure approved by the Italian Ministry of Health for adult and pediatric use. Tape is coloured on both sides to help to identify metabolic risk in abdominal measure for male and female. Length of tape: 8-150 cm. Thanks to its rounded shape, it can be used also as a head measure tape. Packed in single box.

### Body tape with pediatric gauge box

Specific tape for pediatric use. Supplied in a box with a ruler to compare the measured head circumference with the standard percentiles of children's growth from 0 to 36 months. Suitable for both sexes.




Multilanguage manual: GB, FR, IT, DE, ES, GR, PT, Arabic.






## MEASURING MAT FOR BABIES



• **27329 SECA 210 - BABY MEASURING MAT**  
Mobile measuring mat for babies and toddlers. Kind to the skin, washable, foldable. The space saving solution for easy and precise measurement of baby length. Range 10-99 cm. Graduation: 5 mm.



Washable and foldable measuring mat for babies and toddlers, easy to carry. For easy and precise measurement of baby length. Size: 121x30 cm. Measuring range: 10-99 cm. Graduation: 5 mm.



## SECA INFANTOMETER



• **27316 SECA 416 - INFANTOMETER**  
Infantometer for measuring babies and toddlers in hospital. The sturdy construction and stability of the infantometer makes it quick and easy to measure babies and toddlers up to two years old. The board is generously designed and the raised and softly rounded sides guide the baby easily and safely into the right position. Permanently mounted with rollers on two guide rails, the footpiece slides smoothly along the scale. Because the footpiece is lockable, the baby can be removed and the result noted later. All parts are tough and durable. Measuring range: 33-100 cm. Graduation: 1 mm. Size: 110x16.9x40.2 cm. Weight: 3.8 kg.

## GIMA PEDIATRIC MEASURING INSTRUMENTS



• **27326 BABY MEASURE "CALIBRO"**  
Made of oxidized aluminium, metric graduation 0-900 mm, division 5 mm. Certified by Italian "weights and measure institute". Weight: 300 g.

• **27327 CRANIOMETRO - HEAD MEASURE**  
Made of special, soft, non stretchable plastic. Measures child head up to 60 cm.

• **27337 ORCHIDOMETER - wood**  
Used by pediatricians for screening of children's testicles



**27337**

A string of 12 numbered wooden beads of increasing size from about 1 to 25 mm used to determine size of testicles.

## HEIGHT MEASURE



• **27335 TAPE HEIGHT MEASURE**  
Clear scale 0-200 cm. Easy wall fixation.



## ELECTRONIC HEIGHT ROD



Size: 345x92x28 mm Power supply: 2x1.5 V AA batteries

• **27333 SOEHNLE ELECTRONIC HEIGHT ROD**  
Measuring range: 50-240 cm (20-94.5 inch), division: 1 cm. Manual in: DE, GB, FR, ES, IT, GR, CZ.

## BONE MEASURE

• **27325 BONE MEASURE**  
Slide-knot caliper in anticorodal to measure knee, shoulder, wrist, elbow... Measuring capacity: 150 mm. Burner length: 100 mm. Tested by Italian "weights and measures institute".



Switchable to inches



• **27264 SOEHNLE BABY HEIGHT ROD**  
Digital and mechanical rod 35 to 80 cm, division 1 mm. LCD display, digit height 16 mm. Manual in 23 languages.

## GIMA PODOSCOPE WITH POLARIZED LIGHT

27354

Methacrylate



### • 27354 GIMA PODOSCOPE

The GIMA Podoscope with polarized light allows operators to observe the foot plant highlighting the points with the heaviest pressure. The patient stands on the methacrylate platform, an excellent light conductor, provided with an inner light source to detect variations of colour intensity on the foot plant, corresponding to higher or lower plant charge.

### Highly resistant, easy maintenance

The GIMA Podoscope with polarized light has been designed for a long lasting duration. High-quality material and components, serial assembly and control checks constantly performed during production and at final test, provide superior accuracy. Its structure is resilient and can bear charges up to 135 kgs - 297 lbs. Its green-light lamp has a life of 10,000 hours (duration indicated by the manufacturer). Spare bulbs are easy to be replaced.

### Easy to use, light and practical

The GIMA podoscope becomes operative at once simply switching it on. Just after the patient has stepped on it, in real time you can proceed with the study. The device is meant to be practical and easy to use. Since methacrylate is light and resistant at the same time, the device can be comfortably moved from a place to another, also thanks to its limited dimensions. The step is low: 22 cm from ground level, so that even elderly patients can easily step on it.

### TECHNICAL SPECIFICATIONS

Capacity: 135 kg - 297 lbs  
 Dimensions: 43.5x42.5xh 22 cm - 17.12x16.75x8.67 inch  
 Weight: 8 kg - 17.63 lbs  
 Operating voltage: 220 V-50/60 Hz (110 V on request)  
 Fluorescent lamp with 10,000 hours lifetime

## POSTURAL ANALYZER

### • 27352 POSTURAL ANALYZER

The postural analyser consists of a bilaminated footboard with adjustable feet. The two lateral aluminium rods are equipped with millimetric scales, measuring sliders and strings to allow correct body alignment (Barré's vertical). Adjustable upper mirror.



27352

Size:  
80x72xh 225 cm

## LED PODOSCOPE



Working surface  
32x36 cm

27353

Size: 46x55xh 33 cm  
 Weight: 15.5 kg  
 Power: 100-240 V, 50/60 Hz

### • 27353 LED PODOSCOPE

Device for the plantar analysis of the feet. It has a lacquered wooden structure and a crystal top with an inclined mirror below it for a real view of the sole of the feet, which highlights the points of greatest and least load. Double lateral illumination with high level effect lamps. Max Load 135 kg. Strong reliable and professional product, made in Italy.

## PLUMBING WEIGHT

### • 27355 PLUMBING WEIGHT

Made of stainless steel (magnet) with wire length 150 cm. Supplied in wooden case. Size: 6.2x2.3 cm. Weight: 140 g.



27355

## SCOLIOMETER

### • 27351 SCOLIOMETER

Plastic instrument for the evaluation of the scoliosis (deviation of the spinal column on the lateral, left and right planes). The instrument detects the anomaly and its gravity. It also allows to compare reports during the time and define the evolution of the measured pathological process, thus reducing the need of frequent radiographical tests. The small sphere oscillating within an air space indicates the spine inclination degree, compared to the horizontal plane.



27351


## GONIOMETERS

Used by orthopaedic surgeons to measure the range of movement of joints: elbows, knees and fingers.

27340

### • 27340 GONIOMETER - 205x45 mm

With circular scale used to check the size of hip joints and the angle of the femoral neck on x-rays. Personalisation with your logo for minimum 2,500 pcs.




### • 27339 GONIOMETER WITH PAIN SCALE RULER - 203x45x7 mm



27339

27339



27338

### • 27338 GONIOMETER WITH ARMS (tolerance 1°)

To measure analytical motility of various body segments in degrees (from 0 to 360 clockwise or anti-clockwise direction). Consists of two perspex arms (3 mm thick) that will remain open at any given position due to the friction at the joint between them. Two graded scales: one increasing scale and one decreasing scale.



## GIMA PROFESSIONAL SCALES



27239

### TECHNICAL SPECIFICATIONS

Capacity: 160 kg Dial Ø: 180 mm  
Sensitivity: 1,000 g  
Weight: 3 kg  
Dimension: 430x380x70 mm

- **27239 GIMA PROFESSIONAL SCALE**  
Mechanical scale with classic design: a large and clear dial, a robust housing made of steel. Supplied in multilingual gift box. Made in Europe.



- **27240 DIGITAL PROFESSIONAL SCALE**  
Digital scale with extra large, easy to read LCD display (65 mm). Strong and durable steel construction comfortable platform. Lb/kg/st switchable by user. Supplied in multilingual gift box. Made in Europe.



27240

### TECHNICAL SPECIFICATIONS

Capacity: 200 kg  
Sensitivity: 100 g  
Power: lithium battery (included)  
Dimension: 430x380x70 mm

**CAPACITY  
200 KG**



## GIMA BATHROOM SCALES



27230

- **27230 MECHANICAL SCALE**  
Analogue bathroom scale with stable construction and plastic cover.

### TECHNICAL SPECIFICATIONS

Capacity: 125 kg (275 lb)  
Sensitivity: 1,000 g (2 lb)  
Warranty: 2 years



LCD display  
76x36 mm,  
digit height  
26.8 mm

27232

- **27232 DIGITAL SCALE**  
Electronic bathroom scale with plastic platform. 4 sensor high precision system with automatic switch off. Lb/kg/st switchable by user.

### TECHNICAL SPECIFICATIONS

Capacity: max 150 kg (330 lbs) - min. 3 kg (6.6 lb)  
Sensitivity: 100 g = (0.2 lb)  
Dimension: 302x315x34 mm  
Power: battery: 2xAAA - not included  
Warranty: 2 years



LCD display  
60x26 mm

27234

- **27233 DIGITAL GLASS SCALE - white**
- **27234 DIGITAL GLASS SCALE - orange**  
Electronic bathroom scale with 6 mm thick tempered glass platform. 4 sensor high precision system with automatic switch off. Lb/kg/st switchable by user.

### TECHNICAL SPECIFICATIONS

Capacity: max 150 kg (330 lb) - min. 2 kg (4.4 lb)  
Sensitivity: 100 g (0.2 lb)  
Dimension: 285x285x32 mm  
Power: 1x CR2032 battery - not included  
Warranty: 2 years



## DIGITAL BATHROOM FASHION SCALES



**ULTRA  
SLIM**

27235

Foldable  
LCD display  
80x44 mm

- **27235 SLIM DIGITAL SCALE**  
Ultra flat digital scale in an elegant silver colour glass design. Only 18 mm high for excellent stability. Automatic on/off function weighs immediately upon stepping on the scale. Shuts down when not in use.

### TECHNICAL SPECIFICATIONS

Capacity: 150 kg (330 lbs) - min. 3 kg (6.6 lb)  
Sensitivity: 100 g (0.2 lb)  
Platform: tempered glass 300x300x6 mm  
Power: 2x CR2032 battery - not included  
Warranty: 2 years



Large LCD  
display 38 mm


27231



- **27231 GALA XL DIGITAL SCALE**  
Digital bathroom scale with large and economic platform and bright LED digits. Automatic start and shut down.

### TECHNICAL SPECIFICATIONS

Capacity: 150 kg (330 lbs)  
Sensitivity: 100 g (0.2 lb)  
Power: 2x1.5 AAA batteries - included  
Packing size: 38x6x36.3 cm Weight: 2.4 kg  
Warranty: 5 years



LCD display  
78x38 mm

27236

- **27236 GLASS SCALE**  
Electronic bathroom scale with 6 mm thick safety glass platform. 4 sensor high precision system. Automatic switch off. Lb/kg/st selectable by user.

### TECHNICAL SPECIFICATIONS

Capacity: max 150 kg (330 lbs) - min. 2 kg (4.4 lbs)  
Sensitivity: 100 g (0.2 lb)  
Platform: tempered glass 300x300x6 mm  
Power: 1x CR2032 battery - not included  
Warranty: 2 years



## PROFESSIONAL SCALES



27241

### TECHNICAL SPECIFICATIONS

Capacity: 150 kg - 330 lbs  
Sensitivity: 1 kg  
Weight: 3.5 kg  
Size: 317x117x477 mm



- **27241 SECA 750 SCALE**  
Mechanical flat scale with sturdy, powder coated steel casing.  
Pretty and stable with its white powder coated lacquer.  
A hard wearing synthetic white leather covers weighing platform.  
Made in Europe.



- **27285 SECA 762 SCALE**  
Traditional model with large easy-to-read dial.  
Pointer professional scale in strong metal structure white painted.  
Consistent accuracy on any surface.  
Spacious platform design with no slip rubber mat, stable for safety.  
Tare function.  
Made in Europe.



27285

### TECHNICAL SPECIFICATIONS

Capacity: 150 kg - 330 lbs  
Sensitivity: 500 g ± 2 g  
Weight: 3.5 kg  
Size: 305x120x470 mm



## iHEALTH WIRELESS SCALE AND BODY ANALYSIS SCALE



9 PARAMETERS

- **23506 HS4 WIRELESS SCALE**  
A high quality design digital scale, with slim lightweight design and reliable tempered glass platform, the iHealth HS4 works online and offline. Thanks to the iHealth MyVitals App it is possible to view single readings or long term trends.  
Track calories and daily activities, set target goals for weight management, organize records with personalized graphs and unlimited memories. Capacity: 180 kg (400 lbs).  
See technical specification at page 1.

- **23507 HS5 WIRELESS BODY ANALYSIS SCALE - 9 parameters**  
Measures 9 key data points: **weight, body fat, lean mass, muscle mass, bone mass, body water, daily calorie intake, body mass index and visceral fat rating.** Log calories and daily activities, plan weight goals. Organize records, charts, historical readings and view trends. Unlimited users and memory (offline memory of 200 measures).  
Possibility to set measurements and activity reminders.  
See technical specifications at page 1.

## PRECISION SCALE



27246

- **27246 PRECISION SCALE**  
With tempered glass Ø 160x4 mm tare function, kg/lb-oz

### TECHNICAL SPECIFICATIONS

Capacity: 5 kg (11 lb)    LCD display: 35x15 mm  
Sensitivity: 1 g    Size: 185x158xh 50 mm  
Battery: 1xCR2032 - not included

LCD digit height 11.4 mm

## SLIM SCALE



ULTRA SLIM

- **27247 SLIM PRECISION SCALE**  
With safety tempered ultra slim glass 248x180x3 mm.  
Touching key, overload indication, tare function, back light.

### TECHNICAL SPECIFICATIONS

Capacity: max 5 kg (11 lb) min 2 g (0.207 lb)  
Sensitivity: 1 g (0.05 oz)  
LCD display: 65x35 mm  
Size: 248x180x16 mm  
Battery: 3xAAA 1.5 V - not included

## BODY FAT SCALE



27229

- **27229 EXACTA DELUXE SCALE**  
Measuring body weight, fat, water, muscle content and daily caloric consumption.

### TECHNICAL SPECIFICATIONS

Capacity: max 180 kg (400 lb, 28 st) min 3 kg (6.6 lb)  
Sensitivity: 100 g (0.2 lb)  
LCD Display: 31 mm  
Safety glass: 310x310x22 mm  
Battery: 2x CR2032 - included    Warranty: 3 years

Overload and low battery indication, weight in kg/lb/st 12 memories. Sensor button.



# SOEHNLE PROFESSIONAL DIGITAL SCALES

- 27275 SOEHNLE 7830
- 27276 SOEHNLE 7831 with height rod and BMI display
- 27277 SOEHNLE 7730

The new range of Soehnle professional personal scales with stand is a special highlight with its gently curved glass indicator. While stepping on the scale, the display is activated automatically and the weight is shown with redbacklighted numbers. It does not require any operation and is perfectly suitable for simple weighing in medical institutions, wellness areas and pharmacies.

**Scale with integrated height rod** Soehnle 7831 (27276) with stand and height rod switches automatically from kg to cm if the height rod is raised. Thus, patients can be simultaneously weighed and measured.

Features:

- indication of weight, height and BMI (27276 only)
- integrated height rod from 120 cm to 202 cm (27276 only)
- no keys, simple to use, tare key on the back of the display
- glass scale indicator (glass thickness 8 mm)
- bright LED display: 5 digits, height 15 mm

Made in Germany.

Manual in: DE, GB, FR, ES, PT (only 27277), IT, NL, DK, FI, SE, NO, GR, TR, CZ, SK, PL, RU.

### TECHNICAL SPECIFICATIONS

	27275	27276	27277
Capacity:	220 kg	220 kg	250 kg
Sensitivity:	100 g	100 g	100 g
Dimension mm:	369x609x893	369x609x1279	369x609x893
Weight:	13.6 kg	17.2 kg	13.6 kg
Power Supply:	230 V - 50-60 Hz		

(available on request 110 V)

No keys on the glass plate

**SOEHNLE**  
PROFESSIONAL

Integrated height rod

27276

27277

Large tread 364x405 mm  
Antislip surface

# SECA MEDICAL SCALES - CLASS III



Dial with BMI

**seca**

27284


- 27284 SECA 756 - mechanical with height rod - (60-200 cm) - class III  
Tradition combined with modern design. With a very sensitive precision mechanism to show weight through the aid of a well visible red pointer on the circular dial.  
User manual in English, Spanish, French, German, Italian.

### TECHNICAL SPECIFICATIONS

Capacity: 160 kg  
Sensitivity: 500 g  
Weight: 18.5 kg  
Dimensions: 628x360x1,000 mm  
Platform: 360x350 mm with wheels

Keys to symbols: = Metrological Approval for use in medical field

= Calibration according to class III sensitivity required by 90/384/EEC



Supplied with height rod

**seca**

27296

- 27296 SECA 711 - mechanical with height rod - class III - (60-200 cm)
- 27297 SECA 700 - mechanical with height rod - (60-200 cm)  
Mechanical column scale with weight adjustment at eye level. Weight can be measured in a conventional way: by aligning two chrome plated indicators.  
User manual in English, Spanish, French, German, Italian.
- 27298 SECA220 HEIGHT ROD - spare

### TECHNICAL SPECIFICATIONS

Capacity: 220 kg  
Sensitivity: 100 g (27296) - 50 g (27297)  
Weight: 21.7 kg  
Dimensions: 520x1,556x520 mm  
Platform: 350x360 mm



27292

The non slip surface on the platform guarantees a safe and secure foothold

All it takes is the press of a key to find out BMI

27292 + 27298

- 27292 SECA 799 - electronic with BMI - class III
- 27298 SECA 220 HEIGHT ROD  
Versatile, low maintenance and site independent with economic battery operation, ideal for daily use in hospital and doctors practices. Column scale is easy to move around with its transport castors. BMI function permits a reliable evaluation of the nutritional conditions of the patient. Equipped with several functions: TARE, HOLD, weighing range switch-over automatic switch off. User manual in English, Spanish, French, German, Italian.

### TECHNICAL SPECIFICATIONS

Capacity: 200 kg  
Sensitivity: 100 g < 150 kg > 200 g  
Weight: 6.3 kg  
Dimensions: 294x831x417 mm  
Platform: 272x280 mm

= Approved scales according to 93/42 EEC




## PEGASO DIGITAL SCALE



Anodized aluminium telescopic height rod cm-inches with measurement range 75-210 cm and graduation of 0.5 cm



Switchable kg/lb.



27288

### • 27288 PEGASO DIGITAL SCALE with height meter (75x210 cm)

Professional and reliable digital scale with integrated height rod. Easy to use, each function has an on-screen display to track activities in real time. High contrast backlit LCD display with 20 mm figures for increased readability. Exact and reliable results thanks to tare and fixed weight functions. Auto-off function to avoid energy waste. Can be operated by mains or batteries.

### • 27281 POWER SUPPLIER - spare

#### TECHNICAL SPECIFICATIONS

Capacity:	200 kg
Sensitivity:	100 g
Dimensions:	535x275x1,060 mm
Platform:	372x275 mm
Weight:	15 kg
Power supply:	110-240 V - 50/60 Hz
Battery accumulator:	6V 5AH
Recharging time:	4-5 hours
Operating time when fully charged:	36 hours

## ASTRA SCALE



Reading on both sides of measuring rod 75 to 200 cm



27310

### • 27310 ASTRA SCALE - 200 kg mechanical with height meter (75-200 cm)

Sturdy and reliable beam scale to warrant exact and precise measurements. Made in steel and varnished in high resistance white shellac. Robust lever system.

Provided with wheels for easy mobility. User manual in English, Spanish, French, Italian, German, Greek, Portuguese, Arabic.

#### TECHNICAL SPECIFICATIONS

Capacity:	200 kg
Sensitivity:	100 g
Weight:	17 kg
Dimensions:	275x1,485x530 mm
Platform:	375x275 mm

Wheels for easy mobility

Platform with anti-skid cover

## DIGITAL CHAIR SCALE

**SOEHNLE**  
PROFESSIONAL

27273



### • 27273 CHAIR SCALE SOEHNLE 7802

Fully electronic scale: no wear and tear parts, no maintenance. Easy to read display with 15 mm high figures.

Zero setting, taring and hold functions.

Tiltable arms for easy access of bed-ridden and frail patients.

Powered by either mains or batteries (4x1.5V mignon batteries). Battery operating life up to 150 hours.

Manual in: DE, GB, FR, NL, ES, IT, PT, CZ, FI, SE, NO, DK, GR, PL, TR.


#### TECHNICAL SPECIFICATIONS

Capacity:	200 kg (440 lb)
Sensitivity:	100 g
Total weight:	27 kg
Dimensions:	580x1,100x930 mm
Operating voltage:	230 V / 50-60 Hz, 10 mA, 2.2 VA
Made in Germany	

## MULTIFUNCTION SCALE

**SOEHNLE**  
PROFESSIONAL

Multifunction scale combined with 3 support handrails, a drive-on ramp and indicator bracket




27243  
+  
27244  
+  
27251

Bracket for mounting indicator


Support handrails

Drive-on ramp



27243

Platform with indicator



27243  
+  
27244



27243  
+  
27245

### • 27243 MULTIFUNCTION SCALE - SOEHNLE 7808

Manual in: DE, GB, FR, NL, ES, IT, GR, FI, NO, SE, DK, CZ, RU.

### • 27244 DRIVE-ON RAMP

### • 27245 ADIPOSITIVITY HANDRAILS + BRACKET FOR INDICATOR

### • 27251 SUPPORT HANDRAILS + BRACKET FOR INDICATOR

### • 27278 MULTIFUNCTION SCALE - SOEHNLE 7708

(complete with+27244+27251) - manual in: GB, FR, DE

Multifunction scale prepared for easy (and later) mounting of support handrails, adiposity handrails, bracket for indicator, drive-on ramps. Movable by means of 2 rollers and handle. Bright LED display, digit height 15 mm. Made in Germany.

#### TECHNICAL SPECIFICATIONS

Capacity:	300 kg	Sensitivity:	100 kg
Dimension:	840x880x55 mm		
Power supply:	230 V - 50-60 Hz		
	(available on request with rechargeable battery or Class III)		



## SECA ELECTRONIC BABY SCALE



The weighing tray can be removed quickly and easily at the touch of a button

seca

- 27282 SECA 354 - electronic
- 27283 SECA 384 - electronic - class III

M CE III

Two scales in one: with a comfortable tray to weigh in a reclining position, easily detachable to be converted into a floor scale. Breast-milk-intake function determines how much milk the baby has suckled. Other functions: tare, auto-hold, kg/lbs switch over automatic switch off, BMIF.

### TECHNICAL SPECIFICATIONS

Capacity: 20 kg	Sensitivity: 10 g < 10 kg > 20g
Dimensions: 552x156x332 mm	Weight: 2.3 kg (27282), 2.8 kg (27283)
Batteries: operated	Made in Asia

## SECA MECHANICAL BABY SCALE



- 27299 SECA 725 - mechanical
- 27294 SECA 745 - mechanical - class III

M CE III

The sturdy classic: with its softly curved weighing tray, the stable all-steel casing and the precise, smooth running weights, this model is the indestructible original baby scale.

### TECHNICAL SPECIFICATIONS

Capacity: 16 kg	Sensitivity: 5 g (27299) 10 g (27294)
Dimensions: 550x180x290 mm	Weight: 6 kg
Made in Asia	

## FOLDABLE BABY SCALE



Folded scale

CE

SOEHNLE PROFESSIONAL

27266

- 27266 SOEHNLE 8320 FOLDABLE BABY SCALE

Foldable baby scale for easy transport. Folding mechanism with magnetic lock. Easy to open: remove the base and pull the handles apart. Taring function: pads, blankets, placed under the baby are taring. Steady weight display through filtering and hold function. Large LCD display easy to read. Switchable to kg/lb. Manual in: DE, GB, FR, ES, IT, GR, CZ, AE.

- 27271 CARRYING BAG



27271

### TECHNICAL SPECIFICATIONS

Capacity: 15 kg	Sensitivity: 10 g
Dimensions: 375x315x105 mm (closed) - 740x315x53 mm (open)	
Alkaline battery 2x1.5V AAA - not included	
Weight: 1.9 kg	Warranty: 2 years

## HOSPITAL DIGITAL BABY SCALE



Mains or battery operation

CE III M

27263

- 27263 SOEHNLE 775 HOSPITAL SCALE - digital

A two-range scale with high precision and reliability suitable for hospital use (approved class III, MPG class I). The damping and hold function guarantee a stable weight indication. With high stability for safe weighing of our babies. Easy to clean plastic and ergonomic forms allow a simple and hygienic cleaning.

- high-contrast LCD display with 20 mm high figures
- large reading angle
- automatic zeroing at switch-on
- tare function key (laid on pad can be tared)
- hold function

Manual in: DE, GB, FR, ES, IT, GR, CZ, NL, SE, AE.

- 27264 BABY HEIGHT ROD
- Digital and mechanical rod, 35 to 80 cm, division 1 mm. Manual in 23 languages.



27263+  
27264

### TECHNICAL SPECIFICATIONS

Capacity: 15 kg	Sensitivity: 2 g up to 6 kg, 5 g from 6 kg up
Dimensions: 60x35x12 cm - 4.6 kg	
Operating voltage: 220-235 V/50-60 Hz or rechargeable batteries	

## GIMA ELECTRONIC BABY SCALE

- 27313 GIMA ELECTRONIC BABY SCALE

Handy, reliable and well-designed electronic baby scale. Provided with large LCD display 65x26 mm and kg/lb switch. Supplied with height tape meter and washable sheet.



LCD digit height: 18 mm

Multilingual user manual and gift box

27313

### TECHNICAL SPECIFICATIONS

Capacity: 20 kg / 44 lbs	Sensitivity: 10 g
Dimensions: 595x340x90 mm	Weight: 4 kg
Battery operated: 4x1.5V AA	Auto-off function



## FAMILY BABY SCALE

- 27301 FAMILY BABY SCALE

Baby scale suitable for domiciliary use.

Capacity 20 kg/44 lbs  
Scale division: 50 g (0-10 kg)  
100 g (10-20 kg)

Plastic tray  
Dialplate in kg and lbs  
Manual zero adjustment



CE 0044

27301