

WALLABEE®

THE COMFORTABLE BABY CARRIER




Norm DIN EN 13209-2:2005
standard DIN EN 13209-2:2005
norme DIN EN 13209-2:2005
norma DIN EN 13209-2:2005
szabvány DIN EN 13209-2:2005


DEUTSCH	01
ENGLISH	13
FRANÇAIS	25
ESPAÑOL	37
ITALIANO	49
PORTUGUÊS	61
NEDERLANDS	73
NORSK	85
DANSK	97
SUOMI	109



< 52 cm



> 52 cm



_ ENGLISH

NOTES / ATTENTION	12
OVERVIEW	14
APPLICATION / ADJUSTMENT OF THE HEADREST	15
USING THE WEB WIDTHS ADJUSTMENT	15
ADJUSTMENT OF THE HEIGHT OF THE CARRYING BAG	16
CARE TIPS	17
GUARANTEE	17
FRONT CARRIER FOR NEWLY BORN BABY (LESS THAN 52 CM IN LENGTH)	18
FRONT CARRIER FOR A BABY/SMALL CHILD (MORE THAN 52 CM IN LENGTH)	20
BACK CARRIER FOR A BABY/SMALL CHILD (MORE THAN 52 CM IN LENGTH)	22
REMOVING THE CONCORD WALLABEE AS FRONT CARRIER	24
REMOVING THE CONCORD WALLABEE AS BACK CARRIER	24

_ THANK YOU!

Thank you for purchasing a quality product from CONCORD.
You will be impressed by the versatility and safety of this product.
We hope that you enjoy using your new CONCORD WALLABEE.

_ NOTES

The CONCORD WALLABEE is suitable for babies and small children from 3,5 - 18 kg.

CAUTION!


- Carefully read these instructions before use and store them in a safe place. The safety of your child could be threatened if you do not comply with these instructions.
- Keep these instructions in case you have any questions later.
- The baby / small child must always be placed in the CONCORD WALLABEE with face and body towards the carrier.

WARNING!

- Your balance can be negatively impaired by your motion and that of your child.
- Be careful when leaning forward or reclining.
- This carrier is not suitable for application during sporting activities.
- Never leave your child unattended.
- Always make sure that the mouth and nose of your child are free and the child can freely breathe!


CAUTION! KEEP FOR LATER REFERENCE!

_ OVERVIEW



- 01 Shoulder straps Wide shoulder/back straps for greater comfort when carrying.
- 02 Headrest / neck rest Using the neck rest, the not yet fully neck musculature of your newly born baby can be supported. The adjustable headrest supports the head of your child and protects your child from inquisitive looks or impairing environmental influences, such as wind and weather. (refer to „APPLICATION / ADJUSTMENT OF THE HEADREST“)
- 03 Carrying bag Ergonomically shaped carrying bag for optimum support of the back of your child.
- 04 Cutouts for legs Convenient cutouts for the legs for optimum and comfortable support of the leg of your child, in the ergonomically correct spread-squat position.
- 05 Web widths adjustment Using the web width adjustment, the width of the CONCORD WALLABEE can be set to the size of your child, so that the ergonomically correct spread-squat position is ensured.
- 06 Waist strap Wider, padded waist strap with individually adjustable Velcro fastener and safety strap. There is the option for additional height adjustment on the inside of the carrying bag.
- 07 Option chest strap Optional useful chest strap that can be used to attach the carrying straps when using the CONCORD WALLABEE as a rear carrier.

_ APPLICATION / ADJUSTMENT OF THE HEADREST




Using the neck rest, the not yet fully neck musculature of your newly born baby can be optimally supported. Twist the headrest (02) from the inside to the outside to form a neck rest. Subsequently, using the buttons, attach the neck rest to the appropriate button loops on the inside of the shoulder carrying straps (01).

Using the buttons, the adjustable headrest (02) can be attached in different positions/heights on the button loops on the inside of the shoulder carrying straps (01). So that your child can look out, it is only possible to attach the headrest on one side.

CAUTION!

Always make sure that the mouth and nose of your child are free and the child can freely breathe!

_ USING THE WEB WIDTHS ADJUSTMENT




Thus, the width of the CONCORD WALLABEE can be optimally adjusted in the area of the buttocks to the size of your child.

When using the CONCORD WALLABEE for a newly born baby of less than 52 cm in length, we recommend to use a newly-born baby insert. Adjustment of the web widths should be open and the CONCORD WALLABEE used in the full width.

When using with a baby/small child of more than 52 cm in length, the width of the CONCORD WALLABEE should be adjusted so that the outer edge of the leg cutouts (04) should rest in the back of the knees. Here, pull the cords of the web width adjustment (05) until the required width is attained and fix this by tying the cords together.

_ ADJUSTING THE HEIGHT OF THE CARRYING BAG



The height of the carrying bag (03) can be adjusted to the size of the child.
To do this, place the outside of the CONCORD WALLABEE on a flat surface.

Guide the button loops on the inside of the carrying bag (03) downwards and attach these on both sides to the buttons on the inside of the waist strap (06).

CAUTION!

- Adjustment of the height of the carrying bag is always carried out without the child.
- When selecting the height, make sure that the back and head of the child are adequately supported.

_ CARE TIPS

The CONCORD WALLABEE can be washed in a machine at 30°. During washing, the Velcro fastener of the waist strap should be closed.

Before using the CONCORD WALLABEE again, allow it to completely dry.

- The cover material colour may run slightly when wet, in particular during washing.
- Do not use solvents on the cover!



_ GUARANTEE

The guarantee begins on the day of purchase.
The guarantee period corresponds to the statutory warranty period in the end-user's country concerned.
At the manufacturer's discretion, the guarantee shall cover rectification, replacement or a price reduction.

The guarantee is valid for the original purchaser only.
In the event of any defect, claims can not be considered unless the specialist dealer is notified of the fault as soon as it occurs for the first time. If the specialist dealer is unable to remedy the problem himself, he must return the product to the manufacturers together with details of the complaint, official proof of purchase and the purchase date. The manufacturers assume no liability for faulty goods that they did not supply.

The guarantee does not apply where:

- the product has been modified;
- the product is not brought back to the specialist dealer complete with proof of purchase within 14 days of the defect occurring;
- the defect was caused by improper usage or maintenance or due to anything else deemed to be the fault of the user, in particular failure to comply with the instructions for use;
- repairs have been carried out on the product by third parties;
- the defect was caused as the result of an accident.
- the serial number has been damaged or removed

The guarantee makes no provision for any alteration or deterioration to the product that is incurred through normal usage (wear and tear). The period of guarantee shall not be extended by any remedial measures carried out by the manufacturers in the event of a claim.

_ FRONT CARRYING FOR NEWLY BORN BABIES (LESS THAN 52 CM IN LENGTH)

The CONCORD WALLABEE is fundamentally suitable for mature newly born babies from a body weight of 3,5 kg.


When using the CONCORD WALLABEE for a newly born baby of less than 52 cm in length, we recommend to use a newly-born baby insert.

For more detailed information about using the newly-born baby insert, refer to the appropriate user manual.

For small children, the CONCORD WALLABEE provides the option to reduce the height of the carrying bag (refer to „ADJUSTING THE HEIGHT OF THE CARRYING BAG“).


CAUTION!

Always make sure that the mouth and nose of your child are free and the child can freely breathe!



1 - Place the waist strap (06) of the CONCORD WALLABEE around your waist so that the carrying bag (03) hangs downwards and the inside points outwards. Close the stomach strap so that the Velcro fasteners lay exactly over one another and are firmly closed.

2 & 3 - Close the safety lock and tension the webbing on the safety lock.
4 - Now move the carrying bag (03) in the centre of your stomach.




5 - Place your baby in front of the stomach and support its back with one hand. Place the feet of your baby on the edge of the waist strap so that it is in the ergonomically correct spread-squat position.

6 & 7 - Pull the carrying bag (03) upwards over the back of the baby.

First place a carrying strap (01) over the shoulder, subsequently, the other carrying strap (01) over the other shoulder. Hereby, always support the back of your baby with one hand.

8 - At the upper edge, pull the carrying bag (03) upwards and position your baby in the centre and low down in the carrying bag.




9 - With one hand, pull the opposite shoulder strap (01) diagonally downwards to tension it and lead it forwards, whilst supporting the back of the baby with the other hand.

10 & 11 - Hold this shoulder strap in the hand and support the back of the child whilst leading the second

shoulder strap (01) diagonally downwards and pull tight and lead it forwards.

12 - Pull both shoulder straps (01) forwards under the buttocks of your baby until they are tight and secure the shoulder strap (01) at the centre of the waist strap (06) with a double knot.




13 - Again pull the top edge of the carrying bag (03) upwards. Check to make sure that your baby is stable, positioned in the centre and low down in the carrying bag (03) and is in the ergonomically correct spread-squat position.

That means the knee of the child should be above its buttocks.

Check to make sure that all fasteners and knots are tight, the straps are in the correct position, not twisted and sit comfortably.

If the carrying straps (01) should hang down below your knee, these should be knotted at the back or attached to the waist strap (06).

Because newly born babies are not able to independently hold their head, the headrest (02) of the CONCORD WALLABEE should be used! The headrest can be rolled to form a roll and, using the buttons on the left and right, attached to the inside of the shoulder straps (01). Alternatively, the headrest (02) can also be placed over the head of the child at the required position and attached to the shoulder straps (01) (also refer to „APPLICATION / ADJUSTMENT OF THE HEADREST“).



For information about removing the CONCORD WALLABEE, refer to Chapter „REMOVING THE CONCORD WALLABEE AS FRONT CARRIER“.

_ FRONT CARRIER FOR A BABY/SMALL CHILD (FROM 52 CM IN LENGTH)


As soon as your child is big enough (more than 52 cm in length) it can also be transported in the CONCORD WALLABEE without the newly-born baby insert.

The CONCORD WALLABEE is suitable for babies and small children from 3,5 kg to a maximum of 18 kg.

For small children who have just outgrown the newly-born baby insert, the CONCORD WALLABEE provides the option to reduce the height of the carrying bag (refer to „ADJUSTING THE HEIGHT OF THE CARRYING BAG“).


CAUTION!

Always make sure that the mouth and nose of your child are free and the child can freely breathe!




1 - Place the waist strap (06) of the CONCORD WALLABEE around your waist so that the carrying bag (03) hangs downwards and the inside points outwards. Close the stomach strap so that the Velcro fasteners lay exactly over one another and are firmly closed.

2 & 3 - Close the safety lock and tension the webbing on the safety lock.
4 - Now move the carrying bag (03) in the centre of your stomach.



5 - Place your child in front of the stomach and support its back with one hand.
6 & 7 - Pull the carrying bag (03) upwards over the back of the child. First place a carrying strap (01) over the shoulder, subsequently, the other carrying strap (01) over the other shoulder.


Hereby, always support the back of your child with one hand.
8 - At the upper edge, pull the carrying bag (03) upwards and position your child in the centre and low down in the carrying bag.



9 - With one hand, pull the opposite shoulder strap (01) diagonally downwards to tension it and lead it forwards, whilst supporting the back of the child with the other hand.
10 & 11 - Hold this shoulder strap in the hand and support the back of the child whilst leading the second shoulder

strap (01) diagonally downwards and pull tight and lead it forwards.

12 - Pull both shoulder straps (01) forwards under the buttocks of your child until they are tight and secure the shoulder strap (01) at the centre of the waist strap (06) with a double knot.



13 - Again pull the top edge of the carrying bag (03) upwards. Lead the legs of your child on your waist and sit it in the centre in the carrying bag so that your child sits in the ergonomically correct spread-squat position. That means the knee of the child should be above its buttocks.

Check to make sure that all fasteners and knots are tight, the straps are in the correct position, not twisted and sit comfortably. If the carrying straps (01) should hang down below your knee, these should be knotted at the back or attached to the waist strap.

17 - The adjustable headrest supports the head of your child and protects your child from inquisitive looks or impairing environmental influences, such as wind and weather (refer to „APPLICATION / ADJUSTMENT OF THE HEADREST“).

18 - Check to make sure that your child sits correctly and, as necessary, use the web widths adjustment (refer to „USING THE WEB WIDTHS ADJUSTMENT“).

For information about removing the CONCORD WALLABEE, refer to Chapter „REMOVING THE CONCORD WALLABEE AS FRONT CARRIER“.


_ BACK CARRIER FOR A BABY/SMALL CHILD (MORE THAN 52 CM IN LENGTH)

The CONCORD WALLABEE can be used for small children who can safely independently hold their head (approx. 4 months) and also as a back carrier.

If using as a back carrier, we recommend that a second person always assists when putting on and removing. This increases the safety of your child.


CAUTION!

Always make sure that the mouth and nose of your child are free and the child can freely breathe!



1 - Place the waist strap (06) of the CONCORD WALLABEE around your waist so that the carrying bag (03) hangs downwards and the inside points outwards. Close the stomach strap so that the Velcro fasteners lay exactly over one another and are firmly closed.


2 & 3 - Close the safety lock and tension the webbing on the safety lock.
4 - Now position the carrying bag (03) in the centre of your back.



Positioning the child on the back should only be carried out alone / without assistance by users with practice. Users with no practice should get another person to position the child on the back (refer to 9).


5 - Place the child in front of your stomach.
6 - Now set it on your waist with the legs slightly spread. Always firmly hold your child with **both** hands.

7 & 8 - Slowly move your child from the waist onto your back. Hereby, if your back is straight, slightly incline your upper body forwards and position the child in the centre on your back.




9 - If your back is straight, slightly incline your upper body forwards and get a person to position the child in the centre on your back.
10 & 11 - Always support your child with one hand. Pull the carrying bag (03) upwards over the back of the child.

First place a carrying strap (01) over the shoulder, subsequently, the other carrying strap (01) over the other shoulder to the front.
12 - Pull both shoulder straps (01) downwards to tighten them and lead them to your back.



13 & 14 - Depending on the size of the user, the shoulder straps (01) can be attached on the back using a simple knot and subsequently secured on the stomach with a double knot. If the shoulder straps (01) are not long enough, secure these on the back using a double knot.

15 - Lead the legs of your child on your waist and sit it in the centre of the carrying bag.
16 - Make sure that your child sits in the ergonomically correct spread-squat position. That means the knee of the child should be above its buttocks.



17 - The position of the shoulder straps can be secured using the optional chest strap (07). For this, lead the chest strap between the chest and shoulder straps and close the fastener.


18 - Check to make sure that all fasteners and knots are tight, the straps are in the correct position, not twisted and sit comfortably. Check to make sure that your child sits correctly and, as necessary, use the web widths adjustment (refer to „USING THE WEB WIDTHS ADJUSTMENT“).

If the carrying straps (01) should hang down below your knee, these should be attached to the waist strap.

The adjustable headrest supports the head of your child and protects your child from inquisitive looks or impairing environmental influences, such as wind and weather (refer to „APPLICATION / ADJUSTMENT OF THE HEADREST“).

For information about removing the CONCORD WALLABEE, refer to Chapter „REMOVING THE CONCORD WALLABEE AS BACK CARRIER“.

_ REMOVING THE CONCORD WALLABEE AS FRONT CARRIER




1 - Undo the knots of the shoulder straps (01), however, continue to firmly hold the shoulder straps.
2 - Use one hand to support the back of the child whilst loosening the shoulder straps (01) with the other hand.

3 - Take your child out of the CONCORD WALLABEE and place it on a safe location.
4 - First open the safety lock, subsequently, the Velcro fastener of the waist strap (06).

CAUTION!

- Always make sure that your child is securely held.
- If in doubt about the safety of your child, get a second person to assist.
- Never leave your child unattended.

_ REMOVING THE CONCORD WALLABEE AS BACK CARRIER



1 - Undo the knots of the shoulder straps (01), however, continue to firmly hold the shoulder straps.
2 - Use one hand to hold your child whilst loosening the shoulder straps (01) with the other hand.

3 - Get a second person to remove your child from the CONCORD WALLABEE, or move your child to the front over your waist. Place your child on a safe location.
4 - First open the safety lock, subsequently, the Velcro fastener of the waist strap (06).

CAUTION!

- Always make sure that your child is securely held.
- If in doubt about the safety of your child, get a second person to assist.
- Never leave your child unattended.

_ **DEUTSCH**
_ **ENGLISH**
_ **FRANÇAIS**
_ **ESPAÑOL**
_ **ITALIANO**
_ **PORTUGUÊS**
_ **NEDERLANDS**
_ **NORSK**
_ **DANSK**
_ **SUOMI**

Trage- und Bedienungsanleitung
Carrier and user manual
Manuel de portage et d'utilisation
Instrucciones de uso
Istruzioni di trasporto e di impiego
Manual de instruções e de suporte
Draag- en bedieningshandleiding
Bære- og bruksanvisning
Bære- og betjeningsvejledning
Kanto- ja käyttöohje

CONCORD GmbH
Industriestraße 25
95346 Stadtsteinach
Germany

Phone +49 (0)9225.9550-0
Fax +49 (0)9225.9550-55
info@concord.de
www.concord.de



WA 01 / 1213