



CLIFFORDHALLAMHEALTHCARE



CH2.EQUIPMENTFOCUS

NOVEMBER 2010 - MAY 2011

WHO IS CH2?

Clifford Hallam Healthcare (CH2) is today Australia's largest national Pharmaceutical and Medical Healthcare Service Provider utilising local knowledge and local people to provide pharmaceuticals, medical consumables and equipment products to the healthcare market. With branches in each state, CH2 is able to provide a complete supply solution with quality customer service and sales support.

ABOUT THIS EQUIPMENT FOCUS CATALOGUE

CH2 is always looking for ways to make purchasing easier for our customers. We have designed this Equipment Focus catalogue as a quick reference guide to some of the products we provide in this market segment.

It is divided into the different categories available to you and also includes the products codes, units of measure, product descriptions, manufacturer part number, and price for each product.

We have also provided additional information about CH2 and our contact details. There is also a space for you to record your CH2 Account number and passwords.

For further information on our full catalogue please contact customer service 1300 720 274.

NATIONAL HEALTHCARE SERVICE PROVIDER

EXTENSIVE PRODUCT RANGE

CH2 carry a comprehensive range of medical and surgical products, pharmaceuticals, general consumable items and healthcare equipment.

SIMPLE ORDERING SYSTEM (SOS)

Our on line ordering system that provides our customers with direct access to CH2's inventory of over 15,000 products via their personal computer.

WardBox® IS UNIQUE TO CH2

It is designed to reduce stock holdings and offers a range of service model options that assist in achieving operational efficiencies.

LOCAL

Local representatives and customer service team in each state.

ONLINE

Go on-line to access CH2 Link and download your invoices & credit notes. You can also access CH2 Direct, our new web based ordering system. Browse our National Product Guide, brochures and corporate information.

IMPORTANT INFORMATION

MY CH2 ACCOUNT NUMBER _____

SOS PASSWORD _____

CH2 LINK PASSWORD _____

CH2 DIRECT PASSWORD _____

CONTACTS _____



CONTENTS

ASSESSMENT	1
DIAGNOSE	16
TREATMENT	23
INFECTION CONTROL	34
TERMS & CONDITIONS	36

EQUIPMENTFOCUS

NOVEMBER 2010 - MAY 2011

CH2

CLIFFORDHALLAMHEALTHCARE

EVERYONE'S A WINNER...

...WHEN YOU PURCHASE WELCH ALLYN'S 3.5V UNIVERSAL
DESK CHARGER WITH 2 X LITHIUM-ION HANDLES [71736]



RECEIVE A BONUS 3.5V
EPISCOPE HEAD VALUED AT
\$657.03

**GOLD
PACKAGE**

\$1,895.00
PLUS GST



WELCH ALLYN GOLD PACKAGE UNIVERSAL DESK CHARGER

- 3.5V UNIVERSAL DESK CHARGER WITH 2 X LITHIUM-ION HANDLES [71736]
- PANOPTIC OPHTHALMOSCOPE HEAD WITH COBALT BLUE FILTER AND CORNEAL VIEWING LENS [11820]
- 3.5V MACROVIEW OTOSCOPE HEAD WITH THROAT ILLUMINATOR [23820]
- BONUS 3.5V EPISCOPE SKIN SURFACE MICROSCOPE HEAD [47300]

1904044
WELCH-GOLDDesk

\$1,895.00

EVERYONE'S A WINNER...

...WHEN YOU PURCHASE WELCH ALLYN'S
767 DIAGNOSTIC WALL TRANSFORMER [76716]



RECEIVE A BONUS 3.5V
EPISCOPE HEAD VALUED AT
\$657.03

**GOLD
PACKAGE**

\$1,690.00
PLUS GST



WELCH ALLYN GOLD PACKAGE 767 DIAGNOSTIC WALL TRANSFORMER

- 3.5V 767 DIAGNOSTIC WALL TRANSFORMER WITHOUT CLOCK [76716]
- PANOPTIC OPHTHALMOSCOPE HEAD WITH COBALT BLUE FILTER AND CORNEAL VIEWING LENS [11820]
- 3.5V MACROVIEW OTOSCOPE HEAD WITH THROAT ILLUMINATOR [23820]
- BONUS 3.5V EPISCOPE SKIN SURFACE MICROSCOPE HEAD [47300]

1904052
WELCH-GOLDWALL

\$1,690.00

03100 LED LIGHT GLOBE FOR WELCH ALLYN 2000 OTOSCOPE

1900781
WELCH-03100-LED
\$155.00



06500 LED LIGHT GLOBE FOR WELCH ALLYN MACROVIEW OTO

1900810
WELCH-06500-LED
\$155.00



04900 LED LIGHT GLOBE FOR WELCH ALLYN 11720 COAX OPH

1900801
WELCH-04900-LED
\$175.00



03800 LED LIGHT GLOBE FOR WELCH ALLYN 11820 PANOPTIC

1900799
WELCH-03800-LED
\$195.00



WELCH ALLYN SURECOLOR™ LED LAMPS OFFER:

SureColor™ LED Technology enabling reduction of light intensity to alleviate glare or enhance patient comfort while preserving the color and clarity of the view.

High Energy Efficiency resulting in 3X the examination time with each charge cycle of a Welch Allyn rechargeable handle

A Simple Solution presented with four lamp upgrade kits which are compatible with our most popular physical assessment instruments and can be installed in seconds with a simple exchange of the halogen lamp.

Features and Benefits

Long Life eliminating inconvenient interruptions between lamp replacement.

Patented SureColor™ LED Technology preserving the color and clarity of the view.

High Energy Efficiency 3X the examination time with each charge of a Welch Allyn rechargeable handle.

Less Heat Development improved patient and clinicians comfort.

Consistent color output through the dimming cycle improved color and color temperature remain consistent during the dimming cycle.

LED Lamp Part	Physical Assessment Instrument	Device Part	Description
Traditional Diagnostic Otoscope			
		2000	3.0V Otoscope/Teaser Otoscope
		2020	3.0V Pediatric Otoscope
		21700	3.0V Operating Otoscope
		20620	3.0V Diagnostic Otoscope (with Specula)
MacroView® Diagnostic Otoscope			
		2000	3.0V MacroView® Otoscope
		20620	3.0V MacroView® Otoscope/Teaser Otoscope
		20620	Digital MacroView Otoscope
Traditional Ophthalmoscope			
		11720	3.0V Coaxial Ophthalmoscope
		11720	AutoStop® Coaxial Ophthalmoscope
		11720	3.0V Focus® Coaxial Plus Ophthalmoscope
RedLux™ Ophthalmoscope			
		11820	RedLux™ Ophthalmoscope (See The Lens)



WELCH ALLYN GS 300 EXAM LIGHT

GS 300 General Exam Light. The GS 300 is a perfect combination of intense light output and cool operation, all delivered in a compact design. And with an affordable price and rugged performance, the GS 300 is ideal for any in-office exam.

1877331
WELCH-44456

\$699.00



WELCH ALLYN GS EXAM LIGHT IV

Perfect for the OB/GYN office or for specialties that require very focused light in specific areas, the GS Exam Light IV provides you with 3X the typical light output and features a highly flexible light pipe that is twice as long as conventional pipes.

And with a compact, unobtrusive head, it ensures pinpoint accuracy and provides true tissue colour rendition during an exam.

1877445
WELCH-48816

\$1,320.00



WELCH ALLYN GS™ 900 PROCEDURE LIGHT WITH CEILING MOUNT

This procedure light, featuring six LEDs, combines outstanding durability, extraordinary manoeuvrability, unparalleled spot quality and multiple mounting options.

Whiter, Brighter and Greener

- SIX WHITE LEDS FOR GREATER INTENSITY
- TOUCHLESS ON/OFF WITH DIMMING OPTION
- MULTIPLE MOUNTING OPTIONS FOR FLOOR SPACE MAXIMIZATION
- DISPOSABLE SHEATH AVAILABLE TO HELP REDUCE THE RISK OF INFECTION DUE TO CROSS-CONTAMINATION
- RUGGED, ERGONOMIC DESIGN ALLOWS FOR IMPROVED PERFORMANCE AND LONG-LASTING DURABILITY
- LOWER COST OF OWNERSHIP DUE TO ELIMINATION OF BULB REPLACEMENT AND LOWER ENERGY CONSUMPTION
- 5 YEAR LIMITED WARRANTY TO INCLUDE THE LED LIGHT SOURCE AND POWER SUPPLY ONLY

1877488
WELCH-44900-C

\$3,750.00

LRI

NT1A HAND HELD PULSE OXIMETER



- BRIGHT, EASY-TO-READ LARGE LED DISPLAY
- DURABLE, COMPACT AND LIGHTWEIGHT
- ACCURATE, RELIABLE READINGS DURING LOW PERFUSION AND MOTION
- AUDIBLE/VISUAL ALARMS WITH ADJUSTABLE ALARM LIMITS
- CAN BE USED FOR SPOT-CHECK AND CONTINUOUS MONITORING
- SUITABLE FOR ADULT, PAEDIATRIC, NEONATE SPO 2
- MEASUREMENT RANGE: 0~100%
- ACCURACY: $\pm 2\%$ DURING 70%~100%
- 0%~69% UNSPECIFIED PULSE RATE
- MEASUREMENT RANGE: 30~ 250 BPM
- ACCURACY: ± 1 BPM OR 2% WHICHEVER IS THE LARGER VALUE
- VISUAL DISPLAYS AND INDICATORS
- SPO2% DISPLAY: RED LED, VARIABLE BRIGHTNESS
- PULSE RATE DISPLAY: GREEN LED, VARIABLE BRIGHTNESS
- PULSE INTENSITY: RED LED 8 BARS
- POWER INDICATOR LIGHT: GREEN-NORMAL
- LOW POWER VOLTAGE: RED AND BLINK
- LOW PERFUSION INDICATOR: RED BAR AUDIO INDICATORS
- PROBE OFF AUDIO INDICATOR (EVERY 30SECONDS)
- PULSE AUDIO INDICATOR
- KEY-PRESSING INDICATOR
- LOW POWER VOLTAGE ALARM
- AUDIBLE/VISUAL ALARMS FOR HIGH/LOW SPO2 AND PR
- ALARM LIMITS ADJUSTABLE
- ALARM SILENCE INTERVAL: 30, 60, 90, 120 SEC. AND OFF
- LOW PERFUSION AND MOTION WARNING INDICATOR
- SENSOR DISCONNECT ALARM
- SENSOR OFF ALARM

PHYSICAL CHARACTERISTICS

DIMENSIONS:

69 MM (W) X 130 MM (H) X 22 MM (D)
[2.72 IN (W) X 5.11 IN (H) X 0.87 IN (D)]

NET WEIGHT: 195G /100G*

GROSS WEIGHT: 495G/395G*

*WITH BATTERIES/WITHOUT BATTERIES

POWER REQUIREMENTS

FOUR STANDARD "AA" SIZE ALKALINE BATTERIES

BATTERY CAPACITY: ≥ 12 HOURS

1888911

LRI-POSNT1A

\$575.00

FINGER SENSOR ADULT



1888929

LRI-POSS400A

\$249.00

FINGER SENSOR PEDIATRIC



1888937

LRI-POSS400P

\$225.00

SOFT FINGER SENSOR PEDIATRIC



1888945

LRI-POST400P

\$249.00

WRAP SENSOR ADULT-NONATAL



1888890

LRI-POSW400

\$215.00

LRI**CMS-50C FINGER TIP PULSE OXIMETER**

Economical, easy to use, compact pulse oximeter. Simply attach the lightweight unit to the finger to obtain instant SPO₂, pulse and Pleth Wave readings with the high visibility four-way OLED double colour display.

The CMS-50C Finger Tip Pulse Oximeter is equipped with a function switch, through which the oximeter can be automatically powered off when not in use for more than 5 seconds.

Fully self contained and compact, the finger tip pulse oximeter is the perfect choice for any health care practitioner.

TECHNICAL INFORMATION**VISUAL DISPLAY AND INDICATORS**

DISPLAY FORMAT: DOUBLE COLOUR OLED

DISPLAY MODE: FOUR DIRECTION

BACK LIGHT: OLED

SPO₂: 35-100%

PULSE RATIO: 25-250 BPM

PLETH WAVE: OLED GRAPHIC DISPLAY

RESOLUTION: 1% FOR SPO₂ AND 1 BPM FOR PULSE RATIO

POWER AND BATTERY

BATTERY: VOLTAGE LOW INDICATION - OLED BAR GRAPH

POWER REQUIREMENTS: 2X AAA SIZE ALKALINE BATTERIES 1.5V

POWER CONSUMPTION: LESS THAN 60 MA

MEASUREMENT**MEASUREMENT ACCURACY:**

± 2% IN STAGE OF 70-100% FOR SPO₂

UNSPECIFIED IN STAGE OF 35-69% FOR SPO₂

± 2 BPM OR ± 2% (SELECT LARGER) FOR PULSE RATIO

INFERENCE RESISTANCE CAPACITY AGAINST AMBIENT LIGHT:

DEVIATION IS SMALLER THAN ± 1%.

COMPLETE WITH LANYARD

BATTERIES NOT INCLUDED

1888902

LRI-POFCMS50C

\$165.00





ADE FLOOR SCALE - THE DIGITALIZED CLASSIC DESIGN

- EXTRA LARGE AND COMFORTABLE PLATFORM
- EXTRA SIZED LCD, 65 MM
- DIAL FRAMED BY ELEGANT CHROME RING

TECHNICAL SPECIFICATIONS

CAPACITY 200 KG
GRADUATION 100 G
DIMENSIONS 320 X 64 X 435 MM
WEIGHT APPROX. 2,4 KG

1888241
MEDELE-M35611

\$160.00



ADE AUTOMATIC FLOOR SCALE - ELEGANCE WITH A TOUCH OF LIGHTNESS

- EASY TO READY DIAL
- LARGE AND COMFORTABLE PLATFORM
- STABLE AND ROBUST CONSTRUCTION

TECHNICAL SPECIFICATIONS

CAPACITY 160 KG
GRADUATION 500 G
DIMENSIONS 320 X 70 X 430 MM
WEIGHT APPROX. 2,4 KG

1888259
MEDELE-M35813

\$130.00



ADE COLUMN SCALE

Large LCD, 25 mm

- AUTOMATIC ZERO SETTING AND FUNCTION TEST
- TARE AND HOLD FUNCTION
- BMI (BODY MASS INDEX) FUNCTION
- POWER SUPPLY: MAINS AND RECHARGEABLE BATTERIES

TECHNICAL SPECIFICATIONS

CAPACITY 200 KG 200 KG
GRADUATION 100 G 100 G
DIMENSIONS (MM) 310 X 960 X 430 310 X 55 X 300
WEIGHT APPROX. 5,6 KG 4,4

1888267
MEDELE-M20610

\$795.00

ADE**BABY SCALE -
SAFE AND COMFORTABLY EXTRA LARGE**

- LARGE LCD, 30 MM
- UNIT FUNCTION KG/LBS SELECTABLE
- TARE AND MULTIPLE TARE FUNCTION
- MEMORY FUNCTION
- AUTOMATIC SHUT OFF
- BATTERY USE OR MAINS ADAPTER (INCLUDED)

TECHNICAL SPECIFICATIONS

CAPACITY 20 KG
GRADUATION 5 G
DIMENSIONS 600 X 385 X 85 MM
WEIGHT 2,6 KG
BABY TRAY 600 X 280 X 40 MM

1888275

MEDELE-M10618

\$199.00**ADE****BABY MEASURING MAT - BABIES'
DELIGHT - THOUSANDFOLD PROVEN**

- EASY TO READ WHILE BABY LIES ON THE MAT
- SOFT MATERIAL - PERFECT FOR BABIES' SKIN
- EASY TO CLEAN PLASTIC MATERIAL
- RESISTANT TO SOFT DISINFECTION FLUIDS
- READING IN CM AN INCH

TECHNICAL SPECIFICATIONS

MEASURING RANGE 100 - 1.000 MM
GRADUATION 5 MM
DIMENSIONS 1.260 X 90 X 280 MM
WEIGHT APPROX. 585 G

1888283

MEDELE-MZ10027

\$75.00**ADE****CIRCUMFERENCE AND LENGTH
MEASURING BAND - MOST PRACTICAL
AUTOMATIC REWINDING**

- PRINTED ON BOTH SIDES
- FOR MEASURING THE CIRCUMFERENCE & LENGTH
- PRESS BUTTON FOR AUTOMATIC REWINDING

TECHNICAL SPECIFICATIONS

MEASURING RANGE 50 - 1500 MM
GRADUATION 1 MM
DIMENSIONS 55 X 20 X 80 MM
WEIGHT APPROX. 45 G

1888291

MEDELE-MZ10021

\$30.00

WELCH ALLYN SPHYGMOMANOMETER DS66

Maintain accurate blood pressure readings with lower lifetime cost with gear-free DuraShock™ technology, the first major innovation in aneroid technology in nearly 100 years. Part of our Gold Series, the DS66 Trigger features an innovative trigger-release design for easy operation.

Learn more about DuraShock technology.

- SHOCK RESISTANT TO MAINTAIN ACCURACY WITH LOWER LIFETIME COST - CAN WITHSTAND UP TO 30" DROP AND REMAIN IN CALIBRATION
- SOFT COMFORT GRIP
- JEWEL MOVEMENT FOR LONG LIFE
- LASER-ENGRAVED DIAL FACE FOR ACCURACY
- TRIGGER DEFLATION VALVE FOR SMOOTH, ONE-FINGER OPERATION
- 15-YEAR CALIBRATION WARRANTY
- LIGHTER WEIGHT THAN TRADITIONAL MODELS—WON'T WEIGH DOWN YOUR LAB COAT
- PREMIUM AESTHETICS
- LATEX-FREE 5098-30 GAUGE AND MULTI-FLEXIPOINT CUFF KIT, SMALL ADULT, ADULT AND LARGE ADULT FLEXIPOINT CUFFS AND NYLON ZIPPER CASE 5098-27CB DS66 TRIGGER ANEROID WITH ADULT FLEXIPOINT CUFF

1456493
WELCH-5098-27

\$189.00

1456515
WELCH-5098-30

\$299.00



WELCH ALLYN 767 WALL AND MOBILE ANEROIDS



Improved ergonomics and a new modern design make the 767 Aneroid an easy-to-use and attractive blood pressure aneroid. Based on Welch Allyn's near century of experience building and designing innovative blood pressure technology, it's the smart choice for accurate and reliable readings in your facility.

- LASER-ENGRAVED DIAL FACE PROVIDES UNMATCHED ACCURACY
- RECESSED DIAL FACE AND HIGH CONTRAST RED POINTER INCREASE VISIBILITY AND REDUCE PARALLAX ERRORS
- LIFETIME CALIBRATION WARRANTY
- SIMPLE COLOUR CHANGES GIVE THE ANEROID A NEW LOOK
- LATEX AND MERCURY FREE

1457309
WELCH-7670-01

\$275.00

WELCH ALLYN TYCOS® 767 WALL AND MOBILE ANEROIDS



Great looks and certified accuracy.

- CERTIFIED ACCURATE TO ± 3 MMHG
- MERCURY-FREE AND LATEX-FREE FOR SAFETY
- RUBY-JEWELLED MOVEMENT FOR LONG LIFE
- LASER-ENGRAVED DIAL FACE FOR ACCURACY
- LARGE, EASY-TO-READ DIAL FACE (6.25"/15 CM)
- BUILT-IN CUFF STORAGE BASKET
- MOBILE STAND HAS ADJUSTABLE HEIGHT AND 360° SWIVEL FOR CLEAR VIEWING
- LIFETIME CALIBRATION WARRANTY

1518318
WELCH-7670-10

\$495.00

WELCH ALLYN UNIVERSAL CHARGER AND DESK SETS



Compact, portable unit provides convenient drop-in recharging of desk/well-charger instrument handles.

- COLOURED LEDS INDICATE POWER TO THE UNIT AND THAT HANDLES ARE CHARGING
- ADVANCED CIRCUITRY FOR CONSTANT AUTOMATIC SAFE CHARGING AND OPTIMUM LAMP PERFORMANCE AND LIFE
- COMPACT FOR CONVENIENCE AND MOBILITY
- OPTIONAL WALL MOUNT KIT FOR PERMANENTLY MOUNTING TO WALL OR CABINET
- OPTIONAL SPECULA TRAY CONVENIENTLY STORES SWABS, OTOSCOPE SPECULA, AND CURETTES
- ACCEPTS 3.5 V OR 2.5 V WELL-RECHARGEABLE NICAD HANDLES, LITHIUM ION HANDLE AND POCKETSCOPE™ HANDLES (ONLY POCKETSCOPE™ HANDLES REQUIRE AN ADAPTER)

1730742
WELCH-71640

\$950.00



WELCH ALLYN PROFESSIONAL ADULT STETHOSCOPES

With its minimal weight and custom-fitting headset and ear tips, the Professional is one of the most comfortable and versatile general-use stethoscopes manufactured today. Its acoustics allow for accurate auscultation of cardiac, pulmonary, and vascular sounds. And the chest pieces in the adult, paediatric, infant and Anesthesiology versions of the Professional enable you to select a stethoscope that best meets your specific needs.

- GENERAL-USE STETHOSCOPE
- STAINLESS STEEL DOUBLE-HEAD (BELL AND FLAT DIAPHRAGM) CHEST PIECE WITH NONCHILL RIM
- ROTATABLE IN BINAURALS AND INTERCHANGEABLE COMFORT SEALING EAR TIPS
- LATEX-FREE
- 5-YEAR WARRANTY

1455789
WELCH-5079-135

\$90.00



WELCH ALLYN HARVEY ELITE™ STETHOSCOPE

The Harvey Elite offers updated styling along with the superior comfort and auscultation capabilities that cardiologists have come to rely on. It is equipped with dual-bore, latex-free tubing that creates two uninterrupted sound channels and works with the optimally weighed, rugged, stainless steel chest pieces to transmit a full range of cardiac, pulmonary, and vascular sounds. In addition, the Elite's diaphragm is designed to accentuate sounds in the 200 to 500 Hz range – the range where many significant heart sounds occur.

- HIGH-QUALITY STAINLESS STEEL CHEST PIECE AND BINAURALS DESIGNED FOR OPTIMAL WEIGHT AND DURABILITY
- SUPERIOR PERFORMANCE THROUGHOUT THE ENTIRE ACOUSTIC RANGE
- DUAL-CHANNEL PVC TUBING PROVIDES SEPARATE SOUND PATHWAYS TO EACH EAR FOR UNRIVALLED ACCURACY
- LATEX-FREE

1455763
WELCH-5079-125S

\$230.00

**3M****3M LITTMANN 3200 STETHOSCOPE**

- HEAR IT
- RECORD IT
- SEND IT
- CONFIRM IT
- EASY TO OPERATE
- CONVENIENT LCD INTERFACE
- AUTO-ON FEATURE
- RUGGED DESIGN FOR YEARS OF TROUBLE-FREE OPERATION
- LIGHTWEIGHT AND COMFORTABLE TO USE
- WORRY-FREE POWER

1876709
3M-3200

\$695.00
GST EXEMPT

**3M****STETHOSCOPE LITTMANN CLASSIC 11 BLACK 71cm**

1205407
3M-2201

\$115.00

**3M****STETHOSCOPE LITTMANN CARDIOLOGY 111 BLACK 69cm**

1528512
3M 3128

\$260.00

**3M****STETHOSCOPE MASTER CARDIOLOGY BLACK 69cm**

1598382
3M-2160

\$279.00



WELCH ALLYN CORDLESS ILLUMINATION SYSTEM

Designed with enhanced unique new features, including bright, white light with our new LED light sources.

NEW! Single-use Sheath for KleenSpec Cordless Illumination systems. Learn more.

- ADVANCED LED LIGHT SOURCE PROVIDES IMPROVED VISUALIZATION OF THE EXAM AREA BY SUPPLYING BRIGHTER, WHITER LIGHT
- NO CORD TO GET IN THE WAY DURING PROCEDURES
- AUTOMATICALLY ILLUMINATES UPON INSERTION OF THE ILLUMINATOR AND ONCE IT IS REMOVED THE LIGHT GOES OFF
- USE YOUR CORDLESS ILLUMINATION SYSTEM AS AN ALL PURPOSE LIGHT SOURCE AS WELL AS WITH THE KLEENSPEC® DISPOSABLE VAGINAL SPECULUM

1837370
WELCH-79916

\$269.00



WELCH ALLYN THERMOSCAN® PRO 4000

This new model provides the speed and accuracy you need for all types of patients. The exclusive ExacTemp™ technology provides an active user feedback system to ensure proper positioning and improved accuracy.

- IMPROVED ACCURACY AND REPEATABILITY THROUGH A PREHEATED PROBE TIP AND SENSOR
- PROBE COVER DETECTION SYSTEM ENSURES PRECISE INFRARED HEAT TRANSFER FOR ACCURATE TEMPERATURES
- AUTOMATIC PROBE COVER EJECT BUTTON FOR QUICK AND EASY DISPOSAL OF USED PROBE COVERS
- EASY-TO-READ, LCD DISPLAYS TEMPERATURES IN FAHRENHEIT OR CELSIUS
- THREE-YEAR LIMITED WARRANTY

1631904
WELCH-04000-200

**FEATURED PRODUCT
REDUCED PRICE**

\$199.00



WELCH ALLYN MONITOR VITAL SIGNS® LXI

Take vital signs in about half the time.
Take patient care to a whole new level.

- SUREBP® TECHNOLOGY MEASURES BLOOD PRESSURE IN ABOUT 15 SECONDS AS THE CUFF IS INFLATING - RESULTING IN TIME SAVINGS FOR YOU AND IMPROVED COMFORT FOR YOUR PATIENTS, PULSE RATE AND MAP INCLUDED
- CHOICE OF SURETEMP® PLUS OR BRAUN THERMSCAN® PRO 4000 EAR THERMOMETER
- CHOICE OF MASIMO® OR NELLCOR® PULSE OXIMETRY
- ABILITY TO MANUALLY ENTER WEIGHT, HEIGHT, RESPIRATION RATE, AND PAIN LEVEL; CALCULATES BODY MASS INDEX
- CONNECTS TO SELECT HEALTHOMETER® OR TANITA® DIGITAL SCALES
- 50-READING MEMORY ALLOWS RETRIEVAL OF PREVIOUS DATA FOR REVIEW, TO PRINT OR TO DOWNLOAD LATER
- CONNECTIVITY-READY
- ERROR MESSAGES GIVE YOU DESCRIPTIONS AND REAL SOLUTIONS - NOT JUST ERROR CODES
- BIGGER, BRIGHTER LCD DISPLAY PROVIDES GREATER VISIBILITY FROM FARTHER DISTANCES
- NOW AVAILABLE WITH WIRELESS CONNECTIVITY OPTION TO TRANSMIT VITALS DIRECTLY TO YOUR HOSPITAL EHR!

1837356
WELCH-45NE0-E6

\$3,400.00



MOBILE STAND MONITOR SUIT VSM UNIVERSAL STAND SUITS 1837356 & 1580844

1619171
WELCH-4700-60
\$325.00



WELCH ALLYN SPOT VITAL SIGNS® DEVICES

Vital signs in seconds with hospital-grade technology that's easy to use, accurate and affordable.

- MEASURES NON-INVASIVE BLOOD PRESSURE (NIBP), PULSE RATE, TEMPERATURE AND SPO2 IN ABOUT 30 SECONDS
- IR CONNECTIVITY TO ELECTRONIC MEDICAL RECORDS
- LIGHTWEIGHT AND PORTABLE WITH A VARIETY OF MOUNTING OPTIONS
- ALL CONFIGURATIONS INCLUDE NIBP, PULSE RATE AND MAP
- OPTIONAL - SURETEMP® THERMOMETRY, MASIMO® OR NELLCOR PULSE OXIMETRY

1580844
WELCH-4200B-E6

\$1,295.00

1575342
WELCH-42NOB-E6

\$2,295.00

Image 42NTB the 42NOB not illustrated.



WELCH ALLYN DIGITAL MACROVIEW OTOSCOPE

See it. Share it. Save it. Offering you clear, live and still images of the ear canal and tympanic membrane, the Digital MacroView Otoscope is a valuable tool in support of the treatment and management of your patient's ears. Requiring no additional purchase of software, the Digital MacroView Otoscope is easy to learn and use.

- INSUFFLATION PORT FOR PNEUMATIC OTOSCOPY
- COMPATIBLE WITH THE RANGE OF WELCH ALLYN 3.5V POWER SOURCES
- ZOOM FEATURE FOR ENHANCED VIEWING
- IMPROVES COMMUNICATION WHICH CAN LEAD TO BETTER PATIENT COMPLIANCE
- ALLOWS YOU TO STORE DIGITAL IMAGES IN PATIENT RECORDS FOR ENHANCED DOCUMENTATION OF EXAM FINDINGS
- PROVIDES YOU THE ABILITY TO SHARE IMAGES WITH OTHER PROVIDERS AS VISUAL DESCRIPTIVE REFERENCE
- GIVES YOU AN EXCELLENT TRAINING AID FOR EDUCATIONAL PURPOSES
- OFFERS YOU THE ABILITY TO VIEW SMALL DETAILS OF TUBES AND HEARING AIDS

1888742
WELCH-PM1005

**SPECIAL PRICE DEAL
WHILE STOCKS LAST**

\$950.00

**HANDLE & CHARGER INCLUDED
SAVE \$2455.30 OVER THE NORMAL WELCH ALLYN
RRP FOR BOTH ITEMS**



WELCH ALLYN CP 200™ ELECTROCARDIOGRAPH WITH OPTIONAL SPIROMETRY

An easy-to-use, full-featured device with advanced options to help streamline office workflow.

- SAME FEATURES AS THE CP 100 PLUS:
- LARGE COLOUR LCD SCREEN ALLOWS YOU TO EASILY PREVIEW CRITICAL INFORMATION ON SCREEN
- SAVE TIME BY USING DEDICATED FUNCTION OR "HOT KEYS" TO PERFORM THE MOST COMMON FUNCTIONS WITHOUT SCROLLING THROUGH MENUS
- STORE UP TO 50 ECGS AND 50 SPIROMETRY TESTS FOR LATER REVIEW AND EDITING OF PATIENT DATA AND INTERPRETATION
- EASILY CONNECT DIRECTLY TO WELCH ALLYN CARDIOPERFECT™ WORKSTATION SOFTWARE THROUGH CABLE INTERFACE
- OPTIONAL SPIROMETRY TESTING AND OPTIONAL MEANS INTERPRETATION SOFTWARE

1747552
WELCH-CP2A-1E6

\$3,995.00
GST EXEMPT

CART CODE 1838358 \$895.00 +GST



WELCH ALLYN PC-BASED RESTING ECG

Turns any PC into a full-featured electrocardiograph. Intuitive Windows® operation makes it easy for your staff to learn and use, while the power and features of a PC-based system save money and increase utilization of existing equipment.

- LARGE SCREEN DISPLAY SAVES TIME AND ELIMINATES REPEAT ECGS
- ECG MEASUREMENTS SPEED PHYSICIAN REVIEW AND INTERPRETATION
- PROGRAMMABLE REPORT FORMATS THAT PRINT ON PLAIN PAPER USING INKJET OR LASER PRINTER
- ON-SCREEN ECG REPORT EDITOR LETS YOU CHANGE OR ADD A DIAGNOSIS
- SERIAL COMPARISON LETS YOU COMPARE PREVIOUS ECGS TO HIGHLIGHT CHANGES
- OPTIONAL ECG INTERPRETATION AVAILABLE
- UPGRADEABLE—LEVERAGE YOUR INVESTMENT BY ADDING STRESS, SPIROMETRY AND/OR ABPM MODULES TO COMPLETE YOUR CARDIOPULMONARY SUITE
- COMPLETE WITH SOFTWARE

1836107

WELCH-CPR-UI-UB-D

\$2,695.00
GST EXEMPT



WELCH ALLYN PC-BASED SPIROPERFECT™ SPIROMETER

See and compare accurate results from pulmonary function tests in seconds. Clearly evaluate pulmonary obstruction or restriction, increase success rates of patients who are undergoing smoking cessation, show progress, and help pediatric patients comply with test procedures.

- FAST, RELIABLE PRE-/POSTBRONCHODILATOR FVC, SVC, AND MVV TESTING WITH AUTOMATIC INTERPRETATION AND REVERSIBILITY ANALYSIS
- INSTANTLY VERIFY QUALITY AND VARIABILITY OF TEST PERFORMANCE AND COMPARE PREVIOUS TESTS USING THE TRENDING TOOL
- MOTIVATE CHILDREN WITH INCENTIVE GRAPHIC
- REDUCE RISK OF CROSS CONTAMINATION WITH SINGLE-USE DISPOSABLE TRANSDUCERS
- EASILY MONITOR, REVIEW, STORE AND PRINT ON YOUR COMPUTER WITH WELCH ALLYN CARDIOPERFECT™ WORKSTATION SOFTWARE
- INTERFACE WITH EMR OR PATIENT MANAGEMENT SYSTEMS FOR ONSITE OR OFFSITE REVIEW OF KEY DATA

1837325

WELCH-SPIRO-S

\$2,495.00

\$750 VALUE INCLUDED IN PRICE



ROCHE

ACCU-CHEK PERFORMA

Accu-Chek Performa is accurate and easy to use. Designed to compensate for changing external conditions so you can test just about anywhere. The Accu-Chek Performa system is designed to:

FEATURES:

- FAST 5 SECOND TEST TIME FOR QUICK AND EASY BLOOD GLUCOSE TESTING
- TINY SAMPLE SIZE <math>< 0.6 \mu\text{L}</math> WITH UNDER-DOSING DETECTION. UP TO 5 SECONDS TO RE-DOSE THE SAME STRIP
- FAST FILL STRIP: BLOOD SAMPLE IS QUICKLY ABSORBED BY THE TEST STRIP
- ERGONOMIC DESIGN. RUBBER GRIPS MAKE IT EASY TO HOLD.
- COMPENSATES FOR TEMPERATURE VARIABLES. PERFORMS AT TEMPERATURES FROM 6°C TO 44°C
- COMPENSATES FOR THE EFFECTS OF HUMIDITY. PERFORMS AT RELATIVE AIR HUMIDITY OF 10-90%
- EXPIRED TEST STRIP ALERT NOTIFIES USER WHEN STRIPS ARE CLOSE TO EXPIRATION DATE
- TEST REMINDERS. SET UP TO 4 AUTOMATIC REMINDERS FOR DIFFERENT TIMES THROUGHOUT THE DAY.
- TEST AVERAGING. METER PROVIDES 7-, 14-, AND 30-DAY TEST AVERAGING.
- 500 TEST RESULT MEMORY FOR IMPROVED BLOOD GLUCOSE TRACKING
- INFRARED DOWNLOADING CAPABILITY. RESULTS

SPECIFICATIONS:

- METER DISPLAY: LCD
- AUTOMATIC POWER: 90 SECONDS
- AUTO POWER ON WITH STRIP INSERTION
- AUTO OFF WHEN STRIP IS REMOVED (5 SECONDS)
- AUTO OFF IN 2 MINUTES IF METER NOT USED
- POWER SUPPLY: (1) 3V LITHIUM BATTERY (CR2032)
- BATTERY LIFE: APPROXIMATELY 2,000 READINGS
- MEASUREMENT TIME: 5 SECONDS
- SYSTEM OPERATING CONDITIONS: 6°C TO 44°C
- METER STORAGE CONDITIONS:
 - 25°C TO +70°C WITHOUT BATTERY
 - 10°C TO +50°C WITH BATTERY
- RELATIVE HUMIDITY OPERATING RANGE: 10 TO 90%
- MEMORY CAPACITY: 500 RESULTS WITH TIME AND DATE
- DIMENSIONS: 93 X 52 X 22 MM (3.7 X 2.1 X 0.9 INN)
- WEIGHT: APPROXIMATELY 62.0 G (2.2 OZ) WITH BATTERY
- DATA PORT: INFRARED (IR) WINDOW
- TEST PRINCIPLE: ELECTROCHEMICAL
- TEST AVERAGES: 7-, 14-, 30-DAY
- OTHER FEATURES: HYPO INDICATOR, 4 CUSTOMISABLE TEST REMINDERS, GENERAL FLAG, AUTO CONTROL ID, AUTOMATIC RECOGNITION AND REJECTION OF EXPIRED TEST STRIPS.

1768978

ROCHED-04861582014

\$49.00

ROCHE

COAGUCHEK® XS SYSTEM - A COMPREHENSIVE YET SIMPLE SYSTEM

Key benefits:

ACCURATE AND FLEXIBLE TECHNOLOGY

- ACCURATE, PRECISE RESULTS IN ONE MINUTE
- THE ONLY SYSTEM TO PERFORM ONBOARD QUALITY CONTROL AND DETERMINE PATIENT RESULTS IN A SINGLE TEST CHAMBER
- NEUTRALIZES THERAPEUTIC LEVELS OF HEPARIN AND LMWH
- INR CORRECTED FOR HEMATOCRIT WITHIN SPECIFIED RANGE – MANAGE A BROAD ARRAY OF PATIENTS WITH ONE DEVICE

EASY AND CONVENIENT TO USE

- SMALL SAMPLE SIZE (8 μ L) FOR EASY DOSING
- STRIP ALLOWS DOSING FROM EITHER TOP OR SIDE FOR SIMPLE BLOOD APPLICATION
- 21-MONTH STRIP SHELF LIFE FROM PRODUCTION – NO REFRIGERATION NEEDED
- OUTSIDE METER BLOOD APPLICATION – MINIMIZES POTENTIAL FOR CROSS-CONTAMINATION
- SMALL, BATTERY-POWERED, HANDHELD METER FOR PORTABILITY AND EFFICIENCY

THE COAGUCHEK XS INSTRUMENT KIT CONSISTS OF DIFFERENT COMPONENTS. THE FOLLOWING COMPONENTS ARE INCLUDED:

- CARRY CASE, WHICH ALLOWS THE PATIENT TO KEEP ALL ITEMS INCL. 1 VIAL OF TEST STRIPS IN THEIR PROPER PLACE
- COAGUCHEK XS METER
- COAGUCHEK SOFTCLIX LANCING DEVICE - FOR SINGLE PATIENT USE ONLY (ACCU-CHEK SAFE-T PRO PLUS - FOR USE IN MULTIPLE PATIENTS SETTINGS)
- 4 X AAA BATTERIES

1732596
ROCHED-04796179001

WHILE STOCKS LAST

\$725.00



MEDICAL IMPORT GROUP X-RAY VIEWING BOXES



300-001

SINGLE BAY - SLIM LINE LCD DISPLAY

DIMENSIONS:

L 47 X W 2.4 X H 55CM

1888443
MIG-300-001

\$350.00



300-002

DOUBLE BAY - SLIM LINE LCD DISPLAY

DIMENSIONS:

L 95cm x W 2.4cm x H 55cm

1888451
MIG-300-002

\$599.00



300-004

SINGLE BAY - STANDARD

DIMENSIONS:

L 44cm x W 12cm x H 59cm

1888460
MIG-300-004

\$125.00



300-005

DOUBLE BAY - STANDARD

DIMENSIONS:

L 80cm x W 12cm x H 59cm

1888478
MIG-300-005

\$255.00

HADECO DOPPLER BLOOD PRESSURE RECORDER

Full auto system with built-in cuff inflator.

Shows instructions on LCD for ABI / TBI.

Calculates and prints ABI /TBI and pressure documentation.

DIGITAL DOPPLER WITH PRINTER

DOCUMENTS BI-DIRECTIONAL VELOCITY PROFILE.

BI-DIRECTIONAL & DUAL SEPARATION CHANNEL

30 WAVEFORM MEMORY USB INTERFACE

TRANSFERS WAVEFORMS AND NUMERICAL DATA TO COMPUTER FOR DATA STORAGE.

COMMUNICATION PC SOFTWARE & CABLE OPTIONAL

TWO PROBE COMBINATION

(4, 5, 8, 10 MHZ, PPG AND PV)

CONVENIENT FOR MEASURING PRESSURES FOR TBI

CONVENIENT PROBE ACTIVATION BUTTON

ADVANCED PRINTER / CUFF INFLATOR / FREEZE ACTIVATION.

PPG & PNEUMO PROBE OPTIONS

EXPANDS ARTERIAL & VENOUS TESTING.

SPECIFICATIONS

POWER : NI-MH RECHARGEABLE BATTERY PACK OR AC ADAPTOR

FULL CHARGE LIFE : 7 HOURS WITH PRINTING

AUTOMATIC SHUT-OFF

SPEAKER OUTPUT : 250 MW OR MORE

MULTI FREQUENCY : 4, 5, 8, 10 MHZ

LCD DISPLAY : 128 X 64 DOTS, STN LCD

PRINTER

PAPER : 58 MM (W) X 25 M (L), THERMAL

RESOLUTION : 256 DOTS/LINE

INFLATION RATE : 10 - 20 MMHG/S

DEFLATION RATE : 2 - 4 MMHG/S

INTERFACE PORTS : USB FOR PC CONNECTION

HEADSET ; SPEAKER CUT OFF

DIMENSIONS : 252 (W) X 192 (D) X 91 (H) MM

(NOT INCLUDING PROBE HOLDERS)

WEIGHT : APPROX. 1.6 KG (INCLUDING 1 PROBE)

ELECTRICAL SAFETY: CONFORMS TO IEC-60601-1

OPTIONS : PPG & PNEUMO PROBES, SMART-VLINK FOR WINDOWS

*SPECIFICATIONS SUBJECT TO CHANGE.

1885066

CRITIC-SMADOP308EX

\$3,150.00



HADECO

HAND HELD BI-DIRECTIONAL DOPPLER WITH LCD & PRINTER

Provides bi-directional velocity waveforms & numerical data.

Fetal heart rate & monitoring waveforms when used with 2MHz probe.



HADECO DESIGNED SMART MICROPROCESSOR

FULLY AUTOMATIC GAIN CONTROL & BASELINE ADJUSTMENT.
VARIOUS MODE SETTINGS AVAILABLE WITH LCD MENU & UNIQUE SCROLL BUTTON.
30 WAVEFORM MEMORY STORAGE.

USB COMPUTER INTERFACE

OPTIONAL COMMUNICATION CABLE & SMART-V-LINK™ SOFTWARE ARE AVAILABLE.
STORES WAVEFORMS & NUMERICAL DATA TO COMPUTER FOR DATA ANALYSIS AND FILING.

OPTIONAL PPG & PV PROBES

AVAILABLE FOR EXPANDED ARTERIAL & VENOUS TESTING.

SPECIFICATIONS

POWER: NI-MH RECHARGEABLE BATTERY PACK OR AC ADAPTOR
FULL CHARGE LIFE: 2.5 HOURS OR MORE WITH FREEZE MODE
AUTOMATIC SHUT-OFF
SPEAKER OUTPUT: 250 MW OR MORE
MULTI FREQUENCY: 2, 4, 5, 8, 10 MHZ
WAVEFORM MEMORY: 30 WAVEFORMS
LCD DISPLAY: 128 X 64 DOTS, STN LCD
PAPER: W 58 MM X L 25 M/ROLL, THERMAL
PRINT SPEED: 25 MM/SEC
INTERFACE PORTS: USB: FOR PC CONNECTION
PS-2: FOR PC KEYBOARD
HEADSET: SPEAKER CUT OFF
WEIGHT: APPROX. 500 GRAMS (INCLUDING PROBE)
ELECTRICAL SAFETY: CONFORMS TO IEC60601-1
*SPECIFICATIONS SUBJECT TO CHANGE.

1749890

CRITIC-SMADOP45W8

\$2,150.00



HADECO FETAL DOPPLER WITH ADVANCED LCD & SPEAKER

Displays real-time fetal heart rate with great sounds.

FREEZE KEY

FREEZES HEART RATE FOR NOTATION.

USEFUL INDICATORS

HEARTBEAT INDICATOR TRACKS HEARTBEAT.

LCD FLASHES WHEN CALCULATED HEART RATE IS NOT STABLE.

LOW BATTERY INDICATOR

EASY & SAFE TO OPERATE

SAFE AND EFFECTIVE LOW-INTENSITY BEAM

POWER: DC9V, 9 V ALKALINE BATTERY

HEART RATE RANGE: 60 TO 240 BPM

AUTOMATIC SHUT-OFF

SPEAKER OUTPUT: 250 MW OR MORE

PROBE FREQ.: 2 MHZ

MODE SETTINGS: FREEZE

LCD DISPLAY: HEART RATE, LOW BATTERY INDICATOR

OUTPUTS: HEADSET: SPEAKER CUT OFF

DIMENSIONS: 102(W) X 142(D) X 27(H) MM

WEIGHT: 280 GRAMS (INCLUDING BATTERY AND PROBE)

ELECTRICAL SAFETY: CONFORM TO IEC60601-1

OPTION: WATERPROOF

*SPECIFICATIONS SUBJECT TO CHANGE.

1813367

CRITIC-SMAES100VX2

\$995.00



CRITICAL ASSIST MINIDOP DOPPLER

For user flexibility (2.25, 4, 5, 8 and 10 MHz)

- CONVENIENT PROBE ACTIVATION BUTTON
- AUTO POWER OFF
- 9V BATTERY POWER CONSERVATION
- PLUG-IN HEADSET
OPTIONAL, WITH SPEAKER CUTOUT

SPECIFICATIONS

POWER: DC9V, 9V ALKALINE BATTERY

SPEAKER OUTPUT: 200 MW OR MORE

PROBE BUTTON: POWER ON/OFF

OUTPUTS: 3.5MM JACKS

HEADSET: SPEAKER CUT-OFF

RECORD: 500MV.KHZ

BATTERY LIFE: APPROX. 3 HOURS

AUTOMATIC SHUT OFF

DIMENSIONS: W 74MM / D 140MM / H 25MM

WEIGHT: APPROX. 270 GRAMS (INCLUDING PROBE)

MULTI. FREQ.: 2.5, 4, 5, 8 AND 10 MHZ

1813350

CRITIC-SMAES100VII-2M

\$795.00

1813374

CRITIC-SMAES100VX8

\$795.00



WALMAY CRYOSPRAY

Not only is the procedure simple, there are many benefits for both the physician and the patient in its use.

THESE INCLUDE:-

- MINIMUM PREPARATION AND QUICK APPLICATION, THEREFORE FASTER PATIENT TURN AROUND
- NO ANAESTHESIA
- LITTLE IF ANY PAIN AFTER CARE REQUIRED
- CRYOSURGERY IS WELL RECEIVED BY PATIENTS

FEATURES OF WALMAY CRYOSPRAY:

- THE REGULATOR AND SAFETY VALVE, INCORPORATED IN THE ONE UNIT, ARE OUR OWN DESIGN AND IS PRECISION MACHINED FROM A SOLID BRASS BILLET.
- A STAINLESS STEEL VACUUM CONTAINER THAT FEELS COMFORTABLE IN THE HAND WITH THE OPERATING FINGERS FALLING NATURALLY ON THE REGULATOR CONTROL. THIS MAKES IT A BALANCED AND FATIGUE FREE INSTRUMENT TO USE.
- THE 0.3L VACUUM CONTAINER WILL RETAIN A FULL DAYS SUPPLY OF LIQUID NITROGEN.
- SET OF FIVE BRASS SPRAY TIPS - FOUR DIRECTIONAL CONE SHAPED TIPS, WITH VARYING ORIFICE, FOR ACCURATE VISUAL AIMING DURING TREATMENT, AND ONE BENT SPRAY EXTENSION ARE SUPPLIED WITH THE INSTRUMENT.
- REGISTERED UNDER THE ARTG THERAPEUTIC GOODS ACT 1989.
- TABLE STAND FOR PRODUCT STABILITY.
- CARRY BAG FOR EASY TRANSPORT FROM SURGERY TO SURGERY.
- DESIGNED AND MANUFACTURED IN AUSTRALIA.
- EXTRACTOR, AVAILABLE FOR UNIT FILLING CH2 CODE 1454315

1454344
WALMAY-CS

\$898.00

1454219
GENETC-SC20/20

\$1,298.00

1454315
WALMAY-NE

\$152.00

LRI

BESTNEB NEBULISER PUMP COMPLETE SET



BESTNEB nebuliser is a high quality aerosol compressor with contemporary, nonmedical styling. It is appealing to the clinician and the patient. Especially in the paediatric case, it makes children's respiratory therapy less frightening and has revolutionised the industry's approach to children's home health care products. According to the latest study, the majority of nebuliser users are from the paediatric field due to the poor resistance to air pollution.

SPECIFICATIONS

POWER: 220/240 V ~ 50 HZ
DIMENSIONS: 29 X 20 X 12 CM
WEIGHT: 2.5 KG
WARRANTY: 2 OR 5 YEARS
MAXIMUM PRESSURE: 32 PSI
FLOW: 12 LPM
SOUND LEVEL: 50 DB
PARTICLE SIZE (MMAD): 1.1 MICRON
HIGH QUALITY AEROSOL COMPRESSOR
LARGE AIR INTAKE FILTER

FEATURES

- CONTEMPORARY STYLING
- ULTRA QUIET OPERATION
- PLEASANT PASTEL COLOURS
- COMPARTMENT FOR STORING ACCESSORIES
- COMPLETE WITH
- 1 ADULT MASK
- 1 CHILD MASK
- 1 NEBULISER BOWL
- 1 2M SUPPLY TUBING
- 1 MOUTHPIECE
- 1 T PIECE
- 1 RESERVOIR TUBE 15CM

COMPLETE WITH

1 ADULT MASK
1 CHILD MASK
1 NEBULISER BOWL
1 2M SUPPLY TUBING
1 MOUTHPIECE
1 T PIECE
1 RESERVOIR TUBE 15CM

1499796
LRI-PNB

\$140.00
GST EXEMPT

LRI**SUCTION PUMP WITH BATTERY****FEATURES**

- MULTI-VOLTAGE
- FULLY PORTABLE
- OIL-FREE LUBRICATION PUMP
- SQUARE NEGATIVE PRESSURE DIAL
- BUILT-IN BOTTLE CAVITY
- LOW NOISE
- SMALL SIZE (H22CM X L29CM X D20CM)
- EASY TO CARRY
- FULLY PORTABLE UNIT INCORPORATING THREE MODES OF ELECTRICITY: 240V AC, 12V DC AND BATTERY
- SUITABLE FOR VEHICLES, CLINIC, HOME AND OUTDOOR PLACES

TECHNICAL INFORMATION

VOLTAGE: AC 220V/240V 50HZ 12VDC

POWER: 90 VA

MAX NEGATIVE PRESSURE VALUE: ≥ 0.075 MPAPUMPING RATE: ≥ 15 LITRES/MINUTE

RESERVOIR VOLUME: 1,000 ML

NOISE: ≤ 65 DB (A)**1888339**

LRI-RESCUAD

\$420.00**LRI****RESUSCITATOR SET ADULT****FEATURES**

- ADULT RESUSCITATOR 1500 ML WITH 60 CM H2O POP-OFF VALVE
 - 2500 ML OXYGEN RESERVOIR
 - TWO ADULT MASKS #5135, #5134
 - TWO GUEDEL AIRWAYS
 - SEE THROUGH CARRY CASE WITH INSTRUCTION MANUAL
 - AUTOCLAVABLE TO 134°C
- MATERIAL: POLYCARBONATE, SILICONE RUBBER AND POLYVINYL CHLORIDE
CONNECTORS: 15/22 MM ISO PATIENT CONNECTOR, 24 MM ID SILICONE NECK, 26 MM ID (TO SILICONE BAG INLET), 32 MM ID (TO COMBINED OXYGEN VALVE AND RESERVOIR)
INSPIRATORY/EXPIRATORY RESISTANCE: < 5 CM H2O AT 50 LPM FLOW
RESERVOIR VOLUME: 2500 ML
MAX. OXYGEN CONCENTRATION: 99% (WITH OXYGEN SUPPLY)
OPERATING CONDITIONS: -18°C TO 50°C
PRESSURE RELIEF: 60 ± 10 CM H2O, LOCK TYPE OVERRIDE MECHANISM
MAXIMUM/STROKE VOLUME: 1500/1350 ML
MAXIMUM BREATH CYCLE RATE: 45 BPM

1820798

LRI-RESCUAD

\$150.00

GST EXEMPT





LRI DISPOSABLE RESUSCITATOR ADULT

FEATURES

- MEETS ISO-8382 AND ASTM0920 STANDARDS.
- ARROW SHAPE TEXTURE SURFACE FOR SLIP FREE OPERATION IN WET CONDITIONS.
- FASTER REBOUND AND LESS MEMORY MATERIAL APPLIED FOR EASE OF OPERATION.
- ERGO DESIGNED SHAPE PROVIDES EASE OF HANDLING AND LESS ACCESS FORCE.
- CLEAR RESUSCITATION BAG FOR EASE OF OBSERVATION.
- HIGH EFFICIENCY SILICONE DUCKBILL PATIENT VALVE MINIMIZES BACK LEAKAGE.
- PROVIDES LOW INSPIRATORY AND EXPIRATORY RESISTANCE.
- BUILT-IN EXPIRATORY DIVERTER.
- SWIVEL 15/22MM PATIENT CONNECTOR.
- MEETS ISO-5356-2 STANDARD.
- 40 CM H2O PRESSURE RELIEF FOR CHILD AND INFANT MODELS.
- 60 CM H2O PRESSURE RELIEF WITH LOCK FUNCTION FOR ADULT MODEL.
- 32 MM RESERVOIR CONNECTION FOR LOWER INTAKE RESISTANCE.
- HIGH EFFICIENCY RESERVOIR SYSTEM PROVIDES UP TO 99% OXYGEN CONCENTRATION AT LOW FLOW.
- SWIVEL ELBOW OXYGEN TUBING CONNECTION FOR EASE OF ACCESS.
- FITS-ALL OXYGEN CONNECTOR CAN BE ATTACHED TO FLOW METER DIRECTLY.
- CLEAR AIR CUSHION MASK PROVIDES BETTER SEAL, EASE OF OBSERVATION DURING ACCESS AND ALSO PATIENT COMFORT.

1817998
LRI-2268

\$35.00



LRI CPR MASK

Combines extension tube, one-way valve, foldable face mask and oxygen inlet in a small and compact clam-shell carrying case. Best tool for mouth to mask resuscitation. Minimises cross-contamination during training or CPR practice. High efficiency one-way valve with swivel feature and standard 15M connection. Easy to access - ergonomic mask with soft air-cushion for comfort and better seal and flexible extension tube for better adjustment. Easy to carry in an all-in-one compact storage case.

FEATURES

- BACTERIAL AIR FILTER
- LEAKAGE FREE AIR CUSHION MASK
- SILICONE DUCK BILL ONE WAY VALVE
- SINGLE USE MATERIAL
- OXYGEN PORT
- DETACHABLE MOUTHPIECE - MASK CAN THEN BE CONNECTED TO OTHER RESUSCITATION DEVICES
- MASK SHELL FOLDS FOR COMPACT STORAGE
- COMPLETE WITH COMPACT CARRY CASE
- CUSTOM LABELLING - BULK QUANTITIES APPLY

1903906
LRI-1325

\$12.95

ZOLL MEDICAL FULL RESCUE DEFIBRILLATOR

The ZOLL AED Plus® is the only Full-Rescue AED that supports both CPR and defibrillation. For infrequent rescuers, the AED Plus supports the complete chain of survival. The unique graphical user interface – pictures combined with text displays and voice prompts – helps the rescuer perform every important life-saving action every step of the way.

AED Plus features Real CPR Help®, a tool to help the rescuer achieve the correct rate and depth of chest compressions during CPR through visual and voice prompts. Feedback such as “PUSH HARDER”, “GOOD COMPRESSIONS” and an adaptive metronome to guide compression rate help accomplish quality compressions.

THE AED PLUS OFFERS:

- SUPPORT FOR THE FULL CHAIN OF SURVIVAL WITH EASY TO UNDERSTAND AUDIO PROMPTS AND VISUAL ICONS
- REAL CPR HELP FOR FEEDBACK ON THE RATE AND DEPTH OF COMPRESSIONS
- A ONE PIECE, EASY TO PLACE ELECTRODE WITH A 5 YEAR SHELF LIFE
- A RUGGED DESIGN THAT RESISTS DUST AND WATER (IP55)
- USES OFF THE SHELF LITHIUM CAMERA BATTERIES WITH UP TO 5 YEARS INSTALLED LIFE
- ZOLL RECTILINEAR BIPHASIC™ WAVEFORM (RBW)
- INTELLIGENT PAEDIATRIC CAPABILITY WITH PEDI
- PADZ®II PAEDIATRIC ELECTRODES
- AUTOMATIC SELF TESTING THAT ASSURES THE UNIT IS CONSTANTLY READY
- 5 YEAR WARRANTY
- ARC GUIDELINES 2006 COMPLIANT
- A TOTAL COST OF OWNERSHIP OF \$0 OVER 5 YEARS WITH NO NEED TO REPLACE ELECTRODES OR BATTERIES IF THE AED PLUS IS IDLE

1888881
ZOLL-2020000102011130

\$2,995.00
GST EXEMPT





GM MEDICAL INSTRUMENT TROLLEY

490 x 490 x 900mm

Stainless steel construction

1 Drawer - 125mm deep

Shelf rail

75mm castors

1315404
GMEDIC-INST.0054

\$537.00



GM MEDICAL EMERGENCY EQUIPMENT TROLLEY

750 x 490 x 900mm

Stainless steel frame

Powder coated panels and drawers

4 Drawers - 125mm deep

1 Drawer - 225mm deep

1625897
GMEDIC-EQUI.0117 / H0117

\$1,565.00



GM MEDICAL SURGEON STOOL HAND OPERATED

Height 530 - 710mm

No backrest

1748416
GMEDIC-STOO.0262 / H0262

\$357.00



GM MEDICAL IV POLE / STAND

Height range 1350 - 2050mm

Stainless steel construction

5 Leg weighted base

50mm twin castors

1314598

GMEDIC-IVP0217

\$247.00



GM MEDICAL EXAMINATION COUCH

Adjustable head section - Tubular frame

1810 x 600 x 820mm

1625977

GMEDIC-EXAM.0357 / H0357

\$376.00



GM MEDICAL ONE STEP STOOL

Step height 230mm

Epoxy coated - non slip tread

1626013

GMEDIC-STEP.0375 / H0375

\$102.00



GM MEDICAL TWO STEP STOOL

Step height 230mm

Epoxy coated - non slip tread

1626021
GMEDIC-STEP.0393 / H0393

\$175.00



GM MEDICAL INSTRUMENT TROLLEY

750 x 490 x 900mm

Powder coat finish

1 Drawer - 125mm deep

75mm castors

1626005
GMEDIC-INST.0324 / H0324

\$415.00



GM MEDICAL BLOOD COLLECTION CHAIR

800 x 1050 x 750mm

Powder coated finish

1745936
GMEDIC-BLO.0468 / H.0468

\$599.00

MEDICAL IMPORT GROUP

BLUE TWO SECTION COUCH



PRODUCT DESCRIPTION

- LIFT FOR HEIGHT VARIATION BY FOOT SWITCH
- LIFT FOR MIN HEIGHT TO MAX HEIGHT IN 30 SECONDS

UPHOLSTERY 2 SECTION:

- HEAD SECTION WITH FACE HOLE AND PLUG
- PADDING THICKNESS 6CM
- MANUALLY ADJUSTABLE HEAD SECTION FROM 0° TO +75°

SPECIFICATION:



- TOTAL LENGTH: 195CM
- WIDTH: 70CM
- HEAD SECTION LENGTH: 69CM
- LEG SECTION LENGTH: 124CM
- HEIGHT: ADJUSTABLE FROM 48CM TO 90CM
- N.W.: 58 KGS
- G.W.: 80 KGS
- PACKING SIZE: 198 X 73 X 50CM
- RETRACTABLE WHEELS
- LOADING WEIGHT: 300KGS

RECEIVE A FREE STOOL

1888486 & 1888507

MIG-100-02-BL & MIG-100-02-NB

\$1,595.00





MEDICAL IMPORT GROUP THREE SECTION COUCH

PRODUCT DESCRIPTION

- LIFT FOR HEIGHT VARIATION BY FOOT SWITCH
- LIFT FOR MIN HEIGHT TO MAX HEIGHT IN 30 SECONDS

UPHOLSTERY 3 SECTION:

- HEAD SECTION WITH FACE HOLE AND PLUG
- PADDING THICKNESS 6CM
- MANUALLY ADJUSTABLE HEAD SECTION FROM -75° TO +75°
- MANUALLY ADJUSTABLE LEG SECTION DROP UP TO 75°

SPECIFICATION:



- TOTAL LENGTH: 195CM
- WIDTH: 70CM
- HEAD SECTION LENGTH: 40CM
- LEG SECTION LENGTH: 95CM
- CENTRE SECTION LENGTH: 55CM
- HEIGHT: ADJUSTABLE FROM 48CM TO 90CM
- N.W.: 62 KGS
- G.W.: 84 KGS
- PACKING SIZE: 198 X 73 X 50CM
- RETRACTABLE WHEELS
- LOADING WEIGHT: 300KGS

RECEIVE A FREE STOOL

1888515 & 1888523

MIG-100-03-BL & MIG-100-03-NB

\$1,695.00



GM MEDICAL OMEGA 2 SECTION COUCH

Electric operated variable height
Electric operated head section
Height range: 490 - 900mm

HEAD SECTION:

- POSITIVE TILT TO 85°
- NEGATIVE TILT TO 30°
SIZE: 1900MM LONG X 700MM WIDE
PADDED, UPHOLSTERED TOP, WITH FACE CUT OUT
125MM CASTORS - FULLY LOCKABLE
SAFE WORKING LOAD 180KG
OPTIONAL ELECTRIC FOOT CONTROL

1888312
GMEDIC-EXAM-3600

\$2,395.00



GM MEDICAL OMEGA 3 SECTION COUCH

Electric operated variable height
Electric operated head section
Electric operated foot section
Height range 490 to 900mm

HEAD SECTION:

- POSITIVE TILT TO 85°
- NEGATIVE TILT TO 30°
SIZE: 1900MM LONG X 700MM WIDE
PADDED, UPHOLSTERED TOP, WITH FACE CUT OUT
125MM CASTORS - FULLY LOCKABLE
SAFE WORKING LOAD 180KG

1888321
GMEDIC-EXAM-3610

\$2,595.00



AARON BOVIE (USA)

The Aaron 900 is a high frequency desiccator (electrocautery unit) with a mass of features and reusable/disposable accessories.

- MADE IN THE USA.
- 2 YEAR WARRANTY.
- AUTOMATIC HIGH AND LOW POWER MODES.
OUTPUT POWER ADJUSTS BY 1/10 WATT INCREMENTS UP TO 10 WATTS, THEN BY 1 WATT INCREMENTS UP TO 30 WATTS.
- SUPERIOR QUALITY POWER CONTROL PENCILS.
ELECTRODES ARE FIRMLY GRIPED, WITH NO IRRITATING SWIVEL.
- LOWER OPERATING COSTS, AARON REPLACEMENT PARTS & ACCESSORIES ARE ON AVERAGE 30% LESS EXPENSIVE THAN COMPETITORS.
- NO PATIENT PLATE REQUIRED.

STANDARD INCLUSIONS:

A900 HF DESICCATOR UNIT, REUSABLE POWER CONTROL HAND PIECE, 50 SHARP + 50 BLUNT DISPOSABLE DERMAL TIPS, WALL MOUNT KIT, USER MANUAL, POWER CABLE.

1888777
DALCRS-A900

\$1,895.00



DIMENSIONS:

MODEL: FKG 371
 HEIGHT: 1930MM
 WIDTH: 595MM
 DEPTH: 595MM
 LITRES: 381

1903623
 QUIRKS-FKG-371

\$3,712.50



QUIRKS

The Medisafe Vaccine Refrigerator represents exceptional value for money and includes 12 months warranty on parts and labour.

The computer data logger is included as a standard feature. There are two types of data logger.

- The first is an externally mounted temperature gauge which as well as showing current temperature, it also records the day's high and low extremes. This is used where manual data logging is required.
- The second is an independent computer based data logger. It is set up to measure and record the simulated core temperature (rather than the air temperature) of the product stored in the refrigerator. It is battery powered and its recording process is not dependent on having a computer running. The information collected by the logger can be easily downloaded to a PC and displayed in tabular and graphical formats. The Data Logger performs a vital function in the event of equipment failure (even due to power failure). It will provide critical information about the temperature of the product stored in the refrigerator as distinct from the changes in air temperature that triggered the alarm. It will indicate whether the product in the refrigerator has been compromised or not.

The exceptional technical quality and functionality of the Medisafe is back up by Quirks Australia Nationwide 24 hours a day 7 day a week in-field service facility.

Medisafe has passed an independent cold chain test and is QCPP compliant.

FEATURES:

- ELECTRONIC TEMPERATURE CONTROL AND MONITORING SYSTEM.
- AUDIBLE AUTO RESETTING ALARMS.
- EXTERNAL HI LO DATA LOGGER.
- AUTO DIALER (OPTION)

DIMENSIONS:

MODEL: FKG 311
 HEIGHT: 1630MM
 WIDTH: 595MM
 DEPTH: 595MM
 LITRES: 306

1903957
 QUIRKS-FKG-311

\$3,442.50



DIMENSIONS:

MODEL: HB 80
 HEIGHT: 770MM
 WIDTH: 500MM
 DEPTH: 560MM
 LITRES: 80

1903965
 QUIRKS-HB-80

\$3,172.50





NEWMED KRONOS

BENCH TOP STERILISER KRONOS CLASS S & CLASS B

CRONOS S 18 LITRE

1888401
MMED-KRONOS 18S

\$6,250.00

CRONOS S 23 LITRE

1888427
MMED-KRONOS 23S

\$7,480.00

CRONOS B 23 LITRE

1888435
MMED-KRONOS 23B


\$8,350.00

CRONOS B 18 LITRE


1888419
MMED-KRONOS 18B

\$7,450.00

COMPLETE GRAPHIC CYCLE KRONOS B



COMPLETE GRAPHIC CYCLE KRONOS S



TECHNICAL FEATURES

KRONOS B

KRONOS S

Motor-operated closure	■ ■	■ ■
Door lock safety	Electric	Electric
Type of Vacuum	Fractionated	Pre & Post Vacuum
Instantaneous Vaporizer	■ ■	■ ■
Test Programs	Bowie & Dick/ Helix/Vacuum	Bowie & Dick/Helix
Onboard Printer	■ ■	■ ■
Display	Graphic	Graphic
M.T.S. Memory System Test	■ ■	■ ■
Connection to PC	■ ■	■ ■
Connection to demineralizer	■ ■	■ ■
Night Cycle	■ ■	■ ■
Internal water tanks (loading & unloading)	2	2
Chamber volume in litres	18	23
No. of Cycles with water loading (indicative)	8	6
Wrapped sterilizable weight in kg	3	4.5
Unwrapped sterilizable weight in kg	4	6
Porous material in kg	1	1.5
Empty machine weight in kg	56	60
Outer measurement:		
Depth mm	610	695
Width mm	505	505
Height mm	400	400
Supply voltage		220-240 V
Mains frequency		50-60 Hz
Rated Power	2400 W	2500 W

STANDARD TRAYS

QTY

DIMENSIONS

18 litres auto drawers	4	185 x 285 x 17
23 litres auto drawers	4	185 x 440 x 17

Fast sterilization - Designed for perfect sterilization of various materials, thanks to the combination of vacuum, temperature and drying.

PRICE INCLUSIVE OF COMMISSIONING AND ON SITE CALIBRATION

■ ■ STANDARD ✗ NOT PRESENT

MEDICAL IMPORT GROUP

ULTRASONIC CLEANER



- RINSE TIME CAN BE SET FROM 2 TO 30 MINUTES WITH RINSE TEMPERATURES CAN ALSO BE ADJUSTED.
- POWER IS AUTOMATICALLY CUT OFF WHEN IS LACK OF WATER IS DETECTED TO HELP PROLONG THE LIFE OF THE ELEMENTS.
- EXTERNAL DRAINAGE SYSTEM MAKES IT EASY CHANGE THE WATER.
- LOW NOISE DESIGN MAKES FOR QUIET OPERATION.
- SPECIALIZED BASKET IS DESIGNED FOR DELICATE MINUTE DEVICES THAT SHOULD BE FREE FROM FRICTION AND BRAISE.
- CLEAR OPERATION PLATE WITH DIGITAL DISPLAY MAKES IT EASY TO OPERATE.

CAPACITY: 5L
 POWER: 200W
 WEIGHT: 7.7KGS
 PACKING SIZE: 410*355*300MM

CAPACITY: 10L
 POWER: 400W
 WEIGHT: 15KGS
 PACKING SIZE: 530*450*430MM

1888531
 MIG-500-001

\$795.00

1888540
 MIG-500-002

\$1,295.00

TERMS & CONDITIONS OF SALE

1. TERMS AND CONDITIONS OF SALE

- 1.1 These terms and conditions apply to the sale of products by CH2 to the Buyer. CH2 may vary these terms by notice in writing to the Buyer. A copy of CH2's current terms and conditions of sale is available at www.ch2.net.au.
- 1.2 These terms prevail over any terms in any document of the Buyer and contain the entire agreement between the parties. If the Buyer places an order, accepts delivery of products and makes any payment under this invoice or performs any of these terms, the Buyer is taken to have accepted these terms.
- 1.3 If CH2 and the Buyer have entered into a State Government contract, clause 1.2 does not apply and the terms of that contract prevail over the terms of this document.

2. PRICE AND GST

- 2.1 Prices quoted by CH2 are those ruling at the date of issue of quotation. A price quotation is not an offer by CH2. CH2 may alter prices without notice before CH2 accepts the Buyer's order.
- 2.2 Prices are exclusive of GST. The Buyer must pay to CH2 an amount equal to any GST CH2 must pay for any supply by the products under these terms and conditions of sale. The Buyer must pay GST at the same time the Buyer pays the price (under clause 5).
- 2.3 All prices quoted include standard packing for delivery within Australia.

3. ORDERS

- 3.1 Subject to clause 3.2, orders for products must be in units of measure (as defined by the Therapeutic Goods Administration and manufacturer's certification for the relevant product, as reflected in the CH2 catalogue).
- 3.2 Orders for catalogue or non-catalogue products which are not held as a stock line by CH2 and which are ordered on the Buyer's request must be for the relevant manufacturer's minimum order quantity for that product.
- 3.3 If an order is for less than \$200 then a \$20 handling and freight charge will apply. CH2 may waive this charge where the Buyer exclusively orders products through CH2's electronic ordering system.
- 3.4 Orders for products which are temporarily out of stock will only be placed on backorder at the Buyer's express request.
- 3.5 CH2 reserves the right to charge the customer freight and cold chain fees.

4. DELIVERY

- 4.1 CH2 will use reasonable endeavours to despatch available products ordered for immediate delivery no later than 48 hours after receipt of the order.
- 4.2 Any delivery time CH2 gives the Buyer is only an estimate. CH2 is not liable to the Buyer for any loss or damage (including consequential loss or damage) arising from late delivery.
- 4.3 The Buyer must still accept and pay for the products even if CH2 delivers late.
- 4.4 Products will be delivered during CH2's normal business hours. If CH2 agrees to deliver products outside these normal business hours, CH2 may impose an additional delivery charge.
- 4.5 The products will be delivered using methods and carriers selected by CH2. If the Buyer requests other arrangements, the products will be transported at the Buyer's cost and risk.
- 4.6 Where:
 - (a) the Buyer does not take delivery when the products are ready; or
 - (b) the Buyer orders the products for collection and does not collect then within 10 business days after the specified collection date, CH2 is entitled to store the products (or deliver them to one of the Buyer's addresses) without liability and at the Buyer's cost and risk.

5. PAYMENT

- 5.1 Products will be invoiced on dispatch.
- 5.2 The Buyer must pay all invoices in full (without set-off or deduction, including for any claims for credit) within 30 days after the date of the invoice.
- 5.3 If the Buyer fails to pay an amount due:
 - (a) CH2 may charge interest on the overdue amounts calculated daily at 2% per annum above the maximum overdraft rate charged by CH2 bankers;
 - (b) CH2 may cancel or suspend further delivery of products to the Buyer until full payment of all money due from the Buyer to CH2; and
 - (c) CH2 may vary or withdraw credit at its discretion.
- 5.4 The Buyer must pay all expenses incurred by CH2 in the recovery of overdue amounts.

6. RISK AND TITLE

- 6.1 Risk in the products passes to the Buyer at the time of delivery to the Buyer, its carrier or agent. Title to and property in the products does not pass from CH2 to the Buyer until the Buyer pays in full all monies owing to CH2.
- 6.2 Until title to a product passes to the Buyer:
 - (a) the Buyer must hold the product as fiduciary and bailee for CH2 and store the product properly and separately as to be identifiable as the property of CH2;

- (b) the Buyer must fully insure the product against loss or damage, ensuring that CH2's interest as owner is noted on the policy;
- (c) if the Buyer does not pay an invoice by the due date, CH2 is entitled to enter any premises occupied by the Buyer and repossess the product; and
- (d) the Buyer may only sell the product as fiduciary (but not agent) of CH2, in the ordinary course of the Buyer's business and must:
 - (i) hold all proceeds separately in trust for CH2 and account to CH2 for the proceeds; and
 - (ii) assign to CH2 any book debt or claim against the third party acquirer of the product for the proceeds.

7. CLAIMS AND RETURNS

- 7.1 Within 7 days after delivery of any product, the Buyer must notify CH2 if any product has a short shelf life, has been damaged or spoiled before delivery, has been incorrectly sent or has been short delivered or has been incorrectly invoiced (a Product Claim).
- 7.2 CH2 may, in its absolute discretion, (but is not obliged to) accept returns of products which the Buyer has incorrectly ordered (a Product Credit), provided that the Buyer requests the Product Credit within 7 days after delivery of the product. If CH2 accepts a Product Credit, CH2 will charge the Buyer a restocking fee equal to the higher of \$25 or 10% of the price of the returned items.
- 7.3 Products being returned must comply with the following conditions:
 - (a) They must be returned using a carrier nominated by CH2.
 - (b) They must be unopened, in their unit of measure and in their original manufacturer's packaging which has not been marked, defaced, damaged or interfered with in any way (other than prior to delivery to the Buyer). 202733757_5 Effective 25th August 2010
 - (c) They must be returned with a CH2 credit returns advice (which can be obtained from CH2 by calling 1300 720 274) duly completed and signed by the Buyer which:
 - (i) itemises the products being returned and explains the reasons for return;
 - (ii) confirms that the products have been stored at all times according to the label conditions and other applicable requirements imposed by law, regulation or recommendation by CH2 or the manufacturer; and
 - (iii) attaches a copy of the original signed and dated invoice for the returned products.
- 7.4 Products returned without the prior consent of CH2 may be returned to the Buyer at the Buyer's cost.
- 7.5 The Buyer acknowledges that the following products cannot be returned under any circumstances:
 - (a) buy to backorder lines;
 - (b) any "cold chain" products which are required to be stored between 2 and 8 degrees Celsius; and
 - (c) any nutritional products.

8. COMPLIANCE WITH LAWS, REQUIREMENTS & GUIDELINES

- 8.1 The Buyer must hold all necessary licences and comply with all law and product manufacturer requirements relating to the purchase, storage, sale, marking or use of the products, including complying with all relevant adverse event reporting requirements, Therapeutic Goods Administration regulations and guidelines and information issued by product manufacturers from time to time.
- 8.2 If the Buyer is directed to assist in any suspension of supply or recall of products for any reason by CH2, the Therapeutic Goods Administration or a health authority, the Buyer will cooperate and comply with all such reasonable directions to ensure the most effective response to the suspension or recall. To the extent that CH2 is entitled to recover the costs of the suspension or recall from the relevant product manufacturer or supplier, CH2 will reimburse to the Buyer any reasonable and necessary costs incurred by the Buyer in connection with the suspension or recall.

9. PRODUCT ADVICE AND USAGE

- 9.1 Any description of products used by CH2 is for identification purposes only and not a description with which the products must comply.
- 9.2 The Buyer acknowledges and agrees that any representation or advice given by or on behalf of CH2 (or any of its employees or agents) in respect of the operation or use of a product is offered for information purposes only and should not be relied upon. CH2 assumes no obligation or liability whatsoever in respect of any such representation or advice.
- 9.3 The Buyer acknowledges and agrees that it is responsible for advising its customers or patients about the operation, application, appropriateness and use of the products.

10. PRODUCT WARRANTIES

- 10.1 CH2 will use reasonable endeavours to enforce, at the cost and for the benefit of the Buyer, any product warranties, guarantees and representations made to CH2 by manufacturers and suppliers of products sold by CH2 to the Buyer.
- 10.2 CH2 does not represent or warrant that any product (including, in particular, any imported product) does not infringe any intellectual property rights (including those protected by an Australian registered patent) of any third party.

11. LIMITATION OF LIABILITY

- 11.1 Implied warranties and conditions as to the quality or fitness of the products or as to the accuracy of information, advice or other services concerning the products are expressly excluded to the maximum extent allowed by law.
- 11.2 CH2's liability for a breach of this document or for a breach of any implied warranty or condition is limited to, at CH2's election:
 - (a) replacing the products (or supplying equivalent products); or
 - (b) paying the cost of replacing the products (or supplying equivalent products).
- 11.3 CH2, its employees and agents shall not be liable for any loss or damage (including consequential loss or damage) of any kind whatever, even if due to the negligence of CH2, its employees or agents.
- 11.4 The Buyer agrees that the products are not of a kind ordinarily acquired for personal, domestic or household use or consumption.
- 11.5 The Buyer indemnifies CH2 for all liabilities, losses, damages, costs or expenses suffered or incurred by CH2 as a result of any act or omission of the Buyer, including (without limitation) loss incurred as a result of the Buyer:
 - (a) cancelling any order or part of any order;
 - (b) unloading, storing or handling the products;
 - (c) failing to comply with any manufacturer instructions regarding the products or with any laws relating to the storage, handling, sale, marking or use of the products;
 - (d) making, or allowing to be made, any statement in respect of the operation, application, appropriateness and use of the products; or
 - (e) breaching any of the Buyer's obligations under these terms and conditions of sale.

12. FORCE MAJEURE

- 12.1 CH2 is not liable to the Buyer for any failure to comply with this document if the failure (directly or indirectly) arises out of any circumstances which are not within CH2's reasonable control (including, for example, an act of war or terrorism, natural disaster, industrial action or failure of a supplier, public utility or common carrier) (a Force Majeure Event). 12.2 If a Force Majeure Event occurs, CH2's obligations under these terms and conditions of sale are suspended to the extent they are affected by the relevant event as long as the event continues. Neither CH2 nor the Buyer may terminate these terms and conditions of sale as a consequence of any Force Majeure Event.

13. CANCELLATION AND TERMINATION

- 13.1 The Buyer may not cancel any order once lodged with CH2, unless CH2, in its absolute discretion, agrees otherwise. CH2 will not agree to any cancellation unless the Buyer compensates CH2 against all loss or damage arising from the cancellation.
- 13.2 CH2 reserves the right to accept or decline in whole or in part any order. CH2 may discontinue supply of any product without notice, unless otherwise required by legislation.
- 13.3 CH2 may cancel any order and terminate these terms and conditions of sale if
 - (a) any invoice due is unpaid;
 - (b) the Buyer becomes insolvent or CH2 obtains an unfavourable credit report on the Buyer's financial standing, in which case, the Buyer must indemnify CH2 for any costs and expenses incurred prior to cancellation and must pay any reasonable cancellation charges fixed by CH2. In these circumstances, CH2 may require the Buyer to provide prepayments or other security as a condition of CH2 resuming delivery of products to the Buyer. 202733757_5 Effective 25th August 2010
- 13.4 The Buyer has no claim against CH2 for any damage, loss, cost or expense arising from any cancellation by CH2.

14. GENERAL

- 14.1 No conduct of CH2 (including a failure to exercise, or delay in exercising, a right) operates as a waiver of a right of CH2 or otherwise prejudices or prevents the exercise of a right of CH2.
- 14.2 The Buyer may only assign, dispose of or otherwise create an interest in its rights under these terms and conditions of sale with the consent of CH2. CH2 may assign its rights under these terms and conditions of sale without the consent of the Buyer.
- 14.3 Any provision of these terms and conditions of sale which is unenforceable or partly unenforceable is, where possible, to be severed to the extent necessary to make these terms and conditions of sale enforceable, unless this would materially change the intended effect of this document.
- 14.4 These terms and conditions of sale are governed by the law in force in New South Wales.



CLIFFORDHALLAMHEALTHCARE

ABN 38 001 655 554 (CH2)



SYDNEY BRISBANE NEWCASTLE DARWIN
MELBOURNE HOBART ADELAIDE PERTH



CLIFFORDHALLAMHEALTHCARE

