

## Connex® Vital Signs Monitor 6000 Series

Changing the way vitals are captured and documented to enhance clinical decision-making, improve patient safety and minimize risk.

### Connex Vital Signs Monitor 6000 Series

- Large full-color touch screen display
- Continuous monitoring and spot checking of vital signs
- Widest range of parameter options



Learn more  
on page 140



## Vital Signs Devices

Connex® Vital Signs Monitor 6000 Series .....	140
Accessory Cable Management Mobile Stand .....	147
Connex Pro BP™ 3400 Digital Blood Pressure Device.....	148
Spot Vital Signs® LXi.....	150
Spot Vital Signs Devices.....	154
Vital Signs Monitor 300 Series.....	158

## Patient Monitors

Propaq® LT Monitors .....	163
Propaq CS Monitor .....	168



### 63TXX-B

Connex Vital Signs Monitor 6000 Series with SureTemp Plus

## Connex® Vital Signs Monitor 6000 Series

The Connex Vital Signs Monitor 6000 Series is an advanced monitor that features a large touchscreen display that is visually intuitive to operate and provides quick access to all device settings and controls – perfect for surgery centers and other ambulatory care offices. Physicians can choose the specific workflow they need-use across procedure and general exam environments for both continuous monitoring and spotting check of neonatal, pediatric and adult patients.

- Fast 15-second SureBP NIBP technology measures as the cuff is inflating
- Pulse rate and MAP included
- Optional SureTemp® Plus and/or Braun ThermoScan® PRO 4000 thermometry
- Optional Masimo® or Nellcor® pulse oximetry (SpO<sub>2</sub>)
- Blood Pressure intervals can be set for predefined or customized cycle times
- Alarm controls and status are displayed on the on the home screen
- Integrated thermal printer
- Fast recharging lithium ion battery
- 400-reading memory allows retrieval of previous data for review
- Connects to leading EHR systems to reduce documentation errors

### 6300 Basic—1 host USB port for accessories, 6-cell lithium ion battery Non-upgradable

<b>63XXXX-B</b>	Connex VSM 6300—Blood Pressure
<b>63XXPX-B</b>	Connex VSM 6300—Blood Pressure, Printer
<b>63TXX-B</b>	Connex VSM 6300—Blood Pressure, Temperature (SureTemp Plus)
<b>63TPX-B</b>	Connex VSM 6300—Blood Pressure, Temperature (SureTemp Plus), Printer
<b>63XXE-B</b>	Connex VSM 6300—Blood Pressure, Temperature (Braun® ThermoScan® PRO 4000)
<b>63XXPE-B</b>	Connex VSM 6300—Blood Pressure, Temperature (Braun ThermoScan PRO 4000), Printer
<b>63NXX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Nellcor)
<b>63NXPX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Nellcor), Printer
<b>63MXX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo)
<b>63MXPX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo), Printer
<b>63MTXX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo), Temperature (SureTemp Plus)
<b>63MTPX-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo), Temperature (SureTemp Plus), Printer
<b>63MXXE-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo), Temperature (Braun ThermoScan PRO 4000)
<b>63MXPE-B</b>	Connex VSM 6300—Blood Pressure, SpO <sub>2</sub> (Masimo), Temperature (Braun ThermoScan PRO 4000), Printer

- 63NTXX-B** Connex VSM 6300—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (SureTemp Plus)
- 63NTPX-B** Connex VSM 6300—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (SureTemp Plus), Printer
- 63NXXE-B** Connex VSM 6300—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (Braun ThermoScan PRO 4000)
- 63NXPE-B** Connex VSM 6300—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (Braun ThermoScan PRO 4000), Printer

**6400 Standard Offering—4 host USB ports for accessories, 9-cell lithium ion battery**

- 64XXXX-B** Connex VSM 6400—Blood Pressure
- 64XXPX-B** Connex VSM 6400—Blood Pressure, Printer
- 64XTXX-B** Connex VSM 6400—Blood Pressure, Temperature (SureTemp Plus)
- 64XTPX-B** Connex VSM 6400—Blood Pressure, Temperature (SureTemp Plus), Printer
- 64XXE-B** Connex VSM 6400—Blood Pressure, Temperature (Braun ThermoScan PRO 4000)
- 64XXPE-B** Connex VSM 6400—Blood Pressure, Temperature (Braun ThermoScan PRO 4000), Printer
- 64NXXX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor)
- 64NXPX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor), Printer
- 64MXXX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Masimo)
- 64MXPX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Masimo), Printer
- 64NTXX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (SureTemp Plus)
- 64NTPX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (SureTemp Plus), Printer
- 64NXXE-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (Braun ThermoScan PRO 4000)
- 64NXPE-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Nellcor), Temperature (Braun ThermoScan PRO 4000), Printer
- 64MTXX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Masimo), Temperature (SureTemp Plus)
- 64MTPX-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Masimo), Temperature (SureTemp Plus), Printer
- 64MXE-B** Connex VSM 6400—Blood Pressure, SpO<sub>2</sub> (Masimo), Temperature (Braun ThermoScan PRO 4000)
- 64MXPE-B** Connex VSM 6400— Blood Pressure, SpO<sub>2</sub> (Masimo), Temperature (Braun ThermoScan PRO 4000), Printer



### Connex Vital Signs Monitor: Accessories FlexiPort Cuffs Reusable One Piece Cuffs

<b>REUSE-08-2MQ</b>	Cuff, Small Child, Durable, Two-Tube, Locking (EA)
<b>REUSE-07-2MQ</b>	Cuff, Infant, Durable, Two-Tube, Locking (EA)
<b>REUSE-09-2MQ</b>	Cuff, Child, Durable, Two-Tube, Locking (EA)
<b>REUSE-10-2MQ</b>	Cuff, Small Adult, Durable, Two-Tube, Locking (EA)
<b>REUSE-11-2MQ</b>	Cuff, Adult, Durable, Two-Tube, Locking (EA)
<b>REUSE-11L-2MQ</b>	Cuff, Adult Long, Durable, Two-Tube, Locking (EA)
<b>REUSE-12-2MQ</b>	Cuff, Large Adult, Durable, Two-Tube, Locking (EA)
<b>REUSE-12L-2MQ</b>	Cuff, Large Adult Long, Durable, Two-Tube, Locking (EA)
<b>REUSE-13-2MQ</b>	Cuff, Thigh, Durable, Two-Tube, Locking (EA)

### Connex Vital Signs Monitor: Accessories FlexiPort Cuffs Disposable

<b>SOFT-08-2MQ</b>	Cuff, Small Child, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-07-2MQ</b>	Cuff, Infant, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-09-2MQ</b>	Cuff, Child, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-10-2MQ</b>	Cuff, Small Adult, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-11-2MQ</b>	Cuff, Adult, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-11L-2MQ</b>	Cuff, Adult Long, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-12-2MQ</b>	Cuff, Large Adult, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-12L-2MQ</b>	Cuff, Large Adult Long, Disposable, Soft, Two-Tube, Locking (20 Pack)
<b>SOFT-13-2MQ</b>	Cuff, Thigh, Disposable, Soft, Two-Tube, Locking (20 Pack)

### Neonatal Disposable One-Piece Cuffs:

<b>5082-101-1</b>	Disposable One-Piece Cuffs, Neo #1, One-Tube (10/box)
<b>5082-102-1</b>	Disposable One-Piece Cuffs, Neo #2, One-Tube (10/box)
<b>5082-103-1</b>	Disposable One-Piece Cuffs, Neo #3, One-Tube (10/box)
<b>5082-104-1</b>	Disposable One-Piece Cuffs, Neo #4, One-Tube (10/box)
<b>5082-105-1</b>	Disposable One-Piece Cuffs, Neo #5, One-Tube (10/box)

### Blood Pressure Accessories (Latex Free)

<b>4500-33</b>	SureBP Two-Tube Blood pressure hose (5 ft)
<b>4500-34</b>	SureBP Two-Tube Blood pressure hose (10 ft)
<b>4500-35</b>	SureBP Two-Tube Blood pressure hose (8 ft)
<b>6000-30</b>	One-Tube Blood pressure hose (5 ft)
<b>6000-31</b>	One-Tube Blood pressure hose (10 ft)
<b>6000-33</b>	Neonatal Blood pressure hose (10 ft)
<b>5200-08</b>	Calibration "T" Connector

### Masimo® Pulse Oximetry

<b>LNOP-DCI</b>	Masimo LNOP Reusable Finger Clip Probe - Adult
<b>LNOP-DCIP</b>	Masimo LNOP Reusable Finger Clip Probe - Pediatric
<b>008-0953-00</b>	Masimo LNOP Reusable Ear Sensor (Need LNOP cable)
<b>LNOP-ADT</b>	Masimo LNOP Disposable Adhesive Finger Clip Probe - Adult
<b>LNOP-PDT</b>	Masimo LNOP Disposable Adhesive Finger Clip Probe - Pediatric
<b>LNOP-NEO</b>	Masimo LNOP Disposable Adhesive Finger Clip Probe - Neonate
<b>LNOP-NEOPT</b>	Masimo LNOP Disposable Adhesive Finger Clip Probe - Neonate (sensitive skin)
<b>PC-04</b>	Masimo LNOP 4' Cable w/ Sensor Connector
<b>PC-08</b>	Masimo LNOP 8' Cable w/ Sensor Connector
<b>LNCS-DCI</b>	Masimo LNCS Reusable Finger Sensor - Adult
<b>LNCS-DCIP</b>	Masimo LNCS Reusable Finger Sensor - Pediatric
<b>LNCS-ADTX</b>	Masimo LNCS Adhesive Finger Sensor - Adult (20/case)
<b>LNCS-PDTX</b>	Masimo LNCS Adhesive Finger Sensor - Pediatric (20/case)
<b>LNC-4</b>	Masimo LNCS 4' Cable w/ MINI-D Connector
<b>LNC-10</b>	Masimo LNCS 10' Cable w/ MINI-D Connector
<b>LNCS-YI</b>	Masimo LNCS Multisite Reusable Sensor (1 sensor, 6 adhesive wraps)
<b>LNCS-TC-I</b>	Masimo LNCS Reusable Ear Sensor
<b>LNCS-Neo-L-3</b>	Masimo LNCS Disposable Adhesive Finger Sensor - Neonate/Adult (20/cs)
<b>Neo-Wrap-RP</b>	Masimo LNCS Replacement wrap for Neonatal Adhesives(100/cs)
<b>LNCS-Inf-3</b>	Masimo LNCS Disposable Adhesive Finger Sensor - Infant (20/cs)
<b>Inf-Wrap-RP</b>	Masimo LNCS Replacement wrap for Infant Adhesives (100/cs)
<b>YI-AD</b>	Masimo LNCS Multisite Adhesive Wrap Adult/Pediatric/Neonatal for YI sensor (100/cs)
<b>YI-FM</b>	Masimo LNCS Multisite Foam Wrap Adult/Pediatric/Neonatal for YI sensor (12/pc)

### Nellcor® Pulse Oximetry

<b>DS-100A</b>	Nellcor Dura Sensor Adult Oxygen Transducer
<b>DOC-10</b>	Nellcor Extension Cable (10 ft)
<b>DOC-8</b>	Nellcor Extension Cable (8 ft)
<b>DOC-4</b>	Nellcor Extension Cable (4 ft)
<b>D-YS</b>	Nellcor Dura-Y Oxygen Transducer (1 sensor, 40 wraps)
<b>D-YSE</b>	Nellcor Ear Clip (use with Dura-Y sensor)
<b>D-YSPD</b>	Nellcor PediCheck Pediatric Spot Check (use w/ Dura-Y sensor)
<b>MAX-AI</b>	Nellcor OxiMax Adult Sensor (single use, case of 24)
<b>MAX-PI</b>	Nellcor OxiMax Pediatric Sensor (single use, case of 24)
<b>MAX-II</b>	Nellcor OxiMax Infant Sensor (single use, case of 24)
<b>OXI-A/N</b>	Nellcor OxiBand Adult/Neonatal Transducer (1 sensor, 50 wraps)
<b>OXI-P/I</b>	Nellcor OxiBand Pediatric/Infant Transducer (1 sensor, 50 wraps)

### SureTemp® Plus Thermometry

<b>02895-000</b>	Oral Temperature Probe and Well (9' / 2.7m)
<b>02895-100</b>	Rectal Temperature Probe and Well (9' / 2.7m)
<b>02894-0000</b>	Oral Probe Well (blue)
<b>02894-1000</b>	Rectal Probe Well (red)
<b>05031-101</b>	SureTemp Plus Disposable Probe Covers (1,000 covers, 25/box)
<b>05031-110</b>	SureTemp Plus Disposable Probe Covers (10,000 covers, 25/box)
<b>06138-000</b>	Temperature Calibration Key

### Braun® ThermoScan® PRO 4000 Thermometry

<b>04000-900</b>	Braun ThermoScan PRO 4000 Dock with Thermometer
<b>04000-200</b>	Braun ThermoScan PRO 4000 Ear Thermometer (w/out rechargeable batteries)
<b>53020-0000</b>	Braun ThermoScan PRO 4000 Rechargeable Battery Pack
<b>05075-800</b>	Braun ThermoScan PRO 4000 Disposable Probe Covers (800 covers, 20/box)
<b>05075-005</b>	Braun ThermoScan PRO 4000 Disposable Probe Covers (5,000 covers, 20/box)
<b>01802-110</b>	Braun ThermoScan 9600 Plus Calibration Tester
<b>36000</b>	Braun ThermoScan PRO 4000 Dock
<b>86100</b>	Braun ThermoScan PRO 4000 Dock Wall Mount Kit
<b>86200</b>	Braun ThermoScan PRO 4000 Economy Mobile Stand Mount Kit

## Mounting Options

<b>4800-60</b>	Mobile Stand w/ Cable Mgmt Storage System
<b>4700-60</b>	Economy Mobile stand with basket
<b>4701-62</b>	Wall mount with basket
<b>008-0834-01</b>	GCX Wall Channel
<b>103870</b>	Replacement Tool Kit, ACM Stand

## Connex VSM Accessories

<b>BATT69</b>	6-cell lithium ion battery, single pack
<b>BATT99</b>	9-cell lithium ion battery, single pack
<b>6000-100H</b>	Carrying case, hard sided, VSM 6000
<b>6000-100S</b>	Carrying case, soft sided, VSM 6000
<b>PWCD-B</b>	Line Cord B, North America
<b>6000-40</b>	Printer Paper (10/pack)
<b>6000-NC</b>	Nurse Call Cable
<b>4500-925</b>	Connectivity Accessory Kit-USB Cable
<b>715270</b>	Packaging (Empty Box Set)
<b>660-0321-00</b>	Ethernet Network Patch Cable, 50'
<b>660-0320-00</b>	Ethernet Network Patch Cable, 100'
<b>660-0138-00</b>	Ethernet Network Patch Cable, 5'
<b>6000-50</b>	USB Configuration Memory Stick

## Licensed Features

<b>103371</b>	Barcode Scanner Authorization Code, All models
<b>103372</b>	Model 6300 Spot Check Profile Authorization Code
<b>103373</b>	Model 6300 Triage Profile Authorization Code



# VITAL SIGNS DEVICES

## PATIENT MONITORS & SYSTEMS

### Connex VSM 6000—Part Number Configuration

<b>6</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>B</b>
Model		SpO <sub>2</sub>	SureTemp Plus Thermometry	Printer	Braun PRO 4000 Thermometry	Plug
6	3	M = Masimo	T = Included	P = Internal	E = Included	B = N. America
	4	N = Nellcor	X = Not Included	X = Not Included	X = Not Included	
	5	X = Not Included				

<b>MODEL:</b>	<b>63</b>	<b>64</b>	<b>65</b>
<b>Wireless Connectivity</b>			
<b>Upgradeable</b>		•	
<b>Integrated Radio</b>			•
<b>Wired Connectivity</b>			
<b>Upgradeable</b>	•		
<b>USB</b>	•	•	•
<b>Ethernet</b>	•	•	•
<b>Nurse Call</b>		•	•
<b># of Accessories Capable of Running:</b>	1	4	4

## Accessory Cable Management Mobile Stand

This unique mobile stand is ergonomically designed for efficiency and ease of use. System components have specific compartments to ensure quick identification and access. Natural draping keeps everything neat and organized to help make users more efficient.

- Unique cable routing eliminates tangling and may extend cable life
- All cables, accessories, and disposables are on-board, enabling users to quickly determine if the device is properly stocked to minimize workflow disruption
- On-board disinfection wipes, rounded corners, slotted bin openings, and a modular design facilitate cleaning and help minimize the risk of cross-contamination
- Designed so that the monitor and bins are protected by the cable management tray, and are within the footprint of the base
- On-board lighting aids vision in dark rooms

**4800-60** Accessory Cable Management Mobile Stand 4800 Series



**4800-60**  
Accessory Cable  
Management Mobile Stand



Stand with monitor  
and accessories



**34FHT-B**  
Connex ProBP 3400 with  
Sure BP, Handheld



**4602-61**  
Desk Mount with basket  
for Connex ProBP 3400



**34XFST-B**  
Connex ProBP 3400  
with Sure BP and  
mobile stand

## Connex<sup>®</sup> ProBP<sup>™</sup> 3400 Digital Blood Pressure Device

Accurate, reliable, connected blood pressure readings in the palm of your hand.

- Small, handheld design makes device easy to carry and capture readings on rounds or in triage settings
- Hospital-grade SureBP<sup>™</sup> technology enables fast, accurate 15-second blood pressure readings, improving patient comfort
- Obtains accurate readings and minimizes error codes, even in the presence of many cases of motion or weak pulse
- USB-wired technology enables connectivity to select EHR/EMR systems, improving documentation accuracy and efficiency
- Compatible with FlexiPort blood pressure cuff sizes ranging from small child (size 8) to thigh (size 13)
- Lithium ion battery technology delivers 100 readings on a single charge with rapid recharge time
- Configurable to match your workflow and specific patient needs. Upgradeable so that your initial investment is protected as your needs change
- Mercury- and latex-free to ensure clinician and patient safety

### Handheld

**34XFHT-B** Connex ProBP 3400 with SureBP

**34XXHT-B** Connex ProBP 3400 with Standard BP

### Wall Mount

**34XFWT-B** Connex ProBP 3400 with SureBP

**34XXWT-B** Connex ProBP 3400 with Standard BP

### Mobile Stand

**34XFST-B** Connex ProBP 3400 with SureBP

**34XXST-B** Connex ProBP 3400 with Standard BP

### FlexiPort Cuffs (latex-free) Reusable

**REUSE-08** Cuff, Small Child, Durable (EA)

**REUSE-09** Cuff, Child, Durable (EA)

**REUSE-10** Cuff, Small Adult, Durable (EA)

**REUSE-11** Cuff, Adult, Durable (EA)

**REUSE-11L** Cuff, Adult Long, Durable (EA)

**REUSE-12** Cuff, Large Adult, Durable (EA)

**REUSE-12L** Cuff, Large Adult Long, Durable (EA)

**REUSE-13** Cuff, Thigh, Durable (EA)

## Other Accessories

<b>PWCD-5WT-B</b>	ProBP Mobile Stand Cord Accessory
<b>PWCD-5WW-B</b>	ProBP Handheld Cord Accessory
<b>PWCD-5WT-B</b>	ProBP Mobile Stand Cord Accessory
<b>3400-30</b>	Double Tube Blood Pressure Hose 1.5 m, 5.0 ft
<b>3400-31</b>	Double Tube Blood Pressure Hose 3.0 m, 10.0 ft
<b>4600-61</b>	CMobile Stand with Mounting Kit for ProBP 3400
<b>4601-61</b>	Wall Mount with Basket for ProBP 3400
<b>4602-61</b>	Desk Mount with Basket for ProBP 3400
<b>BATT11</b>	One Cell, Lithium Ion Battery
<b>3400-925</b>	ProBP 3400 USB Cable, 2.4 m, 8.0 ft
<b>3400-926</b>	ProBP 3400 USB Cable, 40.6 cm, 16.0 in
<b>3400-100</b>	Battery Door for ProBP 3400 (includes screw)
<b>4600-100</b>	5W power supply mounting kit (for use with mobile stand)
<b>3400-200</b>	Mobile stand mounting kit (does not include stand)
<b>3400-SureBP</b>	SureBP Activation Code for ProBP
<b>S1-3400</b>	ProBP Comprehensive Partnership Program 1-Year
<b>S1-3400-2</b>	ProBP Comprehensive Partnership Program 2-Year

# VITAL SIGNS DEVICES

## PATIENT MONITORS & SYSTEMS



**45NT0-E1**  
Spot Vital Signs® LXi with SureBP®,  
Nellcor SpO<sub>2</sub>, and SureTemp  
Plus Thermometer

## Spot Vital Signs® LXi

Take vital signs in about half the time. Take patient care to a whole new level.

- SureBP® technology is designed to measure blood pressure in about 15 seconds as the cuff is inflating—resulting in time savings for you and improved comfort for your patients; pulse rate and MAP included
- Choice of SureTemp® Plus or Braun® ThermoScan® PRO 4000 ear thermometer
- Choice of Masimo® or Nellcor® pulse oximetry
- Ability to manually enter weight, height, respiration rate, and pain level; calculates Body Mass Index
- Connects to select Health o meter® or Tanita® digital scale
- 50-reading memory allows retrieval of previous data for review, to print or to download later
- Connectivity-ready
- Error messages give you descriptions and real solutions—not just error codes
- Bigger, brighter LCD display provides greater visibility from farther distances

**45NT0-E1** Spot Vital Signs LXi with SureBP, Nellcor SpO<sub>2</sub>, and SureTemp Plus Thermometer

**45NE0-E1** Spot Vital Signs LXi with SureBP, Nellcor SpO<sub>2</sub>, and Braun ThermoScan PRO 4000 Ear Thermometer

**45MT0-E1** Spot Vital Signs LXi with SureBP, Masimo SpO<sub>2</sub>, and SureTemp Plus Thermometer

**45ME0-E1** Spot Vital Signs LXi with SureBP, Masimo SpO<sub>2</sub>, and Braun ThermoScan PRO 4000 Ear Thermometer

**450E0-E1** Spot Vital Signs LXi with SureBP and Braun ThermoScan PRO 4000 Ear Thermometer

**450T0-E1** Spot Vital Signs LXi with SureBP and SureTemp Plus Thermometer



**45NE0-1**  
Spot Vital Signs® LXi with  
SureBP™, Nellcor® SpO<sub>2</sub>,  
and Braun ThermoScan®  
PRO 4000 Ear Thermometer  
(4700-60 Mobile Stand  
Sold Separately)

## FlexiPort Reusable One-Piece Cuffs

**REUSE-07-2MQ** Infant Two-Tube Cuff [size 7], (EA)

**REUSE-08-2MQ** Small Child Two-Tube Cuff [size 8], (EA)

**REUSE-09-2MQ** Child Two-Tube Cuff [size 9], (EA)

**REUSE-10-2MQ** Small Adult Two-Tube Cuf [size 10], (EA)

**REUSE-11-2MQ** Adult Two-Tube Cuff [size 11], (EA)

**REUSE-12-2MQ** Large Adult Two-Tube Cuff [size 12], (EA)

**REUSE-13-2MQ** Thigh Two-Tube Cuff [size 13], (EA)

### FlexiPort Disposable One-Piece Cuffs

- SOFT-07-2MQ** Infant Two-Tube Cuffs [size 7], (20/cs)
- SOFT-08-2MQ** Small Child Two-Tube Cuffs [size 8], (20/cs)
- SOFT-09-2MQ** Child Two-Tube Cuffs [size 9], (20/cs)
- SOFT-10-2MQ** Small Adult Two-Tube Cuffs [size 10], (20/cs)
- SOFT-11-2MQ** Adult Two-Tube Cuffs [size 11], (20/cs)
- SOFT-12-2MQ** Large Adult Two-Tube Cuffs [size 12], (20/cs)
- SOFT-13-2MQ** Thigh Two-Tube Cuffs [size 13], (20/cs)

### Spot Vital Signs LXi Blood Pressure Accessories Two-Piece Cuffs and Bladders

- 4500-01** Child Cuff and Bladder, two tubes [size 9]
- 4500-02** Adult Cuff and Bladder, two tubes [size 11]
- 4500-03** Large Adult Cuff and Bladder, two tubes [size 12]
- 4500-04** Thigh Cuff and Bladder, two tubes [size 13]

### Miscellaneous Blood Pressure Accessories

- 4500-30** Blood Pressure Hose (5 ft, 1.5 m)
- 4500-31** Blood Pressure Hose (10 ft, 3.0 m)
- 4500-32** Blood Pressure Hose (8 ft, 2.4 m)
- 5082-172** Blood Pressure Connector (Male Locking Type)
- 5082-182** Blood Pressure Connector (Female Locking-Type)
- 5200-08** Calibration "T" Connector

### Spot Vital Signs LXi® Thermometry Accessories SureTemp Plus Thermometry Accessories

- 02895-000** Oral Temperature Probe and Well Kit (9 ft, 2.7 m)
- 02895-100** Rectal Temperature Probe and Well Kit (9 ft, 2.7 m)
- 02894-0000** Oral Probe Well (blue)
- 02894-1000** Rectal Probe Well (red)
- 05031-101** Disposable Probe Covers (1,000 covers, 25/box)
- 05031-110** Disposable Probe Covers (10,000 covers, 25/box)
- 01802-110** 9600 Plus Calibration Tester
- 06138-000** SureTemp Plus Calibration Key



**45NE0-E1**  
Spot Vital Signs® LXi with SureBP®,  
Nellcor® SpO<sub>2</sub>, and Braun®  
ThermoScan® PRO 4000  
Ear Thermometer



**05031-101**  
Disposable  
Probe Covers

**53020-0000**  
Rechargeable  
Battery Pack  
for Braun  
PRO 4000



**05075-800**  
Disposable  
Probe Covers  
for Braun  
PRO 4000



**LNOP-ADT**  
Adult Disposable Adhesive Finger  
Sensor (Masimo)



**LNOP-PDT**  
Pediatric Disposable Adhesive  
Finger Sensor (Masimo)

### Braun® ThermoScan® PRO 4000 Thermometry Accessories

<b>04000-200</b>	Braun ThermoScan PRO 4000 Ear Thermometer (without rechargeable batteries)
<b>53020-0000</b>	Braun ThermoScan PRO 4000 Rechargeable Battery Pack
<b>05075-800</b>	Braun ThermoScan PRO 4000 Disposable Probe Covers (800 covers, 20/Box)
<b>05075-005</b>	Braun ThermoScan PRO 4000 Disposable Probe Covers (5,000 covers, 20/box)
<b>4500-53</b>	Braun ThermoScan PRO 4000 Unlocking Key
<b>01802-110</b>	9600 Plus Calibration Tester

### Spot Vital Signs LXi Pulse Oximetry Accessories Masimo® Pulse Oximetry Accessories

<b>LNCS-DCI</b>	Adult Reusable Finger Sensor, 3ft
<b>LNCS DCIP</b>	Pediatric Finger Sensor, 3ft Resuable 18 in Pediatric
<b>LNCS-ADTX</b>	Adult Adhesive Finger Sensors, 18 in (box of 20)
<b>LNCS-PDTX</b>	Adhesive Finger Sensors, 18 in (box of 20)
<b>LNCS-INF-L</b>	Infant Adhesive Sensor, 3 ft (box of 20)
<b>LNCS-4</b>	LNCS Patient Cable, 4 ft (14-Pin Connector)
<b>LNCS-10</b>	LNCS Patient Cable, 10 ft (14-Pin Connector)
<b>LNOP-ADT</b>	Disposable Adhesive Finger Sensor—Adult (box of 20)
<b>LNOP-PDT</b>	Disposable Adhesive Finger Sensors—Pediatric (box of 20)
<b>LNOP-DCI</b>	Adult Reusable Finger Sensor
<b>LNOP-DCIP</b>	Pediatric Reusable Finger Sensor
<b>PC-04</b>	4 ft Cable with Sensor Connector (for use with LNOP sensors)
<b>PC-08</b>	8 ft Cable with Sensor Connector (for use with LNOP sensors)
<b>PC-12</b>	12 ft Cable with Sensor Connector (for use with LNOP sensors)

### Nellcor® Pulse Oximetry Accessories

<b>DS-100A</b>	Durasensor™ Adult Oxygen Transducer
<b>DOC-10</b>	Extension Cable (10 ft)
<b>D-Y</b>	Dura™ Y Oxygen Transducer (1 sensor, 40 wraps)
<b>D-YSE</b>	Ear Clip (use with Dura-Y sensor)
<b>D-YSPD</b>	PediCheck™ Pediatric Spot Check (use with Dura-Y Sensor)
<b>MAX-AI</b>	OxiMax™ Adult Sensor (single use, case of 24)
<b>MAX-PI</b>	OxiMax Pediatric Sensor (single use, case of 24)

- MAX-II** OxiMax Infant Sensor (single use, case of 24)
- MAX-RI** OxiMax Adult Nasal Sensor (single use, case of 24)
- OXICLIQ-PI** Pediatric Oxygen Transducer (for use with OC-3 Cable)
- OC-3** OxiCliq™ Sensor Cable
- OXI-A/N** Oxiband™ Adult/Neonatal Transducer (1 sensor, 50 wraps)
- OXI-P/I** Oxiband Pediatric/Infant Transducer (1 sensor, 50 wraps)

### Spot LXi Miscellaneous Accessories

- 4701-62** Wall Mount with basket
- 4700-60** Mobile stand with basket
- 4500-100** Carrying Case
- 4500-84** Lead Acid Battery
- 4500-510** Spot LXi Printer Paper (10 pack)
- 4500-520** Label Paper and Cleaning Kit (10 rolls/1 cleaning kit)
- 4500-505** Rechargeable Replacement Battery for Printer
- 4500-925** Connectivity Cable, USB for Spot LXi
- 4500-906** Spot LXi Radio Configuration CD
- 4500-927** USB/Serial Cable Kit for SPOT LXi Radio Configuration
- 4500-101A** AE Power Transformer Spot LXi
- 4500-400** Line Cord
- 4500-450** Transformer Mount
- 4500-500** External Printer Kit (includes: printer, cable, mounting bracket, paper roll)
- 4500-510** Printer Paper (10 rolls/pack)



**LNOP-DCI**  
Adult Reusable Finger  
Sensor (Masimo)



**LNOP-DCIP**  
Pediatric Reusable  
Finger Sensor (Masimo)



**PC-04**  
4 ft Cable  
with Sensor  
Connector  
(Masimo)



**DS-100A**  
Durasensor  
Adult Oxygen  
Transducer  
(Nellcor)



**4700-60**  
Mobile Stand  
with Basket



**4500-100**  
Spot Carrying  
Case





### 42MTB-E1

Spot Vital Signs® with NIBP, Masimo® Pulse Oximetry and SureTemp® Thermometry

## Spot Vital Signs® Devices

Vital signs in seconds with hospital-grade technology that's easy to use, accurate and affordable.

- Measures noninvasive blood pressure (NIBP), pulse rate, temperature and SpO<sub>2</sub> in about 30 seconds
- Connectivity to Electronic Health Records (EHRs)
- Lightweight and portable with a variety of mounting options
- All configurations include NIBP, pulse rate and MAP
- Optional—SureTemp® thermometry, Masimo® or Nellcor® pulse oximetry

<b>4200B-E1</b>	Spot Vital Signs with NIBP
<b>420TB-E1</b>	Spot Vital Signs with NIBP and SureTemp Thermometer
<b>42N0B-E1</b>	Spot Vital Signs with NIBP and Nellcor SPO <sub>2</sub>
<b>42NTB-E1</b>	Spot Vital Signs with NIBP, Nellcor SPO <sub>2</sub> and SureTemp Thermometer
<b>42M0B-E1</b>	Spot Vital Signs with NIBP and Masimo SPO <sub>2</sub>
<b>42MTB-E1</b>	Spot Vital Signs with NIBP, Masimo Pulse Oximetry and SureTemp Thermometry

## FlexiPort Reusable One-Piece Cuffs

<b>REUSE-07-1SC</b>	Infant One-Tube Cuff [Size 7]
<b>REUSE-08-1SC</b>	Small Child One-Tube Cuff [Size 8]
<b>REUSE-09-1SC</b>	Child One-Tube Cuff [Size 9]
<b>REUSE-10-1SC</b>	Small Adult One-Tube Cuff [Size 10]
<b>REUSE-11-1SC</b>	Adult One-Tube Cuff [Size 11]
<b>REUSE-12-1SC</b>	Large Adult One-Tube Cuff [Size 12]
<b>REUSE-13-1SC</b>	Thigh One-Tube Cuff [Size 13]

## FlexiPort Disposable One-Piece Cuffs

<b>SOFT-07-1SC</b>	Infant One-Tube Cuffs [size 7], 20/cs
<b>SOFT-08-1SC</b>	Small Child One-Tube Cuffs [size 8], 20/cs
<b>SOFT-09-1SC</b>	Child One-Tube Cuffs [size 9], 20/cs
<b>SOFT-10-1SC</b>	Small Adult One-Tube Cuffs [size 10], 20/cs
<b>SOFT-11-1SC</b>	Adult One-Tube Cuffs [size 11], 20/cs
<b>SOFT-12-1SC</b>	Large Adult One-Tube Cuffs [size 12], 20/cs
<b>SOFT-13-1SC</b>	Thigh One-Tube Cuffs [size 13], 20/cs

### Two-Piece Cuffs and Bladder

<b>5200-03</b>	Child-Print Cuff and Bladder [size 9]
<b>5200-01</b>	Adult Cuff and Bladder [size 11]
<b>5200-02</b>	Large Adult Cuff and Bladder [size 12]
<b>5200-10</b>	Thigh Cuff and Bladder [size 13]

### Miscellaneous Blood Pressure Accessories

<b>5200-12</b>	Straight Pressure Hose, (8 ft, 2.4 m)
<b>5200-19</b>	Straight Pressure Hose, (5 ft, 1.5 m)
<b>5200-08</b>	Calibration "T" Connector

### Masimo Pulse Oximetry Accessories

<b>LNCS-DCI</b>	Adult Reusable Finger Sensor, 3 ft
<b>LNCS-DCIP</b>	Pediatric Reusable Finger Sensor, 3 ft
<b>LNCS-ADTX</b>	Adult Adhesive Finger Sensors, 18 in (box of 20)
<b>LNOP-DCI</b>	Reusable Finger Sensor
<b>LNCS-PDTX</b>	Pediatric Adhesive Finger Sensors, 18 in (box of 20)
<b>LNCS-INF-L</b>	Infant Adhesive Sensors, 3 ft (box of 20)
<b>LNOP-DCIP</b>	Pediatric Reusable Finger Sensor
<b>LNOP-ADT</b>	Adult Disposable Adhesive Finger Sensor (20/case)
<b>LNOP-PDT</b>	Pediatric Disposable Adhesive Finger Sensor (20/case)
<b>LNC-4-WA</b>	Masimo, 4' Ext. Cable. LNCD/DB-9
<b>LNC-10-WA</b>	Masimo, 10' Ext. Cable. LNCD/DB-9
<b>PC-04-WA</b>	4 ft Cable with DB-9 Connector for LNOP
<b>PC-08-WA</b>	8 ft Cable with DB-9 Connector for LNOP
<b>LNOP-INF-L</b>	Infant Adhesive Sensors (20/cs)



**LNOP-DCI**  
Reusable Finger  
Sensor-Adult  
(Masimo)



**LNCS-DCIP**  
Pediatric Reusable  
Sensor (Masimo)




**LNCS-ADTX**  
Adult Adhesive  
Sensors (Masimo)



**LNCS-PDTX**  
Pediatric Adhesive  
Sensors (Masimo)



**LNCS-INF-L**  
Infant Adhesive  
Sensors (Masimo)



**LNOP-ADT**  
Adult Disposable Adhesive  
Finger Sensor (Masimo)



**LNOP-PDT**  
Pediatric Disposable Adhesive  
Finger Sensor (Masimo)

### Nellcor® Pulse Oximetry Accessories

<b>DS-100A</b>	Durasensor Adult Oxygen Transducer
<b>DEC-4</b>	Extension Cable (4 ft)
<b>DEC-8</b>	Extension Cable (8 ft)
<b>D-YS</b>	Nellcor Dura-Y Oxygen Transducer (1 sensor, 40 wraps)
<b>D-YSE</b>	Nellcor Ear Clip (use with Dura-Y Sensor)
<b>D-YSPD</b>	PediCheck Pediatric Spot Check (use with Dura-Y sensor)
<b>MAX-AI</b>	OxiMax Adult Sensor (single use, case of 24)
<b>MAX-PI</b>	OxiMax Pediatric Sensor (single use, case of 24)
<b>MAX-II</b>	OxiMax Infant Sensor (single use, case of 24)
<b>MAX-RI</b>	OxiMax Adult Nasal Sensor (single use, case of 24)
<b>OXICLIQ-PI</b>	Pediatric Oxygen Transducer (for use with OC-3 Cable)
<b>OC-3</b>	OxiCliq Sensor Cable
<b>OXI-A/N</b>	Oxiband Adult/Neonatal Transducer (1 sensor, 50 wraps)
<b>OXI-P/I</b>	Oxiband Pediatric/Infant Transducer (1 sensor, 50 wraps)

### Thermometry Accessories

<b>02678-100</b>	Oral Probe (9 ft, 2.7 m)
<b>02679-100</b>	Rectal Probe (9 ft, 2.7 m)
<b>05031-101</b>	Disposable Probe Covers (1,000 covers, 25/box)
<b>05031-110</b>	Disposable Probe Covers (10,000 covers, 25/box)
<b>06137-000</b>	Temperature Calibration Key
<b>01802-110</b>	9600 Plus Calibration Tester



**DS-100A**  
Durasensor Adult Oxygen  
Transducer (Nellcor)



**DEC-8**  
Extension Cable (8 ft)  
(Nellcor)

### Spot Vital Signs Mounting Options

**4700-60** Mobile Stand with Basket

**4701-62** Wall Mount with Basket

**008-0891-00** IV Pole Mount with Basket

### Transformers and Line Cords

**5200-101A** AC Power Transformer (110 V)

**76400** Line Cord (110 V)

### Miscellaneous Accessories

**4200-84** Lead Acid Battery

**4200-100** Carrying Case

**4200-170** Connectivity Accessory Kit

**05031-101**  
Disposable Probe Covers  
(1,000 covers, 25/box)



**4700-60**  
Mobile Stand with Basket



**4200-100**  
Spot Carrying Case





### Vital Signs Monitor 300 Series

For simple and accurate vital signs assessment or continuous monitoring, this monitor is the definition of advanced monitoring made affordable.

- Noninvasive blood pressure (NIBP), pulse rate and MAP
- Optional—SureTemp® Plus Thermometry, Masimo® or Nellcor® pulse oximetry and integrated thermal printer
- Supports adult, pediatric and neonatal patients
- Simple to use—LCD display facilitates menu navigation
- Includes automatic blood pressure mode, programmable alarms, built-in memory capability and intuitive icons
- Lightweight and portable, with a variety of mounting options



**DS-100A**  
DuraSensor Adult Oxygen  
Transducer (Nellcor®)



**DEC-8**  
8 ft Differential Extension  
Cable, Pulse Oximeter Sensor  
(Nellcor®)

<b>53000-E1</b>	Vital Signs Monitor 300 Series, NIBP
<b>5300P-E1</b>	Vital Signs Monitor 300 Series, NIBP, Printer
<b>530T0-E1</b>	Vital Signs Monitor 300 Series, NIBP, SureTemp Plus Thermometer
<b>530TP-E1</b>	Vital Signs Monitor 300 Series, NIBP, SureTemp Plus Thermometer, Printer
<b>53N00-E1</b>	Vital Signs Monitor 300 Series, NIBP, Nellcor SPO <sub>2</sub>
<b>53N0P-E1</b>	Vital Signs Monitor 300 Series, NIBP, Nellcor SPO <sub>2</sub> Printer
<b>53NT0-E1</b>	Vital Signs Monitor 300 Series, NIBP, Nellcor SPO <sub>2</sub> SureTemp Plus Thermometer
<b>53NTP-E1</b>	Vital Signs Monitor 300 Series, NIBP, Nellcor SPO <sub>2</sub> SureTemp Plus Thermometer, Printer
<b>53STP-E1</b>	Vital Signs Monitor 300 Series, NIBP, Masimo SPO <sub>2</sub> SureTemp Plus Thermometer, Printer
<b>53ST0-E1</b>	Vital Signs Monitor 300 Series, NIBP, Masimo SPO <sub>2</sub> SureTemp Plus Thermometer
<b>53S0P-E1</b>	Vital Signs Monitor 300 Series, NIBP, Masimo SPO <sub>2</sub> Printer
<b>53S00-E1</b>	Vital Signs Monitor 300 Series, NIBP and Masimo SPO <sub>2</sub>

### Blood Pressure Accessories FlexiPort® Reusable One-Piece Cuffs

<b>REUSE-07-1SC</b>	Cuff, Reuse, Infant, One-Tube, SC
<b>REUSE-08-1SC</b>	Cuff, Reuse, SM Child One-Tube, SC
<b>REUSE-09-1SC</b>	Cuff, Reuse, Child, One-Tube, SC
<b>REUSE-10-1SC</b>	Cuff, Reuse, SM AD, One-Tube, SC
<b>REUSE-11-1SC</b>	Cuff, Reuse, Adult, One-Tube, SC
<b>REUSE-11L-1SC</b>	Cuff, Reuse, AD Long One-Tube, SC
<b>REUSE-12-1SC</b>	Cuff, Reuse, LG AD, One-Tube, SC
<b>REUSE-12L-1SC</b>	Cuff, Reuse, LG AD, Long One-Tube, SC
<b>REUSE-13-1SC</b>	Cuff, Reuse, Thigh, One-Tube, SC

### FlexiPort Disposable One-Piece Cuffs

<b>SOFT-07-1SC</b>	Cuff, Infant, One-Tube SC (box of 20/CS)
<b>SOFT-08-1SC</b>	Cuff, Soft, SM Child One-Tube SC (box of 20/CS)
<b>SOFT-09-1SC</b>	Cuff, Soft, Child, One-Tube, SC (box of 20/CS)
<b>SOFT-10-1SC</b>	Cuff, Soft, SM AD, One-Tube, SC(box of 20/CS)
<b>SOFT-11-1SC</b>	Cuff, Soft, Adult, One-Tube, SC (20/CS)
<b>SOFT-11L-1SC CUFF</b>	Cuff, Soft, AD Long One-Tube, SC (20/CS)
<b>SOFT-12-1SC</b>	Cuff, Soft, SOFT, LG AD, One-Tube, SC (20/CS)
<b>SOFT-12L-1SC</b>	Cuff, Soft, LG AD Long One-Tube SC (20/CS)
<b>SOFT-13-1SC</b>	Cuff, Soft, Thigh, One-Tube, SC (20/CS)

### Two-Piece Cuffs and Bladder

<b>5200-01</b>	Cuff and bladder, adult, One-tube
<b>5200-02</b>	Cuff and bladder, large adult, One-tube
<b>5200-03</b>	Cuff and bladder, child print, One-tube
<b>5200-10</b>	Cuff and bladder, thigh, One-tube

### Neonatal Cuffs (Not FlexiPort)

<b>5082-101-1</b>	Neo-1 disposable cuff, male luer connector (box of 10)
<b>5082-102-1</b>	Neo-2 disposable cuff, male luer connector (box of 10)
<b>5082-103-1</b>	Neo-3 disposable cuff, male luer connector (box of 10)
<b>5082-104-1</b>	Neo-4 disposable cuff, male luer connector (box of 10)
<b>5082-105-1</b>	Neo-5 disposable cuff, male luer connector (box of 10)
<b>008-0851-01</b>	Neonatal Cuff Kit, (One each neo #1-5, reusable infant cuff, NIBP hose)



**LNCS-DCIP**  
Pediatric Reusable Sensor  
(Masimo)



**LNCS-ADTX**  
Adult Adhesive  
Sensors



**LNCS-PDTX**  
Pediatric Adhesive  
Sensors



**LNCS-INF-L**  
Infant Adhesive  
Sensors



**LNC-4**  
LNC Patient  
Cable (Masimo)



**LNCS-NEOPT-L**  
Neonatal Adhesive  
Sensors (Masimo)

### NIBP Hoses

- 008-0831-00** Hose, Adult/Pediatric, 6', latex-free, with screw cuff connector
- 008-0832-00** Hose, Adult/Pediatric, 8', latex-free, with screw cuff connector
- 008-0265-01** Hose, Infant/Neonate, 8', with female luer cuff connector

### Nellcor® Pulse Oximetry Accessories

- DS-100A** DuraSensor Adult Oxygen Transducer
- DEC-4** 4 ft Differential Extension Cable, Pulse Oximeter Sensor
- DEC-8** 8 ft Differential Extension Cable, Pulse Oximeter Sensor
- D-Y** Dura-Y Oxygen Transducer (1 sensor, 40 wraps)
- D-YSE** Ear Clip (use with Dura-Y sensor)
- D-YSPD** PediCheck Pediatric Spot Check (use with Dura-Y sensor)
- OC-3** OxiCliq Sensor Cable
- OXI - A/N** OxiBand Adult/Neonatal Transducer (1 sensor, 50 wraps)
- OXI - P/I** OxiBand Pediatric/Infant Transducer (1 sensor, 50 wraps)
- MAX-AI** OxiMax Adult Sensor (Single-use, 24/cs)
- MAX-PI** OxiMax Pediatric Sensor (Single-use, 24/cs)
- MAX-II** OxiMax Infant Sensor (Single-use, 24/cs)

### Masimo® Pulse Oximetry Accessories

- LNCS-DCI** Adult Reusable Sensor, 3 ft
- LNCS-DCIP** Pediatric Reusable Sensor, 3 ft
- LNCS-ADTX** Adult Adhesive Sensors, 18 in (box of 20)
- LNCS-PDTX** Pediatric Adhesive Sensors, 18 in (box of 20)
- LNCS-INF-L** Infant Adhesive Sensors, 3 ft (box of 20)
- LNC-4** LNC Patient Cable, 4 ft (14-Pin Connector)
- LNCS-NEOPT-L** Neonatal Adhesive Sensors, weight less than 1 kg, 3 ft (box of 20)



**008-0951-00**  
Neonatal Disposable Adhesive  
Finger Sensor (Masimo®)



**008-0654-00**  
Pediatric Disposable Adhesive  
Finger Sensor (Masimo)



**008-0655-00**  
Adult Disposable Adhesive  
Finger Sensor (Masimo)



**008-0648-00**  
Adult Reusable Finger  
Sensor (Masimo)



**008-656-00**  
Pediatric Reusable  
Finger Sensor (Masimo)

<b>LNC-10</b>	LNCS Patient Cable, 10 ft (14-Pin Connector)
<b>008-0694-00</b>	LNOP Neonatal Disposable Adhesive Finger Sensor
<b>008-0953099</b>	LNOP-TCI Reusable Ear SpO <sub>2</sub> Sensor
<b>008-0951-00</b>	LNOP-INF-L Neonate Long, Disposable (box of 20)
<b>008-0654-00</b>	LNOP Pediatric/Slender Digit SpO <sub>2</sub> Sensors, Disposable (box of 20)
<b>008-0655-00</b>	LNOP Adult SpO <sub>2</sub> Sensor, Disposable (box of 20)
<b>008-0648-00</b>	LNOP-DCI Adult Reusable Sensor
<b>008-656-00</b>	LNOP-DCIP Pediatric Reusable Sensor
<b>008-0954-00</b>	Interface Cable, SpO <sub>2</sub> , 4 ft
<b>008-824-00</b>	Interface Cable, SpO <sub>2</sub> , 8 ft

### Thermometry Accessories

<b>02895-000</b>	Oral Temperature Probe and Well Kit (9 ft, 2.7 m)
<b>02895-100</b>	Rectal Temperature Probe and Well Kit (9 ft, 2.7 m)
<b>02894-0000</b>	Oral Probe Well (Blue)
<b>02894-1000</b>	Rectal Probe Well (Red)
<b>05031-101</b>	Disposable Probe Covers (1,000 covers, 25/box)
<b>05031-110</b>	Disposable Probe Covers (10,000 covers, 25/box)
<b>06138-000</b>	Temperature Calibration Key
<b>01802-110</b>	9600 Plus Calibration Tester



**05301-101**  
Disposable Probe Covers



# VITAL SIGNS DEVICES

## PATIENT MONITORS & SYSTEMS



**4700-60**  
Mobile Stand with Basket

### Vital Signs Monitor 300 Series Miscellaneous Accessories

**4700-60** Mobile Stand with Basket

**008-0834-01** Wall Mount

**008-0891-00** IV Pole Mount

**503-0147-01** AC Power Transformer (North America/Japan)

**008-0333-00** Line Cord (US/Canada/Japan version)

**7052-25** Printer Paper (box of 6 rolls)

**407560** Lead-Acid Battery (6 volt, rechargeable, Assy)

**008-0830-00** Monitor Carrying Case

**008-0895-00** Powercord Clamp, VSM 300 Series 6 Pack

**5300-170** Connectivity Accessory Kit



**008-0834-01**  
Wall Mount for  
VSM 300

## Propaq® LT Monitors

Monitor more patients in more places than ever before. Designed for bedside procedures, ambulatory monitoring and intrahospital transport, it is ideal for busy hospital settings.

- Legendary quality and durability
- Heart rate, 3-or 5-lead ECG, SpO<sub>2</sub>, NIBP, respiration
- Neonatal, pediatric and adult modes
- Spot check and/or continuous monitoring modes
- 24-hour tabular and graphical trending
- Wireless connectivity to Acuity® Central Station



### Propaq LT Base Model

- 802LT0S-0E0** Propaq LT monitor with Masimo® SpO<sub>2</sub> (Requires charging cradle to recharge batteries. Charging cradle sold separately)
- 802LT0S-CE1** Propaq LT monitor with Masimo SpO<sub>2</sub> and charging cradle - 120 NA
- 802LT0N-0E0** Propaq LT monitor with Nellcor® SpO<sub>2</sub> (Requires charging cradle to recharge batteries. Charging cradle sold separately)
- 802LT0N-CE1** Propaq LT monitor with Nellcor SpO<sub>2</sub> and charging cradle - 120 NA
- 802LT0N-UE1** Propaq LT monitor with Nellcor SpO<sub>2</sub> and charging cradle with a USB port - 120 NA



**802LT0N-UE1**  
Propaq® LT/Charging  
Cradle/USB Port - 120NA  
(Laptop not included)

### Propaq LT with Wireless Option

- 802LT0S-UE1** Propaq LT monitor with Masimo SpO<sub>2</sub> and charging cradle with USB port - 120 NA
- 802LTAN-0E0** Propaq LT monitor with Nellcor SpO<sub>2</sub>, with wireless option - 120 NA (Requires charging cradle to recharge batteries. Charging cradle sold separately)
- 802LTAN-CE1** Propaq LT monitor with Nellcor SpO<sub>2</sub>, wireless option and charging cradle - 120 NA
- 802LTAN-UE1** Propaq LT monitor with Nellcor SpO<sub>2</sub>, wireless option and charging cradle with USB port - 120 NA
- 802LTAS-0E0** Propaq LT monitor with Masimo SpO<sub>2</sub>, with wireless option - 120 NA (Requires charging cradle to recharge batteries. Charging cradle sold separately)
- 802LTAS-CE1** Propaq LT monitor with Masimo SpO<sub>2</sub>, wireless option and charging cradle - 120 NA
- 802LTAS-UE1** Propaq LT monitor with Masimo SpO<sub>2</sub>, wireless option and charging cradle with USB port - 120 NA



Propaq® LT with Wireless Option/  
Charging Cradle - 120 NA



**008-0931-00**  
Charging/Communications  
Cradle with USB with Large  
Color Display Interface

### Charging Cradles and Accessories (Propaq LT)

<b>008-0869-00</b>	Propaq LT charging cradle, plug type A (NA/JA)
<b>008-0873-00</b>	Propaq LT charging / communications cradle with USB port, plug type A (NA/JA)
<b>008-0931-00</b>	Propaq LT charging / communications cradle with USB port and Large Color Display Interface - Plug Type A (US, JA)
<b>008-0857-00</b>	Replacement battery pack
<b>008-0290-00</b>	8 ft power cord DC, for connection to fused DC power sources
<b>008-0882-00</b>	6 ft USB 2.0 cable for charging cradle
<b>810-2775-XX</b>	Propaq LT PC configuration and print utility CD
<b>900-0970-00</b>	Cover kit for Propaq LT SPO <sub>2</sub> , ECG connectors

### Power Supply/Power Cords, Charging Cradle (Propaq LT)

<b>503-0142-01</b>	Power Supply, 15 V, 24 W, 100-240 VAC
--------------------	---------------------------------------

### Blood Pressure Accessories (Propaq LT) NIBP Hoses

<b>008-0864-00</b>	6 ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs
--------------------	---

### NIBP Reusable Cuffs - Bladderless (hose not included)

<b>008-0238-00</b>	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs
<b>008-0265-01</b>	8 ft NIBP hose for Infant/Neonate cuffs
<b>REUSE-09-1M0</b>	Child One-Tube Cuff [Size 9]
<b>REUSE-10-1M0</b>	Small Adult One-Tube Cuff [Size 10]
<b>RESUSE-11-1M0</b>	Adult One-Tube Cuff [Size 11]
<b>REUSE-12-1M0</b>	Large Adult One-Cuff [Size 12]

### NIBP Disposable Cuffs-Bladderless (hose not included)

<b>5082-101-1</b>	Neonate #1, 3.3 - 5.6 cm single tube with male luer connector (box of 10)
<b>5082-102-1</b>	Neonate #2, 4.2 - 7.1 cm single tube with male luer connector (box of 10)
<b>5082-103-1</b>	Neonate #3, 5.4 - 9.1 cm single tube with male luer connector (box of 10)
<b>5082-104-1</b>	Neonate #4, 6.9 - 11.7 cm single tube with male luer connector (box of 10)
<b>5082-105-1</b>	Neonate #5, 8.9 - 15.0 cm single tube with male luer connector (box of 10)
<b>5082-241-9</b>	Neonatal Cuff Kit, one each of sizes #1 - #5, single tube with male luer connector (bag of 5)

- SOFT-09-1MQ** Child One-Tube Cuff [Size 9]
- SOFT-10-1MQ** Adult Small One-Tube Cuff [Size 10]
- SOFT-11-1MQ** Adult One-Tube Cuff [Size 11]
- SOFT-12-1MQ** Large Adult One-Tube Cuff [Size 12]
- 008-0619-00** Adult Thigh Cuff, 40.7 - 55.0 cm single tube with twist-lock connector (box of 5)

### ECG Accessories (Propaq LT) 3-Lead ECG Cables

- 008-0676-00** ECG 3-lead one-piece 2' cable with 2' snap connectors (AAMI®)
- 008-0880-00** ECG 3-lead one-piece 8' cable with 2' snap connectors (AAMI)
- 008-0323-00** ECG 3-lead wire set, .060 Safety DIN with snap connectors for use with 008-0892-00 (AAMI)
- 008-0892-00** ECG 8 ft, 3-lead cable, Safety DIN, for use with 008-0323-00 (AAMI)

### ECG Accessories (Propaq LT) 5-Lead ECG Cables

- 008-0319-00** ECG 5-lead wire set, .060" Safety DIN, Adult pinch connectors (AAMI)
- 008-0522-00** ECG 2 ft, 5-lead one-piece cable with 2' snap connectors (AAMI)
- 008-0879-00** ECG 8 ft, 5-lead one-piece cable with 2' snap connectors (AAMI)
- 008-0322-00** ECG 5-lead wire set, .060 Safety DIN snap connectors (for use with 008-0881-00 and 008-0900-00) (AAMI)
- 008-0881-00** ECG 8 ft, 5-lead cable, Safety DIN, for Propaq LT and Micropaq® (for use with 008-0322-00) (AAMI)
- 008-0900-00** ECG 2 ft, 5-lead cable, Safety DIN, for Propaq LT and Micropaq (for use with 008-0322-00) (AAMI)

### ECG Extension Cable

- 008-0733-00** ECG Extension Cable, 5' (for either AAMI or IEC)

### ECG Cable Adaptors

- 008-0734-00** ECG Adapter Cable, Propaq LT or Micropaq to Propaq, AAMI
- 008-0735-00** Adaptor Cable, Micropaq-to-HP Propaq, 6'

### Pulse Oximetry Accessories (Propaq LT)

- 900-0021-00** Nellcor - DS-100A Durasensor Adult reusable sensor
- 008-0742-00** Nellcor - 8 ft differential extension cable
- 008-1010-00** Masimo -10 ft DB9 LNCS SpO<sub>2</sub> extension cable
- 008-0960-00** Masimo - LNCS-DCI Adult reusable sensor
- 008-0962-00** Masimo - LNCS-DCIP Pediatric reusable sensor



**008-0734-00**  
ECG Adaptor Cable, Propaq® LT  
or Micropaq to Propaq, 6'



**008-0735-00**  
Adaptor Cable,  
Micropaq®-to-HP Propaq®, 6'

# PATIENT MONITORS

## PATIENT MONITORS & SYSTEMS



**900-0021-00**  
DS-100A Durasensor Adult  
Oxygen Transducer



**008-0742-00**  
Nellcor® Extension Cable 8 ft



**900-0918-00**  
Patient Carrying Strap



**008-0937-00**  
17" Color display for  
Propaq® LT interface

### Straps and Cases (Propaq LT)

- 900-0918-00** Patient Carrying Strap, Molded, box of 5
- 900-0925-01** Patient Wearable Strap with belt, box of 20
- 900-0924-01** Patient Wearable Strap with belt, box of 100
- 900-0922-00** Propaq LT / AED 10 combination carrying case
- 900-1008-00** Propaq LT carrying case
- 008-0996-00** Hard carrying case for (2) Propaq L monitors
- 900-0957-00** Transport stretcher strap

### Large Color Display Options (Propaq LT)

- 008-0917-00** Large Color Display Interface Module for Propaq LT monitors
- 008-0937-00** 17" Color display for Propaq LT interface
- 008-0946-00** USB cable, type A/B, 15' for Propaq LT Large Color Display Interface Module
- 008-0947-00** USB cable, type A/B, 1' for Propaq LT Large Color Display Interface Module
- 008-0948-00** Power cable, 5.0 m, for Propaq LT Large Color Display Interface Module
- 008-0949-00** Power cable, 0.5 m, for Propaq LT Large Color Display Interface Module
- 008-0394-00** Medical grade power conditioner (isolation transformer), 120 VAC, includes power cord
- 008-0397-00** Medical grade power conditioner (isolation transformer), 120 VAC, with wall mount and power cord
- 008-0984-00** 15' USB and power cables and faceplate kit

### Mounting Solutions (Propaq LT)

- 4700-58** Propaq LT Mobile Stand with Basket

### Common Parts for Propaq LT monitor and Large Color Display Interface

- 008-0203-00** 19" (48.3 cm) wall channel

### Propaq LT

- 008-0980-00** 6" basket without power adapter hook
- 008-0901-00** Short arm wall mount kit, tilt/swivel, drop-on style (includes wall channel, brackets and basket)
- 008-0903-00** Long arm wall mount kit, pivot block, drop-on style (includes wall channel, brackets and basket)
- 008-0902-00** Drop-on style adapter plate

- 008-0981-00** Power supply channel mounting bracket
- 008-0862-00** IV pole mount for charging cradle
- 900-1007-00** IV Pole mount replacement security strap, bag of 5
- 008-0992-00** Roll stand, complete kit (includes roll stand, basket, monitor mount and power adapter bracket)
- 008-0987-00** Monitor mounting adapter for Propaq LT roll stand
- 008-0994-00** Power adapter bracket for Propaq LT roll stand

### Propaq LT Large Color Display

- 008-0983-00** Large Color Display Interface and flat panel mounting kit (includes wall channel, bracket and basket)
- 008-0982-00** VESA flat panel wall mount kit
- 008-0945-00** Wall mount bracket for Propaq LT Large Color Display Interface (includes power supply holster)

### Extended Warranties

- S1-802LT** One year warranty extension for Propaq LT
- S1-802LT-2** One year warranty extension for Propaq LT



**4700-58**  
Propaq® LT Mobile  
Stand with Basket



### Propaq® CS Monitor

Small, light, and rugged, it's the perfect instrument for continuous bedside monitoring of vital signs.

- Base Monitor includes ECG, NIBP, temperature, impedance pneumography respiration and either Masimo® motion tolerant pulse oximetry or Nellcor® Oximax®
- Options include CO<sub>2</sub> (mainstream, sidestream or dualstream), 3-channel printer, Philips connectors, and one or two invasive blood pressure lines
- Large color display with color-differentiated parameters may be easily read across the room
- Custom selection of up to four viewable waveforms
- Adult, pediatric and neonatal modes for customized monitoring and specific patient populations
- Optional wireless connectivity to Acuity® and Acuity LT Central Station for truly flexible monitoring

#### Propaq CS Model 242 (Base Monitor)

- 9001-008152** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO<sub>2</sub> and 2 channels of temperature, RS-432 Acuity Port
- 9001-001288** Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO<sub>2</sub> and 2 channels of temperature, RS-432 Acuity Port

#### Add Printer

- 9001-011589** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
- 9001-004720** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3- or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

#### Add CO<sub>2</sub> - Nellcor Versions

- 9001-005578** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Sidestream CO<sub>2</sub> RS-432 Acuity Port
- 9001-006436** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature, and Mainstream CO<sub>2</sub> RS-432 Acuity Port
- 9001-007294** Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3- or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature, and Mainstream CO<sub>2</sub> RS-432 Acuity Port

### Add CO<sub>2</sub> — Masimo Versions

- 9001-012442** Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature, and Sidestream CO<sub>2</sub> RS-432 Acuity Port
- 9001-013300** Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Mainstream CO<sub>2</sub> RS-432 Acuity Port
- 9001-014158** Propaq CS, Model 242 - 8.4" TFT Color Display-monitors Adult 3-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module & Printer, 2 channels of temperature and Dualstream CO<sub>2</sub> (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

### Propaq CS, Model 244 (Base Monitor)

- 9001-021880** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO<sub>2</sub> and 2 channels of temperature RS-432 Acuity Port
- 9001-015016** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO<sub>2</sub> and 2 channels of temperature RS-432 Acuity Port

### Add Printer

- 9001-025312** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
- 9001-018448** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3- or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

### Add CO<sub>2</sub> — Masimo Versions

- 9001-026170** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Sidestream CO<sub>2</sub> RS-432 Acuity Port
- 9001-027028** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Mainstream CO<sub>2</sub> RS-432 Acuity Port
- 9001-027886** Propaq CS, Model 244-8.4" TFT Color Display - monitors Adult 3-Lead ECG, Respiration, NIBP, 1 invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub>, Expansion Module & Printer, 2 channels of temperature and Dualstream CO<sub>2</sub> (requires Mainstream sensor, purchased separately), RS-432 Acuity Port



### Add CO<sub>2</sub> — Nellcor Versions

- 9001-019306** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Sidestream CO<sub>2</sub> RS-432 Acuity Port
- 9001-020164** Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Mainstream CO<sub>2</sub> RS-432 Acuity Port
- 9001-021022** Propaq CS, Model 244-8.4" TFT Color Display - monitors Adult 3-Lead ECG, NIBP, Respiration, 1 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module & Printer, 2 channels of temperature and Dualstream CO<sub>2</sub> (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

### Propaq CS, Model 246 (Base Monitor)

- 9001-035608** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub> and 2 channels of temperature RS-432 Acuity Port
- 9001-028744** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO<sub>2</sub> and 2 channels of temperature RS-432 Acuity Port

### Add Printer

- 9001-039040** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
- 9001-032176** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

### Add CO<sub>2</sub> — Masimo Versions

- 9001-039898** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Sidestream CO<sub>2</sub> RS-432 Acuity Port
- 9001-040756** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion Tolerant SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Mainstream CO<sub>2</sub> RS-432 Acuity Port
- 9001-041614** Propaq CS, Model 246-8.4" TFT Color Display - monitors Adult 3-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO<sub>2</sub>, Expansion Module & Printer, 2 channels of temperature and Dualstream CO<sub>2</sub> (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

## Add CO<sub>2</sub> — Nellcor Versions

- 9001-033034** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Sidestream CO<sub>2</sub>, RS-432 Acuity Port
- 9001-033892** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module and Printer, 2 channels of temperature and Mainstream CO<sub>2</sub>, RS-432 Acuity Port
- 9001-034750** Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-Lead ECG, NIBP, Respiration, 2 Invasive BP, Nellcor OxiMax SpO<sub>2</sub>, Expansion Module & Printer, 2 channels of temperature and Dualstream CO<sub>2</sub> (requires Mainstream sensor, purchased separately), RS-442 Acuity Port

## Propaq® CS Monitor: Accessories Battery Packs

- 008-0125-00** Rechargeable battery pack for Propaq Encore and CS monitors configured with SpO<sub>2</sub>, CO<sub>2</sub>, or Printer

## Cables/Miscellaneous

- 008-0150-00** 1" x 6" Velcro® cable organizers, Package of 10
- 008-0634-00** Nurse call interface cable, (unterminate)

## Carrying Cases/Shipping Containers

- 900-0820-00** Protective case for Propaq CS with SpO<sub>2</sub>, Sidestream CO<sub>2</sub> and/or Printer options
- 900-0017-00** Travel case for all Propaq models
- 900-0002-00** Accessory pouch

## CO<sub>2</sub> Accessories: Mainstream CO<sub>2</sub>

- 008-0261-00** Multi-Use Adult/Pediatric, CO<sub>2</sub> airway adapters, box of 3 (for patients with endotracheal tubes larger than 5.0mm I.D.)
- 008-0132-00** Adult/Pediatric single patient use CO<sub>2</sub> airway adapters for Mainstream CO<sub>2</sub> monitoring option, (box of 10)
- 008-0367-00** Adult/Pediatric single patient use CO<sub>2</sub> airway adapters for Mainstream CO<sub>2</sub> monitoring option, (box of 24)
- 008-0263-00** Low Deadspace, single patient use CO<sub>2</sub> airway adapters, (box of 10) (for patients with endotracheal tubes 5.0mm I.D. or smaller)
- 008-0502-01** CO<sub>2</sub> Sensor and Airway Adapter Set (contains 1 each Mainstream CO<sub>2</sub> Sensor with 10 ft cable, single patient use airway adapter, storage case, Directions for Use)

### ECG Accessories: 3-Lead ECG Cables

- 008-0315-00** ECG 10 ft one-piece shielded 3-lead cable with snap connector lead wires
- 008-0429-00** ECG 3-lead right angle cable, safety DIN, .060", for use with 008-0321-00, 008-0317-00 and 008-0323-00
- 008-0316-00** ECG 3-lead cable, shielded, safety DIN, .060", for use with 008-0323-00, 008-0321-00 and 008-0317-00
- 008-0321-00** ECG 3-lead wire set, safety DIN, .060", adult pinch connectors, for use with 008-0316-00 and 008-0429-00
- 008-0317-00** ECG 3-lead wire set, safety DIN, .060", neonatal pinch connectors, for use with 008-0316-00 and 008-0429-00
- 008-0323-00** ECG 3-lead wire set, safety DIN, .060", snap connectors, for use with 008-0316-00 and 008-0429-00

### 5-Lead ECG Cables

- 008-0734-00** ECG Adapter Cable, Micropaq to Propaq, AAMI®
- 008-0313-00** ECG 10 ft one-piece shielded 5-lead cable with snap connector lead wires
- 008-0314-00** ECG 5-lead shielded ECG cable, safety DIN, .060", for use with 008-0322-00 and 008-0319-00
- 008-0322-00** ECG, 5-lead wire set, safety DIN, .060", snap connectors, for use with 008-0314-00
- 008-0319-00** ECG 5-lead wire set, safety DIN, .060", adult pinch connectors, for use with 008-0314-00

### IBP Pressure Transducers

- 008-0226-01** IBP Cable for MX900 and MX860
- 008-0225-01** IBP Cable for MX950
- 008-0224-00** IBP Domes for MX860 (case of 50)
- 008-0232-00** IBP Transducer, Disposable, MX950 (case of 10)

### Large Color Display Option

- 008-0939-00** Controller Kit for Propaq Large Color Display includes power cord, user manual and Propaq/Acuity Adapter
- 008-0964-00** Controller Kit with hand-held remote for Propaq Large Color Display, includes power cord, user manual and Propaq/Acuity Adapter
- 008-0394-00** Medical grade power conditioner (isolation transformer), 120 VAC, includes power cord
- 008-0397-00** Medical grade power conditioner (isolation transformer), 120 VAC, with wall mount and power cord
- 008-1000-00** 19" Analog/Digital flat panel display
- 008-0744-00** 2', blue TIA 568 coiled cable

**008-0745-00** 3', blue TIA 568 coiled cable

**008-0746-00** 4', blue TIA 568 coiled cable

### Mounting Systems: Pole Mounting

**008-0942-00** Wall mount kit for Large Color Display Controller

**008-0205-00** Pole Mount Clamp (order monitor Back plate or Wraparound pan with aluminum slide separately, if not already installed)

**008-0204-00** Back Plate with aluminum slide for monitors with CO<sub>2</sub> and/or Printer options (for use with Pole Mount Clamp, which is purchased separately)

**008-0215-00** Wraparound Pan with aluminum slide for monitors with SpO<sub>2</sub> option (for use with Pole Mount Clamp, which is purchased separately)

### Wall Mounting

**008-0887-00** Complete wall mount Kit (6" basket, tilt mount and 19" wall channel) with 8" pivot arm, for monitors with SpO<sub>2</sub> option

**008-0888-00** Complete wall mount kit (6" basket, tilt mount and 19" wall channel) with 8" pivot arm, for monitors with CO<sub>2</sub> and/or Printer option

**008-0200-01** 6" wire basket for wall mount

**008-0203-00** 19" wall channel

### Roll Stand Mounting

**008-0890-00** Wraparound pan for monitors with SpO<sub>2</sub> option (for use with Roll Stands and Wall Mounts)

**008-0796-00** Complete roll stand kit (handle, basket, and mount), for monitors with CO<sub>2</sub> and/or Printer options

**008-0797-00** Complete roll stand kit (handle, basket, and mount), for monitors with SpO<sub>2</sub> option

**008-0197-01** 6" wire basket for roll stand mount

### Miscellaneous Mounting Accessories

**008-0890-00** Wraparound pan for monitors with SpO<sub>2</sub> option (for use with roll stands and wall mounts)

**008-0642-00** Drop-on style mounting upgrade kit, includes mounting plate and adapter

**008-0453-00** Mounting Bracket for universal power adapter (part number 503-0054-XX), requires wall mount slide, part number 008-0793-00

**008-0793-00** Wall mount slide

### NIBP Accessories

<b>008-0010-00</b>	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric cuffs with bladders
<b>008-0238-00</b>	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs
<b>008-0265-01</b>	8ft NIBP hose for Infant/Neonate cuffs

### NIBP Disposable Cuffs - Bladderless

<b>5082-101-1</b>	Neonate #1, 3.3 - 5.6 cm single tube with male luer connector (box of 10)
<b>5082-102-1</b>	Neonate #2, 4.2 - 7.1 cm single tube with male luer connector (box of 10)
<b>5082-103-1</b>	Neonate #3, 5.4 - 9.1 cm single tube with male luer connector (box of 10)
<b>5082-104-1</b>	Neonate #4, 6.9 - 11.7 cm single tube with male luer connector (box of 10)
<b>5082-105-1</b>	Neonate #5, 8.9 - 15.0 cm single tube with male luer connector (box of 10)
<b>5082-241-9</b>	Neonatal Cuff Kit, one each of sizes #1 - #5, single tube with male luer connector (bag of 5)
<b>SOFT-09-1MQ</b>	Child One-Tube Cuff [Size 9]
<b>SOFT-10-1MQ</b>	Small Adult One-Tube Cuff [Size 10]
<b>SOFT-11-1MQ</b>	Adult One-Tube Cuff [Size 11]
<b>SOFT-12-1MQ</b>	Large Adult One-Tube Cuff [Size 12]

### NIBP Reusable Cuffs – Bladderless

<b>REUSE-09-1MQ</b>	Child One-Tube Cuff [Size 9]
<b>REUSE-10-1MQ</b>	Small Adult One-Tube Cuff [Size 10]
<b>REUSE-11-1MQ</b>	Adult One-Tube Cuff [Size 11]
<b>REUSE-12-1MQ</b>	Large Adult One-Tube Cuff [Size 12]

### Power Cords

<b>503-0054-02</b>	AC Adapter for all Propaq Encore and CS models, North American 120 VAC, 60 Hz (Power cord not included)
<b>008-0333-00</b>	Hospital-grade power cord

### Printer Supplies

<b>008-0040-98</b>	Standard thermal print paper, 10 rolls
<b>008-0040-99</b>	Standard thermal print paper, 100 rolls
<b>008-0178-00</b>	Premium fade-resistant thermal print paper, 10 rolls

### Pulse Oximetry Accessories

<b>008-0648-00</b>	Masimo - LNOP-DCI Adult reusable sensor
<b>008-0656-00</b>	Masimo - LNOP-DCIP Pediatric reusable sensor
<b>008-0692-02</b>	Masimo - 8 ft interface cable, compatible with round side panel connector (interface cable required with Masimo sensors)
<b>008-0824-00</b>	Masimo - 8 ft interface cable, compatible with rectangle side panel connector (interface cable required for Masimo sensors)
<b>900-0021-00</b>	Nellcor - DS-100A Durasensor Adult reusable sensor
<b>008-0742-00</b>	Nellcor - 8 ft differential extension cable

### Temperature Sensors and Cables

<b>008-0235-00</b>	10 ft extension cable for reusable probes
<b>008-0230-00</b>	General purpose reusable probe, Adult
<b>008-0229-00</b>	Reusable skin surface probe, Adult
<b>008-0756-00</b>	Reusable skin surface probe, Pediatric
<b>008-0236-00</b>	Tempheart adhesive pad for use with skin surface temperature probes, (box of 100)



**008-0648-00**  
Masimo® - LNOP-DCI Adult reusable sensor (Masimo)



**008-0656-00**  
LNOP-DCIP Pediatric Reusable Sensor (Masimo)



**900-0021-00**  
DS-100A Durasensor Adult reusable sensor (Nellcor)