



HEAT & GLO

Where everything comes together



Cyclone[®]
Gas Fireplaces



The art
& science of fire




Top photo: Cyclone Custom shown in custom bar application.

Cover and above photo: Cyclone System with brushed copper decorative front and custom Bisazza tile finishing.

A. Decorative bases are available in brushed copper (shown), black nickel and brushed nickel.

B. Decorative granite bases are available in green, absolute black and impala black granite.



You've never experienced fire like this before. The award-winning Cyclone captures the magic and power of fire, transforming it into art. Sure it's a fireplace, but with a twist: a single flame spirals upward, dancing inside a sleek glass cylinder. No logs, no firebox, no brick, nothing ordinary—just a jaw-dropping, show-stopping modern masterpiece.

Cyclone Custom

Cyclone is available in a customizable model to build in to your own design or fixture, showcasing a perfect 360° view of the fire.



Cyclone

Is it a fireplace or is it art? Yes.

Cyclone System

Cyclone also comes as a preassembled system for easy installation. It's available in two finishes, brushed copper/black nickel or brushed nickel/black nickel.



Cyclone-BC




Cyclone-BN


Cyclone Specifications

MODEL	HEIGHT		FRONT WIDTH		BACK WIDTH		DEPTH		GLASS SIZE	Btu/Hour Input
	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing		
Cyclone System	49-1/2	50	28-1/4	28-5/8	11-7/8	28-5/8	15-7/8	16-3/8	7-7/8 x 34-1/2 x .20	13,500 Btu/Hour Input
Cyclone Custom	41-3/8	41-3/8	17	17-1/2	17	17-1/2	17	17-1/2	7-7/8 x 34-1/2 x .20	13,500 Btu/Hour Input

Cyclone System



Cyclone Custom



Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. Assumes the use of 1/2" Sheetrock. NOTE: Non-combustible material is allowed over this dimension. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace, flames and/or finishes.

Cyclone System Features

- Unique tornadic flame
- 13,500 Btu/Hour Input (NG only)
- RC-Smart remote control
- Installation flexibility
- Two standard surround options

Cyclone Custom Features

- Unique tornadic flame
- 13,500 Btu/Hour Input (NG only)
- RC-Smart remote control
- Installation flexibility
- One fully customizable option

Healthy Hearth

Our direct vent fireplaces will not alter the quality of indoor room air in any way. They utilize a sealed combustion chamber that draws in fresh air from outdoors and discards all combustion by-products back outside.

Limited Lifetime Warranty

The strongest in the industry, Heat & Glo guarantees protection for all gas units, including a lifetime warranty of the most important aspects: fiber logs, stainless steel burner, firebox and heat exchanger.

For complete information and valuable assistance on this model, please contact us at:

HEAT & GLO

20802 Kensington Boulevard, Lakeville, MN 55044
(888) 427-3973 (952) 985-6000

Email: info@heatnglo.com
Web: heatnglo.com

A brand of Hearth & Home Technologies, Inc.

