

GOODWAY TECHNOLOGY CO., LTD. 3F No. 135, Lane 235, Pau Chiao Rd. Hsin-Tien, Taipei Hsien, Taiwan, R.O.C TEL : 886-2-8919-1200 FAX : 886-2-8919-1220 Http : www.goodway.com.tw

# USER'S MANUAL UC451A USB to PS2 Adapter



GOODWAY TECHNOLOGY CO., LTD. 3F No. 135, Lane 235, Pau Chiao Rd. Hsin-Tien, Taipei Hsien, Taiwan, R.O.C TEL : 886-2-8919-1200 FAX : 886-2-8919-1220 Http : www.goodway.com.tw

## **User's Manual**

## **USB to PS2 Adapter**

## Item No.: UC451A

Safety Instructions

- 1. Always read the safety instructions carefully.
- 2. Keep this user's manual for future reference.
- 3. Keep this equipment away from humidity.
- 4. If any of the following situation arises, get the equipment checked by a service personnel:
  - The equipment has been exposed to moisture
  - The equipment has dropped and damaged
  - If the equipment has obvious sign of breakage
  - The equipment has not working well or you cannot get it work according to user's manual.

#### Introduction

This USB PS/2 allows you to use your PS/2 compatible mouse and keyboard as USB compatible device. Now you can enjoy using your keyboard and mouse connected to the PS/2 USB adapter as USB compatible device.

#### Features

- 1. Support two PS/2 devices (keyboard and mouse) and converts to the USB Interface
- 2. Convert the PC PS2 port of KVM switch to USB port
- 3. Support standard PS/2 mouse, Microsoft IntelliMouse
- 4. Easy to install, no software driver needed
- 5. No power adapter is needed.
- 6. Comply to USB 1.0 and 1.1 specification
- 7. Support UHCI and OHCI USB interface *Page 2 of 3*



GOODWAY TECHNOLOGY CO., LTD. 3F No. 135, Lane 235, Pau Chiao Rd. Hsin-Tien, Taipei Hsien, Taiwan, R.O.C TEL : 886-2-8919-1200 FAX : 886-2-8919-1220 Http : www.goodway.com.tw

#### **Specifications**

Function		Specification
Connector	USB	Type A Plug
Connector	PS2	1 Keyboard ( mini din 6 pin female, purple color )
		1 Mouse ( mini din 6 pin female, green Color )
Platforms		Windows <sup>®</sup> 2000, Windows <sup>®</sup> XP, Windows Vista <sup>®</sup> , Windows <sup>®</sup> 7
		Mac OS <sup>®</sup> X v8.6 or later
Transfer Rate		1.5Mbps
USB Specs.		1.0 and 1.1 Compatible
Power Mode		Bus Power (Via the USB cable)
Operating		5 ~ 60°C
Temperature		
Storage		-20 ~ 60°C
Temperature		
Humidity		0 ~ 80% RH, Non-condensing
Enclosure		Plastic
Emission		CE, FCC

#### Troubleshooting

1. Insure all connectors are well connected

Green mini din 6 pin for PS2 mouse

Purple mini din 6 pin for PS2 keyboard

2. If your PC can't work properly, please set your PC BIOS to enable USB function