

Woodland
Vent-Free Gas Logs



The Woodland Collection
Natural Realistic Beautiful.

Woodland Vent-Free Gas Logs



The real beauty is within.

Majestic's Woodlands Collection Vent-Free gas logs give you the appearance of natural wood – right down to a remarkably realistic flame – without any of the inconveniences. No need to cut wood or clean ashes. A simple turn of the knob or press of a button produces an instant fire that burns as long as you want...safely and efficiently.

Exclusive Majestic Advantages:

- CSA design certified to assure a safe, quality product
- The most realistic flame pattern of any gas log available for installation into a wood burning fireplace or a vent-free firebox
- ODS (Oxygen Depletion Sensor) monitors the oxygen levels in the room and shuts the log set off automatically if necessary


Vent-Free Benefits:

- Auxiliary heat source – Since Vent-Free heaters use a millivolt ignition system, if you lose power to your home, you can still operate your log set without electricity
- Easy Installation – With no chimney to install, vent-free gas logs can go nearly anywhere- easily and affordably

Important Information:

- Vent-Free gas logs are for use in a fully functioning wood burning fireplace. The damper may be closed if there is adequate combustion and ventilation. If the room gets too warm, the damper may be opened to allow heat to exit to the outdoors
- Glass doors, if installed, must be in the full open position or removed. This provides proper combustion air and ventilation for the log set to operate properly
- Screen mesh should be closed on the fireplace while burning to allow an even flow of oxygen into the fireplace

Note: All gas log sets should be installed by a qualified service person.





UVLX24

Vent-Free Log Sets:

No other gas log can deliver heat and warmth, like that of a Vent-Free gas log and at the same time, give you 99% efficiency.

Vermont Castings Vent-Free logs require no chimney, offer beauty and a realistic flame like that of a real wood fire.


Three styles are available: UVLX, Supreme UVLC and Standard VL.

UVLX Vent-Free Logs

The UVLX Vent-Free gas logs feature incredible detail in the split oak ceramic fiber logs, adjustable flame height and simple turn of the knob or press of a button operation. Complete burner system & logs – a natural adornment for any woodburning fireplace or Vent-Free firebox for new homes everywhere. Available in 18", 24", 30" open front logs and 24" multi-sided front logs.

Standard Features:

- Tested and listed to ANSI Z21.11.2a-2003, Unvented Heaters and Z21.60a-2003; CSA 2.26a-2003 Decorative Gas Appliances for Installation in Solid-Fuel Burning Fireplaces
- Available in Natural Gas or Propane models
- ODS standard equipment for all Vent-Free sets
- Each set includes logs, burner, grate, safety pilot system, lava rock & gas line connection kit



UVLC18

Supreme UVLC-Series Log Sets

- Models: UVLC18, UVLC24, UVLC30 open-front log sets
- Split Oak Ceramic fiber logs complete with hand-painted highlighting
- Remote controlled gas valves only with ODS pilot system
- Adjustable flame height
- Features custom cast iron andirons and grate
- Optional cast iron fireback for greater aesthetic appeal

Standard Features:

- Tested and listed to ANSI Z21.11.2z-2003, Unvented Heaters and Z21.60a-2003; CSA 2.26a-2003 Decorative Gas Appliances Installation in Solid-Fuel Burning Fireplaces
- Available in Natural Gas or Propane models
- ODS included for all Vent-Free sets
- Each set includes burner, grate, safety pilot system, lava rock, and gas line connection kit
- Optional hoods AH3244/BK or AH3244PB adjustable from 32-44 inches may be necessary, see log manual



VL24

Standard VL-Series Log Sets


- Models: VL18, VL21, VL24, VL30 open-front log sets
- Refractory style Oak logs in one rich color
- Manual controlled gas valves only with ODS pilot system
- Adjustable flame height



Determining Which Log Set Will Fit Your Fireplace

Model Size	Single or Multi Sided	Minimum Fireplace Dimensions				BTUs
		Width		Opening		
		Back	Front	Depth	Height	
VL24MN	Single Sided	21"	26"	11"	17"	20,000-34,000
VL24MP	Single Sided	21"	26"	11"	17"	21,000-34,000
VL24RN	Single Sided	21"	26"	11"	17"	22,000-34,000
VL24RP	Single Sided	21"	26"	11"	17"	25,500-34,000
UVLC18RN/RP	Single Sided	17"	30"	15"	18"	22,000-30,000
UVLC24RN/RP	Single Sided	20"	33"	15"	18"	29,000-39,000
UVLC30RN/RP	Single Sided	25"	36"	15"	18"	29,000-39,000
UVLXM24RN	Multi Sided	n/a	24"	20"	18"	27,000-39,000
UVLXM24RP	Multi Sided	n/a	24"	20"	18"	27,500-39,000
UVLX18RN	Single Sided	17"	20½"	13½"	18"	17,000-24,000
UVLX18RP	Single Sided	17"	20½"	13½"	18"	18,000-24,000
UVLX18MN	Single Sided	17"	20½"	13½"	18"	15,000-24,000
UVLX18MP	Single Sided	17"	20½"	13½"	18"	17,000-24,000
UVLX24RN	Single Sided	18½"	25½"	13½"	18"	24,500-35,000
UVLX24RP	Single Sided	18½"	20½"	13½"	18"	26,000-35,000
UVLX24MN	Single Sided	18½"	20½"	13½"	18"	18,000-35,000
UVLX24MP	Single Sided	18½"	20½"	13½"	18"	18,000-35,000
UVLX30RN	Single Sided	23"	25½"	13½"	18"	25,000-39,000
UVLX30RP	Single Sided	23"	25½"	13½"	18"	29,500-39,000
UVLX30MN	Single Sided	23"	25½"	13½"	18"	28,500-39,000
UVLX30MP	Single Sided	23"	25½"	13½"	18"	29,000-39,000

Minimum Fireplace Opening



Optional Remote Control (RC1) for Remote Ready models MO18RRN/P and MO24RRN/P



Vent-Free Fireboxes Hearth Burner Kit & logs

Now, all the warmth and convenience of a Vent-Free log set can be enjoyed virtually anywhere, when they are installed into Majestic Vent-Free fireboxes and log sets. Firebox models include: UVDR/DC series, UV33/36, UVSTR36, UVCVR36 and the UVSRC36A and UVSRC42A. Hearth Burner kits include: a selection of logs. These fireboxes are designed for use with any ANSI Z21.11.2 certified Vent-Free gas logs.



ph: 1.800.525.1898

www.vermontcastings.com
 www.majesticproducts.com

YOUR DEALER