





Contents

O/Introduction

1/ Login

2/ Home page (after login)

- 2.1/ Product sheet
- 2.1/ User sheet
- 2.3/ Global search

3/ Logout

0/ Introduction

Prysmian Group's application **Store3G** is used by registered users for easy on-line product purchase.



1/ Login

The Login page contains a login form. Choose your **language** and fill in your **email** and **password** and log in.

If you have any trouble logging in, e. g. you have **forgotten you password** or cannot log in due to error, please contact us via the contact form.

Prysmian Group	STORE 3G CONTRACT OF EXTENSION TO EXTENSION TAXIANTE EXTENSION TAXIANA TAXIANA TAXIANTE EXTENSIONAL TAXIANA T
Login to Store 3G	
	Login box Please, log in. Choose your language: Email: Password: Log in Are you having truble?

2/ Home page (after login)

Home page contains a box with **News** for you. The Top menu contains the following tabs:

- Product sheet
- User sheet
- Order sheet



How to use these tabs:

2.1/ Product sheet

On the left side, there is menu with product group which contain items to buy. Just click on the group you are interested in and choose the item you want to buy. All items are displayed in the table in the middle of the screen.

Above the table, there is a mention about how many products this category contains (Number of items found). Each product lists its code, name, available quantity and a field where you can enter a quantity in kilometers to buy. This value can be whole number or decimal.

To confirm the entered quantity and save it to your cart, you have to press this symbol:

Specific choice:

To display product's **batches**, please click on the product's name. On the right side, an additional table will appear, listing a checkbox, number, store, available quantity and unit for each batch. Before choosing specific batches, you must add the product to your cart. Inserted quantity does not need to meet number of batches. You can order as many kilometers as you need, even if they are not available in stock. Prysmian Group is able to produce the requested quantity.

Product's details:

To display details of a product, move your mouse over this symbol: ¹. It is to the right of the product's name.

Finishing order:

To finish your order, please go to the **Order sheet** tab in the top menu. Here you can check your uncompleted order, change the quantity or remove products from your cart.

If you make any change in the quantity of items ordered, always confirm the change by clicking the button "**Recalculate**".

Completion of order:

On the right side of your order, you can enter your own Order No. (or leave blank) and **Order Type**:

- **Order** standard order/binding order
- Forecast to buy a product for future use
- **Inquiry** if the product can be produced

Please check your order before sending. Draka Kabely reserves the right to verify the binding effect of the sent order. You will be notified of the order receipt and its status by phone and via email. You can include a **Note** in the order. Should any details be wrong, please correct them in customer registration.

Item (km) Weight (kg) Kinimiters H072-K 1.50 IVORY RALIDIS BOX 2000M 217 kg 20.000 S No.: 0021967984512, Length: 5.300, Unit: 0.200, Standard S S No.: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S NO:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S No:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S No:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S No:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S No:: 0021967984514, Length: 5.300, Unit: 0.200, Standard S S <th></th>	
No.: 0021967984512, Langth: 5.300, Unit: 0.100, Standard Standard Customer: Supplier: No.: 0021967984513, Langth: 7.300, Unit: 0.200, Standard Standard Peterson & Sons Draka Kabely s.r. No:: 0021967984514, Langth: 9.300, Unit: 0.800, Standard Standard Standard Peterson & Sons Draka Kabely s.r. H072-K 1.50 IVORY RAL1015 BOX 3000M 217 kg 20.000 Standard New Jersey Czech Republic	
No.: 0021957984312, Length: 7.300, Unit: 0.200, Standard Diaka Kabely s.r. No.: 0021967984514, Length: 9.300, Unit: 0.800, Standard Image: Comparison of the standard Peterson & Sons Draka Kabely s.r. H072:K 1.50 IV0RY RALI015 B0X 3000M 217 kg 20.000 Image: Comparison of the standard Standard	
No.: 0021967904514, Length: 9.300, Umit: 0.800, Standard Image: Control of the standard Image: Contro of the standard Image: Control of the standard	
H072-K 1,50 IVORY RAL1015 BOX 3000M 217 kg 20.000 🗵 New Jersey Czech Republic	
	51
H072-K 1,50 IVORY RAL1015 BOX 3000M 217 kg 20.000 🛛 Company reg, number: 68062206 Company reg. nu	mber: 61251071
H072-K 1.50 IVORY RAL1015 BOX 3000M 217 kg 20.000 🔯 Tax reg. number: CZ68062206 Tax reg. number	
H072-K 1,50 IVORY RAL1015 BOX 3000M 217 kg 20.000 2 E-mail: richardjr@petersonandsons.com Phone: +0060 589 746 587 Date of order:	13, 04, 2012
H072-K 1,50 IVORY RAL1015 BOX 3000M 217 kg 20.000 3 Delivery address:	13. 04. 2012
H072-K 1,50 IVORY RAL1015 BOX 3000M 217 kg 20.000 2 Watertower 245/6	
Total length in kilometers ordered: 120.000 km Kilometers ordered: New Jersey Mode of transport: New Jersey Nede of transport:	Customer 1
Rough weight of the order: 1302 kg Note	
If you make any change in the quantity of items ordered, always Recalculate	
confirm the change by clicking on the pushbutton "Recalculate". Recalculate If you want to complete your order, please move to Completion of	
order in right pane.	

If you want to complete your order, please click on "Complete order" on the right side.

Purchase history

History of orders can be found on "**User sheet**" (the tab on the top).

2.2/ User sheet

User identification:

This tab contains information about your user account. User identification contains the following data:

• **Email** (This is your e-mail address. Since you use it for logging in, it cannot be changed.)

• **Password** (If you want to change your password, enter it in this field. Your new password must be at least 6 characters long and contain at least one uppercase letter, one lowercase letter and one digit.)

- **Repeat password** ("If you want to change your password, enter the same password in this field as you did in the field above. This is to ensure that you typed your new password without mistakes.)
- **Generate password** (This fiction will create a new, random password that means the security requirements.).
- Full name
- Position
- Phone
- Fax
- Mobile

If you want to change your data (except email), type new data and click on **Update** at the bottom.

User identification			Customer identification	Responsible sales
Email: Password: Repeat password: Full name:	sona Exartoz Generate password C.	0.	Customer: XART s.r.o. S9401 Velké Meziříčí, Záviškova 1 VAT number: ERP number: External/internal: external	Sales manager: Janoušek Aleš (Sales manager) Email: Phone: Nobile: Customer service: Karmazin Jaromir (Customer servic Email: Phone:
Position: Phone:	Customer service		Access lists Warehouses:	Product groups:
Fax: Mobile:		U p date data	 Draka Kabely, Velké Meziříčí, Czech Republic Prysmian MKM Kňt., Kistelek, Hungary Prysmian MKM Kňt., Balassayarmat, Hungary Prysmian Kablo s.r.o., Velké Leváre, Slovakia Prysmian Cabluri, Slatina, Romania Prysmian Cabluri, Slatina, Romania Prysmian Cabluri, Bacšu, Romania 	 Medium Voltage XLPE aluminum Low Voltage Thermoplastic <= 25 sqmm Low Voltage Thermoplastic >25 sqmm Low Voltage Thermoplastic >25 sqmm Low Voltage XLPE > 25 sqmm Building Wires Pubblic Liphiting Conductors

Order history

Under your account details, you can view your **Order history** (in case you have ever sent an order). To view order details, just click on its name.

umber	type	sent	quantity	weight
	order	2012-06-25	14.500	6,402

Customer identification | Responsible sales | Access lists

These data you can find on the right side of your screen. These data cannot be changed by you. If you want to change any data here, please contact Prysmian Group Holding. The box **Responsible sales** contains contact information of the Sales director, Sales manager and Customer service that are assigned to your company.

2.3/ Global search

Global search enables to search products according to their code or name. Just type your text and click on the search button. The application will display results that match your criteria. By clicking on the name of the product you can view its details.

Advanced search enables you to browse products through an external link.

12					
name	item code	name		quantity	order
vg Wires / rigid traditional / multi-cores	0000020017177	NYM+J 3x6 RE 300/500 V		4491	0 km 🔂
19 Wires / rigid traditional / multi-cores	0000020017181	<u>NYM-J 5x6 RE 300/500 V</u>		2308	0 km 🚼
19 Wires / rigid traditional / multi-cores	0000020017887	NYM-3 3x4 RE 300/500 V		3340	0 km 🔁
ig Wires / rigid traditional / multi-cores	0000020017891	NYM-3 4x4 RE 300/500 V		1307	0 km 🚼
1g Wires / rigid traditional / multi-cores	0000020017896	NYM-J 4x6 RE 300/500 V	0	2340	0 km 🚼
ig Wires / rigid traditional / multi-cores	0000020018353	NYM-O 2x1,5 RE 300/500 V (SZ/k,b)		30680	0 km 🚼
19 Wires / rigid traditional / multi-cores	0000020018354	NYM-J 3x2,5 RE 300/500 V (F/uv) ring		10200	0 km 🚼
19 Wires / rigid traditional / multi-cores	0000020018922	NYM-J 5×10 RE 300/500 V	6	9164	0 km 🚼
vg Wires / rigid traditional / multi-cores	0000020021432	NYM+3 3x2,5 RE 300/500 V drum	0	20000	0 km 🔂
og Wires / rigid traditional / multi-cores	0000020021434	NYM-J 5x2,5 RE 300/500 V drum	6	12000	0 km 🚼
10 Wires / rigid traditional / multi-cores	0000020040788	NYM-3 5x4.0 RE 300/500 V drum		730	0 km 🚼
19 Wires / rigid traditional / multi-cores	0000020055406	NYM-J 7×2,5 RE 300/500 V (Sz) drum		1862	0 km 🚼
	numina na Wires / rigid traditional / multi-cores na Wires / rigid traditional / multi-cores	no. Wires / rigid traditional / multi-cores 0000020017177 no. Wires / rigid traditional / multi-cores 0000020017887 no. Wires / rigid traditional / multi-cores 0000020017887 no. Wires / rigid traditional / multi-cores 0000020017897 no. Wires / rigid traditional / multi-cores 0000020017891 no. Wires / rigid traditional / multi-cores 0000020017896 no. Wires / rigid traditional / multi-cores 0000020018353 no. Wires / rigid traditional / multi-cores 0000020018354 no. Wires / rigid traditional / multi-cores 0000020018322 no. Wires / rigid traditional / multi-cores 0000020021432 no. Wires / rigid traditional / multi-cores 0000020021434 no. Wires / rigid traditional / multi-cores 0000020021434 no. Wires / rigid traditional / multi-cores 0000020021434	no. Wires / rigid traditional / multi-cores 0000020017177 NVM-1 3x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017881 NVM-1 3x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017881 NVM-1 3x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017881 NVM-1 3x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017891 NVM-1 4x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017891 NVM-1 4x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020017895 NVM-1 4x6 RE 300/500 V no. Wires / rigid traditional / multi-cores 0000020018353 NVM-2 5x2 S RE 300/500 V (Sr/Lb) no. Wires / rigid traditional / multi-cores 00000020018922 NVM-1 3x2 S RE 300/500 V (Fi/w) ring no. Wires / rigid traditional / multi-cores 00000020021432 NVM-1 3x2 S RE 300/500 V drum no. Wires / rigid traditional / multi-cores 0000020021434 NVM-1 3x2 S RE 300/500 V drum no. Wires / rigid traditional / multi-cores 0000020021434 NVM-1 3x2 S RE 300/500 V drum	no. Wires / rigid traditional / multi-cores 0000020017177 NVM-J 3x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020017181 NVM-J 5x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020017887 NVM-J 5x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020017887 NVM-J 4x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020017896 NVM-J 4x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020017896 NVM-J 4x6 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020018333 NVM-O 2x1,8 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020018354 NVM-J 3x2,5 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020018922 NVM-J 3x2,5 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020021432 NVM-J 3x2,5 RE 300/500 V G no. Wires / rigid traditional / multi-cores 0000020021434 NVM-J 3x2,5 RE 300/500 V drum G no. Wires / rigid traditional / multi-cores 00000200140788 NVM-J 3x2,5 RE 300/500 V drum <t< td=""><td>no. Wires / rigid traditional / multi-cores 0000020017177 NYM-J 3x6 RE 300/500 V 4491 no. Wires / rigid traditional / multi-cores 0000020017181 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017867 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017867 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017891 NYM-J 4x6 RE 300/500 V 340 no. Wires / rigid traditional / multi-cores 0000020017895 NYM-J 4x6 RE 300/500 V 32660 no. Wires / rigid traditional / multi-cores 0000020018353 NYM-O 2x115 RE 300/500 V (52/kb) 30660 no. Wires / rigid traditional / multi-cores 0000020018324 NYM-J 3x2.5 RE 300/500 V (52/kb) 30660 no. Wires / rigid traditional / multi-cores 0000020018922 NYM-J 3x2.5 RE 300/500 V (frun) ring 102000 no. Wires / rigid traditional / multi-cores 0000020021432 NYM-J 3x2.5 RE 300/500 V drum 20000 no. Wires / rigid traditional / multi-cores 0000020021434 NYM-J 3x2.5 RE 300/500 V drum 20000 no. Wires / rigid traditional / multi-cores 00000</td></t<>	no. Wires / rigid traditional / multi-cores 0000020017177 NYM-J 3x6 RE 300/500 V 4491 no. Wires / rigid traditional / multi-cores 0000020017181 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017867 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017867 NYM-J 3x6 RE 300/500 V 3340 no. Wires / rigid traditional / multi-cores 0000020017891 NYM-J 4x6 RE 300/500 V 340 no. Wires / rigid traditional / multi-cores 0000020017895 NYM-J 4x6 RE 300/500 V 32660 no. Wires / rigid traditional / multi-cores 0000020018353 NYM-O 2x115 RE 300/500 V (52/kb) 30660 no. Wires / rigid traditional / multi-cores 0000020018324 NYM-J 3x2.5 RE 300/500 V (52/kb) 30660 no. Wires / rigid traditional / multi-cores 0000020018922 NYM-J 3x2.5 RE 300/500 V (frun) ring 102000 no. Wires / rigid traditional / multi-cores 0000020021432 NYM-J 3x2.5 RE 300/500 V drum 20000 no. Wires / rigid traditional / multi-cores 0000020021434 NYM-J 3x2.5 RE 300/500 V drum 20000 no. Wires / rigid traditional / multi-cores 00000

3/ Logout

If you want to logout from Store 3G application, just click on **logout** link in the upper right corner.

 $\mathsf{DIN}(\mathsf{I} \mathsf{ELHN})$ VALL KEY SEGMENTS BESTINCLASS <u>NORLDWIDE L</u> 51 CE USER GUIDE EXTENDED PR ADING ORLDW/IDE LE/ F SMARTER AND GREENER POWER GRI STRONGER PLATFORN **FO ENHANCE CUSTOM**