



ELECTRIC FIREPLACES

 Monessen

WARM WELCOME

Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.



EF500 shown in optional birch wall surround



EF500 shown with black bi-fold glass doors

ELECTRIC FIREPLACES

Add the ambiance and elegance of fire to your home anywhere you like with electric fireplaces from Monessen. With no venting or gas lines required, an electric fireplace is the perfect solution for interior rooms with difficult or no venting access, condominiums, apartments or other high rise applications, cottages, RVs – or anywhere else that an electric appliance is acceptable. With the ability to be plugged in or hardwired to your 120V service, electric fireplaces from Monessen offer the choice of heat or no heat operation giving you flexible and enjoyable ambiance for all seasons.

EF500

These electric fireplaces from Monessen are available in both 5,000 and 10,000 BTU models making them a perfect heat source for any room in your home. With a large viewing area and a variety of trim options, the EF500 is a simple solution for adding both beauty and warmth anywhere an electrical outlet can be accessed.



ALLURA-FIRE ELECTRIC FIREPLACES

With richly colored flames dancing amidst true-to-life logs, you may forget that it's not a real fire. That's the magic of Allura-Fire Electric Fireplaces from Monessen. Now you can add the elegance of a fireplace to any room in your home. Models are available in 26", 33" and 36" sizes so it's easy to find the perfect fit. And the entire unit is controlled by a multi-function remote control that allows you to control the flame, the heat, and everything in between without the need for venting.



Allura-Fire EF33 with optional glass doors and black trim finish



Allura-Fire EF26 with optional glass doors and black trim finish



Allura-Fire EF36 shown with optional bi-fold glass doors

STANDARD FEATURES

EF500:

- 38" radiant face electric fireplace featuring a realistic ember bed and flame technology
- Perfect for apartments, condominiums, high rise buildings and cottages
- Slim line design offers a 16" deep firebox to create the perfect look without taking up too much floor space
- Optional single-pane bronze glass doors and wood surrounds available in several finishes
- Access to a hidden control panel with easy on/off, thermostatically controlled or remote control operation
- Standard Hand Held Remote Control
- Create the perfect ambience with the option to turn the unit on with or without heat
- Standard automatic thermostat heater with settings (Low, Medium, High) located on the control panel
- Easy to install, the EF500 can be connected to 120V with a BTU rating of 5,000 and wattage of 1500
- The EF500 can be connected to 240V with a BTU rating of 10,000 and wattage of 3000
- Quiet blower distributes heat evenly into the room
- CSA Design Certified

Allura-Fire EF26, EF33, EF36

- Self trimming to ensure a perfect fit to cabinets
- Built-in thermostat
- Standard three prong wall plug provided - no professional installation required
- 120 volt power supply
- 1350 watts heater rating; 1500 watts total
- Up to 4,500 BTUs: 400 square-foot heating capacity
- Fully operable glass doors
- Multi-function remote with flame speed control and intelligent memory
- Sandstone BrickWorks refractory lined sides
- Touch pad controls with delayed shut-off feature
- Enhanced log stack, color and texture
- Refined color design and topography of ember bed
- Clean Face Design: No distracting louvers
- On-off display down-lights add to the ambient flame and glowing ember bed

Optional Accessories

EF500:

- Cabinets
- Decorative fronts
- Bi-fold Doors
- Trim Kits

Allura-Fire EF26, EF33, EF36

- Cabinets

Electric Fireplaces

Model	EF500	EF500	
BTU	5,000 BTU (120V)	10,000 BTU (240V)	
Watts	1,500W (120V)	3,000W (240V)	
Dimensions (Actual)	38-3/4"W x 33"H x 15-1/8"D	38-3/4"W x 33"H x 15-1/8"D	
Dimensions (Framing)	39-3/4"W x 33-1/2"H x 15-5/8"D	39-3/4"W x 33-1/2"H x 15-5/8"D	
Opening Dimensions	36"W x 21-1/8"H	36"W x 21-1/8"H	
Radiant or Circulating	Both	Both	
Design Certified	CSA	CSA	
Model	EF26 (120V)	EF33 (120V)	EF36 (120V)
BTU	4,500 BTU (120V)	4,500 BTU (120V)	4,500 BTU (120V)
Watts	1,500W	1,500W	1,500W
Dimensions (Actual)	27-1/2"W x 25-1/4"H x 11-1/2"D	34-1/2"W x 29-3/4"H x 11-1/2"D	37-1/2"W x 33-1/4"H x 11-1/2"D
Dimensions (Framing)	26-1/2"W x 24-3/4"H x 11-1/2"D	33-1/2"W x 29-1/4"H x 11-1/2"D	36-1/2"W x 32-3/4"H x 11-1/2"D
Opening Dimensions	25-1/4"W x 19-1/2"H	32-1/4"W x 22-3/4"H	35-1/4"W x 26-1/4"H
Radiant or Circulating	Radiant	Radiant	Radiant
Design Certified	CSA	CSA	CSA



Monessen

A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361

www.monessenhearth.com

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.

Ver.02 MON8908