



PREMIUM DIRECT VENT FIREPLACE SYSTEMS

 Monessen

WARM WELCOME



Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.



Forged Andirons



Cast Andirons



Accent Lighting



Covington



Covington



Berkley DV20TNV

COVINGTON SERIES

CLEAN FRONT FIREPLACE

The fireplace is a focal point in our rooms and a gathering place in our homes. Regardless of our personal taste or design choices, the warm ambiance of fire appeals to us all equally. The Covington Series from Monessen offers a clean front, elegantly styled fireplace that will easily fit into any décor – making it the perfect choice for any home. Available in two expansive viewing sizes, offering a number of accessories and up to an impressive 50,000 BTUs, these fireplaces set the stage for your design imagination.

BERKLEY DV20TNV

Now every corner in your home can be cozy with the Berkley fireplace and cabinets from Monessen. Available in two colors, Natural Cherry and Sienna Brown as well as in two different designs, the Berkley fireplace and cabinets make the most of hard to use corner spaces.



STANDARD FEATURES:

COVINGTON

- Available in two sizes: 32" opening (400DVKHL) and 36" opening (500DVKHL)
- Clear-View ceramic glass: viewing area of 960 square inches (400DVKHL) and 1080 square inches (500DVKHL)
- Max BTU output: 40,000 (400DVKHL) and 50,000 (500DVKHL)
- Ember bed burner with fiber ceramic logs
- Accent light provided standard with manual dimmer control
- Top vent with 5" x 8" direct vent pipe
- Fits chases with a 24" inside depth
- FE (fireplace efficiency as per CSA P4)
- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment

BERKLEY

- Silver gray refractory brick lining
- Ceramic glass front
- Realistic logs with textured bark, random charred and rugged flesh areas
- Radiant ceramic burner features manual flame adjustment for up to 50% turndown
- FE (fireplace efficiency as per CSA P4)
- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment

Premium Direct Vent Fireplace Systems

Model	KHLDV400	KHLDV500	DV20TNV
BTU / HR	28,500 - 40,000 NG / 30,500 - 40,000 LP	32,500 - 50,000 NG / 38,500 - 50,000 LP	8,700 - 13,000 NG / 8,700 - 13,000 LP
FE Ratings (Fireplace Efficiency)	69.6% NG / 78.2% LP	67.6% NG / 69.8% LP	60.1% NG / 60.1% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	44 15/16"W x 44 3/8"H x 23 7/8"D	48 15/16"W x 44 3/8"H x 23 7/8"D	20"W x 32 1/2"H x 15"W
Dimensions (Framing)	45 5/16"W x 44 3/4"H x 23 7/8"D	49 5/16"W x 44 3/4"H x 23 7/8"D	21 1/4"W x 34"H x 15 1/2"W
Viewing Area	30"H x 32"W (960sq.in.)	30"H x 36"W (1080sq.in.)	20"H x 13 1/2"W (270sq.in.)
Blower	Optional	Optional	No

Optional Accessories

Covington

- Herringbone firebrick in Olde English; or traditional firebrick in Tavern Brown and Cottage Red (purchase of brick is required for all models).
- Blower
- Forged andirons
- Cast andirons
- Ambient Technologies® remote controls



Cottage Clay
Firebrick




Cottage Red
Firebrick



Vintage Brown
Firebrick

Berkley

- Natural Cherry or Sienna Brown cabinets
- Cast iron front trim in Classic Black or Ebony Black
- Ambient Technologies® remote controls




Natural Cherry



Sienna Brown



Variable thermostat controlled
dual forced air blower (160 cfm each)



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



MADE IN U.S.A.



NFI
ADVOCATE



Hearth, Patio & Barbecue Association



Hearth, Patio & Barbecue Association of Canada
PROTECT • PROMOTE • EDUCATE



gama

Monessen

A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361

www.monessenhearth.com

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2007 Monessen Hearth Systems Co.

Ver.02 MON8708