

GAS

# DIRECT VENT FIREPLACES



Gas fireplaces are not only an effective and economical heating source but with all of the choices in style ... a beautiful and versatile addition to any home! With Napoleon's advanced technology, beauty of form follows function. Choose from many wonderful styles, rear or top direct venting, accessories and options to personalize your very own fireplace. Imagine the possibilities! Units may be located just about anywhere because no chimney or foundation is required.

Gas fireplaces are easy on the pocket-book. These units cost just pennies per hour to operate and are available in natural gas or propane ... Not to mention the convenience! Instant on and off operation and automatic temperature control with a wall thermostat or a state-of-the-art digital remote. Any which way, you're in control of your total home comfort.

Bring the comfort of a Napoleon Gas Fireplace home and see for yourself why a Napoleon fireplace is LIKE NO OTHER!

# Many Styles...One Objective - Dynamic Performance

## Outstanding Quality NAPOLEON FEATURES

*Impressive Features for your Convenience*



### Burner System

Napoleon Fireplaces offer some of the most technologically designed precision port, two stage, three stage and tower burner systems on the market today! You'll love the allure of a woodburning atmosphere with our YELLOW DANCING FLAME® burner systems.

### Performance

Napoleon's maximum efficiencies are comparable to a finely tuned automobile. Years of research, design and testing have enhanced optimum performance allowing Napoleon products to achieve some of the highest heater rating efficiencies on the market. Our products continuously surpass industry standards not only in appearance but in efficiency and performance.

### Zero Clearance

Avoids the installation restrictions associated with traditional fireplaces. No costly foundations or chimneys required. Frame with standard 2 x 4's right up to the outside of the unit adding versatility to installation. Lightweight design allows for installations in any room in your home, even bedrooms & bathrooms!



### Warranty

NAPOLEON GAS FIREPLACES are manufactured under the company's strictest quality standards. When you see our President's Limited Lifetime Warranty Logo, you can be confident it's backed by the assurance of high quality, durability and service. To further support Wolf Steel's quality commitment, the company is registered under the world recognized ISO9001-2000 QUALITY SYSTEM CERTIFICATION.

### Remote Control

You can command the power of fire simply with the tip of your fingers! Our ADVANTAGE PLUS™ digital remote control boasts an easy-to-read back-lit digital readout of the room temperature. The built-in thermostatic control takes a temperature reading every few seconds and turns the fireplace on or off instantly! This remote control will even remind you when it's time to replace the battery. For your peace of mind the ADVANTAGE PLUS™ also features a child proof safety lock and reads temperatures in C° or F°.



### Clear Unobstructed View

All Napoleon Fireplaces offer you a clear unobstructed view of the entire firebox.



### Logs

The distinctive PHAZER® logs and glowing embers of our Napoleon fireplaces, inserts and stoves are impressively realistic! Our flame and log pattern is so lifelike ... it's difficult to tell the difference between a real wood burning fire and a Napoleon PHAZER® fire!"

### Direct Vent Technology

Napoleon's Direct Vent Fireplaces do not require a chimney and can be vented directly through a wall or roof. The direct vent draws its combustion air from outside while venting to the same outside atmosphere - thereby not consuming warm house air, nor competing with other appliances and furnaces for combustion air. Direct venting also eliminates drafts and heat loss associated with other fireplaces.

### No Power ... No Problem!

Weather out the storm in the comfort of your own home! A Napoleon fireplace requires no electricity to light or operate. A built-in millivolt system ensures reliability even during power failures! And all Napoleon fireplaces will give you plenty of heat when you need it most.

Napoleon's quality systems are ISO 9001-2000 certified.

STARfire™

# Outstanding Efficiency



Bay Front shown with 24 karat gold plated Heritage Ornamental Insets. Fully operational safety fire screen for that masonry look and feel! (Available for GD70NT-S & GD36NTR)

## DECORATIVE CHOICES



Black ornamental insets, black door



24 karat gold plated louvres, black door



Brass plated louvres, 24 karat gold plated door, brass plated 3D trim



24 karat gold plated door & ornamental insets



24 karat gold plated door, brass plated louvres



Brushed 24 karat gold plated ornamental face plate, black door



Black ornamental face plate, 24 karat gold plated door



24 karat gold plated ornamental face plate, black door




Black ornamental face plate, black door



## NAPOLEON'S "DELUXE" PREMIUM PACKAGE!

Offering a stunning array of included accessories, this deluxe fireplace comes complete with an exclusive Night Light - perfect for accenting the realistic fire logs while the flame is not on, heat circulating thermostatically controlled blower, Phazeramic™ double flame burner and the popular old town red brick panels. The GD70NT-S offers you a wide range of heat output and control with a remarkable 50% turn down rate and an outstanding 81% efficiency rating. A 35,000 BTU burner provides cozy heat with a stunning YELLOW DANCING FLAME® pattern! With a 682 square inch viewing area, the Starfire™ is a one of a kind fireplace that you will be proud to show to family and friends! The perfect fit for great rooms and larger family rooms.



A - Ornamental face plate designed for marble/tile backing  
B - Ornamental face plate designed for flush wall installation  
C - Decorative face plate with operable safety screen door

GD70NT-S shown with arched faceplate complete with operable safety screen doors

# Massive Viewing Area



The BGD48 offers the ultimate in enjoyment and comfort from its massive 26 1/2" x 44 1/2" viewing area and 36,000 BTU's. It also comes with a convenient 45° venting making its top or rear vent option an easy fit for any room. With a realistic log set and a beautiful wood fire look, the BGD48 fills your room with warmth and glow.

*BGD48 with contour painted black louvers*



# High styled Warmth!

Everything you could ever need in a fireplace and more! Beauty, elegance, versatility, 705 square inch viewing area and up to 45,000 BTU's! A high-tech, dual level, double-flame burner provides up to 83% efficiency of YELLOW DANCING FLAMES®. All you have to do is sit back and enjoy the fire! With flexible aluminum venting and a 45° angled take-off, this fireplace offers you the most versatile installation applications in the industry!

*GD45N with contour painted black louvers*

# Designed with You in Mind



BGD40N see-thru model with polished brass contour louvres

Any way you look at it ... the BGD40N is a beautiful multi-view fireplace worthy of a place in your home! Install the see-thru, corner (left or right) or peninsula model. With the flexibility this fireplace offers, you'll be sure to find the perfect location in your home! And with up to 30,000 BTU's it's not only a stunning and great looking addition to your home, but an economical and dependable heating source as well!



## Looks Great in a Corner

Model BGD40N left corner with stainless steel contour louvres. Also available as a right corner



## Or as a Room Divider

Model BGD40N Peninsula, with 24 karat gold plated ornamental insets




Model **BGD42N-D**

# Comfort & Style

The standard MIRRO-FLAME™ porcelain reflective panels heighten the beauty of the YELLOW DANCING FLAME® creating four spectacular fires in one! Design possibilities are impressive with dozens of exceptional decorative options. The 45° venting allows installation almost anywhere, in any room. An excellent choice for comfort and style.

*BGD42N-D with 24 karat gold plated ornamental insets. Porcelain reflective panels are standard*



Model **BGD38NT**

# Add Distinction

The BGD38NT is a stylish yet functional heat source providing up to 26,000 BTU's and offering a 50% turn down rate for maximum efficiency while still creating a beautiful flame. A fireplace that adds distinction to any room!

*BGD38NT shown with full bay front with safety screen, black painted louvers and porcelain reflective panels*

Model **GD36NTR**

### Best Seller

The Chameleon, one fireplace over 40,000 different looks. Just the right amount of heat and luxury! Pure. Simple. Tasteful. Whether you're looking to heat a small or large room the GD36NTR is the answer. With BTU input ranging from 17,500 to as much as 27,000 this great looking fireplace is the way to go. Builders and homeowners alike love this full sized, highly efficient fireplace.

# Luxurious Comfort



www.fireplacedesignstudio.com

GD36NTR shown with 24 karat gold plated heritage insets, bay front with safety screen and decorative brick panels  
(Inset: black louvres, Herringbone decorative brick panels and 24 karat gold plated webbed arched door)

Model **GD33/34**



# Endless Installation Possibilities

The GD33/34 combines all of the energy efficiency and convenience you're looking for in a fireplace yet is small enough to fit practically anywhere! With up to 22,000 BTU's and 79.4% maximum efficiency this beautiful clean-burning fireplace will provide you with cozy heat, versatility and functionality! And, being only 12" deep... think of the installation possibilities!

GD33NR shown with stainless steel louvres, 4" 3-D stainless steel trim and decorative brick panels. (Inset: full bay front with safety screen and painted black ornamental inset)  
Available in Rear vent model **GD33NR** or Top vent model **GD34NT**



CAST IRON  
SURROUND KITS

Surround your gas fireplace with the rich colors of these finely crafted, European castings!



Porcelain Majolica Green



Porcelain Majolica Blue




Porcelain Majolica Brown



Porcelain Black  
-Also available in painted black

Complete cast iron surround kits for  
GAS FIREPLACES



Model	Kit #	A	B	C	D
GD36NTR	CFSK-A	39 1/8"	45"	36 7/8"	1 1/2"
GD70NT	CFSK-B	43"	45"	40"	2 5/8"
GD45NT	CFSK-B	43"	53 1/8"	40"	2 5/8"
BGD40N*	CFSK-A	39 1/8"	45"	36 7/8"	1 1/2"
BGD42N-D	CFSK	43"	50 3/8"	40"	2 5/8"
BGD38NT	CFSK	43"	45"	40"	2 5/8"

\* see-thru model only

ORNAMENTAL INSETS

Transform your fireplace with distinctive  
ornamental insets, available in exquisite finishes.  
(May not be exactly as shown)



Heritage



Diamond



Gothic



Seashell



Eclipse



24 karat gold plating

Black gold



24 karat brushed  
gold plating\*

Brushed copper\*

\* available on special order only

MIRRO-FLAME™  
Reflective Porcelain Enamel Panels

MIRRO-FLAME™ porcelain enamel panels reflect  
the YELLOW DANCING FLAME® on both sides &  
the back wall of the fireplace, creating 4  
spectacular fires in 1!



ANDIRONS

Designed to simply stand in front of  
the logs and give the optimum masonry  
look and feel. They will fit directly in a bay  
window or bay front kit or rest inside the fire box.



DECORATIVE  
DOOR KITS

For the GD36NTR or BGD40 available in 24  
karat gold plated or traditional painted black,  
with optional screen. Webbed arched door kits  
available for the GD45N.



Webbed arched door kit



Rectangular door kit



Arched door kit



Northern decorative door



Southwestern decorative door

Northern and Southwestern decorative doors  
available in 24 karat gold plated, pewter and  
traditional painted black

Trim Kits



Optional  
Decorative  
Accessories



Old town red brick panels available for the  
GD70NTS and GD36NTR



Herringbone panels available for the GD36NTR



Stainless Steel Brushed Louvres, 3 D Trim in  
Brushed Stainless Steel



Polished Brass Louvres, 3 D Trim in Polished Brass



Polished Brass Louvres, 6" Polished Brass Trim



Polished Brass Louvres with Polished Brass  
Rectangular Door Trim Kit



Polished Brass Louvres with Bay Window Kit



Polished Brass Louvres with Webbed Arch Door



Polished Brass Contour Louvres



Polished Brass Louvres, 3" Polished Brass Trim Kit



Antique Brass Plated Louvres and Antique Brass  
Plated 3" Trim



Polished Brass Louvres, 3" Polished Brass Trim,  
Bay Window



Antique Brass Plated Louvres and Antique  
Brass Plated 2" Trim



Black Contour Louvre Kit



Black Contour Louvre kit and 6" Stainless Steel  
Bevelled Trim



Polished Brass Louvres and 3" Bevelled  
Polished Brass Trim



Black Louvres with Black Bay Window

\* Above pictures for demonstrating Trim Kits. Accessories may not be suitable for all units or available in all finishes, see the installation manual for specifications. Log sets are for visual effect only.

\*\*louvers available in traditional or new contour design

Product Specifications					
Model	Fuel	BTU Input	BTU Output	Maximum Heating Efficiency AFUE	Steady State
GD70NT-S	Natural Gas	35,000	28,350	72%	81%
	Propane	33,000	26,400	72%	80%
BGD48N	Natural Gas	36,000	23,500	62%	65%
	Propane	36,000	23,500	62%	65%
BGD40N	Natural Gas	30,000	20,400	-	68%
	Propane	30,000	20,400	-	68%
GD45N	Natural Gas	45,000	36,900	-	82%
	Propane	40,000	33,200	67.3%	83%
BGD42N-D	Natural Gas	28,500	19,500	64%	68.5%
	Propane	24,000	16,000	61.5%	67%
BGD38NT	Natural Gas	26,000	16,750	57%	64.4%
	Propane	26,000	17,200	58%	66.2%
GD36NTR	Natural Gas	26,000	22,400	73%	86%
	Propane	26,000	22,800	74%	88%
GD34NT	Natural Gas	24,500	19,500	-	81.3%
	Propane	24,500	19,500	-	81.3%
GD33NR	Natural Gas	22,000	17,000	63%	77.2%
	Propane	22,000	17,500	63%	79.4%

Years of research, design and testing have enhanced optimum performance allowing Napoleon products to achieve some of the highest heater rating efficiencies on the market. Our products continuously surpass industry standards not only in appearance but in efficiency and performance.

#### Installation Versatility

- No need for costly foundation or brick work
  - Ground level and above installations
  - Zero Clearance to combustibles
  - Suitable for mobile home installations
- In Canada, approved for R2000 advanced housing
  - Basement installations, even below grade using a Periscope
  - Also approved with Simpson Dura-Vent direct vent pipe
  - Approved for bedroom, bathroom & bedsitting room installations


#### Heating Flexibility

#### HOT AIR DISTRIBUTION KIT

With the hot air distribution kit and its independent fan control, you are offered a choice of distributing a portion of the heat generated from your fireplace either to other rooms, adding to your overall home comfort ...

#### OR

when fireplace heating efficiency is secondary to the ambiance of a fire, disperse it outdoors ... ideal for entertaining.




#### THERMOSTAT

Optional thermostatic control maintains adjacent room temperature for even greater convenience.



#### BLOWER

When you want to extract maximum heat an optional heat circulating blower offers increased heating efficiency. A thermal sensor switch automatically turns blower on and off and a variable speed control is designed to be installed in the bottom of the unit or on a wall.



	GD70NTS	BGD48N	BGD40	GD45N	BGD42N-D	BGD38NT	GD36NTR	GD34NT	GD33NR
Heater rated	Y	Y	Y	Y	Y	N	Y	Y	Y
Wall Furnace rated	Y	N	N	Y	N	N	Y	N	Y
Vents, vertically or horizontally	Y	Y	Y	Y	Y	Y	Y	Y	Y
Hinged door assembly	Y	N	Y	Y	N	Y	Y	N	N
Venting	Top	45°	45°	45°	45°	Top	Rear/Top	Top	Rear
PHAZER® logs	S	S	S	S	S	S	S	S	S
Ceramic glass	S	-	-	S	-	-	S	S	S
Tempered Glass	-	S	S	-	S	S	-	-	-
Door Size HxW (in inches)	23 x 31 5/8	26 1/2 x 44 1/2	End 19 3/8 x 17 1/8 Face 19 3/8 x 31 5/8	22 1/4 x 39 1/2	22 x 38 5/8	23 x 31 5/8	19 3/8 x 31 5/8	16 x 30 5/8	16 x 30 5/8
100% safety shut off	S	S	S	S	S	S	S	S	S
Zero clearance	S	S	S	S	S	S	S	S	S
No hearth extension required	S	S	S	S	S	S	S	S	S
Sealed combustion chamber	S	S	S	S	S	S	S	S	S
Presidents Limited Lifetime Warranty	S	S	S	S	S	S	S	S	S

STANDARD: S

OPTIONAL: O

YES: Y

NO: N

N/A: -

Tested as a heater and/or wall furnace. Tested to Z21.86, Z21.88 and CSA 2.32, CSA 2.33 in Canada and United States: CSA 2.33 and ANSI Z21.88 or CSA 2.22-M and ANSI Z21.50 for Vented Gas Fireplaces.

#### Accessories

	GD70NT-S	BGD48N	BGD40N	GD45N	BGD42N-D	BGD38NT	GD36NTR	GD34NT	GD33NR
Decorative brick panels	-	-	S	S	-	-	O	O	O
Old town red brick panels	S	-	-	-	-	-	O	-	-
Metal brick panels	-	O	-	-	O	O	O	O	O
Herringbone	-	-	-	-	-	-	O	-	-
MIRRO-FLAME™ porcelain reflective panels	-	O	-	-	S	O	O	O	O
Polished brass trim	O	O	O	-	O	O	O	O	O
Antique brass trim	-	-	O	-	O	-	O	O	O
Brushed stainless steel trim	O	O	O	-	O	O	O	O	O
Textured black bevelled trim	O	-	-	-	-	O	O	-	-
Polished brass 3D and bevelled trim	O	O	O	O	O	O	O	O	O
Antique brass 3D and bevelled trim	O	-	O	-	-	O	O	-	-
Brushed stainless steel 3D and bevelled trim	O	O	O	O	O	O	O	O	O
Polished brass rectangular door trim	-	-	O	-	-	-	O	O	O
Bay window kit	-	-	-	O	-	-	O	-	-
Bay front kit with screen	O	-	O	-	-	O	O	O	O
Arched door fascia	-	-	O	-	-	-	O	-	-
Webbed arch door fascia kit	-	-	O	O	-	-	O	O	O
Ornamental face plates	O	-	-	-	-	-	-	-	-
Arched face plate with double door safety screen	O	-	-	-	-	-	-	-	-
Polished brass louvres	O	O	O	O	O	O	O	O	O
24 karat gold plated louvres	O	-	-	-	-	O	-	-	-
Brushed stainless steel louvres	O	O	O	O	O	O	O	O	O
Black louvres	O	O	O	O	O	O	O	O	O
Antique brass louvres	-	-	O	-	-	-	O	-	-
Ornamental insets•	O	O	O	-	O	-	O	O*	O*
Andirons	O	O	O	O	O	O	O	O*	O*
Decorative door kits	-	-	O	O••	-	-	O	-	-
Cast iron surrounds•••	O	O	O•••	O	O	O	O	-	-
Hot air distribution kit	O	O	-	O	O	O	O	O	O
Hand-held on/off remote control with digital readout	O	O	O	O	O	O	O	O	O
Hand-held on/off thermostatic remote control	O	O	O	O	O	O	O	O	O
Hand-held modulating thermostatic remote (controls flame and blower)	O	O	O	O	O	O	O	-	-
Wall thermostat	O	O	O	O	O	O	O	O	O
Heat circulating blower	S	O	O	O	O	O	O	O	O
Pre-Wired wall switch	S	S	S	S	S	S	S	S	S
Attached gas flex connector	-	S	-	-	S	-	-	-	-
Night light	S	-	-	-	-	-	-	-	-

•BGD42 and BGD48 available in Heritage only


•• Webbed arched only

••• BGD40N (See thru model only)


\*Suitable for bay front only

# Dimensions


## GD70NT-S




## BGD48N




## GD45N




## BGD40N Left or Right Corner




## BGD40N See Thru




## BGD40N Peninsula




## BGD42N-D




## BGD38NT




## GD36NTR



## GD34NT



## GD33NR




Line dimensions are to be used as a guide only. Please consult your installation manual for updated and precise measurements before proceeding to install or frame your Napoleon Fireplace unit.


Installation Manuals can be requested from your dealer or found on the Napoleon Website: [www.napoleonfireplaces.com](http://www.napoleonfireplaces.com)

Venting Flexibility


Top Vent -  
GD70NT-S  
GD34NT  
BGD38NT



Rear/Top Vent -  
GD36NTR




Rear Vent -  
GD33NR



45° -  
BGD48N  
BGD42N-D  
GD45N  
BGD40N\*

\*(take off on the end, see manual for details)



Other Napoleon Products



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Napoleon® is a registered trademark of Wolf Steel Ltd. Patent U.S. 5.307.801, 75054-Can. 2.073.411, 2.082.915, 745 © Wolf Steel Ltd.

Authorized Dealer



**Wolf Steel Ltd.**  
24 Napoleon Road  
Barrie, ON  
Canada L4M 4Y8

**Wolf Steel Ltee-Logistique Quebec**  
7200 Route Transcanadienne  
Montreal, PQ  
Canada H4T 1A3

**Wolf Steel USA Inc.**  
Crittenden, Kentucky  
USA 41030

Phone: 705-721-1212 • Fax: 705-722-6031  
[www.napoleonfireplaces.com](http://www.napoleonfireplaces.com) • [www.fireplacedesignstudio.com](http://www.fireplacedesignstudio.com)  
[ask@napoleon.on.ca](mailto:ask@napoleon.on.ca)

