


ULYSSES FINAL ARCHIVE

USER MANUAL



Science Archives and VO Team

Table of contents

1	INTRODUCTION TO THE ULYSSES FINAL ARCHIVE	3
2	INSTRUMENTS	5
3	DATA.....	6
4	SEARCH.....	8
4.1	SEARCH INTERFACES	8
4.1.1	MAIN SEARCH INTERFACE.....	8
4.1.1.1	DATE SELECTION	9
4.1.1.2	INSTRUMENT SELECTION	9
4.1.1.3	OUTPUT SELECTION	12
4.1.2	MULTI-INSTRUMENT SEARCH INTERFACE	13
4.1.2.1	INSTRUMENT/PARAMETER TREE	14
4.1.2.2	PANEL LIST.....	14
4.1.2.3	PRESENTATION SETTINGS.....	15
4.1.2.4	PARAMETER SETTINGS.....	16
4.1.2.5	USAGE	16
4.2	RESULTS INTERFACE.....	17
4.2.1	PLOT RESULTS INTERFACE.....	17
4.2.1.1	DOWNLOADING THE PLOTS	19
4.2.2	TABLE RESULTS INTERFACE.....	19
4.2.2.1	DOWNLOADING DATA	20
5	PLOTS	25
6	SOFTWARE.....	27
7	HELP	28
8	CONTACT	29

1 INTRODUCTION TO THE ULYSSES FINAL ARCHIVE

This document is the User Manual for the Ulysses Final Archive (UFA). The home page for the UFA is located at <http://archives.esac.esa.int/ufa> :



The screenshot shows the homepage of the Ulysses Final Archive. At the top is a dark blue header with the ESA logo on the right and a navigation menu on the left: HOME, INSTRUMENTS, DATA, SEARCH, PLOTS, SOFTWARE, HELP, CONTACT. Below the header, the main content area has a light blue background. On the left, there's a 'Welcome to the Ulysses Final Archive' section with a paragraph of text about the mission and a link to the Science Archives Team. On the right, there's a large graphic with the ESA logo, a stylized sun, and the word 'Ulysses' in a large, white, sans-serif font. Below this, there are two columns of featured content. The 'Top Features' column includes 'Instruments' (with a satellite icon), 'Data' (with a database icon), 'Search' (with a magnifying glass icon), and 'Plots' (with a line graph icon). The 'Latest News' column features a headline 'When a planet behaves like a comet' with a small image of Venus and a brief description of the discovery. At the bottom of the page, there's a copyright notice: 'Copyright © ESA | ESAC | Science Archives Team'.

Figure 1: The Ulysses Final Archive homepage.

The goal of the UFA is the long term preservation at the European Space Agency of the unique data from the Ulysses mission (launched on 6th October 1990, and remained operational until 30th June 2009). The UFA is a web application where users can explore and download the data sets and relevant documentation, search through the data, list or plot results and share them with external scientific applications.

To exploit all the functionalities provided by the UFA, we recommend the following web browsers: Chrome, Firefox and Safari (latest versions). The UFA can be seen in

other browsers such as Opera and Internet Explorer, however, Internet Explorer versions 9 and lower are not recommended.

The top menu of the home page provides links to the main search interface of the UFA (under *SEARCH*), information regarding the Ulysses instruments (*INSTRUMENTS*), direct access to the Ulysses mission data and directories (*DATA*), access to the mission pre-generated plots (*PLOTS*), information and access to available software (*SOFTWARE*), a help page (*HELP*) and contacts page (*CONTACT*):



Figure 2: The Ulysses Final Archive menu.

The following sections of this document are arranged in the same order as the menu; section 2 summarises the instruments pages, section 3 describes the data interface, section 4 the search interfaces of the UFA, section 5 the pre-generated plots interface, and sections 6, 7 and 8 summarise the software, help and contact pages respectively.

2 INSTRUMENTS

The *INSTRUMENTS* menu provides an overview of the instruments on Ulysses.




Figure 3: The Ulysses Final Archive Instruments overview page.


Clicking on the instrument names in the top menu, or on the instruments in the image (which are colour coded) will take you to the instrument overview pages, which provide Principle Investigator and Key Data Provider contacts, references for each instrument, the data available for each instrument, links to the instrument websites, and links to the instrument data.

When viewing an instruments page, clicking 'Back to Instruments', located on the top left below the instruments menu, will take you back to the instruments overview page (figure 3).

For more information on the instruments, see the Ulysses [Instruments](#) web page.

3 DATA

Ulysses data can be accessed and downloaded via an FTP-like interface from the *DATA* menu (see figure 4). Data are ordered on the left-hand side under three categories: Prime Resolution Data, High Resolution Data, and Additional Data Sets. Clicking on the arrow to the left of the category opens up the tree.



The screenshot shows the 'Ulysses Final Archive' website with the 'DATA' menu selected. The left sidebar displays a tree view of data categories: Prime Resolution Data (expanded), High Resolution Data, and Additional Data Sets. The right pane shows the contents of the 'VHM_FGM' directory under Prime Resolution Data, listing files with their names, sizes, and event start times.

File Name	File Size (Bytes)	First Event Start Time	Last Event Start Time
1minute	4,096		
1second	4,096		
cdf	4,096		
readme.txt	1,054		
umag	4,096		
vhm00.zip	134,656	2000-Jan-01 00:29:59	2000-Dec-31 23:30:00
vhm01.zip	139,776	2001-Jan-01 00:29:59	2001-Dec-31 23:30:00
vhm02.zip	135,680	2002-Jan-01 00:29:59	2002-Dec-31 23:30:00
vhm03.zip	132,008	2003-Jan-01 00:29:59	2003-Dec-31 23:30:00
vhm04.zip	128,000	2004-Jan-01 00:29:59	2004-Dec-31 23:30:00
vhm05.zip	128,760	2005-Jan-01 00:29:59	2005-Dec-31 23:30:00
vhm06.zip	123,859	2006-Jan-01 00:29:59	2006-Dec-31 23:30:00
vhm07.zip	137,216	2007-Jan-01 00:29:59	2007-Dec-31 23:30:00
vhm08.zip	67,584	2008-Jan-01 00:29:59	2008-Dec-31 23:30:00
vhm09.zip	24,576	2009-Jan-01 00:29:59	2009-Jun-30 19:30:00
vhm90.zip	26,624	1990-Oct-25 16:30:00	1990-Dec-31 23:30:00
vhm91.zip	130,560	1991-Jan-01 00:29:59	1991-Dec-31 23:30:00
vhm92.zip	124,928	1992-Jan-01 00:29:59	1992-Dec-31 23:30:00
vhm93.zip	124,416	1993-Jan-01 00:29:59	1993-Dec-31 23:30:00
vhm94.zip	126,976	1994-Jan-01 00:29:59	1994-Dec-31 23:30:00
vhm95.zip	132,096	1995-Jan-01 00:29:59	1995-Dec-31 23:30:00

Figure 4: The Ulysses Final Archive Data interface.

The Prime and High Resolution Data are categorised by instrument. Clicking on the instrument name will show the available files and directories in the right-hand region (see figure 4 for the VHM_FGM Prime resolution data example). Note that the Prime resolution data are also available through the UFA *SEARCH* interface, with the exception of GRB data which has 5 minute resolution data available (a lower resolution than the prime resolution data). The high resolution data, GRB prime resolution data, and the cdroms (under Additional Data Sets -> Other) are only available through the *DATA* interface.

This *DATA* interface provides extra functionality than a normal FTP interface, including whole directory downloads, start time metadata information for prime resolution data files, and the ability to visualise the contents of zip files.

To navigate into directories, left click on the directory of interest, in the right-hand region of the page, and select 'See contents'. Four columns are displayed; the file name, file size, first event start time and last event start time. Columns can be ordered by clicking on the column header. To navigate backwards, click on the file structure at the top of the right-hand region.

Finally, to download data, left-click and select 'Download'. Individual files or whole directories can be downloaded.

4 SEARCH


The Ulysses Prime resolution data is available for interactive search, inspection and download via the *SEARCH* menu. This section describes all aspects of the functions available.

4.1 SEARCH INTERFACES

The UFA has two search interfaces, the Main Search interface, the first interface when the *SEARCH* menu is selected, and the Multi-Instrument Search interface. Navigating from one interface to the other is achieved by clicking the 'Multi-Instrument Search' button in the Main Search interface, and by clicking the 'Main Search' button in the Multi-Instrument Search interface. Both buttons are located at the bottom left of the interfaces.

4.1.1 MAIN SEARCH INTERFACE

Figure 5 shows the UFA main search interface. This is divided into 3 main sections: Date selection, Instrument selection and Output selection, all of which are described in detail below.



Ulysses Final Archive Search

Date selection

Date Selection:

Start Time:

Stop Time:

Instrument selection

☐ VHM/FGM [Advanced]
 ☐ SWOOPS [Advanced]
 ☐ SWICS [Advanced]
 ☐ URAP [Advanced]

☐ EPAC [Advanced]
 ☐ HISCALE [Advanced]
☒ COSPIN [Advanced]
☐ GRB* [Advanced]

Output selection

Trajectory File:

Results output:

* Search available for GRB 5 min only. Go to DATA section to download higher resolution data.


Figure 5: The Ulysses Final Archive main search interface.

The Ulysses Prime resolution data is available for interactive search, inspection and download via this search interface (and the multi-instrument search interface), except for the GRB data. The GRB instrument footnote explains that the resolution of the GRB data available through this search interface (and through the multi-instrument search interface) is 5 minute resolution. To download higher resolution data for the GRB, go to the *DATA* menu.

4.1.1.1 DATE SELECTION

Date selection

Date Selection Arbitrary

Start Time 1990-10-06 


Stop Time 2009-06-30 

Figure 6: The Date selection region of the UFA main search interface.

Within the Date Selection field there are 5 defined types of date:

- Arbitrary – any date period with user supplied start and end dates.
- 1 Day – any day with user supplied start date.
- 26 Days – a 26 day period from a given start date.
- Year – any calendar year
- Mission – defined to be from 6th October 1990 to 30th June 2009.

The start and stop times can be entered either by typing in the date, or by clicking on the calendar icon and choosing dates from the calendar.

4.1.1.2 INSTRUMENT SELECTION

Instrument selection

☐ VHM/FGM [Advanced]

☐ SWOOPS [Advanced]

☐ SWICS [Advanced]

☐ URAP [Advanced]

☐ EPAC [Advanced]

☐ HISCALE [Advanced]

☒ COSPIN [Advanced]

☐ GRB * [Advanced]

Figure 7: The Instrument selection region of the UFA main search interface.

The Ulysses instruments are listed in the Instrument selection region. Only one instrument can be selected at a time. To choose more than one instrument, go to the Multi-Instrument search interface.

If the advanced options are not edited, all data is retrieved when the results output is set to 'Table'. When the results output is set to 'Plot', at least one parameter needs to

be chosen from the 'Advanced' link. Figures 8, 9 and 10 show the 'Advanced' link options.




Figure 8: The Advanced 'Table Column Selection' options for COSPIN.

The Advanced options for each instrument have three sections: 'Table Column Selection', 'Plot-Y-Axis Selection', and 'Advanced Search'. A user navigates to each by clicking on the tabs:




Figure 8 shows the advanced table column selection for COSPIN. In this window the user can select which parameters will be retrieved and displayed in the results table. By default all parameters are selected. Each instrument mode has its own tab.

Advanced options for COSPIN

Table Column Selection
Plot Y-Axis Selection
Advanced Search

AT1
AT2
LET
HET
HFT
KET

☒ Z>=1 (0.7-0.9 MeV)
☒ Z>=1 (0.9-1.3 MeV)
☒ Z>=1 (1.3-2.2 MeV)
☐ p (2.2-3.6 MeV)

☐ p (3.6-6.5 MeV)
☐ Z>=2 (3.1-7.2 MeV)
☐ Z>=2 (7.2-12.0 MeV)
☐ Z>=2 (12.0-23.0 MeV)

☐ Z>=1 (1.3-2.2 MeV),1
☐ Z>=1 (1.3-2.2 MeV),2
☐ Z>=1 (1.3-2.2 MeV),3
☐ Z>=1 (1.3-2.2 MeV),4

☐ Z>=1 (1.3-2.2 MeV),5
☐ Z>=1 (1.3-2.2 MeV),6
☐ Z>=1 (1.3-2.2 MeV),7
☐ Z>=1 (1.3-2.2 MeV),8

☐ p (2.2-3.6 MeV),1
☐ p (2.2-3.6 MeV),2
☐ p (2.2-3.6 MeV),3
☐ p (2.2-3.6 MeV),4

☐ p (2.2-3.6 MeV),5
☐ p (2.2-3.6 MeV),6
☐ p (2.2-3.6 MeV),7
☐ p (2.2-3.6 MeV),8

☐ p (3.6-6.5 MeV),1
☐ p (3.6-6.5 MeV),2
☐ p (3.6-6.5 MeV),3
☐ p (3.6-6.5 MeV),4

☐ p (3.6-6.5 MeV),5
☐ p (3.6-6.5 MeV),6
☐ p (3.6-6.5 MeV),7
☐ p (3.6-6.5 MeV),8


Clear

OK

Figure 9: The Advanced 'Plot Y-Axis Selection' options for COSPIN.

Figure 9 shows the advanced plot Y-axis selection for COSPIN. In this window the user can select which parameters will be retrieved and displayed in the plots. By default none of the parameters are selected. Each instrument mode has its own tab.

If more than 5 parameters are selected and the results output is set to 'Plot', an error message will appear. Equally, an error message will appear if no parameters are selected and the results output is set to 'Plot'. To plot more than 5 parameters, and to plot more than one instrument panel, go to the Multi-Instrument search interface.



Advanced options for COSPIN

Table Column Selection | Plot Y-Axis Selection | **Advanced Search**

AT1 | AT2 | LET | HET | HFT | KET

Z>=1 (0.7-0.9 MeV)	<input type="text"/>	>=	Z>=1 (0.9-1.3 MeV)	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV)	<input type="text"/>	>=	p (2.2-3.6 MeV)	<input type="text"/>	>=
p (3.6-6.5 MeV)	<input type="text"/>	>=	Z>=2 (3.1-7.2 MeV)	<input type="text"/>	>=	Z>=2 (7.2-12.0 MeV)	<input type="text"/>	>=	Z>=2 (12.0-23.0 MeV)	<input type="text"/>	>=
Z>=1 (1.3-2.2 MeV),1	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),2	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),3	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),4	<input type="text"/>	>=
Z>=1 (1.3-2.2 MeV),5	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),6	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),7	<input type="text"/>	>=	Z>=1 (1.3-2.2 MeV),8	<input type="text"/>	>=
p (2.2-3.6 MeV),1	<input type="text"/>	>=	p (2.2-3.6 MeV),2	<input type="text"/>	>=	p (2.2-3.6 MeV),3	<input type="text"/>	>=	p (2.2-3.6 MeV),4	<input type="text"/>	>=
p (2.2-3.6 MeV),5	<input type="text"/>	>=	p (2.2-3.6 MeV),6	<input type="text"/>	>=	p (2.2-3.6 MeV),7	<input type="text"/>	>=	p (2.2-3.6 MeV),8	<input type="text"/>	>=
p (3.6-6.5 MeV),1	<input type="text"/>	>=	p (3.6-6.5 MeV),2	<input type="text"/>	>=	p (3.6-6.5 MeV),3	<input type="text"/>	>=	p (3.6-6.5 MeV),4	<input type="text"/>	>=
p (3.6-6.5 MeV),5	<input type="text"/>	>=	p (3.6-6.5 MeV),6	<input type="text"/>	>=	p (3.6-6.5 MeV),7	<input type="text"/>	>=	p (3.6-6.5 MeV),8	<input type="text"/>	>=


Clear

OK

Figure 10: The 'Advanced Search' options for COSPIN.

Figure 10 shows the advanced search for COSPIN. In this window the user can apply simple mathematical constraints on the data that will be retrieved in both the table and plot. A value is typed into the field and the logic applied is displayed in the right grey button. The options in this button are greater than or equal to: \geq ; less than or equal to: \leq ; equal to: $=$; and greater than and less than: $<=>$. In the $<=>$ option two fields appear where the user inputs the first value (greater than) and second value (less than), and will retrieve results that fall between these two values. By default no values are displayed in the fields. Each instrument mode has its own tab.

4.1.1.3 OUTPUT SELECTION



Output selection

Trajectory File

Results output

* Search available for GRB 5 min only. Go to DATA section to download higher resolution data.



Multi-Instrument Search > Submit


Figure 11: The Output selection region of the UFA main search interface.

Within the Output selection region the user can select the Trajectory data, either no data 'Off', 'Radius and Latitude', 'Radius', 'Latitude' and 'Longitude' (combinations of Ulysses radial distance, heliographic latitude and Carrington longitude extracted from trajectory information). The trajectory data is displayed in the lower panel when the results output is set to 'Plot'. The output of the results can either be a table or plot, by choosing 'Table' or 'Plot' respectively in the results output field,

Below the Output selection region is the 'Multi-Instrument Search' button, which takes the user to the Multi-Instrument Search interface, and the 'Submit' button.

4.1.2 MULTI-INSTRUMENT SEARCH INTERFACE

Figure 12 shows the multi-instrument search interface. Instruments are selected from the instrument/parameter tree and added to the current panel in the panels list. The elements of the interface are described in detail below.



Ulysses Final Archive Multi-Instrument Search

Instrument / Parameter

- ▼ VHM
 - ▼ FGM
 - ▶ B_RTIN
 - ▼ B_MAG
 - Magnetic Field Magnitude
 - ▶ B_THETA
 - ▶ B_PHI
 - ▼ SWOOPS

Buttons: Add Parameter >>, Remove <<, New Panel, Remove All

Panels

- ▼ Panel 1
 - Alphas\Velocity\main\SWICS
- ▼ Panel 2
 - Vel R\Velocity\ions\SWOOPS
- ▼ Panel 3
 - Magnetic Field Magnitude\B_MAG\FGM\VHM

Presentation Settings

Trajectory: Off

Date Selection: Arbitrary

Start Time: 1990-10-06

Stop Time: 2009-06-30

Parameter Settings

Label: Alpha Velocity

Units: km/s

Resolution: 3.5 hours

Buttons: < Main Search, Show results in Plot, Submit

Figure 12: The Ulysses Final Archive multi-instrument search interface.

4.1.2.1 INSTRUMENT/PARAMETER TREE




Figure 13: The Instruments/Parameter region of the UFA multi-instrument search interface.

The Instrument/Parameter region (figure 13) is where the Ulysses prime resolution data is selected. The data are ordered in a 4 level hierarchy. Folders can be expanded or collapsed by clicking on the arrows. Selecting a folder will add all the instruments in that folder. Multiple selections are supported by using the Ctrl key. Instruments are added in the order they are selected. Selected instruments are added to the current panel by clicking on the 'Add Parameter' button.

4.1.2.2 PANEL LIST




Figure 14: The Panels region of the UFA multi-instrument search interface.

The panel list shows the panels configured and the instruments configured for each panel (see figure 14). New panels may be created by selecting the 'New Panel' button.

Instruments can be removed from the list by selecting them and clicking the 'Remove' button. The list can be cleared completely by clicking the 'Remove All' button. There is no limit to the number of panels, or the number of parameters per panel, however, we recommend no more than 4 panels, and 5 parameters per panel.

4.1.2.3 PRESENTATION SETTINGS




Figure 15: The Presentation Settings region of the UFA multi-instrument search interface.

Within the Presentations Settings region the user can select the Trajectory data, either no data 'Off', 'Radius and Latitude', 'Radius', 'Latitude' and 'Longitude' (combinations of Ulysses radial distance, heliographic latitude and Carrington longitude extracted from trajectory information). The trajectory data is displayed in the lower panel when 'Show results in Plot' is selected.

Within the Date Selection field there are 5 defined types of date:

- Arbitrary – any date period with user supplied start and end dates.
- 1 Day – any day with user supplied start date.
- 26 Days – a 26 day period from a given start date.
- Year – any calendar year
- Mission – defined to be from 6th October 1990 to 30th June 2009.

The start and stop times can be entered either by typing in the date, or by clicking on the calendar icon and choosing dates from the calendar.

Below the Presentation Settings box is the 'Main Search' button, which takes the user to the Main Search interface.

4.1.2.4 PARAMETER SETTINGS

Parameter Settings

Label	<input type="text" value="Alpha Velocity"/>	Min	<input type="text"/>
Units	<input type="text" value="km/s"/>	Max	<input type="text"/>
Resolution	<input type="text" value="3.5 hours"/>		

Figure 16: The Parameter Settings region of the UFA multi-instrument search interface.

The parameter settings fields are the following:

- Label – the label of the data for the plots.
- Units – the units of the data for the plots.
- Min – the minimum value of the data to be retrieved. This applies to the plots and the results table.
- Max – the maximum value of the data to be retrieved. This applies to the plots and the results table.
- Resolution – this field shows the resolution of the data that will be retrieved in the plots and tables.

Below the Parameter Settings box is the option to show the results in a plot 'Show results in Plot' or to retrieve the results in a table 'Show results in table', and to the right is the 'Submit' button.

4.1.2.5 USAGE

- Create the required number of panels and add parameters to them from the instrument/parameter tree (this can be done in any order, but the order in which the parameters are added is the order in which they will be displayed).
- Select an appropriate date range
- Set the desired trajectory information of the plot.
- If required, change the y-axis label and/or unit and the minimum and/or maximum y-axis ranges.
- Select the action to either show the results in a plot or a table.
- Press the 'Submit' button to perform the action.

4.2 RESULTS INTERFACE

The results interface displays the results from both the main search interface and the multi-instrument search interface. Each result has a tab along the top of the interface. To close a result, click on its tab button and click the 'x':



When the number of results tabs exceeds the available browser width, the arrows to the left are enabled, and allow the user to scroll horizontally through the tabs.

Click 'Back to Search', located in the top left of the results interface, to return to the search interface. Once in the search interface, click 'Go to Results', located in the top left of the search interface, to return to the results interface.

The plot results interface and table results interface are described in detail in sections 4.2.1 and 4.2.2 respectively.

4.2.1 PLOT RESULTS INTERFACE




Figure 17: The UFA plot results interface.

Figure 17 shows the plot results for SWICS data: SWICS main alpha velocity, C6+ velocity, O6+ velocity, and Ne8+ velocity (upper panel) and trajectory data: heliocentric radius and heliographic latitude (lower panel) for the entire Ulysses mission.

The x-axis shows the date, or time, and the y-axis the parameter values. The legends for each parameter are shown below each plot and contain the colour of the parameter in the plot, the instrument name and parameter, the units in brackets, the resolution of the data and the averaging being performed on the data by the plots. This averaging is only applied to the plots (not the results tables) and is purely for plot display efficiency. Clicking on the parameter label will eliminate the data from the plot and the label will turn grey. Clicking again will show the data in the plot.




Figure 18: Zooming within the UFA plot results interface.

Zooming into the plots is possible and is performed by left-clicking and dragging to the right, within any panel. The region to be zoomed into is then highlighted grey (see figure 18). The zoom is performed on all panels and has to be done within the plotting area. As the plots are zoomed into, the averaging time period performed on the data decreases until no averaging is performed. The zoom can be undone by clicking the undo arrow in the top right:




This will appear grey when there is no more to undo.

4.2.1.1 DOWNLOADING THE PLOTS

To the right of the undo icon is the save icon: 

Clicking on the icon brings up the options for saving the plots: as a JPEG image; a PNG image; or a PDF document.

To the right of the save icon is the print icon: 

Clicking on the icon brings up the print preview. To print, click the 'Print' button which will open up the local print options, to close without printing, click the 'Close' button.

4.2.2 TABLE RESULTS INTERFACE

Back to Search

Result #1 X Result #2 Result #3 Result #4 Result #5

SWICS Trajectory

SWICS Main SWICS Selected

Save As Send To

Start Time	Alpha/O6+ Density Rat	Alpha Velocity	Alpha Temperature	C6+/O6+ Density Ratio	C6+ Velocity	C6+ Temperature	O6+ Density	O6+ Velocity
1990-12-07 20:00:00.000	-	419.4	267800	0.4102	425.3	1387000	1	429.1
1990-12-08 01:25:10.000	-	413.9	282100	0.3922	411.6	715300	1	417.5
1990-12-08 06:08:44.000	-	360.3	12480	0.4571	395.9	543600	1	394.7
1990-12-08 09:47:48.000	-	347.9	11400	0.3071	374.5	263300	1	379.9
1990-12-08 13:52:40.000	-	355.8	4070	0.3053	369.2	130800	1	375.2
1990-12-08 17:44:39.000	-	370.2	164300	0.473	367.3	620000	1	371.6
1990-12-08 22:54:07.000	-	369.3	160900	0.4057	365.9	227900	1	372.9
1990-12-09 02:20:18.000	-	371.1	246200	0.3386	358.7	1209000	1	371.4
1990-12-09 05:59:24.000	-	375	165700	0.3717	370.7	434600	1	375.3
1990-12-09 09:51:22.000	-	374.8	105900	0.4778	379.8	92190	1	375.1
1990-12-09 13:30:26.000	-	373.3	162800	0.5904	376.9	350800	1	374.4
1990-12-09 17:35:18.000	-	396.7	520600	0.4408	411.9	1019000	1	400.3
1990-12-09 21:53:01.000	-	402.5	221300	0.4233	391.1	1288000	1	405.7
1990-12-10 02:36:32.000	-	378.5	73530	0.4988	399.5	664100	1	401.1
1990-12-10 06:54:16.000	-	381.7	165900	0.684	387.7	633600	1	390.3
1990-12-10 10:20:26.000	-	378.3	236900	0.5511	371.3	742800	1	380.4
1990-12-10 13:59:31.000	-	372.3	160900	0.6571	365.9	903600	1	370.3
1990-12-10 17:25:41.000	-	371.6	184600	0.4572	379.9	335600	1	375.1
1990-12-11 07:49:03.000	-	376.4	14270	0.1229	380.3	25140	1	374.3
1990-12-11 11:28:06.000	-	371	29970	0.4531	368.9	52380	1	370
1990-12-11 15:07:11.000	-	352.7	36240	0.7279	352	31040	1	326.4
1990-12-11 21:59:31.000	-	347.3	90640	0.4906	343.4	40860	1	353.8
1990-12-12 01:25:43.000	-	340.2	277100	0.2846	341.4	76520	1	331

1 of 896

Page size: 50

Displaying 1-50 of 44775

Figure 19: The UFA table results interface.

Figure 19 shows the table results for the SWICS data for the whole Ulysses mission. Below the numbered results tabs lie the Instrument tab and Trajectory tab (if selected), and below these the instrument modes. These appear when the data has been retrieved through the Main Search interface. When data is retrieved through the

Multi-Instrument Search interface, the tabs are listed by panel number and then by instrument mode.

The table is interactive with the following functions available:


- Table columns can be sorted by clicking on the headers. An arrow appears showing the sort as either ascending or descending.
- Table columns can be resized by clicking on the right edge of the header and dragging.
- Columns can be deleted by selecting the Filter table columns icon, located above the table on the right. In the column select window that opens, columns can be unselected or selected. By default all columns are selected:



- The column data can be filtered by selecting the Advanced Search option in the Main Search interface, and performing another search (see section 4.1.1.2).
- Table pages are navigated through by clicking on the arrows located below the table on the left. Alternatively, a page number can be inputted and navigated through by clicking enter on your keyboard:



- The number of rows per pages can be changed to 25, 50, 100 or 200, by changing the 'Page size' field located below the table on the left:




- The bottom right region of the table interface shows the row numbers being displayed:

Displaying 201-400 of 44775

4.2.2.1 DOWNLOADING DATA

The data can be saved as either a Comma-separated values (CVS) file, or as a VOTable, by clicking the 'Save As' icon:



The entire retrieved table is downloaded (all rows and columns), regardless of which rows or columns are currently displayed. To download a table with fewer columns, go back to the Main Search Interface and select the Advanced Table Column Selection and perform another search (see section 4.1.1.2). Alternately, use the options in the Multi-Instrument Search Interface (see section 4.1.2).

If more than one table has been retrieved (for example, in figure 19), only the displayed table is downloaded. To download another table, display it first by clicking on it's tab, then save using the 'Save As' button.


The displayed table can also be sent to TOPCAT, an external application, by selecting the 'Send To' button:



TOPCAT is an interactive graphical viewer and editor for tabular data, with features including cross matching of tables, plotting tabular data and performing mathematical operations on tabular data. For more information on TOPCAT, please go to the TOPCAT homepage: <http://www.star.bris.ac.uk/~mbt/topcat/>

The steps to send data from UFA to TOPCAT are the following:

1. Click on the 'Send To' button and select 'Topcat'.



2. A window titled 'Opening jsampwebhub.jnlp' will appear. Select the default 'Open with' Java Web Start, this will open the SAMP hub. SAMP stands for 'Simple Application Messaging Protocol', and allows applications to interoperate with one another, for example, by the exchange of data (see below for more details on SAMP).




- o Note: if this is not selected within ~30 seconds, the registration times out and a window appears in the UFA interface saying 'SAMP Registration timeout'. Click 'Close' and follow the first 2 steps again. If a SAMP hub is already open in your computer, the jsampwebhub window will not appear and the interface goes from step 1 to step 3.

- If you do not have java installed in your computer, go to the following website: <http://www.java.com>
- 3. A second window, titled 'SAMP Hub Security' opens. This security window asks for authorisation to connect to the SAMP hub.






- Note: if this is not selected within ~30 seconds, the registration times out and a window appears in the UFA interface saying 'SAMP Registration timeout'. Click 'Close' and follow the first 3 steps again.
- If 'No' is selected in the SAMP Hub Security window, Topcat will not be loaded, and the SAMP registration will timeout.
- 4. When 'Yes' is selected in the 'SAMP Hub Security' window, a final window opens titled 'Opening topcat-full.jnlp'.




- Note: if this is not selected within ~30 seconds, the window times out and a message appears in the UFA interface saying 'topcat could not be launched'.

Please check your pop-up blocker preferences'. Click 'Close' and follow the first 4 steps again. If this window appears before a timeout, please check your browser pop-up blocker preferences.

- The SAMP connection icon, next to the 'Send To' button will change from:  to:  once UFA is connected to SAMP.
5. Click 'OK' in the 'Opening topcat-full.jnlp' window and the Topcat application will open with the selected Ulysses table loaded. The message 'Table details successfully sent' will appear in the UFA results interface. More tables can be sent to Topcat by just selecting the 'Send To' button, clicking 'Topcat' and the table will be sent:



- Note: As with the 'Save As' option, the entire retrieved table is sent to Topcat (all rows and columns), regardless of which rows or columns are currently displayed. To download a table with fewer columns, go back to the Main Search Interface and select the Advanced Table Column Selection and perform another search (see section 4.1.1.2). Alternately, use the options in the Multi-Instrument Search Interface (see section 4.1.2).

Clicking the icon: , located to the right of the 'Send To' button, opens up a window explaining the interoperability with SAMP:

SAMP CONNECTOR

Ulysses Final Archive makes use of the SAMP Web Profile (Javascript library) to interoperate with other astronomy tools via the SAMP protocol.

SAMP (see the [IVOA Standard](#) and [additional material](#)) is a messaging protocol that enables astronomy software tools to interoperate and communicate.

SAMP Web Profile allows web applications to interoperate and communicate with SAMP-capable desktop-based tools such as [Aladin](#), [Topcat](#), or [VOSpec](#). It has been tested and (almost) validated on the major web browsers, like Firefox, IE, Safari or Chrome.

In order to view connected clients, their capabilities and the broadcasted messages, launch JSAMP (1.3 or later) Hub in one of these ways:

- [Webstart version](#): Run if you have already java WebStart installed.
- [jsamp-1.3.jar](#): Download and run as `java -jar jsamp-1.3.jar -profiles std,web`. Use `-help` flag for options, including logging options.

Afterwards, launch at least one of the softwares already mentioned to interoperate with your application:

- [Aladin](#): Interactive software sky atlas allowing the user to visualize digitized astronomical images, superimpose entries from astronomical catalogues or databases.
(Accepts tabular data and FITS Images)
- [Topcat](#): interactive graphical viewer and editor for tabular data.
(Accepts tabular data)
- [VOSpec](#): Multi-wavelength spectral analysis tool with access to spectra, theoretical models and atomic and molecular line databases registered in the VO
(Accepts spectra)



5 PLOTS

The Ulysses pre-generated plots are available to search and download from the *PLOTS* menu (see figure 20).




Figure 20: The Ulysses Final Archive pre-generated plots interface.

On the left-hand side of the interface is the Instrument Selection field, with a drop-down menu that opens when the downward arrow is selected, to the right of the field:

Select Instrument

COSPIN-AT-TELESCOPE1

Pre-generated plots are available for the following instruments and modes: COSPIN AT Telescope1; COSPIN AT Telescope2; COSPIN HET; COSPIN HFT; COSPIN KET; COSPIN LET; COSPIN LET_PHA; EPAC; GAS Composite Narrow; GAS Composite Wide; GAS IS Helium Narrow; GAS IS Helium Wide; Gas Jupiter Narrow; GAS Jupiter Wide; GAS Stars Narrow; GAS Stars Wide; GRB; HISCALE IONS; HISCALE LEFS; HISCALE LEMS; SWICS CS; SWICS Main CS; SWOOPS Electrons; SWOOPS Ions; URAP DF; URAP PFRP; URAP RARP High; URAP RARP Low; URAP Summary; URAP WFBA; URAP WFEA; VHM FGM.

Below the 'Select Instrument' field is the 'Select Timespan' field. The timespan options change depending on the instrument selected:

Select Timespan

1 Year

When an option in the 'Select Timespan' field other than mission is selected, a third field appears below called 'Select Date'. If '1 Year' is chosen in the timespan field, a list of years is given in the 'Select Date' field. When 1 or 26 days are chosen in the timespan field, a calendar appears. The calendar is colour coded, dates where data is available are highlighted blue and the current selected date is highlighted orange:

Select Date

1996

January

M	T	W	T	F	S	S
25	26	27	28	29	30	31
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	1	2	3	4

Selected Date
 Available Date

Current selected date: 1996 Jan 3

The right hand region of the Plots interface displays the selected pre-generated plot. When an option in the 'Select Timespan' field other than mission is selected, the plots can be navigated through by clicking on the arrows:



Finally, the pre-generated plots can be saved as either PDF or GIF files, by selecting the top right icons:



6 SOFTWARE

The *SOFTWARE* menu provides information on Ulysses software resources and links to the software. Two software resources are available: The SWICS Archive and the UDS Viewer.

Ulysses Final Archive


HOME INSTRUMENTS DATA SEARCH PLOTS SOFTWARE HELP CONTACT

Software Resources

Swics Archive (Version 2.2)



The release 2.2 of the Ulysses/SWICS Archive DVD-ROM contains data processing and query software for Swics data. This software has been developed by the Berne University of Applied Sciences (formerly Institute for Technology Transfer INTEC) in close collaboration with the Physikalisches Institut of the University of Bern under an ESA/PRODEX contract. The archive software development for the Ulysses/SWICS data archive and retrieval applications are currently completed.

This archive consists of all 18 Matrix Rates (MR) as a function of energy per charge (E/q) and of time. Each MR represents a specific element in one or several ionization states, but it may also contain significant contributions from neighbouring elements due to spillover. The MRs are given in units of count rates only. The accompanying SAPRO (SWICS Archive Processor) software can be used both to convert the MR count rates to physical units (differential flux, phase space density), to correct for spillover between different MRs, and to obtain kinetic parameters (density, speed, thermal speed) of selected ions. These data can reasonably be used only in collaboration with a member of the Ulysses/SWICS team.

UDS Viewer (Version 1.01)

The UDS Viewer is an IDL based plotting application which is capable of plotting many (in some cases all) of the parameters submitted to the Ulysses archives by the experimenter teams. The UDS Viewer complements the pre-generated plots of selected parameters of Ulysses datasets already provided on the UDS for browsing measurements made by the Ulysses experiments throughout the mission. In addition to reproducing the existing plots, the UDS Viewer allows plots to be generated between user defined start and end times, and provides the capability to combine parameters from different experiments on the same plot.

The UDS Viewer makes use of the IDL Virtual Machine (VM) which allows developers to distribute IDL based applications on a variety of platforms and operating systems (including Windows, Linux, Mac OS X and Unix) without the need for the end user to purchase a licence. To use the UDS Viewer, the user must either already have installed the latest version (6.1 or higher) of the VM, or else must download the VM from the RSI website.



The application can then be downloaded from the ESA/Ulysses website either as a single 290 MB compressed ZIP file or from the DATA page, accessing the "[HOME]/uds_viewer" folder. Once uncompressed, the ZIP file contains a distribution which includes data (provided in CDF format) from each of the Ulysses experiments (currently interfaced with the application) for the years 2002 and 2003 only. The distribution available from the FTP directory is identical to the ZIP file, except that all data files are zipped into yearly files (from launch in 1990 to 2007) to facilitate transfer to the local machine of the user. This method also allows the user to download only data sets and time periods of interest.

Detailed instructions for installing and running the application are provided in the 'document' directory, as well as an online help. Reported installation problems, software bugs, etc. are currently listed in a separate file. If problems occur during installation or running of the application, or if there are suggestions to improve this data visualization tool, please contact the UDS Coordinator.


There is also a possibility to request the UDS Viewer application on a DVD, with data from selected years, bundled together with the VM distribution. Please contact the UDS Coordinator for more information, stating the desired platform(s) and operating system(s).

Copyright © ESA | ESAC | Science Archives Team

Figure 21: The Ulysses Final Archive software page.

7 HELP

The *HELP* menu provides help about all pages of the Ulysses Final Archive, and is a repeat of all information given in this manual. A link to download the user manual is also provided.



The screenshot shows the 'Ulysses Final Archive Help' page. The page has a dark blue header with the 'Ulysses Final Archive' title and the ESA logo. Below the header is a navigation bar with links: HOME, INSTRUMENTS, DATA, SEARCH, PLOTS, SOFTWARE, **HELP**, and CONTACT. The main content area is titled 'Ulysses Final Archive Help' and 'User Manual'. On the left, there is a sidebar with a 'User Manual' link and a list of topics: INTRODUCTION, INSTRUMENTS, DATA, SEARCH, PLOTS, and CONTACT. The main text area contains a paragraph about the Ulysses Final Archive and a link to the User Manual. Below this is a section titled '1. INTRODUCTION' with a paragraph about the document and a link to the home page. The page also features a 'Welcome to the Ulysses Final Archive' section with a detailed description of the mission and the archive. At the bottom, there are sections for 'Top Features' (Instruments and Search) and 'Latest News' (When a planet behaves like a comet).

Ulysses Final Archive

HOME INSTRUMENTS DATA SEARCH PLOTS SOFTWARE **HELP** CONTACT

Ulysses Final Archive Help

User Manual

- INTRODUCTION
- INSTRUMENTS
- DATA
- SEARCH
- PLOTS
- CONTACT

User Manual

The Ulysses Final Archive is a web application that allows exploiting the Ulysses mission data discovery. Users can explore and download the data sets and relevant documentation, search through the data, list or plot results and share them with external scientific applications. This User Manual is a comprehensive guide to all aspects of using the Ulysses Final Archive. We hope that this documentation will be a helpful reference.

1. INTRODUCTION

This document is the User Manual for the Ulysses Final Archive (UFA). The home page for the UFA is located at <http://archives.esac.esa.int/ufo>

Ulysses Final Archive

HOME INSTRUMENTS DATA SEARCH PLOTS SOFTWARE **HELP** CONTACT

Welcome to the Ulysses Final Archive

The joint ESA-NASA *Ulysses* deep-space mission conducted the first-ever out-of-ecliptic study of the heliosphere - the region of space influenced by the Sun and its magnetic field. The European-built *Ulysses* spacecraft was launched by the space shuttle *Discovery* on the 6th of October 1990, and remained operative until the 30th of June 2009, covering almost a full 22-year solar magnetic cycle. The goal of the Ulysses Final Archive (UFA) is the long term preservation at ESA of the unique data from the Ulysses mission. The UFA has been developed for the Ulysses project by the *Science Archives Team* in collaboration with the Ulysses Data System Team. New users are strongly advised to consult the extensive on-line help guide [here](#) (which can also be exported as a pdf file) before exploring the archive.

Top Features

Instruments
Find information about the Ulysses instruments, the investigator teams, references and data availability.

Search
Search through Ulysses data. List or plot the results, and share the data with external scientific applications.

Latest News

When a planet behaves like a comet
ESA's *Venus Express* has made unique observations of Venus during a period of reduced solar wind pressure, discovering that the planet's ionosphere balloons out like a comet's tail on its

Copyright © ESA | ESAC | Science Archives Team

Figure 22: The Ulysses Final Archive help page.

8 CONTACT

The *CONTACT* menu provides contact information for scientific support, technical support and the Ulysses instrument teams. It also provides links to the Science Archives Team, the European Space Astronomy Centre (ESAC), the European Space Agency (ESA) and other solar-based archives.

Ulysses Final Archive

[HOME](#)
[INSTRUMENTS](#)
[DATA](#)
[SEARCH](#)
[PLOTS](#)
[SOFTWARE](#)
[HELP](#)
[CONTACT](#)

Scientific support

Would you like to contact Ulysses mission scientists? Have you had problems with Ulysses data?

Please contact us at our scientific support helpdesk: [Scientific support helpdesk>>](#)

Technical support

Having trouble with any functionality of the Ulysses final archive?

Please contact us at our technical support helpdesk: [Technical support helpdesk >>](#)

Instrument Teams contact

Find below the email(s) of the Principal Investigator(s) of each instrument plus the relevant web page:

VHM/FGM <ul style="list-style-type: none"> a.balogh@imperial.ac.uk WWW Site 	SWOOPS <ul style="list-style-type: none"> dmcomas@swri.edu WWW Site 	SWICS <ul style="list-style-type: none"> gglob@umic.edu Geiss@issibern.ch WWW Site
URAP <ul style="list-style-type: none"> robert.macdowall@gsc.nasa.gov WWW Site 	EPAC <ul style="list-style-type: none"> krupp@mps.mpg.de WWW Site 	GAS <ul style="list-style-type: none"> manfred@ma-witte.de WWW Site
HISCALE <ul style="list-style-type: none"> louis.j.lanzarotti@njit.edu WWW Site 	COSPIN <ul style="list-style-type: none"> bruce.mckibben@unh.edu WWW Site for COSPIN 	GRB <ul style="list-style-type: none"> khurley@ssl.berkeley.edu WWW Site
GWE <ul style="list-style-type: none"> bertotti@pavia.pv.infn.it WWW Site 	DUST <ul style="list-style-type: none"> krueger@mps.mpg.de WWW Site 	SCE <ul style="list-style-type: none"> mbird@astro.uni-bonn.de

Science Archives Team

Within the Science Operations Department of ESA's Directorate of Science and Robotic Exploration, most of astronomy and planetary missions' archives are designed, developed, maintained and operated by the Science Archives Team at ESAC. Through easy-to-use graphical user interfaces or through powerful machine and Virtual Observatory interfaces, they provide instant access to ESA scientific mission data for the science operations centres at ESAC and to the scientific community worldwide.

[Go To Home Page >>](#)

ESAC

ESAC, the European Space Astronomy Centre, is the 'home' of ESA's space-telescope and planetary missions, the place from where science operations are conducted, and where all of the scientific data produced are archived and made accessible to the world.


[Go To Home Page >>](#)

ESA


The European Space Agency (ESA) is Europe's gateway to space. Its mission is to shape the development of Europe's space capability and ensure that investment in space continues to deliver benefits to the citizens of Europe and the world.

[Go To Home Page >>](#)

Other Solar-based Archives



SOHO Science Archive



Cluster Final Archive

Copyright © ESA | ESAC | Science Archives Team

Figure 23: The Ulysses Final Archive contact page.

Contact

<http://archives.esac.esa.int/ufo>

Science Archives and VO Team technical support helpdesk:

http://www.sciops.esa.int/helpdesk_ufo