





why choose Regency?

Beautiful Home Heating Solutions

Regency Fireplace Products was founded almost 30 years ago with a mission to produce the finest fireplace products available anywhere. Regency has home heating solutions for any room in any home.

Regency Quality

The Regency name means quality in every way. The product is created and built in a world class manufacturing facility focused on getting every detail just right. Represented across North America by a carefully selected professional retail network; you can rely on knowledgeable dealers and installers who understand how to make our products run safely and to the optimum performance.

Exceptional Fire

The essence of each and every Regency fireplace is the unique flame. With its dancing flames and glowing embers, realistic logs or unique Sunrise burners your Regency fire is spectacular.

Custom Styling

By researching current trends and styles we have created tasteful options and accessories that allow you to tailor the look of our fireplace to your home. Sleek and simple or grand and glamorous... your choice.

Cut Home Heating Bills in Half!

Turn down your furnace and zone heat with high efficiency heat just in the rooms you spend time in. This will cut your heating bills. The entire Regency Gas Fireplace Insert line produces consistent, controllable heat even during power outages.

One Regency = One Tree

At Regency, we are committed to protecting our environment. For every Regency sold, we will plant a tree. Working with *American Forests*, the trees planted across North America will offset carbon emissions and take one more step to restore nature's balance.

Lifetime Warranty

I am so confident in the quality work-manship, the finest materials and durable heavy-duty construction invested in each and every product, that I offer a Limited Lifetime Warranty. The Regency warranty is the best in the industry. We are absolutely sure that you will be as proud of your Regency Gas Fireplace Insert as we are – I guarantee it.

Robert Little Founder & CFO

Robert Little







index

| Sunrise [™] Gas Fireplace Inserts | 4 |
|--|----|
| Sunrise E33S | |
| Sunrise U32S | |
| Energy Gas Fireplace Inserts | |
| Energy E33 | 6 |
| Energy U35 | 8 |
| Energy U32 | 10 |
| Energy U31 | 12 |
| Energy E21 | 14 |
| Liberty Gas Fireplace Inserts | |
| Liberty L234 | 16 |
| Design Choices | 20 |
| Technical specs | 22 |







Sunrise[™] E33 & U32

Contemporary Gas Inserts



Regency E33 Sunrise Gas Insert

Finally, a contemporary fireplace insert that presents a modern look while providing high efficiency heat. The tasteful surround has been designed with subtle dimension and clean, straight lines that draw the eye to the delicate Regency Sunrise $^{\mathsf{TM}}$ fire with cobalt blue crystals. Transform your drafty fireplace to a modern heater instantly!







E33 Sunrise shown with white river pebbles.



 ${\sf E33}\ shown\ contemporary\ surround\ and\ brick\ panels.$



Sunrise fire with ceramic spa stones.

| Specifications | E33S | U32S |
|---------------------------|-------------|-------------|
| | Natural Gas | Natural Gas |
| Input (BTU) | 26,000 | 20,000 |
| Turn down to (BTU) | 13,500 | 10,000 |
| EnerGuide Rating* | 55.50% | N/A |
| Efficiency (steady state) | 69.58% | N/A |
| M: F: 1 0 : | F226 | Haac |

| Liliciency (steady state) | 09.3070 | IN/A |
|---------------------------|---------|---------|
| Min. Fireplace Opening | E33S | U32S |
| Width (front) | 32-1/4" | 26-1/2" |
| Width (rear) | 25" | 22-1/2" |
| Height | 24-1/2" | 22" |
| Depth | 16-3/4" | 16-3/4" |
| * for Canada only | | |

* for Canada only

For detailed specifications please see pages 22-23.

Standard Features

- Contemporary surround and door frame (patent pending)
- Sunrise™ fire with cobalt blue crystals (patent pending)
- Easy access controls
- · Variable speed blower
- Flush front with ceramic safety glass
- 30° angled flue for versatile installations (E33 only)
- · Direct vent

- LP conversion kit
- White or Natural River Pebbles
- Ceramic spa stones
- 2" or 4" hearth trim
- Remote Control or Thermostat
- · Regency flex venting

Energy E33 Large Gas Insert

Regency E33 gas insert featuring gold louvers, brick panels and contour faceplate

With 38,000 BTU of comforting, controllable heat and a full, yellow fire, this insert is guaranteed to warm your room quickly and keep it that way. This Direct Vent Gas Insert is perfect for airtight homes or basements because the sealed firebox doesn't use internal air. All Regency gas inserts can be enjoyed from the comfort of your sofa with the Regency remote control or wall thermostat.











Shown with contemporary surround, door frame and brick panels.



E33 fire package with platinum bright embers.

| Specifications | Natural Gas | Propane |
|---------------------------|-------------|---------|
| Input (BTU) | 38,000 | 35,500 |
| Turn down to (BTU) | 20,000 | 19,000 |
| EnerGuide Rating* | 60.79% | 61.52% |
| Efficiency (steady state) | 83% | 84% |

| Minimum Fireplace Openin Faceplate | ng Contour/ Full screen doors | Excalibur |
|---------------------------------------|-------------------------------------|-----------|
| Width (front) | 32-1/4" | 34-1/2" |
| Width (rear) | 25" | 25" |
| Height | 24-3/16" | 26" |
| Depth | 16-3/4" | 17-3/4" |
| * for Canada only | | |

For detailed specifications please see pages 22-23.

Standard Features

- Beautiful fire with glowing logs and platinum bright embers
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- · Variable speed blower
- 30° angled flue for versatile installations
- Direct Vent

- Excalibur surround, double doors & accent kits
- Contemporary surround and door frame (patent pending)
- Louvers
- Full screen doors
- Brick panels
- Faceplates
- Hearth trims various sizes
- FireGenie® Remote Control
- · Wall thermostat
- · Regency flex venting
- LP conversion kit

Energy U35 Large Gas Insert



Energy U35 Gas Insert featuring brushed copper full screen doors and herringbone brick panels.

All Regency® gas inserts include heavy-duty ceramic safety glass that transfers high efficiency heat into the room safely while allowing a panoramic view of the fire. Take the chill off summer evenings by turning the heat down 50% and you can still enjoy the ambiance of a glowing late stage fire.









Shown with full screen doors in brushed nickel and herringbone brick panels.



Shown with brushed steel louvers, contour faceplate and standard brick panels.

| Specifications | Natural Gas | Propane |
|---------------------------|-------------|---------|
| Input (BTU) | 35,000 | 35,000 |
| Turn down to (BTU) | 17,500 | 17,500 |
| EnerGuide Rating* | 67.2% | 67.2% |
| Efficiency (steady state) | 79% | 79% |

| Minimum Fireplace Opening | | | |
|---------------------------|-------------------------------|-----------------------|--|
| Faceplate | Contour/ Full screen doors | Molded/ Kensington | |
| Width (front) | 32-1/4" | 34-1/2" | |
| Width (rear) | 25" | 25" | |
| Height | 25" | 26-3/4" | |
| Depth | 17" | 18" | |

^{*} for Canada only
For detailed specifications please see pages 22-23.

Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- · Easy access controls
- · Variable speed blower
- Direct Vent

- Louvers
- Full screen doors
- · Kensington front
- Double screen doors
- Glass trim
- Brick panels
- Faceplates
- Hearth trims various sizes
- FireGenie® Remote Control
- · Wall thermostat
- · Regency flex venting
- · Natural Gas or Propane

Energy U32 Medium Gas Insert



Energy U32 gas insert featuring a Kensington front in tawny copper, keystone, 3-panel door and brick panels .

This Direct Vent Insert is a complete fireplace system that can turn your existing wood fireplace into a high efficiency, clean burning gas heater. In addition to the designer styling of the U31, this gas insert features the exclusive Kensington arched faceplate in tasteful copper. Enjoy peace of mind even during power outages as all Regency gas inserts operate without electricity.











Shown with gold louvers, brick panels and molded faceplate.



Shown with full screen door in black and brick panels.

| Specifications | Natural Gas | Propane |
|---------------------------|-------------|---------|
| Input (BTU) | 30,000 | 30,000 |
| Turn down to (BTU) | 15,300 | 15,000 |
| EnerGuide Rating* | 57.17% | 57.17% |
| Efficiency (steady state) | 76% | 77% |

| Minimum Fireplace Opening | | |
|---------------------------|-------------------------------|-----------------------|
| Faceplate | Contour/ Full screen doors | Molded/ Kensington |
| Width (front) | 26-1/2" | 29" |
| Width (rear) | 22-1/2" | 22-1/2" |
| Height | 22" | 22" |
| Depth | 14" | 15" |
| * for Canada only | | |

For detailed specifications please see pages 22–23.

Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- · Variable speed blower
- Direct Vent

- Glass bay front
- Louvers
- Full screen doors
- Double screen doors (flush)
- Kensington front
- Glass trim
- Brick panels
- Faceplates
- Hearth trims various sizes
- FireGenie® Remote Control
- Wall thermostat
- Regency flex venting
- LP conversion kit

Energy U31 Medium Gas Insert



Regency U31 Gas Insert featuring Excalibur surround and double doors in black, gold accents & brick panels.

This popular fireplace insert provides up to 30,000 BTU to efficiently heat a medium sized living area. There are so many ways to change the look of this fireplace. Choose from several faceplates, designer fronts including Excalibur arched surrounds, different finishes, brick panels and so much more! Zone heating the rooms you spend time in while turning down your furnace creates comfort and saves money.











Shown with Excalibur surround and double doors in brushed copper. $\label{eq:copper}$



Shown with bay front, gold louvers, herringbone brick panels and contour faceplate.

| Specifications | Natural Gas | Propane |
|---------------------------|-------------|---------|
| Input (BTU) | 30,000 | 27,500 |
| Turn down to (BTU) | 14,500 | 13,700 |
| EnerGuide Rating* | 52.9% | 48.07% |
| Efficiency (steady state) | 76% | 77% |

| Minimum Fireplace Opening | | |
|---------------------------|-------------------------------|----------------------|
| Faceplate | Contour/ Full screen doors | Molded/ Excalibur |
| Width (front) | 26-1/2" | 29" |
| Width (rear) | 22-1/2" | 22-1/2" |
| Height | 21" | 21" |
| Depth | 15" | 16" |
| * for Canada only | | |

For detailed specifications please see pages 22-23.

Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- · Flush front with ceramic safety glass
- Easy access controls
- · Variable speed blower
- B Vent

- Excalibur surround, double doors & accent kits
- · Glass bay front
- Louvers
- Full screen doors
- Double screen doors (flush)
- Glass trim (bay only)
- Brick panels
- Faceplates
- Hearth trims various sizes
- FireGenie® Remote Control
- · Wall thermostat
- New fireplace kit
- Regency flex venting
- LP conversion kit

Energy E21 Small Gas Insert



Energy E21 Gas Insert featuring flush front, contour faceplate, brushed steel louvers and herringbone brick panels.

If you have a smaller fireplace opening or want to heat a smaller living space, you don't have to sacrifice a beautiful fire and high efficiency. The E21 Energy Gas Insert has been designed to fit almost anywhere - including bedrooms and alcoves. Enjoy consistent, controllable, convenient heat at the flick of a switch.







Shown with black full screen doors and herringbone brick panels.



Shown with brushed nickel full screen doors and herringbone brick panels. $\label{eq:control}$



Shown with black louvers, brick panels and contour faceplate.

Specifications Natural Gas Propane Input (BTU) 23,500 22,500 Turn down to (BTU) 11,750 11,250 EnerGuide Rating* 60.60% 53.48% Efficiency (steady state) 77% 78%

| Minimum Fireplace Openir Faceplate | ng Contour/ Full screen doors | Molded |
|---------------------------------------|-------------------------------------|---------|
| Width (front) | 26-1/2" | 29-1/8" |
| Width (rear) | 18" | 18" |
| Height | 17-3/4" | 18-5/8" |
| Depth | 14" | 15" |

^{*} for Canada only

For detailed specifications please see pages 22–23.

Standard Features

- Beautiful fire with glowing logs and platinum bright embers
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- · Variable speed blower
- B Vent

- Glass bay front
- Louvers
- Full screen doors
- Glass trim (bay front only)
- Brick panels
- Faceplates
- Hearth trims various sizes
- · FireGenie® Remote Control
- Wall thermostat
- · New fireplace kit
- · Regency flex venting
- LP conversion kit

Liberty L234 Small Gas Insert



Liberty L234 gas insert featuring a contemporary faceplate, brick panels and hearth riser.

The Regency® Liberty L234 is a clean front fireplace insert that will slide easily into your dated, drafty steel fireplace and transform it to a high efficiency heater in minutes. Choose from 2 tasteful fireplace finishing faceplates that frame the beautiful fire while covering the gap in your fireplace opening for a sleek, finished look. Enjoy a full fire with platinum bright embers and high efficiency, controllable heat.











Shown with contour faceplate, hearth riser, backing plate and brick panels.



L234 fire package with platinum bright embers.

| Specifications | Natural Gas | Propane | | |
|---------------------------|-------------|---------|--|--|
| Input (BTU) | 23,500 | 21,500 | | |
| Turn down to (BTU) | 12,500 | 11,000 | | |
| EnerGuide Rating* | 63.3% | 64.5% | | |
| Efficiency (steady state) | 74% | 74% | | |

| Minimum Fireplace Openin | 9 | |
|--------------------------|---------|--------------|
| Faceplate | Contour | Contemporary |
| Width (front) | 25" | 25" |
| Width (rear) | 16" | 16" |
| Height | 17" | 17" |
| Depth | 14" | 14" |

^{*} for Canada only

For detailed specifications please see pages 22-23.

Standard Features

- Flush Front with Ceramic Safety Glass
- Realistic Logs with Beautiful Flames and platinum bright embers
- 30° Angled Flue (for versatile installation)
- Clean Front 234 sq. in. Viewing Area
- · Variable Speed Blower
- Easy Access Controls
- Flame Height Adjustment with up to 50% turndown
- Easy Clean Glass System
- Direct Vent

- Brick Panels
- Contemporary or Contour Faceplate
- Customizable Backing Plate
- · Adjustable Hearth Riser
- Wall Thermostat or FireGenie® Remote
- Regency Flex Venting
- 3" to 2" air intake reducer
- LP conversion kit



You deserve a fireplace makeover



before

Problem:

- I have a drafty wood or gas fireplace.
- I have inefficient gas logs.
- I need an updated fireplace style.



after

Solution:

- Choose the gas fireplace insert that fits your opening and install
- Voila! Updated fire, updated fireplace style, and much lower heating bill.

comfort controls

FireGenie® Remote Control

The FireGenie offers heat control at the touch of a button. Set the time and temperature so that your fire warms your home automatically.

Programmable Wall Thermostat

By setting a specific temperature with a Regency® wall thermostat you can maintain a constant comfort level in your home for several hours or all day long.





Stop losing heat






Older fireplaces have efficiency ratings of just 5-10%. This low efficiency is due to the open combustion design that allows the heated room air to be drawn into the fire, wasting energy and cooling the rest of the house.

In contrast, a fireplace insert is an insulated, sealed system that has a high efficiency and translates into more heat output and helps you save money on your heating bill.

what is direct vent?



A Regency® Gas Insert is a specially engineered, sealed fireplace that slips into your existing masonry or pre-fab fireplace to create a high efficiency heating system with a beautiful fire. The airtight firebox means that you will keep all of the comforting heat generated from your Regency inside your home. Even when your fireplace is turned off, you will not lose heat up the chimney.

All the air used by the fireplace for combustion comes from outside the home and is vented to outside the home maintaining indoor air quality.

You want a direct vent gas insert if you:

- live in an airtight house.
- have a basement application.



design choices

Glass Front Styles





Flush front

Bay front

Louvers







Gold Brushed Steel

Excalibur surround finishes











Full Screen Door finishes





Brushed Copper*







Brick Panels



Tawny Copper Smitt

FireArt™



Herringbone - Rustic Brown

Standard - Rustic Brown

Standard - Old Town Red

Removable FireArt™ comes with Kensington fronts.

^{*}Note: The brushed and antique copper and nickel finishes are made from genuine copper and nickel that will naturally change tone over time and might not appear exactly as shown.



| Accordance at a glan | <i>c</i> o | | E33S | U32S | E33 | U35 | U32 | U31 | E21 | L234 |
|--|----------------------|----------------------------|------------|----------|------------|----------|----------|----------|-------|-----------|
| Accessories - at a glan | ce | | ✓ | √ | ✓ . | √ | √ √ | √ | ✓ | LZ34 ✓ |
| Bay Glass Front | | | - | - | - | * | * | * | * | - |
| Sunrise™ fire | Cobalt blue crystals | | <i>-</i> ✓ | <i>-</i> | _ | | | - | - | - |
| Juliuse life | | Ceramic spa stones | | * | _ | _ | _ | _ | | |
| Classic look | Faceplates | Contemporary | * | * | * | _ | _ | - | _ | + |
| Classic look | Тассріатез | Molded | | | _ | * | * | * | | |
| | | | | | | * | | | | |
| | | Contour | - | - | * | | * | * | | |
| | | Custom | - | - | - | * | * | * | | |
| | Louvers | Black | - | - | * | * | * | * | | - |
| | | Black/Brushed Steel | - | - | * | * | * | * | | - |
| | | Black/Gold | - | - | * | * | * | * | * | - |
| | Double Screen Doors | Black | - | - | - | * | * | * | - | - |
| | Glass Trim Flush | Brushed Steel | - | - | - | * | * | - | - | - |
| | Glass Trim Bay | Gold | - | - | - | * | * | * | * | |
| Excalibur Arch Surrounds | Surround | Polished Gold | - | - | - | - | - | * | - | - |
| | | Antique Gold | - | - | - | - | - | * | * * * | - |
| | | Antique Nickel | - | - | - | - | - | * | - | - |
| | | Antique Copper | - | - | - | - | - | * | - | - |
| | | Black | - | - | * | - | - | * | - | - |
| | Excalibur double | Polished Gold | - | - | - | - | - | * | - | - |
| | screen doors | Antique Gold | - | - | - | _ | _ | * | - | - |
| | | Antique Nickel | _ | - | - | - | - | * | - | - |
| | | Antique Copper | | _ | _ | _ | _ | * | _ | _ |
| | | Black | | _ | * | - | _ | * | _ | |
| Kensington Surrounds | | Tawny Copper | _ | _ | _ | * | * | | | |
| (2 or 3-panel door) | | | | | | | | - | | |
| | | Smithy Black | - | - | - | * | * | | | |
| Full Screen Doors | | Black | - | - | * | * | * | * | | |
| | | Brushed Nickel | - | - | - | * | * | * | | - |
| | | Brushed Copper | - | - | - | * | * | * | | |
| Brick Panels | | Standard - Rustic Brown | - | - | * | * | * | * | | |
| | | Standard - Old Town Red | - | - | * | * | * | * | | |
| Hand Tim (familian 22) | | Herringbone - Rustic Brown | - | - | - | * | * | * | | |
| Hearth Trim (for sizes see page 22) | 1 | | - | - | * | * | * | * | | |
| New Fireplace Kit (zero clearance kit) Blower (with fan speed controller) | | - | - | | | - | * | | | |
| | | ✓ • | <i>'</i> | <i>y</i> | <i>y</i> | ✓ • | / | | · | |
| | Wall Thermostat | | * | * | * | * | * | * | * | * |
| FireGenie™ Remote Control Faceplate Mounted on/off Switch | | | * | * | * | * | * | * | * | * |
| Direct Vent | | | <i>y</i> | <i>y</i> | 1 | <i>y</i> | <i>y</i> | - | - | 1 |
| B-vent | | | - | - | - | - | - | / | / | - |
| LP conversion kit | | | * | * | * | - | * | * | * | * |
| Not available | | | | | | | | | | |

Not available✓ Standard★ Optional



specifications

| Specifications | | E33S | U32S | E33 | U35 | U32 | U31 | E21 | L234 |
|---------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|
| Input (BTU) | Natural Gas | 26,000 | 20,000 | 38,000 | 35,000 | 30,000 | 30,000 | 23,500 | 23,500 |
| | Propane | 23,000 | 20,000 | 35,500 | 35,000 | 30,000 | 27,500 | 22,500 | 21,500 |
| Turn Down to (BTU) | Natural Gas | 13,500 | 10,000 | 20,000 | 17,500 | 15,300 | 14,500 | 11,750 | 12,500 |
| | Propane | 12,000 | 10,000 | 19,000 | 17,500 | 15,000 | 13,700 | 11,250 | 11,000 |
| EnerGuide Rating | Natural Gas | 55.50% | N/A | 60.79% | 67.2% | 57.17% | 52.9% | 50.60% | 63.3% |
| (Canada only) | Propane | 56.46% | N/A | 61.52% | 67.2% | 57.17% | 48.07% | 53.48% | 64.5% |
| Efficiency (steady state) | Natural Gas | 70% | N/A | 83% | 79% | 76% | 76% | 77% | 74% |
| | Propane | 72% | N/A | 84% | 79% | 77% | 77% | 78% | 74% |

| Dimensions | E33S | U32S | E33 | U35 | U32 | U31 | E21 | L234 |
|------------|-----------|---------|-----------|---------|---------|---------|---------|---------|
| A | 32-1/4" | 28" | 32-1/4" | 32-1/4" | 28" | 27-7/8" | 26" | 24-3/4" |
| В | 23-13/16" | 20" | 23-13/16" | 24" | 20" | 20-1/4" | 17-1/2" | 16-7/8" |
| A1 | 27-7/8" | N/A | 30-3/8" | 30-1/8" | 24-1/4" | 24-1/2" | 24-1/2" | 17-3/4" |
| B1 | 13-3/4" | N/A | 14-7/8" | 15-1/2" | 11-3/8" | 12-5/8" | 10-7/8" | 12-1/2" |
| C | 16-3/4" | 13-3/4" | 16-3/4" | 16-1/8" | 13-3/4" | 13-1/2" | 13-1/4" | 13" |
| D | 11-3/8" | 10-3/4" | 11-3/8" | 9-7/8" | 10-3/4" | 11-3/4" | 10-3/4" | 11-3/4" |
| E | - | - | - | 3-3/4" | 3-3/4" | 3-3/4" | 3-3/4" | - |
| F | - | 1-1/16" | - | 1-1/2" | 1-1/16" | 5/8" | 1" | - |
| G | 24-1/2" | 22-1/2" | 24-1/2" | 24-1/2" | 22-1/2" | 22-1/2" | 17-1/2" | 15-1/2" |


| FRONT VIEW | SIDE VIEW U35/U31/U32/U32S/E21 | SIDE VIEW E33/E33S/L234 |
|---|-----------------------------------|----------------------------|
| A1 B1 2" 4" Optional hearth trim risers | D F B | D B |




| U32S | contemporary faceplate | 26-1/2" | 22-1/2" | 22" | 14" |
|------|------------------------|---------|---------|----------|---------|
| E33 | contour faceplate | 32-1/4" | 25" | 24-3/16" | 16-3/4 |
| | contemporary faceplate | 32-1/4" | 25" | 24-3/16" | 16-3/4" |
| | full screen doors | 32-1/4" | 25" | 24-3/16" | 16-3/4" |
| | Excalibur surround | 34-1/2" | 25" | 26" | 17-3/4" |
| U35 | contour faceplate | 32-1/4" | 25" | 25" | 17" |
| | molded faceplate | 34-1/2" | 25" | 26-3/4" | 18" |
| | full screen doors | 32-1/4" | 25" | 25" | 17" |
| | Kensington front | 34-1/2" | 25" | 26-3/4" | 18" |
| U32 | contour faceplate | 26-1/2" | 22-1/2" | 22" | 14" |
| | molded faceplate | 29" | 22-1/2" | 22" | 15" |
| | full screen doors | 26-1/2" | 22-1/2" | 22" | 14" |
| | Kensington front | 29" | 22-1/2" | 22" | 15" |
| U31 | contour faceplate | 26-1/2" | 22-1/2" | 21" | 15" |
| | molded faceplate | 29" | 22-1/2" | 21" | 16" |
| | full screen doors | 26-1/2" | 22-1/2" | 21" | 15" |
| | Excalibur surround | 29" | 22-1/2" | 21" | 16" |
| E21 | contour faceplate | 26-1/2" | 18" | 17-3/4" | 14" |
| | molded faceplate | 29-1/8" | 18" | 18-5/8" | 15" |
| | full screen doors | 26-1/2" | 18" | 17-3/4" | 14" |
| L234 | contemporary faceplate | 25" | 16" | 17" | 14" |
| | | | | | |

25"

contour faceplate










| Faconlatos | E3 | 35 | U3 | 2S | E: | 33 | U: | 35 | U. | 32 | U: | 31 | Ež | 21 | L2 | 234 |
|---------------------|-----------------------------------|---------|---------|--------|----------|----------|----------|----------|---------|---------|---------|---------|----------|---------|---------|---------|
| Faceplates | Width | Height | Width | Height | Width | Height | Width | Height | Width | Height | Width | Height | Width | Height | Width | Height |
| Contemporary | 46-3/4" | 30-5/8" | 42-1/8" | 27" | 46-3/4" | 30-5/8" | | | | | | | | | 27-3/4" | 21" |
| Contour Standard | | | | | 45-9/16" | 31-1/8" | 45-1/2" | 32-1/8" | 40-1/8" | 26-1/8" | 40-1/8" | 26-1/8" | 40-1/8" | 23-3/4" | 27-1/2" | 20-3/4" |
| Contour Oversize | | | | | 49-9/16" | 33-1/8" | 49-9/16" | 34-1/8" | 44-1/8" | 28-1/8" | 44-1/8" | 28-1/8" | 44-1/8" | 25-3/4" | | |
| Custom Flat | | | | | | | 50" | 40" | 48" | 34" | 48" | 34" | 48" | 32" | | |
| Molded | | | | | | | 45-3/8" | 32" | 39-7/8" | 26" | 39-7/8" | 26" | 39-7/8" | 23-5/8" | | |
| Hearth Trim – sizes | 1" 2" 4" 6" for contour faceplate | | | | | | | | | | | | | | | |
| | 4" for molded faceplate | | | | | | | | | | | | | | | |
| | 2", 4" for contemporary faceplate | | | | | | | | | | | | | | | |
| Excalibur surround | | | | | 45-9/16" | 33-1/4" | | | | | 40-1/8" | 27-7/8" | | | | |
| Full screen doors* | | | | | 47-3/8" | 33-3/16" | 47" | 33-3/16" | 41-5/8" | 29-1/4" | 41-5/8" | 29-1/4" | 41-9/16" | 29-1/4" | | |
| Kensington Front | | | | | | | 45-1/2" | 32-1/4" | 40-1/8" | 26-1/4" | | | | | | |

^{*} depth = 2"










| Mini | mum Clearance to Comb | ustibles | E33 | E33S | U35 | U31/32 | E21 | L234 |
|------|-----------------------|----------|--------|--------|--------|---------|--------|------|
| Α | Side Wall | | 8" | 8" | 8" | 10" | 9" | 8" |
| В | Ceiling | | 47" | 47" | 34" | 47-1/2" | 36" | 56" |
| C | Mantel Height | (min.) | 15" | 15" | 11" | 13" | 14" | 21" |
| D | Mantel Depth | (min.) | 3-1/2" | 3-1/2" | 3-1/2" | 3-1/2" | 3-1/2" | 1" |
| E | Alcove Width | | 76" | 76" | 48" | 48" | 48" | 60" |
| F | Max. Alcove Depth | | 36" | 36" | 36" | 36" | 36" | 36" |

| Non- | Non-Combustible Hearth Requirement | | | | | | | | | | |
|------|------------------------------------|---------|----|----|----|----|--------|--|--|--|--|
| G | Hearth Height | 1-1/4" | 0" | 0" | 0" | 0" | 1-1/2" | | | | |
| Н | Hearth Width | 45-1/2" | 0" | 0" | 0" | 0" | 28" | | | | |
| 1 | Hearth Depth | 13" | 0" | 0" | 0" | 0" | 12" | | | | |

Note: Before installing please refer to the product manual.



The Regency Gas Inserts are listed as: Vented Gas Fireplace Heater and Certified for: CANADA and USA The Regency Gas Inserts are tested & approved by Intertek Warnock Hersey to the following standards:

| MODEL | ANSI | CSA | CAN/CGA | Approval #: | Approved for: | | | | | |
|--------|--------------|------------|----------|----------------|--------------------------------|--|--|--|--|--|
| E33-1 | Z21.88b-2003 | 2.33b-2003 | 2.17-M91 | 303530 | Bedroom, Alcove & Mobile Homes | | | | | |
| E33S-1 | Z21.88a-2007 | 2.33a-2007 | 2.17-M91 | 16042 | Bedroom, Alcove & Mobile Homes | | | | | |
| U35-1 | Z21.88b-2003 | 2.33b-2003 | 2.17-M91 | 15947 | Bedroom, Alcove & Mobile Homes | | | | | |
| U32-5 | Z21.88b-2003 | 2.33b-2003 | 2.17-M91 | 15946 | Bedroom, Alcove & Mobile Homes | | | | | |
| U31-2 | Z21.88b-2003 | 2.33b-2003 | 2.17-M91 | 15948 | Bedroom & Alcove | | | | | |
| E21-3 | Z21-88b-2003 | 2.33b-2003 | 2-17-M91 | 476-1428-00 | Bedroom & Alcove | | | | | |
| L234 | Z21.88-2005 | 2.33-2005 | 2.17-M91 | 3118729C0Q-002 | Bedroom, Alcove & Mobile Homes | | | | | |



design your own fireplace

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

Visit www.regency-fire.com today and surf through our selection of products and accessories to design your own fireplace. The endless options are just a click away! Change the style until you have your perfect fireplace... then ask your friends and family for their opinion!

Click on Fireplace Design Centre at www.regency-fire.com and then visit your authorized local dealer to design your own fireplace.

fireplace selection worksheet

We want you to enjoy your beautiful Regency fireplace for years to come. To help you figure out which product is just right for your home, fill in the following worksheet. Once complete, visit your nearest Regency dealer. Your professional Regency dealer will assess your needs - including local building codes - and install your Regency.

| local building codes - and install your Rege | ncy. | | | |
|--|---------------------------------------|--|--|---|
| 1. BASIC PRODUCT FUNCTION QUESTIONS | | | | |
| a. I would like my inbuilt to provide me with: b. The room/rooms I would like to heat are: | ☐ Supplemental heating | Priority heatingSquare feet | | |
| c. My fuel source will be: | □ Natural gas | — □ Propane | Mantel depth | = |
| Has gas been piped to the proposed fireplace area? | □ Yes | □ No | Walter depth | |
| 2. FIREPLACE PRODUCT TYPE AND MEASU | REMENTS | | | |
| a. I am: | ☐ Installing a new fireplace | | thic | cing |
| | ☐ Installing into an existing firepla | асе | mante | |
| b. Fill in the following measurements: | Ceiling Height: | | Hearth to mantel | |
| | Location in the room: | | ing t | n fireplace |
| c. What is the: | Flooring material: | | | пперасе |
| | Wall material: | | _ | |
| | Ceiling material: | | Depth | in fireplace |
| d. Fireplace opening dimensions | Width (front) | | _ | |
| | Width (back) | | | ONE REGENCY = ONE TREE |
| | Height | | Product group from well-managed forests and recycled wood or fiber FSC www.fsc.org Cert no. XXX-XXX-000 ### Ways for the wood of the control of the contro | For each Regency sold we plant a tree AmericanForests.org |
| | Depth | | _ | |
| | | V | ww.regency-fire | e.com |
| | | ус | our regency dealer | |

© 2008 FPI Fireplace Products International Ltd. Regency, Liberty, Excalibur, Sunrise, Kensington and FireGenie are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (07/08) Part no. 944–072