


GATTR

SEQUENCED STEREO GATE

user manual



GattR

USER MANUAL

Revision 1

Copyright.

GattR © 2012-2013 Tek'it Audio.

No part of this documentation may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without written permission from Tek'it Audio.

VST is a trademark of Steinberg Media Technologies GmbH.

Microsoft, Windows, and the Windows logo are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

All other trademarks and logos from these or other manufacturers written or shown on this documentation are property of their respective holders.

Table Of Contents

User License Agreement	4
Overview	6
Requirements	7
Installation	8
Demo version	9
Using	10
Control Types	11
Sequencers	12
Mixer	13
Preset	14
MIDI	16
Updates and Support	18
Other Products	20
Credits	22

User License Agreement

This User License Agreement is a legal agreement between you (either as an individual or a single entity) and Tek'it Audio for the product accompanying this document, which includes software and all associated media ("Software").

All copyrights to the Software are exclusively owned by the Author, Tek'it Audio. All rights not expressly granted here are reserved by Tek'it Audio.

Installing, copying, or using the Software signifies acceptance of the terms and conditions of this License Agreement. If you do not agree with the terms of this License Agreement you must remove the Software files from your storage devices and cease to use the Software.

The Software is licensed, not sold. You have the right to use this Software for music composition and sound design for both commercial and non-commercial projects. You have the right to use this Software for creating non-commercial preset libraries. For commercial preset libraries you should request a written or emailed permission of the copyright holder.

The Software may not be distributed, shared, duplicated with exceptions noted below. You can duplicate the Software for backup purpose only, to backup devices such as hard disks and optical media solely to replace the original copy if the original copy is damaged or destroyed. No person or company may charge a fee for the distribution of the Software without written or emailed permission from the copyright holder. The Software may not be bundled or distributed with any other product without written or emailed permission of the copyright holder.

The user is granted a non-exclusive license to use the Software on one computer, for any legal purpose, at a time.

The Software including its files may not be rented or leased, or given away to a third person, but may be permanently transferred, if Tek'it Audio have authorized the transfer and the person receiving it agrees to the terms of this License Agreement.

You may not use, copy, emulate, clone, rent, lease, sell, modify, decompile, disassemble, otherwise reverse engineer or transfer the licensed Software, or any subset of the licensed Software, except as provided for in this License Agreement.

Any such unauthorized use shall result in immediate and automatic termination of this license and may result in criminal and/or civil prosecution.

THIS SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, TRADE OR PRACTICE.

Some jurisdictions do not allow the exclusion of implied warranties, so the above disclaimer may not apply to you.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

All questions concerning this License Agreement shall be directed to:

e-mail: contact@tekit-audio.com

web: <http://tekit-audio.com>

Overview

Thank you for choosing GattR, Tek'it Audio sequenced stereo gate effect. Create cutting edge stereo gate, chop, fade effects synchronized on the beat of your DAW with the 32 steps modulation sequencers.

We hope you enjoy this software and have fun creating music with him. Please, take the time to read this manual and learn how to exploit all the feature of GattR.

Feature highlights

- ▶ 32 steps stereo modulation sequencer, synced to your host
- ▶ Sequencers can be linked
- ▶ Sequencers play forward or reverse
- ▶ Effect output gain control
- ▶ Wet and dry signal mix
- ▶ Full MIDI automation support
- ▶ Easy MIDI learn on all parameters
- ▶ Works in mono or stereo
- ▶ Preset manager, rename, copy, save, load...
- ▶ Undo your changes to initial preset value
- ▶ One click preset randomize
- ▶ 64 Factory effect presets

Requirements

This software is a "Virtual Studio Technologies" plug-in (VST), he work only with VST 2 compatible host software or on other host through the use of a VST adapter. It requires a host that transmit transport and tempo messages to work properly.

System requirements:

Operating System

- Microsoft® Windows® 8, 7, XP (SP2 or later), or Vista™.

CPU

- 1,5 GHz or higher with SSE2.

Memory

- 512 MB RAM or higher.

Graphics

- 800x600 32 bit.

Audio

- Audio interface with ASIO driver support recommended and minimum 44kHz samples rates.

MIDI

- To use the automation a Host with automation features and for MIDI learn a MIDI interface and an external MIDI control device is required.

Installation

1. Simply run the installer program by double-clicking it, and follow the on-screen instructions.



2. Run your host software and load TA GattR. Consult your host documentation for information on how to do this.



Our un-installer keep your system clean, all the files are deleted and there are no entry left in your Windows registry.


Demo version

The demo version of GattR gives you full functionality, but the sound stop after 10 minutes, a nag-screen will pop at the start and at the time limit.

To avoid this restrictions, you will need to purchase the full version. You can buy a license at <http://tekit-audio.com/shop/>


Using

GattR can be used on a stereo or mono track as an insert effect or as send/return effect.



GattR can be divided in three distinct parts:

1. Modulator
2. Mixer
3. Preset



Control Types

While using GattR, you will find that many parameters have similar controls. Hovering your mouse over a control will bring up a tool-tip with its name or description.



Switch

A two position switch, click on it to change the position.



Popup Menu

Appears on a left click or right-click on a text or an icon to select a value.



Peak LED

A LED indicator that light when the signal is overloaded. Click on it to switch it on or off.




Knob

To Turn a knob, click it and when drag upwards to move the knob to the right, drag downwards to move the knob to the left. For high precision control use Ctrl+Mouse. Double-click on it, reset it to the initial value of the preset.

Sequencers

You can modulate the effect on a steps bar graph sequencer which is synchronized to the tempo of your DAW.

The Sequencer



The height of the bars can be adjusted with the mouse. The lower the bar, the greater the effect cuts the sound. Fine adjustments can be made by pressing the Ctrl key while dragging the mouse.

Playback

Change the direction of the played sequence. Can be forward or reverse.

Link

Connect or disconnect the right and left channel values.

Beat

Speed up or slow down the speed of modulation.

Smooth

Smooth the effect between each step.

Mixer

In and Out LEDs

Lights up when the In or Out signal overload and a clipping may occur.

Gain

Adjust the modulators output gain by +/- 6dB.

Mix

Mix the dry and wet signal. At full top only the wet signal pass (the effect) at the full bottom only the dry signal pass (the original sound). Can produce interesting effect used with the phase control.

Bypass

Bypass all the internal processing. The sound out is the same as the sound in, leaving the sound unaltered.

Preset

GattR comes with a default bank of 64 presets made by Audioware, John Finter and Tek'it Audio.



Preset Change

Change the current preset, left to previous and right to next.



Preset Selector

Display a pop-up menu with all the presets in the current bank. Click on one to select it as the current preset.

Current Preset Name

Display the name of the current preset. Click on it to rename the preset.



Undo All Changes

Undo all your changes to their initial preset value. If you change the preset before it does not work, because your changes are saved automatically when you switch to another preset.



Randomize

Randomize all parameters except Bypass and the Sequence.



Manage Preset And Bank

Open the preset manager popup menu.



Copy Preset

Copy the current preset to another preset or a range of presets.

Load Preset

Load a preset in (*.fxp) file format on the current preset.

Save Preset

Save the current preset in (*.fxp) file format.

Load Bank

Load an bank (*.fxb).

Save Bank

Save the bank of presets in a file (*.fxb).



Notes

Open a pop-up where you can write the author name of the preset and notes.

MIDI

GattR have integrated MIDI learn and full automation on all parameters.

Integrated MIDI learn

All controls can be controlled by an external MIDI controller easily, simply right click on the parameters you want to control and the Learn pop-up menu appear.



Learn

Click on Learn, move a control on your MIDI device and it will automatically assigned.



UnLearn

Click on UnLearn will clear the controller.




Some hosts (like FL Studio) filters MIDI CC messages coming from MIDI controller, integrated MIDI learn can't work properly in such hosts.

Edit...

Click on Edit will open the Assign Controller dialogue.

You can change manually the MIDI controllers using 7-bit MIDI Continuous Controller or High resolution 14-bit MIDI NRPN and RPN.



Automation

Each controls can be automated using your host automation features. Consult your host documentation for information on how to do this.

Updates and Support



Updates will be made available online on your account at <http://tekit-audio.com/my-ta/>

When a new update is released you will receive an email to notify you of its availability.



Additionally you can follow us on Twitter for instant updates and news at <http://twitter.com/TekitAudio>



For any help and support consult our online support at <http://tekit-audio.com/support/>



For support, ideas, complaints, testimonials, sound demo, presets and anything you feel is worth sharing, please use our contact form at <http://tekit-audio.com/contact-us/> .

If you prefer, you can contact our team directly by email at contact@tekit-audio.com

Clothing And Accessories

Show your support to Genobazz!



Hoodie, T-Shirt, Girlie Shirt, Stickers, Hooded Jacket and bag available!

International:

<http://tekit-audio.spreadshirt.com/>

Europe:

<http://tekit-audio.spreadshirt.fr/>

Other Products



Badass 2
Filter and distortion effects




Genobazz 2
Monophonic bass synthesizer




Genobazz R
Monophonic bass synthesizer



Genobazz Pro
Monophonic synthesizer



Arp-EG classic
Classic MIDI arpeggiator




Kutter 2
Sequenced frequency cutter



8eqf
8 band semi-parametric equalizer



8eqp
8 band parametric equalizer




8kut
8 pads frequency cutter



APC
DIY punk console synthesizer



DubSiren
Dub siren synthesizer



RECSoprano
Soprano recorder

Credits

Code, design and conception:

Michaël Dubois

Additional Software's:

Chris Kerry

Dave Haupt

Jeff McClintock

Jordan Russell

GUI Design:

Michaël Dubois

Preset Design:

Audioware

John Finter

Michaël Dubois

Software Test:

Michaël Dubois

User Manual:

Michaël Dubois

Special Thanks to:

Everyone else who has contributed to the 'GattR' development in any way.

Create, play !

