

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



**NC058\_48 Loyalty Applique**  
3.57 X 3.49 in.  
90.68 X 88.65 mm  
5,971 St. ⚙️



**NC059\_48 Corporal Paw**  
.93 X 2.03 in.  
23.62 X 51.56 mm  
1,846 St. S




**NC060\_48 Dogprint Patch Applique**  
2.06 X 2.05 in.  
52.32 X 52.07 mm  
1,900 St. ⚙️




**NC061\_48 Lucky Dog Applique**  
3.55 X 3.93 in.  
90.17 X 99.82 mm  
7,328 St. ⚙️



**NC062\_48 Salty Dog Applique**  
2.22 X 2.61 in.  
56.39 X 66.29 mm  
2,375 St. ⚙️



**NC063\_48 Yacht Club**  
2.05 X 2.29 in.  
52.07 X 58.17 mm  
2,362 St. ⚙️



**NC064\_48 Heart & Roses**  
3.04 X 4.52 in.  
77.22 X 114.81 mm  
5,044 St. ⚙️



**NC065\_48 Dogbone Shield Applique**  
4.76 X 4.44 in.  
120.90 X 112.78 mm  
5,772 St. ⚙️



**NC066\_48 Dogball**  
3.88 X 2.30 in.  
98.55 X 58.42 mm  
5,069 St. ⚙️



**NC067\_48 Tennis Applique**  
3.53 X 3.02 in.  
89.66 X 76.71 mm  
3,213 St. ⚙️



**NC068\_48 Swim Team**  
2.84 X 2.92 in.  
72.14 X 74.17 mm  
3,863 St. ⚙️



**NC069\_48 Princess**  
3.46 X 2.75 in.  
87.88 X 69.85 mm  
3,557 St. ⚙️

⚙️ Design contains a loose fill.  
⚙️ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.  
S Design is smaller than 1.5" (38.1 mm) in either direction.


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



NC070\_48 Love Hound Applique  
2.82 X 3.54 in.  
71.63 X 89.92 mm  
3,345 St. ⚙️



NC071\_48 Hound Couture Applique  
3.59 X 4.36 in.  
91.19 X 110.74 mm  
7,976 St. ⚙️



NC072\_48 Her Royal  
3.45 X 3.51 in.  
87.63 X 89.15 mm  
3,947 St. ⚙️



NC073\_48 Glam Hound Applique  
3.88 X 2.74 in.  
98.55 X 69.60 mm  
2,198 St. ⚙️



NC074\_48 Cuter Applique  
3.82 X 3.85 in.  
97.03 X 97.79 mm  
4,588 St. ⚙️



NC075\_48 Halloween Tricks  
2.14 X 4.21 in.  
54.36 X 106.93 mm  
3,661 St. ⚙️



NC076\_48 Attack Dog  
3.54 X 3.13 in.  
89.92 X 79.50 mm  
4,755 St. ⚙️



NC077\_48 Squirrel Toy Stitch n' Turn  
4.81 X 5.33 in.  
122.17 X 135.38 mm  
7,105 St. L

⚙️ Design contains a loose fill.  
⚙️ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.  
S Design is smaller than 1.5" (38.1 mm) in either direction.

Listings below indicate color sample, stitching order and suggested thread color number in Isacord, YLI Fine Metallic, Yenmet or YLI Variegated threads.

### NC058\_48 Loyalty Appliqué

■ 1. Background Linework.....	2123
■ 2. Crown.....	0703
■ 3. Lettering.....	0702
■ 4. Placement Stitch.....	1725
■ 5. Yellow Tackdown.....	0703
■ 6. Heart & Spade.....	1911

### NC059\_48 Corporal Paw

■ 1. Single Color Design.....	0520
-------------------------------	------

### NC060\_48 Dogprint Patch Appliqué

■ 1. Placement Stitch.....	3910
■ 2. Tackdown.....	0015
■ 3. Paw.....	3951

### NC061\_48 Lucky Dog Appliqué

■ 1. Placement Stitch.....	5664
■ 2. Tackdown.....	0015
■ 3. Clover.....	5513
■ 4. Clover Outlines.....	0015
■ 5. Lettering & Linework.....	0870

### NC062\_48 Saty Dog Appliqué

■ 1. Placement Stitch.....	4230
■ 2. Tackdown.....	0015
■ 3. Anchor.....	3444
■ 4. Lettering.....	0015

### NC063\_48 Yacht Club

■ 1. YORKSHIRE Lettering.....	1430
■ 2. Anchor & Banner.....	0015
■ 3. Black Lettering.....	0020

### NC064\_48 Heart & Roses

■ 1. Single Color Design.....	3953
-------------------------------	------

### NC065\_48 Dogbone Shield Appliqué

■ 1. Blue Linework.....	3730
■ 2. Wing Shading.....	3770
■ 3. Wing Outlines.....	0015
■ 4. Placement Stitch.....	3953
■ 5. Tackdown & Bone.....	0015

### NC066\_48 Dogball

■ 1. STATE CHAMPS Lettering.....	3730
■ 2. DOGBALL Lettering.....	3730
■ 3. Swoosh & Outlines on Dogball.....	0015

### NC067\_48 Tennis Appliqué

■ 1. Leaves.....	0015
■ 2. Placement Stitch.....	5822
■ 3. Tackdown.....	6133

### NC068\_48 Swim Team

■ 1. Water.....	3730
■ 2. Dog.....	0015
■ 3. Lettering.....	0101

### NC069\_48 Princess

■ 1. Single Color Design.....	2532
-------------------------------	------

### NC070\_48 Love Hound Appliqué

■ 1. Arrows.....	0015
■ 2. Placement Stitch.....	0138
■ 3. Tackdown.....	3730
■ 4. Heart & Letters.....	0015

### NC071\_48 Hound Couture Appliqué

■ 1. Placement Stitch.....	0152
■ 2. Tackdown & Diamond.....	0015
■ 3. Lettering.....	0020
■ 4. Linework.....	4174

### NC072\_48 Her Royal

■ 1. Lettering.....	2723
■ 2. Purple Linework.....	2912

### NC073\_48 Glam Hound Appliqué

■ 1. Placement Stitch.....	3211
■ 2. Tackdown.....	0176
■ 3. GLAM Lettering.....	3211
■ 4. HOUND Lettering.....	7009

### NC074\_48 Cuter Appliqué

■ 1. Placement Stitch.....	0713
■ 2. Tackdown & Lettering.....	0015

### NC075\_48 Halloween Tricks

■ 1. Skull & Bones.....	0015
■ 2. Lettering.....	0020

### NC076\_48 Attack Dog

■ 1. Orange Letters.....	1010
■ 2. Yellow Letters.....	0704





### NC077\_48 Squirrel Toy Stitch n' Turn

■ 1. Placement Stitch.....	1141
■ 2. Belly.....	1141
■ 3. Eyes & Teeth.....	0015
■ 4. Body, Eyes, & Mouth.....	1876
■ 5. Seam Stitch.....	0941

1. Print out the necessary pages from the PDF of the appliqué pattern(s).
2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
4. Place the pattern pieces on the right side of the fabric and carefully cut them out. **PHOTO 1**
5. Sew the placement stitch on you hooped fabric. **PHOTO 2**
6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
7. Place the fabric inside the sewing placement stitch so that it matches the stitching line then remove the paper pattern. **PHOTO 3**
8. Sew the tackdown. **PHOTO 4**
9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 5**


**NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size, i.e. resize the designs to 80%, resize the printed pattern to 80%.**





**TIP: When Printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.**




# IMPORTANT:

When printing this document, the “Fit to page” option must be **UNCHECKED** or the “Page Scaling” option must be set to **NONE** depending on your printers options. If this option is set incorrectly, the prints will not work correctly as patterns because they will not print at actual size.







## Instructions

1. Hoop a single layer of Mesh Cut-Away stabilizer.
2. Spray the stabilizer lightly with Temporary Adhesive Spray.
3. Stitch the first color, which is the "Placement Guide Stitch". Use a thread color that blends with your fabric choice.
4. Place a piece of fabric right side up onto the Mesh Stabilizer, being sure to cover the "Placement Guide Stitch". **See Photo 1.**
5. Note: if using fabric with pile, lightly spray a piece of Wash-Away topping with Temporary Adhesive Spray. Place the topping sprayed side down onto the fabric.
6. Attach the hoop to the machine and select the design of your choice to stitch. Embroider all but the last color of the design. See Photo 2.

## Supplies:

- 2 pieces of fabric one inch larger than chosen design
- Mesh Cut-Away Stabilizer
- Wash-Away topping (if using fabric with pile such as Minkee® or terrycloth)
- Temporary Spray Adhesive
- Embroidery Thread
- Polyester bobbin thread
- Embroidery machine
- Polyester stuffing
- Hand needle or Stitch Witchery® fusible webbing




Photo 1




Photo 2

7. Remove the hoop from the machine, but DO NOT remove the fabric from the hoop.
8. Clip all jump threads.
9. Gently tear away excess Wash-Away topping. (Do not wet to remove at this time).
10. Place another piece of fabric right side down directly over the first piece. If desired, pin or tape at corners to secure.
11. Reattach the hoop to the machine and stitch the final color change (through both layers of fabric). Use a thread color that blends with your fabric color. For photography purposes we've purposely used a contrasting thread.
12. Remove the hoop from the machine and the fabric from the hoop.
13. Using embroidery scissors, carefully cut out the stitch 'n' turn project close to the stitching line. Cut around the stitches at the opening to create a tab. See Photo 3.
14. Clip curves and corners as needed.
15. Turn the animal right side out. Use a chopstick to turn out corners and curves.



Photo 3



1. Stuff with polyester stuffing. Hint: To speed up the stuffing process cut the bottom off of a cone shaped cup such as the ones from a water cooler and use it as a funnel to insert the stuffing. See Photo 4.
2. Fold tabs in and slip stitch the slit closed with hand needle or insert a piece of Stitch Witchery® and fuse closed.


#### For Extra Fun:

- Add definition stitching with a sewing machine or by hand.
- Stitch ribbon bows or embellishments on your projects to dress them up. Please keep in mind the age of the person to be using them then plan (or omit) additions accordingly.




NOTE: Some designs may contain a Ribbon Placement Guide. This is an optional feature that allows you to turn your designs into ornaments if you so wish. To create a hanging loop, after stitching the Ribbon Placement Guide, create a loop out of 1/4" ribbon and place it within the guide with loop facing in and tails of the ribbon facing out. Lightly spray ribbon with Temporary Adhesive Spray to hold in place.


NOTE: Design pictured is for instructional purposes and may not be included in this collection.




**NC058\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.31 X 2.70 in.  
58.67 X 68.58 mm  
1,787 St.




**NC060\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.61 X 2.61 in.  
66.29 X 66.29 mm  
1,826 St.




**NC061\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.56 X 2.56 in.  
65.02 X 65.02 mm  
1,758 St.




**NC062\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.16 X 2.80 in.  
54.86 X 71.12 mm  
1,812 St.




**NC065\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
1.89 X 2.24 in.  
48.01 X 56.90 mm  
1,376 St.




**NC067\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.05 X 2.06 in.  
52.07 X 52.32 mm  
1,457 St.




**NC070\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.74 X 3.38 in.  
69.60 X 85.85 mm  
2,312 St.



**NC071\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
2.66 X 1.91 in.  
67.56 X 48.51 mm  
1,469 St.



**NC073\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
3.50 X 3.68 in.  
88.90 X 93.47 mm  
2,734 St.



**NC074\_48\_CWA** For use with the  
BERNINA CutWork Accessory  
4.37 X 4.40 in.  
111.00 X 111.76 mm  
3,755 St.



**NOTE: Placement Stitch and Basting Stitch should match your background fabric.**

**NC058\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC065\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC071\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC060\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC067\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC073\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC061\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC070\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC074\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

**NC062\_48\_CWA For use with the BERNINA**

**CutWork Accessory**

1. Placement Stitch	3600
2. Basting Stitch	1902
3. BERNINA CutWork Accessory 1	Cut 1
4. BERNINA CutWork Accessory 2	Cut 2
5. BERNINA CutWork Accessory 3	Cut 3
6. BERNINA CutWork Accessory 4	Cut 4

## SUPPLIES

- Cut-Away Stabilizer
- Temporary Spray Adhesive
- Appliqué Fuse & Fix Stabilizer
- Embroidery Thread
- Stabilizer that is appropriate for your project
- BERNINA® CutWork Accessory

## PREPARE APPLIQUE FABRIC

1. Starch appliqué fabric 2-3 times following manufacturer's instructions.
2. Appliqué fabric should be crisp.
3. Iron Appliqué Fuse & Fix to the wrong side of the starched appliqué fabric following instructions on product packaging.

## CUT APPLIQUE PIECES

1. Hoop one layer of Cut-Away Stabilizer.
2. Send first CWA file to the embroidery machine. (CWA files are the pre-cut appliqué files to use with the CutWork Accessory; these files will end in CWA01, CWA02, and CWA03 etc. The number of CWA files available for each design will depend upon how many separate appliqués each design contains.)
3. Stitch the first color, this will be the placement stitch.
4. Remove the hoop from the machine but do not remove the stabilizer from the hoop. Spray the hooped stabilizer with temporary spray adhesive. Lay prepared appliqué fabric over the placement stitch, being sure to completely cover the stitching. Apply pressure to appliqué fabric to ensure it is adhered.
5. Stitch the second color, this will be the basting stitch. It is meant to baste the appliqué fabric to your hooped stabilizer.
6. Replace normal stitch plate with the CutWork stitch plate.
7. Unthread the machine.
8. If necessary, turn off the upper thread control on your machine. Refer to your machine's user manual. Note that the most recent version of the 830 will perform this task automatically.
9. Replace embroidery needle with the CutWork Accessory.
10. Replace embroidery foot with foot #44 (If you do not have foot #44 you can leave foot #15 on the machine; foot #44 will simply keep the cut fabric from flagging as much).
11. Attach the hoop to the machine.
12. To cut the first appliqué piece follow the "thread changes" on your machine screen and turn the dial on the CutWork tool as required.
13. Remove the hoop from the machine.
14. Gently remove cut appliqué piece, trimming any thread that may have not been cut completely.

## PHOTO 1

15. Repeat as needed for designs with multiple appliqué pieces.



## TACKDOWN APPLIQUE AND COMPLETE EMBROIDERY DESIGN

1. Replace the embroidery needle and rethread the machine.
2. Replace the embroidery foot #15.
3. Spray hoop sized piece of stabilizer that is appropriate for your project and adhere to wrong side of background fabric or project that is to be hooped.
4. Hoop fabric/project and stabilizer.
5. Attach hoop to machine.
6. Send the embroidery file to the machine (this is not a CWA file).
7. Stitch design as normal following the thread changes on the provided thread chart stopping after each Appliqué Placement Stitch.

1. After stitching an Appliqué Placement Stitch, take the precut appliqué pieces required and peel off the cutaway backing and the release paper revealing a sticky backing. **PHOTO 2**
2. Remove hoop from machine, but do not remove the fabric from the hoop.
3. Adhere precut appliqué piece evenly over the Appliqué Placement Stitch; use pressure to make sure pieces stick well. **PHOTO 3**
4. Reattach hoop to machine.
5. Continue stitching design until all appliqué pieces are placed and all stitching is complete. **PHOTO 4**

**NOTE: Design pictured is for instructional purposes and may not be included in this collection.**

