

eurolite®

USER MANUAL

LED PIXEL MESH

64x64 OUTDOOR



TABLE OF CONTENTS

1 INTRODUCTION	3
2 SAFETY INSTRUCTIONS	4
3 OPERATING DETERMINATIONS.....	6
4 COMPONENTS OF A DISPLAY.....	7
» Mounting Elements and Connections of a Display.....	8
» Control Components.....	9
Scanning Box.....	9
PCI Sending Card.....	10
External Sending Card	10
5 ATTACHMENT.....	11
Safety Instructions	11
6 CONNECTIONS	13
» Example Configuration	13
» Connection and Operation of the External Sending Card	14
» Installation and Connection of the PCI Sending Card	15
» Connection of the Scanning Box	16
» Connection of the Displays	17
7 LED STUDIO	18
» File Types	19
» Graphics Card Configuration	19
» Installation.....	21
» Graphical User Interface.....	21
Toolbar.....	221
Editor	21
» Program Start	23
» Configuration	23
Monitor Settings.....	24
Hardware Parameters.....	28
Function Test.....	28
» First Steps to a Show with LED Studio.....	29
Program Window	29
Creating a Show and Loading Video	30
Storing Your Show.....	32
Playing Your Show	32
8 CLEANING AND MAINTENANCE	33
9 PROBLEM CHART	34
10 TECHNICAL SPECIFICATIONS.....	35

This user manual is valid for the article numbers: 80503500, 80503505

eurolite®

LED PIXEL MESH OUTDOOR

For your own safety, please read this user manual carefully before you initially start-up.

You can find the latest update of this user manual in the Internet under:
www.eurolite.de

Every person involved with the installation, operation and maintenance of this device has to

- be qualified
- follow the instructions of this manual
- consider this manual to be part of the total product
- keep this manual for the entire service life of the product
- pass this manual on to every further owner or user of the product
- download the latest version of the user manual from the Internet

Thank you for having chosen a EUROLITE LED Pixel Mesh System. If you follow the instructions given in this manual, we are sure that you will enjoy this device for a long period of time.

SAFETY INSTRUCTIONS



CAUTION!

Be careful with your operations. With a dangerous voltage you can suffer a dangerous electric shock when touching the wires!

This device has left our premises in absolutely perfect condition. In order to maintain this condition and to ensure a safe operation, it is absolutely necessary for the user to follow the safety instructions and warning notes written in this user manual.



Important:

Damages caused by the disregard of this user manual are not subject to warranty. The dealer will not accept liability for any resulting defects or problems.

If the device has been exposed to drastic temperature fluctuation (e.g. after transportation), do not switch it on immediately. The arising condensation water might damage your device. Leave the device switched off until it has reached room temperature.

Please make sure that there are no obvious transport damages. Should you notice any damages on the A/C connection cable or on the casing, do not take the device into operation and immediately consult your local dealer.

This device falls under protection-class I. The power plug must only be plugged into a protection class I outlet. The voltage and frequency must exactly be the same as stated on the device. Wrong voltages or power outlets can lead to the destruction of the device and to mortal electrical shock.

Always plug in the power plug last. The power plug must always be inserted without force. Make sure that the plug is tightly connected with the outlet.

Never let the power-cord come into contact with other cables! Handle the power-cord and all connections with the mains with particular caution! Never touch them with wet hands, as this could lead to mortal electrical shock.

Never modify, bend, strain mechanically, put pressure on, pull or heat up the power cord. Never operate next to sources of heat or cold. Disregard can lead to power cord damages, fire or mortal electrical shock.

The cable insert or the female part in the device must never be strained. There must always be sufficient cable to the device. Otherwise, the cable may be damaged which may lead to mortal damage.

Make sure that the power-cord is never crimped or damaged by sharp edges. Check the device and the power-cord from time to time.

If extension cords are used, make sure that the core diameter is sufficient for the required power consumption of the device. All warnings concerning the power cords are also valid for possible extension cords.

Always disconnect from the mains, when the device is not in use or before cleaning it. Only handle the power-cord by the plug. Never pull out the plug by tugging the power-cord. Otherwise, the cable or plug can be damaged leading to mortal electrical shock. If the power plug or the power switch is not accessible, the device must be disconnected via the mains.

If the power plug or the device is dusty, the device must be taken out of operation, disconnected and then be cleaned with a dry cloth. Dust can reduce the insulation which may lead to mortal electrical shock. More severe dirt in and at the device should only be removed by a specialist.

There must never enter any liquid into power outlets, extension cords or any holes in the housing of the device. If you suppose that also a minimal amount of liquid may have entered the device, it must immediately be disconnected. This is also valid, if the device was exposed to high humidity. Also if the device is still

running, the device must be checked by a specialist if the liquid has reduced any insulation. Reduced insulation can cause mortal electrical shock.

There must never be any objects entering into the device. This is especially valid for metal parts. If any metal parts like staples or coarse metal chips enter into the device, the device must be taken out of operation and disconnected immediately. Malfunction or short-circuits caused by metal parts may cause mortal injuries.



HEALTH HAZARD!

Never look directly into the light source, as sensitive persons may suffer an epileptic shock (especially meant for epileptics)!

Keep away children and amateurs!

Never leave this device running unattended.

.....

OPERATING DETERMINATIONS

The LED Pixel Mesh 64x64 LED display was specially designed for projection of videos and graphics synchronous to the computer. The modular design allows the horizontal and vertical built-up of large video screens applicable for clubs, stages, shops and various other indoor and outdoor environments. Control is via special PC software and network components.

The LED displays and the Scanning Box are allowed to be operated with an alternating voltage of 100-240 V AC, 50/60 Hz.

The LED displays, the Scanning Box as well as the power and data cables are protected against dust and water jets (IP 65) and therefore are qualified for indoor and outdoor use.

For outdoor use, the installer must always make sure to connect a rubber cable HO5RR-F. All valid instructions concerning the installation of cables outdoors or in the ground must be adhered!

The ambient temperature must always be between -10°C and $+45^{\circ}\text{C}$. Keep away from direct insulation (particularly in cars) and heaters. The maximum relative humidity is 100 % with an ambient temperature of 25°C . This device must only be operated in an altitude between -20 and 2000 m over NN.

Do not shake the device. Avoid brute force when installing or operating the device.


Before installing the system, make sure that the installation area can hold a minimum point load of 4 times the system's load (e.g. weight 20 kg - point load 80 kg).

For overhead use (mounting height $>100\text{ cm}$), always secure the installation with an appropriate secondary safety element (e.g. steel rope).

Make sure the area below the installation place is cordoned off when rigging, derigging or servicing the device.

Do not connect displays to the mains while they are folded.

The F-symbol means: this device can be installed on normal inflammable surfaces.

The symbol  determines the minimum distance from lighted objects. The minimum distance between light output and the illuminated surface must be more than the given value.


The maximum ambient temperature T_a must never be exceeded.

Never use solvents or aggressive detergents in order to clean the device! Rather use a soft and damp cloth.

Please consider that unauthorized modifications on the device are forbidden due to safety reasons!

If this device will be operated in any way different to the one described in this manual, the product may suffer damages and the guarantee becomes void. Furthermore, any other operation may lead to dangers like short-circuit, burns, electric shock, lamp explosion, etc.

The following describes all the components needed to operate an LED display. Some of the components are used for other EUROLITE products as well.



- 1** PCI Sending Card/Software
Item 80503130

- External Sending Card/Software
Item 80503309

- 2** Scanning Box
Item 80503505



- 3** Data Cable (20 m)
Item 80503515

- 4** Data Cable (4 m)
Item 80503517

- 5** Data Cable (50 cm)
Item 80503520




- 6** Power Cable (50 cm)
Item 80503512

- 7** Data Cable (10 m)
Item 80503521

- 8** IEC Cable (4 m)
Item 80503510



» Mounting Elements and Connections of a Display



1 Display front

Equipped with 16 x 16 pixels with a pitch of 40 mm

2 Display rear

3 Power input

For connection to a power outlet or the power output of a previous display

4 Data signal input

For connection to the Scanning Box or a previous display

5 Power output

For power supply of a subsequent display

6 Data signal output

For connecting a subsequent display

7 Fixation points


For screws type M8 x 20

» Control Components

The LED displays are controlled by a sending card and the light effect software [LED Studio] together with a computer. The computer must be equipped with a Windows operating system and a graphics card with DVI and VGA monitor output. The sending card is available in two versions: as a PCI card and as an external card.


Image processing, configuration and setting of control functions is done with the software. The data is transmitted from the computer to the Scanning Box via included patch cable which is also applicable for outdoor use. For connecting the displays, the Scanning Box offers eight data outputs; each of which each connects eight displays in series. This corresponds to a configuration 128 x 128 pixels. In order to build up a large video wall consisting of several displays the Scanning Boxes can also be connected in series by using special accessory cables.

Scanning Box



- 1 Data signal input**
For connection to the ethernet network output of the sending card or a previous Scanning Box via the supplied patch cable
 - 2 Display data signal outputs**
PORT 1 to 8 for connection to the displays
 - 3 Feed-through data signal output**
For connection to a subsequent Scanning Box
 - 4 Power input**
For connection to a power outlet via the included power cable
-

PCI Sending Card



1 Status LEDs

- red: power supply failure
- green: DVI signal is detected

2 Ethernet outputs

- For connecting a Scanning Box
- left jack = U
- right jack = D

3 Input for power supply

- For power supply from an external source (5 V DC) with low-voltage plug (center contact = positive pole)
- Only used if the sending card is operated externally of a computer.*


4 USB port

- For connection to the USB port on the computer via the included adapter cable

5 DVI input

- For connection to the DVI output on the computer via the included DVI cable

External Sending Card



1 Signal indicator

- Lights when a DVI signal is detected


2 Power indicator

3 Ethernet outputs

- For connecting a Scanning Box
- left jack = U
- right jack = D

4 Power input

- For connecting the included power unit



5 USB port

- For connection to the USB port on the computer via the included adapter cable

6 DVI input

- For connection to the DVI output on the computer via the included DVI cable


7 Buttons ▲ and ▼

- For manual adjustment of the brightness

8 Display

- Indicates the adjusted brightness

ATTACHMENT



- > Attach the displays at the desired location with the optional mounting brackets.
- Always attach the displays using all four attachment points.
 - Use M8 x 20 screws for the displays.
 - Use an appropriate dowel/screw combination for attaching the displays to a wall.

- > The displays can be attached to truss systems by applying an appropriate subconstruction.

**DANGER TO LIFE!**

Suspended installation by experienced and trained persons only. Incorrect installations are a potential danger, especially if systems are flown above persons.

Safety Instructions

Caution! For installation in public or industrial areas, a series of safety instructions have to be followed that this manual can only give in part. The operator must therefore inform himself on the current safety instructions and consider them.

The manufacturer cannot be made liable for damages caused by incorrect installations or insufficient safety precautions!

**DANGER TO LIFE!**

Please consider the EN 60598-2-17 and the respective national standards during the installation!
The installation must only be carried out by an authorized dealer!

The device has to be installed out of the reach of people and should be installed outside areas where persons may walk by or be seated.

The installation area for the display has to be built and constructed in a way that it can hold 4 times the weight for 1 hour without any harming deformation.

**DANGER OF FIRE!**

When installing the device, make sure there is no highly-inflammable material (decoration articles, etc.) within a distance of min. 0.5 m.

The operator has to make sure that safety-relating and machine-technical installations are approved

- by an expert before taking into operation for the first time and after changes before taking into operation another time.
- by an expert after every four year in the course of an acceptance test.
- by a skilled person once a year.

IMPORTANT! Overhead rigging requires extensive experience, including (but not limited to) calculating working load limits, installation material being used, and periodic safety inspection of all installation material and the device. If you lack these qualifications, do not attempt the installation yourself, but instead use a professional structural rigger. Improper installation can result in bodily injury and or damage to property.

**DANGER TO LIFE!**

Before taking into operation for the first time, the installation has to be approved by an expert!


CONNECTIONS

» Always fasten the locknuts on the connectors in order to ensure compliance with the IP65 protection class.


» Do not use a network hub or switch to connect the Scanning Box to the sending card.

» Example Configuration

As a reference, this user manual describes the configuration of a video wall of 5 x 10 meters. This setup requires 128 displays and 2 Scanning Boxes and corresponds to a resolution of 128 x 256 pixels.




» Connection and Operation of the External Sending Card



1	Sending Card	4	Scanning Box	7	DVI Cable
2	Computer	5	Power Unit	8	Data Cable
3	Graphics Card	6	USB Cable	9	Data Cable A


- 1** Connect the DVI port of the sending card to the DVI port of the computer via the supplied DVI cable.
- 2** Connect the USB port of the sending card to the USB port of the computer via the supplied USB cable.
- 3** Connect the power supply unit to the power input jack **[DC 5V]** on the sending card and connect the power cable to the power supply unit. Plug the mains plug to a mains outlet.
Thus the sending card is powered on and is in standby mode. The **[POWER]** indicator lights. By disconnecting the unit from the mains it can be switched off.
Use the unit only with the supplied power unit. Always disconnect the mains connector when you wish to change connections, move the unit to a different place or if it is not used for a longer period.
- >** The computer's graphics card must be configured for use with the sending card (→ chapter 7 Graphics Card Configuration).
- 4** The **[SIGNAL]** indicator lights when the data link is established.
- 5** With the buttons **[▲]** and **[▼]** you can manually adjust the brightness of the displays connected in 16 steps.

» Installation and Connection of the PCI Sending Card




- 1** Turn off the computer, disconnect the power plug and remove the case. Take anti-static precautions (e.g. touch a metal object) to avoid damage to the computer.
- 2** Insert the sending card into a free PCI slot of the computer. Connect the sending card to the computer's power output. Replace the case.
- 3** Apply power to the computer and start it.
- 4** Connect the DVI and USB ports of the sending card to the computer's ports via the supplied cables.
- >** The computer's graphics card must be configured for use with the sending card (→ chapter 7 Graphics Card Configuration).
- 5** If the green status LED of the sending card is flashing constantly, power supply and data link are established.



» Connection of the Scanning Box



- 1 Connect the Scanning Box to a sending card. Connect the data signal input [**SIGNAL INPUT**] of the Scanning Box to one of the ethernet ports (RJ45 jacks) of the sending card via the special supplied patch cable. When configuring the software later on, the jack used must be specified: left jack = [**U**], right jack = [**D**].
- > If needed, you can extend the line up to 100 meters. The connection terminals of the sending card are compliant with the CAT5e standard.
- 2 The Scanning Box's data output [**SIGNAL OUTPUT**] serves for relaying the data signal to the data input [**SIGNAL INPUT**] on the next Scanning Box. The connectors are designed with 8 pins. Use the accessory cable (item 80503521) for this.
- 3 Connect the Scanning Box a mains outlet (100-240 V AC, 50/60 Hz) using the supplied power cable.

» Connection of the Displays



- | | | |
|-----------------------|---|--|
| 1 Display | 3 Data Cable (4 m)  | 5 Power Cable (50 cm) |
| 2 Scanning Box | 4 Data Cable (50 cm) | 6 IEC cable  |

- 1** Interconnect the displays with the included 50 cm data cables. For this purpose, connect each data output [**SIGNAL OUTPUT**] of a display to the data input [**SIGNAL INPUT**] of the subsequent display. The connectors are designed with 7 pins.
Repeat this procedure with the included 50 cm power cables. In each case, connect the power output [**POWER OUTPUT**] of a display to the power input [**POWER INPUT**] of the subsequent display. The connectors are designed with 3 pins.
- >** For data and power cabling a maximum of **8** displays can be connected in series.
- 2** Connect each first display in the chain to the Scanning Box using the optional 4 m data cable (80503517). For this purpose, connect the display's data input [**SIGNAL INPUT**] to one of the Scanning Box's data outputs [**PORT 1 to 8**]. The connectors are designed with 8 pins.
- 3** Connect each first display in the chain the mains using the optional power cable (80503510). For this purpose, connect the display's power input [**POWER INPUT**] to a mains outlet (100-260 V AC, 50/60 Hz) using the included power cable.

LED STUDIO CONTROL SOFTWARE

Before taking the displays into operation, the PC program **[LED Studio]** must be installed. The program is supplied with both the PCI sending card and the external sending card. It was designed as graphical user interface for use with the Scanning Box. It allows for configuration, setting of control functions and design of light shows. The programs support all popular media formats, such as the video formats *.avi, *.swf, *.rm, *.mpeg, *.mpg, the image formats *.jpg, *.gif, *.bmp and the document formats *.txt, *.doc, *.excel, *.rtf.

Minimum system requirements

- Windows 2000, XP, Vista and 7
- Celeron >2.4 GHz
- >1 GB RAM
- Graphics card >32 MB, with dual display mode and DVI output
- Network card
- Free USB port

Recommended system requirements

- Core 2 Duo dual-core processor or better
- PCI-E graphics card 64 MB or better

Further requirements

- Windows Media Player

» As drivers and software are constantly being developed, your installation screens and procedures may vary slightly from those described in this user manual.

» This chapter is a quick guide for setting up the software. Please refer to the corresponding user manuals for further information regarding installation, configuration and operation. The manual can be found on the installation DVD for download on the internet.

» File Types

The program uses different types of files. The following table lists all types and their function.

*.rcg	Stores the configuration settings of the Scanning Box.
*.con	Stores the configuration settings (size, number and order) of the displays.
*.lsd	Contains the complete light show with all parameters adjusted and all embedded files such as videos, pictures or text files.


» Graphics Card Configuration

It is necessary to activate the DVI output of your graphics card for video signal output to the sending card.

Windows 7

To call the setup dialog under Windows 7 make a right click on your desktop and select **[Screen Resolution]** from the drop-down menu.


Your computer monitor and the sending card will be indicated as large monitor symbols. In the drop-down menu below, they are listed with their manufacturer name. The sending card's name is **[LED 1024X768]**.



- 1 Leave the default settings for your computer monitor and select the sending card.
 - 2 Set a screen resolution for the sending card. It may be operated with one of the following settings: 640 x 480, 800 x 600, 1024 x 768 (recommended), 1280 x 768, 1280 x 800, 1280 x 1024 pixels. When configuring the software later on, the resolution selected used must be specified.
 - 3 Go to **[Advanced settings]** and set the screen refresh rate to **[60 Hertz]**.
 - 4 Click **[Apply]**.
-

Windows XP

To call the setup dialog under Windows XP make a right click on your desktop and select **[Properties]** from the drop-down menu.



- 1** Select the **[Settings]** tab.
Your computer monitor and the sending card will be indicated as large symbols. In the drop-down menu below, they are listed as plug-and-play monitors.
 - 2** Leave the default settings for your computer monitor and select the second monitor.
 - 3** Set a screen resolution for the sending card. It may be operated with one of the following settings: 640 x 480, 800 x 600, 1024 x 768 (recommended), 1280 x 768, 1280 x 800, 1280 x 1024 pixels. When configuring the software later on, the resolution selected used must be specified.
 - 4** Go to **[Advanced settings]** and set the screen refresh rate to **[60 Hertz]**.
 - 5** Check **[Extend my Windows desktop onto this monitor]**. Click **[Apply]**.
-

» Installation




After completing the data cabling of the displays and configuring the graphics card, install the control software [**LED Studio**] on your computer. For this purpose, insert the supplied DVD into your CD-ROM drive. The installation start window will be displayed. Select [**English**] and [**Installing LED play software**] and follow the instructions of the installation program.

- The DVD starts running automatically if auto start mode is enabled for your CD-ROM drive. If this is not the case open the CD and start the installation program [LEDStudio10.exe].
- In order to install the control software you must log on to your computer as administrator or user with administrator rights.



The password is: [888888].

» Graphical User Interface




- | | |
|------------|--------------------------|
| 3 Menu bar | 6 Program tree structure |
| 4 Toolbar | 7 Program parameters |
| 5 Editor | |

Toolbar



- | | | |
|--------------------------------|-------------------------------|--|
| 1 New | 6 Play | 11 Video signal output to PC monitor/sending card |
| 2 Open | 7 Play current program | 12 Play Window lock on/off |
| 3 Save | 8 Pause | 13 LED displays on/off |
| 4 Hide/show Play Window | 9 Stop | 14 Change skin design |
| 5 Hide/show Editor | 10 Internet connection | |


Editor



- | | |
|-----------------------------|-----------------------------|
| 1 New program | 4 Copy |
| 2 New program window | 5 Delete |
| 3 Paste | 6 Play order up/down |
-

» Program Start




- 1 Start the program. The graphical user interface and the play window will be displayed.
- > If there is no sending card connected to your computer when starting the program, an error message will be displayed. Nevertheless, you can make parts of the configuration and program shows.
- 2 The  symbol in the toolbar determines the software's video output mode:
 - Symbol clicked: The video signal is routed to the graphics card's DVI output and is thus projected on the displays. Use this setting for the configuration of the program and for playing shows.
 - Symbol unclicked: The video signal is displayed in the play window on your computer monitor. Use this setting for programming shows.

As a first step, activate the image output on the displays for the following configuration steps by clicking the symbol.

» Configuration


The control software must be configured for use with the displays and the control components.

- > Call menu item **[Option] → [Software Setup]** to start with the configuration.



Monitor Settings

> The software configuration menu is shown:



- 1 Click [**Floating**]. All further fields will now be enabled.
- 2 The control software allows control of one video wall (consisting of several displays). Leave the default value for [**LED Numb**] at [1].
- 3 In the [**Play Window**] tab, enter the start position for the play window on the computer monitor in fields [**Start X**] and [**Start Y**]. The position of the play window changes accordingly.
- 4 Specify the size for the complete video wall in pixels: Enter width and height in the corresponding fields. The position of the play window changes accordingly.

» Note

The size of the play window should correspond to the displays. Otherwise there will only be image output on parts of the video wall.


- 5 Check [**Always on top**] if you do not want the play window to be superimposed by other applications.
- 6 After your settings, type the password [**linsn**] on the keyboard. Observe the correct spelling. Notice there is no field or indication on the screen.



- 7 The dialog window for password entry is displayed. The password is [168]. Click [Ok].

Hardware Parameters

- > If you have entered the correct passwords, the following hardware configuration menu is displayed:



- 1 Select the [Sender] tab. In the [Display mode] drop-down menu, enter the screen resolution previously selected during the graphics card configuration.

- 2 Transfer your settings to the Scanning Box by clicking [Save on sender].

If the brightness of the LEDs suddenly dims without any reason, restore all default settings: click [Default] and [Save on sender].

- 3 Select the [Receiver] tab to configure the Scanning Box.

The screenshot shows the 'Setup hardware parameters' window with the 'Receiver' tab selected. The window has three tabs: 'Sender', 'Receiver', and 'Display connection'. The 'Receiver' tab is active, showing various configuration options. A blue box with the number '3' highlights the 'Receiver' tab. The 'Drive chip' is set to 'General'. The 'Present scan mode' is 'Full-color real pixe 1 scan 16'. The 'File' is 'Pixel Mach'. The 'Performance/effect setup' section includes 'refresh FRQ.' (70 HZ), 'Scan clock' (2.5 Mhz), 'Row blanking time' (200 ns), 'Blanking Delay' (3), 'Grey Start from Value' (Red: 0, Green: 0, Blue: 0), 'Virtual display' (unchecked), 'Use row signal D, twice pixel height' (unchecked), 'Use extern port for postion' (unchecked), 'Use protected of chip' (unchecked), 'Synchronous refresh' (unchecked), 'Enhance bright' (unchecked), 'Gray level' (Normal 4096), 'Grey mode' (Normal), 'Grey equalize' (1), 'Reverse port order' (unchecked), and 'Use row signal D,C,B, 4 times pixel height' (unchecked). The 'Free show' section has 'no display' selected, with 'random' and 'logo' options. The 'Load capacity setup' section shows 'Brightness efficiency (including blanking): 83.95%', 'Min OE width(>90ns): 2906 ns', 'Max width: 256', 'Actual width: 256', 'Max height: 57', 'Actual Height: 57', 'Enabel change start' (unchecked), 'Start X: 0', and 'Start Y: 0'. A blue box with the number '4' highlights the 'Load from files' button. A blue box with the number '5' highlights the 'Save on files' button. Other buttons include 'Intelligent setup', 'Send to receiver', 'Save on receiver', 'Exit', and 'Help'.

- 4 To facilitate the configuration, you can find an *.rcg preset file [**Presets_LED_Pixel_Mesh**] on the installation DVD. Store this file on your computer. Click [**Load from Files**] and select the preset file.
- 5 Now store your settings by clicking [**Save to file**]. Make sure you do not overwrite the original *.rcg preset file. Save the settings under a different file name.

- 1 Select the **[Display connection]** tab to configure the data link to the displays.

Setup hardware parameters

Sender | Receiver | **Display connection**

Set mode: ☐ Simple ☒ Normal ☐ Complex ☐ Use Auto-link

Remark: The dialog of settings for single or multi regulation led-screen. Display QTY: 1

display 1

Type: Single-color display Horizontal card 2 Vertical card 1 ☐ Virtual display

☒ Gama 2.79 ☐ define Edit Red brightness 255 Green brightness 255 Blue brightness 255

	1	2
1	Network cable order No. 1 width: 128 height: 128	Network cable order No. 2 width: 128 height: 128

Main cable 1 No. sender D cal Extension cable 1 Order No. 1 Width 128 Height 128 Abnormity

Card brightness: Red: 255 Green: 255 Blue: 255 Load Data Screen area color correction

Identify for Card Save Card for maintain Load from file Save to file Send to receiver Save to receiver

Exit Help


- 2 The control software **[LED Studio]** allows control of one video wall (consisting of several displays). Leave the default value for **[Display QTY]** at **[1]**.
- 3 Based on your cabling, enter the number of horizontal and vertical Scanning Boxes in fields **[Horizontal card]** and **[Vertical card]**. For our example configuration enter 2 boxes in field **[Horizontal card]** and 1 box in **[Vertical card]**
- > Now a field is displayed for each Scanning Box (→**3A**). Click the fields to separately adjust the following parameters of each Scanning Box.
- 4 Under **[Main cable]**, specify for each Scanning Box the output used at the sending card: left jack = **[U]**, right jack = **[D]**.
- 5 Based on your cabling, specify the order of the Scanning Boxes under **[Order No.]**. Set the first Scanning Box in the data path to number **[1]**.
- 6 For each Scanning Box specify the size of the displays connected in pixels: Enter width and height in the corresponding fields. Our example requires **[128 x 128]**.
- 7 Click **[Save to file]** to store your settings for the display connection in *.con format.

8

Transfer your settings to the Scanning Boxes by clicking [**Save on sender**]. This command is only temporary. To store your settings permanently on the Scanning Boxes click [**Save on receiver**].

The configuration is now complete and you can close the window.

Function Test



>

For various function tests, select menu item [**Tool**].


» First Steps to a Show with LED Studio



You can project videos and graphics in all popular formats on your displays. Some example files come with the supplied DVD. Furthermore, it is possible to use the program's editors.

Program Window

A show can consist of multiple program steps and files in the most varied of formats. For each format there is a matching program window available.




File Window	For videos, images, texts, tables
Text Window	Editor for texts
Single Line Window	Editor for short single-line texts
Static Text Window	Editor for static texts
Table Window	Editor for tables
Timer Window	Timer function
Database Window	For database files (e.g. Access)
VCD/DVD Window	For data carriers
Ext. Exe Window	For *.exe files
Video Window	Video signal from external devices (webcam, TV...)
Date/Time Window	Date and time
Temp./Humidity Window	Temperature and humidity


Each file format requires its own program window within the play window. A program window can extend over the entire video wall or just a section. Depending on the file format, several parameters such as background, position, text, play time and effects are adjustable.

Creating a Show and Loading Video



- > Click the [] symbol in the toolbar to display the tools and fields required for programming.




- > At first, create a new program for your show by clicking []. [Step1] will be displayed in the tree structure.

- On the right you can specify a name for your show.
- Additionally, you can adjust the play time, a background image and the picture mode.

» Hint



Load a background image for breaks during your show without a video. Hence your video wall will always display an image instead of going black.

1 Click [] to create a first program window for your show.

- To play a video file from the included DVD select **[File window]** from the drop-down menu.


2 On the right enter the start position for the program window in fields **[StartX]** and **[StartY]**. Also enter width and height in the corresponding fields. You can also use the mouse for this task by dragging the corner of the program window's frame in the play window to make it bigger or smaller or to move it to the desired direction. A program window can extend over the entire video wall or just a section.

- If needed, you can adjust a name, frame type and a timer function.
- If you check **[Lock]**, the program window is locked and cannot be dragged with the mouse.





2 To fill the program window with contents, click [] and specify the path of your file. You can load as many files as you want.

Below, you can adjust different parameters depending on the file type, including background, position, text, play time and effects.




If you want to apply the parameters adjusted to all files in this program window, click [].

> Create further programs in the same way for your show or create further shows. If there is more than one show, they will be played one after the other.

Storing Your Show

- 1 Call menu item **[File]** → **[Save As..]** or click [] in the toolbar to store your show as *.lsd file.
 - 2 Use the option **[File]** → **[Open]** or the [] symbol in the toolbar to load the show later on.
-

Playing Your Show

- 1 Call menu item **[Control]** → **[Play]** or click [] in the toolbar.
 - *The editor tools will be closed and a smaller version of the program is displayed.*
 - *The video is displayed in the play window on your computer monitor and synchronously on the displays.*
 - 2 Click [] or pause. Press [] to stop the show.
-

CLEANING AND MAINTENANCE

We recommend a frequent cleaning of the device. Please use a soft lint-free and moistened cloth. Never use alcohol or solvents!

**DANGER TO LIFE!**

Disconnect from mains before starting maintenance operation!

Should you need any spare parts, please use genuine parts.

WARNING!

Maintenance and service operations are only to be carried out by authorized dealers!

PROBLEM CHART

» Attention!

- If the entire display is without image, make sure all data and power cables are properly connected.
- Only use cables type CAT5e or better for a network extension between sending card and Scanning Box.
- Do not use a network hub or switch.

PROBLEM	POSSIBLE CAUSE	REMEDY
No image on the displays	PC and Scanning Box are not connected.	Check the data cable and change cables if necessary.
	Sending card settings are wrong.	Reconfigure the control software and your computer if necessary. Deinstall the control software and install it again. The wrong output of the sending card was specified during the software configuration (→chapter Hardware Parameters).
	PCI sending card is without power.	Connect the PCI sending card to the corresponding output on your PC.
	DVI cable is not connected to the sending card.	Check the DVI connection.
	Graphics card is not configured.	Activate the monitor extension (→chapter Graphics Card Configuration).
	Image output for the displays is not activated under [LED Studio].	Activate image output (→chapter Program Start).
Partially no image	System settings are wrong.	Reconfigure the control software and your computer if necessary. Deinstall the control software and install it again.
	Display and Scanning Box are not properly connected.	Check the connection.
	Power adaptor is broken.	Have the power adaptor checked by a qualified professional.

TECHNICAL SPECIFICATIONS

80503500 LED Pixel Mesh 64x64 Outdoor

Power supply:	100-260 V AC, 50/60 Hz ~
Power consumption:	100 W
Resolution:	16 x 16 pixels
Pixel pitch:	40 mm
Pixel density:	625
Pixel configuration:	2 red, 1 blue, 1 green
LED type:	546
Signal connection:	DVI/RJ45
Brightness:	1300 cd/m ² (nits)
Scanning mode:	Progressive scan
View angle:	130° horizontally, 50° vertically
Driving voltage:	4.5 – 5.5 V
Grey scale:	R256 levels, G256 levels, B256 levels
Frame rate:	>/ 60 fps
Protection rating:	IP 65
Operating temperature:	-10 to 50 °C
Dimensions:	640 x 640 x 105 mm
Weight:	6.5 kg

80503505 LED Scanning Box Outdoor

Power supply:	100-240 V AC, 50/60 Hz ~
Power consumption:	15 W
Serial connection:	max. 64 per unit
Dimensions (LxWxH):	280 x 240 x 80 mm
Weight:	2.5 kg

80503130 PCI sending card and software

Power supply:	5 V DC, 2 A via PC or external power unit
Signal input:	DVI
Command communication:	USB
Signal output:	2 x 2-gigabit ethernet (RJ45)
Dimensions (LxWxH):	160 x 130 x 48 mm
Weight:	1.3 kg

80503309 External DVI sending card

Power supply:	100-240 V AC, 50/60 Hz ~ via included power unit
Signal input:	DVI
Command communication:	USB
Signal output:	2 x 2-gigabit ethernet (RJ45)
Dimensions (LxWxH):	180 x 122 x 60 mm
Weight:	0.6 kg

Minimum system requirements

Windows 2000, XP, Vista or 7 32/64 bit

Celeron >2.4 GHz

>1 GB RAM

Graphics card with DVI output and VGA monitor output, >32 MB

Network card

Free USB port

Accessories

80503510	IEC cable 4m for Pixel Mesh outdoor
80503512	Power cable 50cm for Pixel Mesh outdoor
80503515	Data cable 20m for Scanning Box outdoor
80503517	Data cable 4m for Scanning Box outdoor
80503520	Data cable 50cm for Pixel Mesh outdoor
80503521	Data cable 10m for Scanning Box outdoor
80503550	Mounting bracket type 1
80503555	Mounting bracket type 2
80503560	Mounting bracket type 3
80503565	Mounting bracket type 4

Please note: Every information is subject to change without prior notice. 28.02.2012 ©

eurolite[®] GERMANY