
Whidbey[™] Clean Face Gas Fireplace





Whidbey M Clean Face Gas Fireplace



Introducing the Whidbey" Clean Face Fireplace by Avalon" ••

The Whidbey CF clean face fireplace offers the beautiful look of a traditional masonry fireplace with the convenience found in today's modern, direct vent gas fireplaces. The Whidbey CF offers a 1080 sq. in. of fire viewing glass in a clean, louverless fireplace design with tall, dramatic flames, exceptional hand-carved logs and a glowing red ember bed.

Don't need the heat and still want to enjoy the fire? The Whidbey's remarkable gas control system allows you to reduce the BTU input to your fireplace by up to 40% while still maintaining a beautiful fire within your fireplace.

The Whidbey CF features low BTU gas input. This makes it ideal for reducing energy cost. The Whidbey CF is tested as a 'Heater Rated" appliance and can heat a room up to 1,000 sq. ft. With it's Electronic IPI (Intermittent Pilot Ignition) Gas Valve you can run your fireplace in either the "Electronic Ignition" or "Standing Pilot" modes. This fireplace makes the Whidbey CF ideal choice for those looking an economical solution to the open fireplace look.

Convenience At Your Fingertips

The Whidbey CF features the Home Comfort[™] Control System. This builtin control center is completely hidden within the fireplace, so all you see is the amazing fire!

You control all functions including on/off, room temperature and flame height adjust-ment all from the standard hand-held remote or wireless modulating wall mounted control-both included with fireplace.



Wireless Modulating Wall Mounted Control -Allows control of ON/OFF and High/Low Fire Settings



Thermostatic Modulating Remote Control -Allows controls ON/OFF, High/Low Fire Settings and Room Thermostat.



Personalize Your Fireplace With These Beautiful Options



Standard Black Interior

Ceramic Fireback Options



Weathered Brick Option



Herringbone Brick Option

While not required, the Whidbey fireplace gives you the ability finish off the inside of the fireplace with the reversible brick fireback - Weathered Brick on one side Herringbone Brick on the other.

Andiron Options

Enhance the look of your Whidbey fireplace even further with a choice of three optional cast andirons.All our andirons feature finely cast details and attach to the existing grate. Change the look of your fireplace in a matter of minutes!







Wrought Iron Andiron




Accent Light

Highlight your Whidbey's interior with the optional decorative accent lighting kit. Bring out the details in the fireback and logset. Use it with the fire on or off to enhance the mood or for year round enjoyment of your fireplace.



Firescreen

Add the finishing touch to your installation with an optional decorative firescreen.The firescreen features detailed legs and handle for a traditional fireplace look. Ideal if you have small children in your home.



Optional Extra Room Power Heat Duct Kit

The Power Heat Duct Kit can be added at the time of installation and allows you to direct heat off the fireplace and direct it to an additional room in your home. A remote fan, attached to the end of the duct, pulls heat off the fireplace and delivers it to any adjoining room, up to 20 feet away.

All Avalon firestyles are proudly made in the U.S.A.

Standard Features:

- No grills for a traditional masonry fireplace look.
- Durable, high temperature, tempered glass with safety mesh screen (removable if desired).
- 1080 sq. in. of fireviewing area
- Realistic, 4 piece detailed log set cast from real firewood.
- Digital Home Comfort[™] Control System can be operated by the hand-held remote control and the wireless wall control.
- The Electronic Gas Valve can be run for greater efficiency in the "Intermittent Pilot Mode" with the gas pilot turned off until you need it or "Standing Pilot Mode" with the gas pilot always on, for reliable cold weather operation.
- Natural (NG) or Propane (LP) operation.
- Uses Simpson Duravent 8 5/8" x 6" chimney.
- Seven Year "Real World" Warranty.

Framing Dimensions: See Installation Manual

- 1. Hearth Requirements: Extends 10" from face and 49 1/2" wide when installed flush. Not required when raised 6" *(See Installation Manual for details)*
- 2. Non-combustible facing -Two side and two top pieces are provided with the fireplace
- 3. Side Wall Clearance: 11"
- 4. Mantle Clearances: 50" from base of fireplace. Maximum allowed mantle depth: 12"
- 5. Minimum fireplace enclosure height 60". Measured from base of fireplace.
- 6. Minimum framing: 50" wide x 56 3/4" tall x 25" deep.
- 7. Facing Requirements: Provided fiber board or other non-combustible material must extend from the base of the fireplace to the header and to the framing members on both sides.

Tested and Certified by OMNI-Test Lab. Inc. to ANSI Z21.88b "Vented Gas-Fired Direct Fireplace Heater".

Must be installed in accordance with all local codes, if any, if not, follow ANSI Z223.1 and the requirements listed in the Owner's Manual.

Note: Improper installation of your gas appliance or failure to operate it in accordance to the guidelines detailed in the Owner's Manual may negate your warranty. We recommend all Avalon appliances be installed and maintained on an annual basis by your specialty hearth retailer.



Visit us online: www.avalonfirestyle.com

Gas Input Rating & Performance:

- Adjustable High Heat Systems
 - 20,800 -38,000 Btu's (NG)
 - 23,500 38,000 Btu's (LP)
- Heater Rated Fireplace: Heat up to 1,000 sq. ft.*

*Heating capacity will vary depending on the temperature zone you live in.

