




zone

MEDICAL

THE EQUIPMENT CATALOGUE

Valid from 1st June 2010



Ph 1300 009 663
Email info@zonemedical.com.au
www.zonemedical.com.au

Table of Contents

Sterilisers

Page 1	Cominox
Page 2-3	Cominox Accessories
Page 4-6	Celitron

Ultrasonic Cleaners

Page 7-8	Soltec Sonica
Page 9	Soltec Accessories

Spirometers

Page 10-13	MIR Spirometry
Page 14-15	MIR Accessories

Lighting

Page 16	LID Exam Lights
Page 17	LID Accessories
Page 18	Rimsa Exam/Procedure Lights
Page 19-20	Rimsa Operating Lights

Diagnostic Equipment

Page 21	Video Otoscope
---------	----------------

Dopplers

Page 22-23	Bestman Dopplers
------------	------------------

Defibrillators

Page 24	HeartOn AED
Page 25	HeartSine AED

Pulse Oximeters

Page 26-28	ChoiceMed
Page 29-30	Edan

CryoTherapy

Page 31-33	CryoAlfa
------------	----------

ECG

Page 34-36	BTL ECG
Page 37	Macquarie PC Based ECG
Page 38-46	Edan ECG

Patient Monitoring

Page 47	Mediana
Page 48	ChoiceMed
Page 49	Lucon
Page 50-59	Edan


CTG Monitoring

Page 60-61	Edan CTG Monitors
------------	-------------------

Diagnostic Ultrasound

Page 62-67	Edan
Page 68-70	Mediana

Page 71	Spiro Syringe, ECG Clips and Sims
Page 72	Installation & Support



zone
MEDICAL

Zone Medical Pty Ltd (established 2004) represents a range of market leading, quality medical equipment manufacturers with an emphasis on local customer support and service.

Our network of fully trained distributors and service agents across Australia and New Zealand offer on site demonstration and trials of the latest cost effective and technically advanced equipment for medical professionals.

*Image**Code**Product*
Cominox*ExGST**+GST*

COM6SD	6S Class S "Dynamica" Autoclave 6ltr without Printer	\$ 4,495.00	\$ 449.50
COM6BSPEEDY	6B Class B Autoclave 6ltr without Printer	\$ 7,495.00	\$ 749.50
COM6SDP	6S Class S "Dynamica" Autoclave 6ltr with Printer	\$ 4,744.00	\$ 474.40
COM6BSPEEDYP	6B Class B Autoclave 6ltr with Printer	\$ 7,744.00	\$ 774.40



COM18SDLCD	18S Class S "Dynamica" Autoclave 18ltr without Printer	\$ 5,495.00	\$ 549.50
COM18SLCD	18S Class S Autoclave 18ltr without Printer	\$ 6,245.00	\$ 624.50
COM18BLCD	18B Class B Autoclave 18ltr without Printer	\$ 7,995.00	\$ 799.50
COM18SDLCDP	18S Class S "Dynamica" Autoclave 18ltr with Printer	\$ 5,744.00	\$ 574.40
COM18SLCDP	18S Class S Autoclave 18ltr with Printer	\$ 6,494.00	\$ 649.40
COM18BLCDP	18B Class B Autoclave 18ltr with Printer	\$ 8,244.00	\$ 824.40



COM24SDLCD	24S Class S "Dynamica" Autoclave 24ltr without Printer	\$ 6,495.00	\$ 649.50
COM24SLCD	24S Class S Autoclave 24ltr without Printer	\$ 7,245.00	\$ 724.50
COM24BLCD	24B Class B Autoclave 24ltr without Printer	\$ 8,995.00	\$ 899.50
COM24SDLCDP	24S Class S "Dynamica" Autoclave 24ltr with Printer	\$ 6,744.00	\$ 674.40
COM24SLCDP	24S Class S Autoclave 24ltr with Printer	\$ 7,494.00	\$ 749.40
COM24BLCDP	24B Class B Autoclave 24ltr with Printer	\$ 9,244.00	\$ 924.40

All Cominox Sterilisers come standard with:

Internal water tanks with non recycled water system (not Dynamica)

TGA Registration, WorkCover Design Registration and EN13060 Compliance (were applicable)

3 x perforated stainless steel trays with 3 (rotate to 4) position support frame

Programmable Start Time and Auto Run User Defined Cycles including Vac and Bowie Dick combined test cycles

User Defined "Special Cycle"

12 month / 2000 cycles (which ever comes first)

- part and labour on-site warranty using authorised trained national service network (conditions apply)

Available in White on request (at additional cost)

Image

Code

Product

Ex GST

+GST

Cominox Optional Accessories


COMXACC0138	Printer Kit KF40 for 6/18/24 LCD Cominox Sterilisers	\$ 249.00	\$ 24.90
COMPAPER	Replacement Paper Roll	\$ 6.00	\$ 0.60

COMEXTWARD12	Extended Warranty for Dynamica Models - Parts Only	\$ 495.00	\$ 49.50
COMEXTWARS12	Extended Warranty for S Models - Parts Only	\$ 595.00	\$ 59.50
COMEXTWARB12	Extended Warranty for B Models - Parts Only (conditions apply)	\$ 695.00	\$ 69.50



COMPCKIT	Cominox Reader PC Software and Sterilcard Kit (both KITSTERILCARD & KITLETTEORELCD)	\$ 675.00	\$ 67.50
----------	--	-----------	----------

COMKITSTERILCARD	SterilCard Internal Upgrade Kit (no pc software)	\$ 280.00	\$ 28.00
COMKITLETTEORE	Cominox Reader v1.X PC Software (requires KITSTERILCARD)	\$ 495.00	\$ 49.50



COMROKIT	Upgrade Kit to Connect Existing RO Water System to Steriliser - includes COMXGEE0200 - COMX000GIM121 - COMX000GCS121 x 1m - COMX000GPO025	\$ 395.00	\$ 39.50
----------	---	-----------	----------



COMXACC0103	Water Self Charge Kit (A) - Allows steriliser to replenish the internal clean water tank - as required from an external water container - includes COMX012GIM105 - COMEX5 - COMXGEE0200 - COMX000GCS121 x1m - COMX000GPO025	\$ 415.00	\$ 41.50
-------------	---	-----------	----------

COMXACC0070	Direct Waste Drain on Rear of Unit (B) - Allows steriliser to empty the used water tank - automatically to an external waste water container - includes COMXGCS0050 - COMXGCS0025 - COMX000GCS121 x1m - COMX000GPO025	\$ 215.00	\$ 21.50
-------------	--	-----------	----------

COMXACC0036	Both Self Charge (A) and Direct Waste Kit (B) - includes COMXACC0103 Water Self Charge Kit - and COMXACC0070 Direct Waste Kit	\$ 590.00	\$ 59.00
-------------	--	-----------	----------

Image	Code	Product	Ex GST	+GST
	COMWD	Discom Water Distiller Produces approx 4 Litres in 7 hours Automatic shut off Easy to clean	\$ 349.95	\$ 350.00
	COMWDCF	Discom Carbon Filters (packet of 6)	\$ 47.95	\$ 4.80
	COMWDFH	Discom Filter Housing Only - Fits into top of water jug (COMWDWJ)	\$ 16.00	\$ 1.60
	COMWDWJ	Discom Water Jug Only	\$ 51.33	\$ 5.13
	COMSIGIFLASH	Thermo Sealer SIGIFLASH	\$ 595.00	\$ 59.50
	COMXSI0038	Optional Packet Tray for S96 Thermo-Sealer (pictured) Seals 250mm x 10mm with inbuilt cutter Wall Mountable	\$ 89.00	\$ 8.90
	COMWSR18	Pouch Wrap Support Rack for 18ltr Chamber	\$ 65.00	\$ 6.50
	COMWSR24	Pouch Wrap Support Rack for 24ltr Chamber Holds pouches vertically for maximum drying efficiency and steam penetration	\$ 75.00	\$ 7.50
	COMXACC0041	Support Frame for 5 Trays 18 Ltr	\$ 120.00	\$ 12.00
	COMXACC0117	Support Frame for 5 Trays 24 Ltr Holds additional Stainless Steel Trays Can hold 2 x Wrap Support Racks one above the other.	\$ 160.00	\$ 16.00
	COMX010ACC002	Additional Tray 18 Ltr	\$ 65.00	\$ 6.50
	COMXACC0043	Additional Tray 24 Ltr	\$ 75.00	\$ 7.50
	COMX010ACC025	Instrument Support Tray Prevents Condensation from forming in freshly removed pouches	\$ 35.00	\$ 3.50
	COMAF	Air Filter 0.2u Replace after 6 months	\$ 39.00	\$ 3.90
	COMXGEE0271	Additional SterilCard User Version	\$ 49.95	\$ 5.00
	COMXGEE0272	Additional SterilCard Administrator Version requires COMKITSTERILCARD	\$ 49.95	\$ 5.00
	COMFREIGHT	Freight - to an Australian Capital City	\$ 130.00	\$ 13.00
	COMINSTALL	Initial Insallation and Setup - conditions apply	\$ 250.00	\$ 25.00
	COMVALIDATION	Validation - conditions apply	\$ 350.00	\$ 35.00

Image

Code

Product
Sting 11 B

Ex GST

+GST

CEL01000001

Sting 11 - 24 Litre Chamber with internal Steam Generator

\$ 9,995.00

999.50



Fully Automatic High Speed Pre-Post Vacuum Steam Steriliser
Designed for wrapped, hollow and porous loads
Built in Steam Generator and powerful Vacuum Pump
Automatic Door Open and Close/Lock
Touch Screen with Blue LCD
USB and Serial Connection PC Connection
Includes 4 Stainless Steel Trays

CEL01000001W

Sting 11 - 24 Litre Chamber with internal Steam Generator
with Wet Ring Vac Pump

\$ 10,995.00

1,099.50

Fastest in its class!

2200w Element - Standard 10A Domestic Power Outlet
Requires Tap Water and Waste Drain Plumbing
Class B "Handpiece" Cycle with Drying in 26 minutes from start to finish

CEL01000001

Replacement Printer Ribbon

\$ 9.70

0.97

*Image**Code**Product**Ex GST**+GST***CELAZAC470****Azteca AC470 Round Chamber 90 Litre Steriliser****\$ 27,750.00****2,775.00**

Pre-vacuum/gravity sterilizer designed to cover a large field of applications for hospitals and medical centers.
 Inbuilt Steam Generator and Wet Ring Suction Pump
 Operating range of up to 2.5 Bar / 138°C.
 Microprocessor based control system, state of the art "Freescale" technology. VGA Colour graphic display.
 Impact Printer included
 RO system included
 Overall Size: 750mm W x 630mm H x 970mm D
 Chamber Size: 400mm Diameter x 700mm Deep

Weight:

Inc. Pack.: about 185 kgs

Exc. Pack.: about 160 kgs

Sizes:

Including packaging: 120x94x111 cm



Optional Stainless Steel Wall Mount Frame and Cabinet Pictured



REQUIRES 20Amp 3 Phase Power and Mains Water plus Drain

CEL04100027**Azteca Round Chamber 90 Litre Tray and Tray Rack Kit****\$ 1,995.00****199.50**

Tray Holder L: 63 cm W: 33.5 cm

Large Tray: L: 70 cm W: 33 cm H: 2 cm


Little Tray: L: 70 cm W: 21.5 cm H: 2cm

**CEL04100019****Wire Basket for AC470****\$ 495.00****49.50**

490 x 310 x 210

**CELAZ470TABLE****Azteca Full Cabinet Stand****\$ 4,995.00****499.50**

750x800x780mm (WxHxD)

Image	Code	Product	Ex GST	+GST
	CELAZAC575	Azteca Round Chamber 150 Litre Steriliser Pre-vacuum/gravity sterilizer designed to cover a large field of applications for hospitals and medical centers. Inbuilt Steam Generator and Wet Ring Suction Pump Operating range of up to 2.5 Bar / 138°C. Microprocessor based control system, state of the art "Freescale" technology. Blue graphic display. Impact Printer included RO system Included Overall Size: 850mm W x 730mm H x 1050mm D Chamber Size: 500mm Diameter x 700mm Deep	\$ 32,750.00	3,275.00
	CEL4100052	Azteca Round Chamber 150 Litre Tray and Tray Rack Kit Tray Holder L: 68 cm W: 43.4 cm 3 x Large Trays: L: 75 cm W: 42 cm H: 2 cm 2 x Small Trays: L: 75 cm W: 25 cm H: 2 cm	\$ 2,995.00	299.50
	CEL4100051	Wire Basket for AC575 490x360x290	\$ 495.00	49.50
	CELAZ575	Azteca Full Cabinet Stand 850x800x850mm (WxHxD)	\$ 4,995.00	499.50
				

Image

Code

Product
Sonica Ultrasonic Cleaners

Ex GST

+GST



SOLS1200M	1200M 1.9Ltr 150x140x100 Tank (basket & lid INCLUDED!)	\$ 950.00	\$ 95.00
SOLS2400M	2400M 4.5Ltr 300x150x100 Tank (basket & lid INCLUDED!)	\$ 1,500.00	\$ 150.00
SOLS2400MH	2400MH 4.5Ltr 300x150x100 Tank (basket & lid INCLUDED!)	\$ 1,670.00	\$ 167.00
SOLS2400ETH	2400ETH 4.5Ltr 300x150x100 Tank (basket & lid INCLUDED!)	\$ 1,890.00	\$ 189.00
SOLS2400EP	2400EP 4.5Ltr 300x150x100 Tank (basket & lid INCLUDED!)	\$ 2,115.00	\$ 211.50
SOLSNCR12400	2400 Stainless Steel Wire Basket	\$ 135.00	\$ 13.50
SOLSNCP2400	2400 Stainless Steel Lid	\$ 95.00	\$ 9.50



SOLS3200M	3200M 6Ltr 300x240x100 Tank (basket & lid INCLUDED!)	\$ 1,725.00	\$ 172.50
SOLS3200MH	3200MH 6Ltr 300x240x100 Tank (basket & lid INCLUDED!)	\$ 1,835.00	\$ 183.50
SOLS3200ETH	3200ETH 6Ltr 300x240x100 Tank (basket & lid INCLUDED!)	\$ 2,170.00	\$ 217.00
SOLS3200EP	3200EP 6Ltr 300x240x100 Tank (basket & lid INCLUDED!)	\$ 2,395.00	\$ 239.50
SOLKITDECO6	Decontamination Tank 6Ltr 300x240x100	\$ 335.00	\$ 33.50
SOLSNCR13200	3200 Stainless Steel Wire Basket	\$ 140.00	\$ 14.00
SOLSNCP3200	3200 Stainless Steel Lid	\$ 115.00	\$ 11.50



SOLS3200LM	3200LM 6Ltr 500x140x100 Tank (basket & lid INCLUDED!)	\$ 1,995.00	\$ 199.50
SOLS3200LMH	3200LMH 6Ltr 500x140x100 Tank (basket & lid INCLUDED!)	\$ 2,225.00	\$ 222.50
SOLS3200LETH	3200LETH 6Ltr 500x140x100 Tank (basket & lid INCLUDED!)	\$ 2,490.00	\$ 249.00
SOLS3200LEP	3200LEP 6Ltr 500x140x100 Tank (basket & lid INCLUDED!)	\$ 2,780.00	\$ 278.00
SOLSNCR13200L	3200L Stainless Steel Wire Basket	\$ 325.00	\$ 32.50
SOLSNCP3200L	3200L Stainless Steel Lid	\$ 150.00	\$ 15.00



SOLS3300M	3300M 9.5Ltr 300x240x150 Tank (basket & lid INCLUDED!)	\$ 2,560.00	\$ 256.00
SOLS3300MH	3300MH 9.5Ltr 300x240x150 Tank (basket & lid INCLUDED!)	\$ 2,780.00	\$ 278.00
SOLS3300ETH	3300ETH 9.5Ltr 300x240x150 Tank (basket & lid INCLUDED!)	\$ 2,950.00	\$ 295.00
SOLS3300EP	3300EP 9.5Ltr 300x240x150 Tank (basket & lid INCLUDED!)	\$ 3,225.00	\$ 322.50
SOLSNCR13300	3300 Stainless Steel Wire Basket	\$ 370.00	\$ 37.00
SOLSNCP3300	3300 Stainless Steel Lid	\$ 115.00	\$ 11.50




SOLS4300M	4300M 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 2,990.00	\$ 299.00
SOLS4300MH	4300MH 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 3,170.00	\$ 317.00
SOLS4300ETH	4300ETH 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 3,490.00	\$ 349.00
SOLS4300EP	4300EP 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 3,670.00	\$ 367.00
SOLS4300iETH	4300iETH Recessed 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 4,230.00	\$ 423.00
SOLS4300iEP	4300iEP Recessed 18Ltr 330x300x200 Tank (basket & lid INCLUDED!)	\$ 4,490.00	\$ 449.00
SOLSNCR14300	4300 Stainless Steel Wire Basket	\$ 415.00	\$ 41.50
SOLSNCP4300	4300 Stainless Steel Lid	\$ 140.00	\$ 14.00



SOLS5300M	5300M 28Ltr 500x300x200 Tank (basket & lid INCLUDED!)	\$ 3,560.00	\$ 356.00
SOLS5300MH	5300MH 28Ltr 500x300x200 Tank (basket & lid INCLUDED!)	\$ 3,780.00	\$ 378.00
SOLS5300ETH	5300ETH 28Ltr 500x300x200 Tank (basket & lid INCLUDED!)	\$ 4,060.00	\$ 406.00
SOLS5300EP	5300EP 28Ltr 500x300x200 Tank (basket & lid INCLUDED!)	\$ 4,340.00	\$ 434.00
SOLSNCR15300	5300 Stainless Steel Wire Basket	\$ 1,060.00	\$ 106.00
SOLSNCP5300	5300 Stainless Steel Lid	\$ 205.00	\$ 20.50

Image	Code	Product	Ex GST	+GST
	SOLSN45LEP	45LEP 45Ltr Ti Tank (basket & lid INCLUDED!) Weight: Approx 21Kg Tank Dimensions: L500xB300xD300mm External Dimensions: L600xB340xH525mm External Construction: Stainless Steel AISI 304 Internal Tank Construction: Steel AISI 316Ti 15/10	\$ 9,995.00	\$ 999.50
	SOLSN60LEP	60LEP 60Ltr Ti Tank (basket & lid INCLUDED!) Weight: Approx 30Kg Tank Dimensions: L1100xB300xH200mm External Dimensions: L1160xB360xH425mm External Construction: Stainless Steel AISI 304 Internal Tank Construction: Steel AISI 316Ti 15/10	\$ 11,995.00	\$ 1,199.50
	SOLSNATCEP	ATCEP 67Ltr Ti Tank (basket & lid INCLUDED!) Weight: Approx 30Kg Tank Dimensions: L600xB320xH350mm External Dimensions: L600xB340xH525mm External Construction: Stainless Steel AISI 304 Internal Tank Construction: Steel AISI 316Ti 15/10	\$ 12,995.00	\$ 1,299.50
	SOLSN90LEP	90LEP 90Ltr Ti Tank (basket & lid INCLUDED!) Weight: approx 40kg Tank Dimensions: L600xB500xH300mm External Dimensions: L660xB560xH525mm External Construction: Stainless Steel AISI 304 Internal Tank Construction: Steel AISI 316Ti 15/10	\$ 14,995.00	\$ 1,499.50

Image	Code	Product	Ex GST	+GST
	SOLSNCP	Cassette Carrier for 2200 and 3200	\$ 109.00	\$ 10.90
	SOLSNCTI	Basket SS Mesh Round 71mm Diameter	\$ 105.00	\$ 10.50
	SOLSNBVP400	Glass Beaker 400ml 82mm dia with retaining ring	\$ 29.00	\$ 2.90
	SOLSNSPBINOX2232	Frame Support for 2 Beakers suit 2200-3200	\$ 60.00	\$ 6.00
	SOLSNSPBINOX2400	Frame Support for 2 Beakers suit 2400	\$ 79.00	\$ 7.90
	SOLSNSPBINOX4353	Frame Support for 2 Beakers suit 4000-5000	\$ 79.00	\$ 7.90

Available Configurations



M = up to 15 minute manual timer



MH = up to 15 minute manual timer with 60c Heater



ETH = electronic timer and temperature control



EP = Sweep System Generator

- " 0-99 minute cleaning timer
- " Temperature setting up to 70c in 1 degree increments
- " Memory for 9 cleaning programs
- " Jet program function
- " Degas Timer



Recessed in Benchtop units available in all sizes as ETH or EP Models

Warranty: 12 Months

Image

Code

Product
MIR

Ex GST

+GST



MIR910651

SpiroLab 3 with SpO2 & Winspiro Pro software

\$ 3,995.00 \$ 399.50

3rd Generation Diagnostic Spirometer with Oximetry and High Res FSTN 320x240 Colour Display
 Up to 8 tests on screen at one time, 6000 Spirometry test or 1000 hours Oximetry memory
 Bluetooth, USB and Rs232 connections, Fast Quiet 112mm In-Built Printer
 Internal Rechargeable Battery and/or Mains Operation, Automatic BTPS Correction
 Full Alpha-Numeric Keyboard for Fast and Easy Data Entry
 Carry Case, PC Connection and WinSpiro Pro Software included as standard
 Never Requires Calibration, Can Upgrade to Disposable Turbines
 1.9kg 310x205x65mm



MIR919009

Oximeter Sensor Pediatric Reusable Finger Probe (SL3 & SB2)

\$ 549.00 \$ 54.90



MIR919010

Oximeter Sensor Adult Reusable Finger Probe (SL3 & SB2)

\$ 549.00 \$ 54.90



MIR919090

Oximeter Sensor Extension Cable to use std BCI finger probe (SL3 & SB2)

\$ 220.00 \$ 22.00



MIR910650

SpiroLab 3 with Winspiro Pro software

\$ 3,750.00 \$ 375.00

Same as MIR910651 without SpO2 Option



MIR910655

SpiroLab 3 with Winspiro Pro software

\$ 3,250.00 \$ 325.00

Same as MIR910650 with black and white Display

Image	Code	Product	Ex GST	+GST
	MIR910550	SpiroLab 2 with Winspiro Pro software Colour Display FSTN 320x240, Up to 8 tests on screen at one time 1500 Spirometry test memory Rs232 connection, Fast Quiet 112mm In-Built Printer Internal Rechargeable Battery and/or Mains Operation, Automatic BTPS Correction Full Alpha-Numeric Keyboard for Fast and Easy Data Entry Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 1.9kg 310x205x65mm	\$ 3,495.00	\$ 349.50
	MIR910560	SpiroLab with WinSpiro Pro Software Black and White Display FSTN 320x240 500 Spirometry test memory Rs232 connection, Fast Quiet 112mm In-Built Printer Internal Rechargeable Battery and/or Mains Operation, Automatic BTPS Correction Full Alpha-Numeric Keyboard for Fast and Easy Data Entry Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 1.9kg 310x205x65mm	\$ 2,995.00	\$ 299.50
	MIR910350	Paper roll for SL, SL2 & SL3 (Pkt10)	\$ 95.00	\$ 9.50
	MIR910113	Bluetooth Printer Combo Connects SL3 / SB2 / SBG USB / MIROXI to a compatible printer for A4 Plain Paper Printouts	\$ 280.00	\$ 28.00

Image	Code	Product	Ex GST	+GST
	MIR910513	New! SpiroBank USB with WinSpiro Express Software Black and White 120x32 Pixel Graphic Display with Flow/Volume shown FVC,FEV1,FEV6,FEV1/FVC%,PEF,FEF25-75%,ELA Upgradeable Internal Software, USB connection 9v Battery Included for Portable Operation, Automatic BTPS Correction Stand Alone Testing with Upload to PC with WinSpiro Express Software Carry Case, PC Connection and WinSpiro Express Software included as standard Never Requires Calibration, Uses Disposable Turbines ONLY 180grams 162x49x34mm	\$ 995.00	\$ 99.50
	MIR910512	New! SpiroBank G USB with WinSpiro Pro Software Stand Alone or PC Live on Screen with WinSpiro Pro 6000 Spirometry Test Memory and Built In BlueTooth, USB and RS232 Advanced Spirometry Test Interpretation 9v Battery Included for Portable Operation, Automatic BTPS Correction Direct Printer Connection via inbuilt Bluetooth Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 180grams 162x49x34mm	\$ 1,795.00	\$ 179.50
	MIR910575	SpiroBank 2 (reusable turbine) with WinSpiro Pro Software 3rd Generation Diagnostic Spirometer with High Res STN 128x64 Display 6000 Spirometry test Bluetooth and USB connections plus Built-In Modem Includes 4xAAA Batteries , Automatic BTPS Correction AlphaNumeric Patient Data Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 180grams 60x145x30mm	\$ 1,795.00	\$ 179.50
	MIR910570	SpiroBank 2 (reusable turbine) with SpO2 & WinSpiro Pro 3rd Generation Diagnostic Spirometer with Oximetry and High Res STN 128x64 Display 6000 Spirometry test or 1000 hours Oximetry memory Bluetooth and USB connections plus Built-In Modem Includes 4xAAA Batteries , Automatic BTPS Correction AlphaNumeric Patient Data, Short ,Long Term (overnight) with Desaturation event recording and Sleep Apnea Detection plus 6 Minute Walking Test Oximetry Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 180grams 60x145x30mm	\$ 1,995.00	\$ 199.50

Image	Code	Product	Ex GST	+GST
	MIR910581	MiniSpir USB with SpO2 includes reusable turbine Direct Connection to PC USB Port for Live on Screen Tests No Batteries or Additional Connections Required Internal Temperature Sensor for Automatic BTPS Correction Carry Case, PC Connection and WinSpiro Pro Software included as standard Never Requires Calibration, Can Upgrade to Disposable Turbines 60grams 52x128x26mm	\$ 1,995.00	\$ 199.50
	MIR910580	MiniSpir USB includes reusable turbine Same as MIR910581 without SpO2 Sensor	\$ 1,675.00	\$ 167.50
	MIR910580D100	MiniSpir USB includes 100x Disposable Turbine Same as MIR910581 without SpO2 Sensor (note: MIR910002 Reusable Turbine not included)	\$ 1,495.00	\$ 149.50
	MIR920217	MirTel Uploader PC Software PC Software which creates a multilevel telemedicine network for the MIR USB Devices SL3, SB2, Sbank G USB, Mir Oxi	\$ 1,495.00	\$ 149.50
	MIR910524	Spirotek Spirometry + SpO2 Built-In Modem for Transmission of Home Care Results Oximetry Recording Every 10 seconds Measures FVC, FEV1, FEV1%, PEF, FEF25-75 and FET Automatic Interpretation with Test Quality Control via Traffic Lights Compares Measured Values against Predicted Values Spot and Overnight Measurements Optional Direct A4 Printout to DOS Compatible Printer (with MIR910116) 100grams 70x80x30mm	\$ 1,495.00	\$ 149.50
	MIR910520	Spirotek Spirometry + SpO2 Personal Pocket Device for Tele-Spirometry	\$ 590.00	\$ 59.00

Image

Code

Product

Ex GST

+GST



MIR91000507

Turbine for SpiroDoc/SpiroTel

\$ 495.00 \$ 49.50



MIR910015

SpiroTel RS232 microinterface cable for Direct Connecting Data Transfer
Setup patient parameters and upload saved results directly to PC from a SpiroTel Spirometer

\$ 390.00 \$ 39.00



MIR910670

MirOxi

Digital Pulse Oximeter designed to assess oxygen saturation and pulse rate plus comprehensive 6 minute walk and sleep disorder routines with parameters shown on display - includes Winspiro Pro PC software for comprehensive data analysis
RS232 / USB / BT connections plus body belt with device holder

\$ 1,495.00 \$ 149.50



MIRMOU008

Mouthpieces Cardboard for MIR Spirometers 30mmOD (bx200)


\$ 55.00 \$ 5.50



MIR910302

Bacterial/Viral Filter Disposable (bx50)

\$ 490.00 \$ 49.00

Image	Code	Product	Ex GST	+GST
	MIR910000M	Turbine with Mesh only for SL/SL2 with Old Style Optosensor Replacement Reusable Turbines "Push In" Base 	\$ 389.00	\$ 38.90
	MIR910002	Turbine with Mesh for SL3, SB2, MiniSpir, SB, SBG Replacement Reusable Turbines New Style with Twist Lock Base for use with MiniFlow Meter equipped MIR Spirometers 	\$ 389.00	\$ 38.90
	MIR910001	FlowMIR Disposable Turbine Box 100 Zero Risk of Cross Contamination Individually Wrapped Factory Calibrated - Never Needs Calibration Unique World Wide Patented Design	\$ 295.00	\$ 29.50
	MIR910590	MiniFlow Meter with Cable (no turbine) - upgrade SL or SL2 to use FlowMir	\$ 330.00	\$ 33.00
	MIR910100	RS232 Cable MIR002 to SB/SBG with 25to9 Pin Adapter Replacement SB/SBG to PC cable for WinSpiro Pro Software	\$ 280.00	\$ 28.00
	MIR920215	WinSpiro Pro Network Edition (includes 5 Workstation Licenses) 60 Day Trial Version Available WinSpiroPro_v301_Network_Trial.zip	\$ 495.00	\$ 49.50
	MIR920216	WinSpiro Pro Network Edition additional Workstation License	\$ 150.00	\$ 15.00

Warranty: 12 Months on Devices - Turbines are classified as consumables

Image

Code

Product
L.I.D.

Ex GST

+GST



LIDHTI00651B

Halogen Lamp 20w Flexible 650mm Neck
 9,000 Lux at 50cm
 Powerful and Comfortable to use
 33% less heat than previous models

\$ 290.00 \$ 29.00

LID620169

Dichronic Bulb 12v/20w 10deg

\$ 29.95 \$ 3.00



LIDBOR51001VB

Halogen Lamp 50w with Dimmer, Flexible 1000mm Neck
 15,000 Lux at 1 Meter
 33% less heat than previous models
 Dimmer and Positioning Handle Included as standard
 Lifetime Guarantee for flexible arm

\$ 495.00 \$ 49.50

LID516677

Dichronic Bulb 12v/50w

\$ 29.95 \$ 3.00



LIDLEDB0900B

LED Lamp 230v/12v/4.2w 900mm Neck (HEAT FREE!)
(our Best Seller!)
 100,000 hour life - Never change a bulb again!
 Very low power usage - 4.2w with 3 light sources
 Excellent light without Heat or U.V.

\$ 695.00 \$ 69.50



LIDFLU00912

Magnifying Lamp with 22w Fluorescent Lamp
 (mobile stand optional)


\$ 249.00 \$ 24.90

LIDPIR00912

Mobile trolley for 22w Fluorescent Lamp (LIDFLU00912)

\$ 195.00 \$ 19.50



Image	Code	Product	Ex GST	+GST
	LIDETR00111	Desk Clamp (black)	\$ 49.95	\$ 5.00
	LIDPIR00666P	Mobile 5 leg Adjustable 60-110cm Trolley	\$ 249.95	\$ 25.00
	LIDEMU00444	Wall Mount	\$ 39.95	\$ 4.00
	LIDETRPM006	Universal Clamp (for tubular trolley rails)	\$ 145.00	\$ 14.50
	LIDSAP00222	Heavy Base 1.5kg (<i>not pictured</i>)	\$ 115.00	\$ 11.50
	LIDBRA00800	Wall Mount with 2x400mm Articulating Arms * Reach Head and Toe of a bed with one wall mount *	\$ 225.00	\$ 22.50

Warranty: 5 YEARS (*conditions apply*)

Image

Code

Product
Rimsa Lights

Ex GST

+GST



RIMSALEDRL

LAMP ESALED with Caster Base

\$ 2,350.00

235.00

RIMSALED

LAMP ESALED (requires Fixing System - RIMS11 or RIMS12)

\$ 1,995.00

199.50

RIMS11

Table Clamp

\$ 75.00

7.50

RIMS12

Wall Mount

\$ 75.00

7.50

COLD LIGHT LAMP WITH LED TECHNOLOGY

SHADOWS-LESS TYPE

6 white LEDs of 2,5W each. 24V

30.000 lux at 50 cm distance

Glass lense to optimize the light performance.

You can be assured of shadow-less, low radiated heat

thanks to the multiple independent light sources.

ESALED is suitable for Examination Purposes.

NEW! PentaLED 12



RIMPENTA12PI

LAMP PentaLED 12 MOBILE STAND

\$ 4,795.00

479.50

RIMPENTA12SO

LAMP PentaLED 12 Ceiling

\$ 4,795.00


479.50

RIMZ180045

Additional PentaLED 12 Sterilisable Handle Only

\$ 59.00

5.90



Light intensity at 1 m distance (Ec) - 50000 Lux

Total radiated energy at illuminance max level - 119 W/m2

Electrical absorption - 30w

Luminous source - LED x12

Average LED life - 50000 hours

Brightness Control - 50% to 100%

Image

Code

Product

Ex GST

+GST

RIMSA Operating Lights

RIMD400PI
RIMD400SO
RIMD400PA

LAMP D/400 MOBILE STAND
LAMP D/400 CEILING
LAMP D/400 WALL

\$ 7,495.00 749.50
\$ 7,995.00 799.50
\$ 7,445.00 744.50

The D400 series is a high quality apparatus designed to guarantee excellent illumination performance, unique of its kind. The reduced dimensions and the lightness of the reflector give the product stability and make it extremely easy to handle. The luminous beam is always in focus, starting from a minimum distance of 60 cm. The diameter of the field illuminated is regulated manually by rotating the handle, which can be sterilised, at the centre of the reflector. The luminous intensity can be adjusted electronically.

LED Minor Operating Lights

RIMPENTA30PI
RIMPENTA30PA
RIMPENTA30SO

LAMP PENTALED 30 MOBILE STAND
LAMP PENTALED 30 WALL
LAMP PENTALED 30 CEILING

\$ 8,495.00 849.50
\$ 8,495.00 849.50
\$ 8,995.00 899.50

PENTALED 30 uses the latest technological design to guarantee excellent illumination performance. PENTALED 30 consists of 30 elliptic reflectors divided in 6 modules with 5 LEDs each. Indirect light: 30 elliptic reflectors, result of a complex mathematic calculus, reflect the rays of light of the LED punctiformly, guaranteeing three-dimensional lighting and elimination of the shades on the operating field.

Light intensity at 1 m distance (Ec) $\pm 10\%$ @ 5.000 °K Lux 100.000
 Light intensity at 1 m distance (Ec) $\pm 10\%$ @ 4.500 °K Lux 60.000
 Colour temperature: double selection °K 4.500 / 5.000
 Power LEDs W N. 30 x 1,7
 Average LED life ore 50.000
 Control of the illuminance % 40 - 100 30 - 100
 Minimum height of the room (only for ceiling version) cm 240
 Outer reflector diameter cm 40
 Elliptic reflector diameter cm 5,5
 Useful lighting surface cm2 712
 Weight (mobile, ceiling, wall, x2) Kg 38 - 33 - 34 - 65



RIMPENTAIXPIFF
RIMPENTAIXPAFF
RIMPENTAIXSOFF

LAMP PENTALED 9-Fixed Focus MOBILE STAND
LAMP PENTALED 9-Fixed Focus WALL
LAMP PENTALED 9-Fixed Focus CEILING

\$ 6,995.00 699.50
\$ 6,995.00 699.50
\$ 7,445.00 744.50

The PENTALED 9 series uses the latest in high-tech design to guarantee excellent performance. Its reduced dimensions and the lightness of the reflector gives the product easy handling and stability. 9 elliptical parabolas, result of complex mathematical calculations, reflect the light beams of the Leds uniformly in dots to obtain the total suppression of shadows from the operating field.

PERFORMANCES

Light intensity at 1 m distance (Ec) Lux 100.000
 Colour temperature of radiated energy °K = 4.500
 Power LEDs W N. 9 x 2,5 W
 Average LED life h = 50.000
 Control of the illuminance % = 30 - 100
 Minimum height of the room (only for ceiling version) cm = 270
 Out reflector diameter cm = 40
 Elliptic reflector diameter cm = 9
 Useful lighting surface cm2 = 572
 Weight (mobile, ceiling, wall, x2) Kg 38 - 33 - 34 - 65



Image

Code

Product

Ex GST

+GST

RIMPENTA6330SO

LAMP PENTALED 63 +30 Ceiling Mount

\$ 24,745.00

2,474.50

Major Surgery Lamp Model PENTALED 63+ 30 ceiling

Major surgery lamp ceiling mounted, composed of PENTALED 63 main + PentaLED 30 satellite, with double selection of colour temperature (4.500 – 5.000°K) and light for endoscopy "EndoLed", complete with: anchoring tube with welded iron plate Ø 300 mm., covering, electric contacts for AC supply, CE marked in accordance with MDD 93/42

Performance:

Light intensity at 1 m distance (Ec): 160 + 100 Klx

Colour rendering Index (CRI): 94 / 90

Colour temperature of radiated energy: 4.500 - 5.000 °K

Endoscopy light "EndoLed": 4.500 - 5.000 °K

Focusable by sterilisable handle: Rotating handle

Light field diameter where the luminance reaches of Ec (d50) 50%: 160 – 100 mm

Light field diameter where the luminance reached 10% of Ec (d10): 250 – 200 mm

Depth of illumination IEC 60601-2-41 (L1+L2) at 20%: 140 cm. / 75 cm

Total radiated energy Ee where the luminance reached max. level: 490 + 112 W/m2

Radiated UV energy with wavelength less than 400nm: 0,002 + 0,002 W/m2

Electrical data:

LED light source: n.63+30 LEDs

Power consumption: 100+75W

Average lamp life: 50.000 h

Electronic control of the luminance: Digital

General data:

Minimum height of the room: 275 cm

Out reflector diameter: 63 + 40 cm

Weight: 80 Kg



Batteryfor6330

Battery Group for P63+30

\$ 5,995.00

599.50

24v 27Ah Lead Acid Maintenance Free with Charger

RIMPENTA30B103230SO

LAMP PENTALED 30 +30 Ceiling Mount

\$ 16,495.00

1,649.50

Minor Surgery Lamp Model PENTALED 30+ 30 ceiling

Minor surgery lamp ceiling mounted, composed of PENTALED 30 main + 30 satellite, with double selection of colour temperature (4.500 – 5.000°K), complete with: anchoring tube with welded iron plate Ø 300 mm., covering, electric contacts for AC supply, CE marked in accordance with MDD 93/42 CEE

Performance:

Light intensity at 1 m distance (Ec): 100 + 100 Klx

Colour rendering Index (CRI): 94 / 90

Colour temperature of radiated energy: 4.500 - 5.000 °K

Focusable by sterilisable handle: Rotating handle

Light field diameter where the luminance reaches of Ec (d50) 50%: 90 + 90 mm

Light field diameter where the luminance reached 10% of Ec (d10): 200 – 200 mm

Depth of illumination IEC 60601-2-41 (L1+L2) at 20%: 105 cm

Total radiated energy Ee where the luminance reached max. level: 112 W/m2

Radiated UV energy with wavelength less than 400nm: 0,002 W/m2

Electrical data:

LED light source: n. 30 LEDs

Power consumption: 70W + 70W

Average lamp life: 50.000 h

Electronic control of the luminance: Digital

General data:

Minimum height of the room: 240 cm

Out reflector diameter: 40 cm

Weight: 65 Kg




Batteryfor3030

Battery Group for P30+30

\$ 2,990.00

299.00

24v 24Ah Lead Acid Maintenance Free with Charger

Image	Code	Product	Ex GST	+GST
		VIDEO OTOSCOPE		
	APPMS101	Video Otoscope Kit Provides direct line of site to - inner ear anatomy live on 2.4" Colour LCD Auto Focus RCA Video out to allow simultaneous display on TV etc Runs on 2x AA batteries Carry Case included	\$ 895.00	89.50
				
	APPS020001	PC Interface and Software for APPMS101 Video Otoscope Kit Laptop not included Allows RCA Video Out from APPMS101 to be captured and displayed live on PC Includes "Shutter Style" still image button	\$ 195.00	19.50
				
	APPS020003	Disposable Specula Bx500 for APPMS101 Video Otoscope Kit	\$ 59.95	6.00
				

Code	Product	Ex GST	+GST
<u>Bestman Dopplers</u>			
BESBF-500D	Pocket Fetal Doppler Built in Rechargeable Battery (lasts up to 6 hours continuous use) Can use standard 9V battery 2Mhz probe standard (optional 5.0Mhz probe for umbilical blood stream) Size 20.0cm x 16.5cm x 6.5cm (Only 270g)	\$ 450.00	Exempt
			
BESBF500DC	Pocket Fetal Doppler with COLOUR Backlit LCD Display Screen displays FHR, Synchronous FHR Signal, Battery Indicator, Volume and Alarm indicator Built in Rechargeable Battery (lasts up to 2 hours continuous use), Can use standard 9v Battery Automatic power off (after 1 minute of inactivity) 2Mhz probe standard (optional 5.0Mhz probe for umbilical blood stream) Size 20.0cm x 16.5cm x 6.5cm (Only 270g)	\$ 549.00	Exempt
			
BESBF530	Fetal Doppler White Backlit LCD Heart Rate / Graph Display Screen displays FHR, Synchronous FHR Signal, Battery Indicator, Volume and Alarm indicator FHR trend graphics can be displayed, FHR range: 60-210 BPM 1Mhz High Precision Pulsed Doppler probe RS-232 Serial output for Computer Connection Built in Rechargeable Battery (lasts up to 4 hours continuous use), Can use standard 9v Battery Size: 130 x 85 x 30 mm (only 270g) - LCD Size: 58 x 36mm	\$ 549.00	Exempt
			
BESBV520	Vascular Doppler LED Signal Strength Bar Display LCD Bar Graph displays Flow Velocity Infrared jack for transmission to Computer Lithium Rechargeable Battery Size: 35 x 55 x 130mm (only 250g) 8Mhz or 5Mhz Probe	\$ 779.00	Exempt
			
BESBV520T	Vascular Doppler LCD Heart Rate, Peak, Mean and Graph LCD Screen displays Flow Velocity Peak, Mean, Heart Rate and Time Infrared jack for transmission to Computer Lithium Rechargeable Battery Size: 35 x 55 x 130mm (only 250g) - LCD Size: 128 x 96 8Mhz or 5Mhz Vascular Probe	\$ 1,690.00	Exempt
			

Code	Product	Ex GST	+GST
BESBF560F	Doppler with White LCD Display and Fetal 2Mhz probe  LCD Bar Graph displays Flow Velocity Head Phone Jack Back Light On/Off Large Clear Speaker with Adjustable Volume Size: 35 x 90 x 130mm (only 500g)	\$ 495.00	Exempt
BESBF560V	Doppler with White LCD Display and Vascular 8Mhz Probe same as BESBF-560 but with 8mhz not 2mhz probe	\$ 545.00	Exempt
BESBF5602Mhz	Fetal 2Mhz probe for BESBF-560	\$ 395.00	Exempt
BESBF5605Mhz	Vascular 5Mhz probe for BESBF-560	\$ 395.00	Exempt
BESBF5608Mhz	Vascular 8Mhz probe for BESBF-560 	\$ 395.00	Exempt
BESBV620VP	Vascular Doppler with Printer and LCD Display 8Mhz or 5Mhz Vascular Probe  LCD Screen displays Flow Velocity Peak, Mean, Heart Rate and Time Adjustable Volume and Time/Date Display Built in High Precision Printer with 55mm paper RS-232 Serial output for Computer Connection Weight 1.4Kg	\$ 1,950.00	Exempt

Image	Code	Product	Ex GST	+GST
Heart On AED Automated External Defibrillator				
	MEDA10	HeartOn AED Automated External Defibrillator includes: Adult Disposable Pads Carry Case Disposable LiMnO2 Battery	\$ 2,450.00	Exempt
	MEDPADSA	HeartOn AED Adult Pads	\$ 95.00	Exempt
	MEDPADSP	HeartOn AED Pediatric Pads	\$ 95.00	Exempt
	MEDBATNR	HeartOn AED Non Rechargeable Battery	\$ 230.00	Exempt
	MEDRESCAB	HeartOn AED Rescue Cabinet with Alarm - Basic	\$ 1,795.00	Exempt
	MEDTRIWS	HeartOn AED Triangular Wall Sign		Exempt
	MEDACC01	Lucon HR Software CD ROM & License	\$ 295.00	Exempt
	MEDACC02	HeartOn AED IrDA Data Download Cable and DC adapter	\$ 195.00	Exempt
	MEDACC03	HeartOn AED SD Card	\$ 95.00	Exempt
	MEDBAG01	HeartOn AED Soft Carry Case	\$ 99.00	Exempt
5 year AED Warranty - 2 year defibrillation pads expiry (from DOM)				
	MEDT10	Training System HeartOn AED Automated External Defibrillator Trainer with Remote Control	\$ 950.00	Exempt
	MEDTPADSA	Trainer Adult Pads	\$ 95.00	Exempt
	MEDTPADSP	Trainer Pediatric Pads	\$ 95.00	Exempt
	MEDT10RC	Trainer Remote Control		Exempt

Image	Code	Product	Ex GST	+GST
<u>Heartsine Samartin PAD Defibrillator</u>				
	MEDPADBAS	HEARTSINE SAMARITAN PAD, ADULT PAD/PAK The HeartSine Samaritan PAD (1x Adult PAD-PAK) is truly an innovative AED with its compact size, ease of use for operation, outstanding technical specifications and durability. It won a prestigious Australian International design award in 2005. PAD-PAK electrode/battery have a 3.5 year shelf life, 7 year warranty on defibrillator, self testing including electrodes, 45 minutes data recording, weight 1.1 kg, IP56, the Samaritan PAD has passed significant military and medical equipment testing standards. Supplied with: Samaritan PAD Defibrillator, double compartment carrybag with handle (not pictured), One adult PAD-PAK electrode/battery cartridge, USB data port, manual and CPR poster.	\$ 2,650.00	Exempt
	MEDPADTRNSYS05	HEARTSINE SAMARITAN PAD TRAINING SYSTEM The package includes one samaritan® AED Trainer, a battery charger, one set of training pads, a durable high-quality carrying case with shoulder strap, a quick reference scenario card, a quick reference instruction card and a user manual 8 Realistic Training Scenarios 2000 and 2005 Guidelines Multilanguage, Exchangeable Electrodes Rechargeable Batteries and Loading cable	\$ 750.00	75.00
	MEDPADPAK01	HEARTSINE SAMARITAN Replacement PAD and Battery Adult	\$ 255.00	25.50
	MEDPADPAK02	HEARTSINE SAMARITAN Replacement PAD and Battery Child	\$ 358.00	35.80
		PAD-PAK electrode/battery have a 3.5 year shelf life from manufacture date		
	MEDPADACC01	HEARTSINE SAMARITAN EVOSoftware CD ROM and USB upload Cable	\$ 535.00	53.50

Image	Code	Product	Ex GST	+GST
<u>ChoiceMed Finger Pulse Oximeters</u>				
 	CHOMD300C5	Pulse Oximeter Child Finger LCD WORLD FIRST! Designed for Children 4 weeks to 12 years of age OLED display; Finger tip sensor Parameter: SpO2, PR, Pleth Bar - Auto Power Off 2 AAA battery power supply; approximately 30 hours battery life	\$ 249.00	Exempt
	CHOMD300C1	Pulse Oximeter Finger LED LED display; Finger tip Parameter: SpO2, PR, Pleth Bar 2 AAA battery power supply; approximately 30 hours battery life Automatic power off	\$ 195.00	Exempt

Image	Code	Product	Ex GST	+GST
	CHOMD300C21	Pulse Oximeter Finger LCD MultiDirectional Display	\$ 149.00	Exempt
	Our Most Popular	LCD display; Finger tip Multi-direction display (6 modes) Parameter: SpO2, PR, Pleth waveform, Pleth Bar 2 AAA battery power supply; approximately 30 hours battery life Automatic power off		
	CHOMD300C3	Pulse Oximeter Finger OLED with Alarms	\$ 199.00	Exempt
		Dual Colour OLED Display 6 Display Modes Displays SpO2, PR, PI, Pulse Bar, Plethysmogram Low power consumption with auto power off Low Battery Indicator Adjustable Brightness Audible and visual alarms		
	CHOMD300W	Pulse Oximeter Wrist Mounted - Sleep Monitoring	\$ 795.00	Exempt
		with Audible Alarms and standard PC output and Software LCD Display SpO2, PR, SpO2 Bar Graph Audible Alarm for Low Battery, Probe Off and Finger Off Data Transmission, Storage and Replay 10 patient ID set up 72 Hours storage Suitable for Adults to Neonate 1 x AAA alkaline for 12 hours of Normal Operation		

Warranty: 12 months on main unit, 3 months on accessories

Image

Code

Product
ChoiceMed MD300A Pulse Oximeter

Ex GST

+GST



CHOMD300A

Pulse Oximeter HandHeld with Large Colour LCD

Large color LCD display; Handheld
 Parameter: SpO2, PR, Pleth waveform, Pleth Bar
 Audio and Visual alarm
 DC or battery power supply
 24 hours data storage & browser, SpO2 & PR trend.
 Suitable for adult, pediatric and neonatal patient
 Long battery life: approximately 20 hours
 AC/DC adapter optional

\$ 595.00 \$ 59.50



ELEMP3145

\$ 30.00 \$ 3.00




CHOMD300ACYS

Child Reusable Sensor Y Type

Suitable for Child 12 weeks old+
 includes adhesive tape
 for use with MD300A and MD2000A Pulse Oximeters

\$ 195.00 \$ 19.50



CHOMD300ACFP

Child Reusable Sensor

(same as Adult sensor but smaller)
 Suitable for Child 12 weeks old+
 for use with MD300A and MD2000A Pulse Oximeters

\$ 195.00 \$ 19.50



CHOMD300AECS

Ear Clip Sensor for CHMD300A

\$ 195.00 \$ 19.50



Image	Code	Product	Ex GST	+GST
	EDAH100B	H100B Handheld Pulse Oximeter	\$ 488.00	48.80
		Standard Configuration including:		
		Main Unit		
		LCD Screen		
		RTC display		
		SpO ₂ and Pulse Rate Measurement		
		Displays Numeric and Waveform Data of SpO ₂ Simultaneously		
		48 Hours Continuous Use from AA Batteries		
		Up to 100 IDs and 300 hours data storage capability for continuous monitoring		
		Data can be transferred to PC for storage, review and printing		
		On screen 10 minute trend graph and table of SpO ₂ and Pulse Rate		
		Pitch tone for Pulse Rate		
		Standard accessories:		
	EDA1201109079	EDAN Adult Reusable SpO ₂ Sensor		
	EDA121064086	AA Size Battery		
	EDA1156110165	Carrying Case		
	N/A	User Manual		
	N/A	H100B Quick Reference Card		
		Options:		
		SpO₂		
	EDA1201109079	EDAN SH1 Adult Reusable SpO ₂ Sensor (DB9) 1m	\$ 206.00	20.60
	EDA1201110492	EDAN SH3 Neonate Wrap SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module) 1m	\$ 206.00	20.60
	EDA1201110515	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module) 1m	\$ 206.00	20.60
	EDA201110531	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Immersion Disinfection) (Only compatible with EDAN SpO ₂ module) 1m	\$ 226.00	22.60
	EDA1201110521	EDAN SH5 pediatric Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module) 1m	\$ 206.00	20.60
	EDA113110504	EDAN SpO ₂ Extension Cable (DB9 to DB9 interface) 1.5m	\$ 61.00	6.10
	EDA157040196	Adult Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module)	\$ 61.00	6.10
	EDA157040197	Pediatric Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module)	\$ 61.00	6.10
	EDA157040198	Infant Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module)	\$ 61.00	6.10
	EDA157040199	Neonate Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module)	\$ 61.00	6.10
		Data Management		
	EDA325110260	H100 Data Management Kit: Oximeter Viewer Data Management Software (One CD) RS-232 Cable (1m)	\$ 165.00	16.50
	EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340 for H100 Oximeter Viewer)	\$ 33.00	3.30
		Others		
	EDA151110164	Protective Cover (Gray)	\$ 41.00	4.10
	EDA151112408	Protective Cover (Blue)	\$ 41.00	4.10
	EDA151112407	Protective Cover (Green)	\$ 41.00	4.10
	EDA1156110165	Carrying Case	\$ 20.00	2.00

Image	Code	Product	Ex GST	+GST
	EDA100N	H100N Hand Held (NELLCOR OXIMAX) Pulse Oximeter with Temperature	\$ 962.00	96.20
		Standard Configuration including:		
		Main Unit		
		LCD Screen		
		RTC display		
		Nellcor OxiMax SpO ₂ Module and Sensor		
		SpO ₂ , Pulse Rate and Temp measurement		
		Displays numeric and waveform of SpO ₂ simultaneously		
		Up to 48 hours battery life		
		Up to 100 IDs and 300 hours data storage capability for continuous monitoring		
		On screen 10 minute trend graph and table of SpO ₂ and Pulse Rate		
		3-level audible and visual alarm		
		Pitch Tone		
		Standard accessories:		
	EDA111530043	Nellcor Reusable Adult SpO ₂ Sensor (DS-100A OxiMax) (Weak Perfusion Resistance)		
	EDA115040188	Skin Temperature Probe		
	EDA121064086	AA Size Battery		
	EDA1156110165	Carrying Case		
	N/A	User Manual		
	N/A	H100N Quick Reference Card		
		Options:		
		SpO₂		
	EDA111530043	Nellcor Reusable Adult SpO ₂ Sensor (DS-100A OxiMax) (Weak Perfusion Resistance)	\$ 357.00	35.7
	EDA111540096	Nellcor Reusable Adult/Neonate SpO ₂ Sensor (OXI-A/N OxiMax) (Weak Perfusion Resistance)	\$ 522.00	52.2
		Temperature		
	EDA115040188	Skin Temperature Probe	\$ 103.00	10.30
	EDA115040157	Rectal / Oral Temperature Probe	\$ 103.00	10.30
		Data management		
	EDA325113578	H100N Data Management Kit: Oximeter Viewer Data Management Software (One CD) DB9 to USB Cable for H100N Oximeter Viewer (1m)	\$ 165.00	16.50
		Others		
	EDA151110164	Protective Cover (Gray)	\$ 41.00	4.10
	EDA151112408	Protective Cover (Blue)	\$ 41.00	4.10
	EDA151112407	Protective Cover (Green)	\$ 41.00	4.10
	EDA1156110165	Carrying Case	\$ 20.00	2.00
	N/A	Service Manual	\$ 20.00	2.00

Code	Product	ExGST	+GST
	CryoTherapy with Liquid Nitrous Oxide		



CryoAlfa Super

CRYCASB	Super in "Blister" Pack	\$	395.00	\$	39.50
----------------	--------------------------------	----	---------------	----	-------

Each cartridges contains a valve which allows them to be removed while not empty.

CryoAlfa SUPER in Blister Pack and 1x Cartridge

Uses the standard 85 micron tip (supplied) or optional Super contact applicators

A 16gm cartridge lasts for approx 30 x 10 second applications




CRYCCA16L	Replacement Cartridge for Super and Lux with flow stop valve	\$	49.90	\$	4.99
------------------	---	----	--------------	----	------

Each Cartridge contains 16g medical quality N2O & inbuilt filter with Thread for the valve section



	Super Tips				
CRYCASDST	Standard 1mm Tip for Super	\$	330.00	\$	33.00

CRYCASC5	Contact Applicator 5mm diameter - gold plated	\$	395.00	\$	39.50
-----------------	--	----	---------------	----	-------

Code	Product	Ex GST	+GST
CryoAlfa Lux			
CRYCLU04	Lux in Carry Case <i>Each cartridges contains a valve which allows them to be removed while not empty.</i> Standard Device with Carry Case and 1x Cartridge Uses the standard 85 micron tip (supplied) or Lux optional tips A 16gm cartridge lasts for approx 5 minutes of continuous liquid gas flow	\$ 795.00	\$ 79.50
			
CRYCCA16L	Replacement Cartridge for Lux with flow stop valve Each Cartridge contains 16g N2O, medical quality & inbuilt filter free from Detritus, with Thread for the valve section	\$ 49.90	\$ 4.99
			
Lux Tips			
CRYCST04	Standard Tip for Lux	\$ 290.00	\$ 29.00
CRYCDTL02	Tip for Dermatology for Lux, contact-surface 2 mm width	\$ 420.00	\$ 42.00
CRYCDTL03	Tip for Dermatology for Lux, contact-surface 3 mm width	\$ 420.00	\$ 42.00
CRYCDTL04	Tip for Dermatology for Lux, contact-surface 4 mm width	\$ 420.00	\$ 42.00
CRYCDTL10	Set of 4 Dermatology tips for Lux with 2, 3, 4 and 4,5 mm	\$ 1,190.00	\$ 119.00
			
CRYCGTL05	Gynaecological tip for Lux, non-flexible, 5 cm long	\$ 440.00	\$ 44.00
CRYCGTL09	Gynaecological tip for Lux, non-flexible, 9 cm long	\$ 440.00	\$ 44.00
CRYCGTL13	Gynaecological tip for Lux, non-flexible, 13 cm long	\$ 440.00	\$ 44.00
CRYCGTL20	Set of 3 Gynaecological tips for Lux, non-flexible, 5, 9, and 13 cm long	\$ 990.00	\$ 99.00
			
CRYCDEL01	Dental Tip 45deg Angled for Lux 10cm Long	\$ 540.00	\$ 54.00
			

<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>Ex GST</i>	<i>+GST</i>
CryoAlfa Success				
	CRYSUC02	CryoAlfa Success Complete in Box	\$ 995.00	\$ 99.50
		includes the unit with a standard tip, contact-surface 1mm width, one cartridges 23,5g, a metal pin, the user manual and a plastic box		
				
	CRYCCOP23	Replacement Cartridge for CryoSuccess	\$ 59.00	\$ 5.90
		23.5g N2O medical quality with thread for the valve-part of the device and inbuilt safety-valve		
	CRYCSTS01	CryoAlfa Success Tip Standard 1mm Width	\$ 450.00	\$ 45.00
	CRYCDTS02	CryoAlfa Success Tip Dermatology 2mm Width	\$ 450.00	\$ 45.00
	CRYCDTS03	CryoAlfa Success Tip Dermatology 3mm Width	\$ 450.00	\$ 45.00
	CRYCDTS04	CryoAlfa Success Tip Dermatology 4mm Width	\$ 450.00	\$ 45.00
	CRYCGTS04	CryoAlfa Success Tip Gynecological 13mm Width	\$ 450.00	\$ 45.00
	CRYCBN01	CryoAlfa Success Box Plastic	\$ 75.00	\$ 7.50


Image

Code

Product
BTL ECG

Ex GST

+GST

**BLTC08SD3002V120 BTL-08 SD3 ECG - 3 Channel Interpreting ECG with display**

\$ 2,495.00

Exempt

prints on a 58mm x 25m paper roll
includes: Electrode Alligator Clips, Patient Cable, Battery and Power Cord
Stores 6 ECGs, 6 User Defined Protocols
Lead contact indication
Defibrillator protection, Pacemaker detection
276 x 168 x 74mm
Approx. 2kg

**BTLC08MT002V300 BTL-08 MT Plus ECG - 12 Channel Interpreting ECG with 90x125mm Colour touch**

\$ 3,495.00

Exempt

Prints on 112mm x 25m paper roll and direct print via inbuilt USB.
includes: Electrode Alligator Clips, Patient Cable, Battery and Power Cord
3, 4, 6 or 12 Lead Display, Stores 120 ECGs
Fuzzy' filtration, Auto Adaptive and Spline Filter, 20 User Defined Protocols
Defibrillator protection, Pacemaker detection, Lead contact indication,
330 x 270 x 70mm
Approx. 3.2kg

**BTLC08LT002V300 BTL-08 LT ECG - 12 Channel Interpreting ECG with 90x125mm Colour touch scr**

\$ 4,750.00

Exempt

Prints on 210mm x 25m paper roll, A5 Z-fold 333 sheets and direct print via inbuilt USB.
includes: Electrode Alligator Clips, Patient Cable, Battery and Power Cord
12 Lead Display, Stores 120 ECGs, Unlimited User-Defined Protocols
Lead contact indication, 'Fuzzy' filtration
Defibrillator protection, Pacemaker detection
407 x 312 x 125mm
Approx. 5.7kg

**BTLC08LC002V110 BTL-08 LC ECG - 12 Channel Interpreting ECG with 171x128mm Colour touch sc**

\$ 5,995.00

Exempt

Prints on 210mm x 25m paper roll, A5 Z-fold 333 sheets and direct print via inbuilt USB.
includes: Electrode Alligator Clips, Patient Cable, Battery and Power Cord
12 Lead Display, Stores 120 ECGs, Unlimited User-Defined Protocols
Lead contact indication, 'Fuzzy' filtration
Defibrillator protection, Pacemaker detection
407 x 312 x 125mm
Approx. 5.9kg

Warranty: 24 months on main unit, 12 months on Patient Cable, 6 months on accessories,

**BTLC008104V120 ECG paper 58mm for BTL-08 ECG S line roll 25m**

\$ 7.50

0.75

**BTLC008105V120 ECG paper 112mm for BTL-08 ECG M line roll 25m**

\$ 15.50

1.55

**BTLC008106V120 ECG paper 210mm, for BTL-08 ECG L line roll 25m**

\$ 26.75

2.68

BTLC008063

Upgrade BTL-08 Win for BTL-08 ECGs includes: C008.127 Serial communication cable, CD SW.

\$ 995.00

\$ 99.50

Image

Code

Product

Ex GST

+GST



C675.001v100

Additional accessories for ECGs

ECG vacuum systems

ECG vacuum system Squid for rest ECG and for stress test. Price includes: basic unit, 10x ECG signal cables, 10x signal modules, arm, 128 filters for vacuum electrodes

\$ 3,490.00 \$ 349.00

C675.002v100

ECG vacuum system Decapus2 for rest ECG and for stress test. Price includes: basic unit, 10x ECG signal cables, 10x signal modules, arm, 128 filters for vacuum electrodes.

\$ 5,790.00 \$ 579.00

C675.003v100

ECG vacuum system Decapus2 mobile for rest ECG and for stress test, no need to plug to the power source. Price includes: basic unit, 10x ecg signal cables, 10x signal modules, arm, 128 filters for vacuum electrodes, battery.

\$ 5,990.00 \$ 599.00

C675.004v100

Filters for vacuum electrodes - replaceable, disposable filters for Squid and for Decapus2. Includes: 128 pieces.

\$ 179.00 \$ 17.90

C008.160v113

Patient cable for resting ECG for BTL-08 ECG

\$ 309.00 \$ 30.90

C008.109

Ergometry patient cable for BTL-08 ECG

\$ 349.00 \$ 34.90

P5002.010v100

Trolley for BTL-08 ECG S,M line

\$ 1,190.00 \$ 119.00

P5002.011v100

Trolley for BTL-08 ECG L line

\$ 1,190.00 \$ 119.00

P5002.136v100

Trolley for BTL-08 S, M line and ECG vacuum system

\$ 1,250.00 \$ 125.00

P5002.138v100

Trolley for BTL-08 L line and ECG vacuum system

\$ 1,250.00 \$ 125.00

P5002.140v100

Trolley for BTL-08 S,M line, ECG vacuum system and BTL-08 Spiro

\$ 1,290.00 \$ 129.00

P5002.142v100

Trolley for BTL-08 L line, ECG vacuum system and BTL-08 Spiro

\$ 1,290.00 \$ 129.00

Stress Test Systems

C008.202v100

Upgrade BTL-08 Ergo II set for BTL-08 ECGs (except SD1). Price includes: PC interface serial cable, 2x USB serial reduction, ergo patient cable, 210x self-adhesive disposable electrodes, CD SW, HW key.

\$ 6,179.00 \$ 617.90

C008.200v100

BTL-08 Ergo II system. Price includes: BTL-08 SD3 ECG, PC interface serial cable, 2x USB-Serial reduction, ergo patient cable, 210x self-adhesive disposable electrodes, SW, HW key.

\$ 8,265.00 \$ 826.50

C008.201v100

BTL-08 Ergo II Plus system with Review and Arrhythmias module. Price includes: BTL-08 SD3 ECG, PC interface serial cable, 2x USB-Serial reduction, ergo patient cable, 210x self-adhesive disposable electrodes, SW Plus, HW key.

\$ 10,790.00 \$ 1,079.00






Image	Code	Product	Ex GST	+GST
		ECG HOLTERS		
	C08HOL.011v100	BTL-08 H100 holter set, 3-channel recorder, 48-hour, SW with template, rhythm analysis, ST, with USB connection to PC. Price includes: patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, 30x self-adhesive adult electrode, miniUSB cable, USB wireless module, USB 2.0 hub, accumulator charger, SD card reader, user manual, portable case, user manual, software CD, HW key.	\$ 9,250.00	\$ 925.00
	C08HOL.013v100	BTL-08 H300 holter set, 3/7-channel recorder, 1-7 day, SW with template, rhythm analysis, pacemaker detection, HRV, ST, QT and QTc, with wireless and USB connection to PC. Price Includes: patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, 30x self-adhesive adult electrode, miniUSB cable, USB wireless module, USB 2.0 hub, accumulator charger, SD card reader, user manual, portable case, user manual, software CD, HW key.	\$ 13,890.00	\$ 1,389.00
	C08HOL.016v100	BTL-08 H600 holter set, 3/7/12-channel recorder, 1-7 day, SW with template, template split, rhythm analysis, pacemaker detection and analysis, HRV, ST plus, QT and QTc, PQ, activity monitor, with wireless and USB connection to PC. Price includes: Includes: patient cable (10 wires), patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, 30x self-adhesive adult electrode, miniUSB cable, USB wireless module, USB 2.0 hub, accumulator charger,	\$ 19,990.00	\$ 1,999.00
		Additional recorders for new ECG holter		
	C08HOL.003v100	ECG holter recorder 3-channel, 24-hour, with USB connection to PC. Price includes: patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, 30x self-adhesive adult electrode.	\$ 3,970.00	\$ 397.00
	C08HOL.004v100	ECG holter recorder 3/7-channel, 1-7 day, with wireless and USB connection to PC. Price includes: patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, portable case, 30x self-adhesive adult electrode.	\$ 5,280.00	\$ 528.00
	C08HOL.005v100	ECG holter recorder 3/7/12-channel, 1-7 day, with wireless and USB connection to PC. Price includes: patient cable (10 wires), patient cable (4 wires), pouch with 3x belt strap, 4x accumulator, 2x SD card 2GB, 30x self-adhesive adult electrode.	\$ 6,179.00	\$ 617.90
		Additional accessories for new ECG Holter		
	C08HOL.500v100	Patient cable (4 wires)	\$ 487.38	\$ 48.74
	C08HOL.501v100	Patient cable (10 wires)	\$ 720.00	\$ 72.00

Image	Code	Product	Ex GST	+GST
Macquarie PC Based ECG				
	MACCT200C	CT200C Interpretive PC Based ECG USB with Interpr	\$1,995.00	Exempt



Easily replaceable Patient Cable
Powered by your PC - no batteries required
Import Results into Medical Director and Other Patient Record Software
Print A4 Plain Paper ECGs on Standard Office Printer
(PC or laptop not included)

MACPATCAB-16	Replacement 12 lead ECG patient cable (US/Aust Lal	\$ 349.00	Exempt
---------------------	---	------------------	---------------







Image	Code	Product	ExGST	+GST
	EDASE1010PCECG	SE-1010 PC ECG with Interpretation	\$ 1,795.00	Exempt
		Standard Configuration including: Simultaneous 12 lead acquisition and recording Integrated data sampling module and software Auto/manual measurement and interpretation Convenient database with unlimited storage WORD and PDF format report can be transferred via E-mail 30s-360s HRV (heart rate variability) sample and analyse Advance analysis function:VCG, TVCG,VLP,HRT,QT dispersion,HFECCG, Frequency spectrum ECG		
		Standard accessories		
	EDA1201114202	ECG Data Sampling Box		
	EDA113106674	USB Connection Cable (for SE-1010 PC ECG)		
	EDA1201047222	SE-1010 PC ECG Software CD		
	EDA118047225	USB Sentinel (for SE-1010 PC ECG Software)		
	EDA157107048	ECG Cable (4mm banana connector AHA)		
	EDA157040172	Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)		
	EDA1157040189	Disposable Resting Tab electrodes (100 PCS/package)		
	EDA1156078136	Carrying Bag		
	N/A	SE-1010 PC ECG User Manual		
	N/A	SE-1010 PC ECG Quick Reference Card		
	N/A	User Guide for Interpretation		
	N/A	STRESS ECG STRESS ECG Upgrade Package :	\$ 2,750.00	275.00
		1 ST-1212 STRESS ECG Software CD		
		1 USB Sentinel (for both ST-1212 STRESS test and SE-1010 PC ECG software)		
		1 USB Connection/BNC External ECG Trigger Cable (for ST-1212 STRESS ECG)		
		1 STRESS ECG Isolation Box		
		1 RS485 Shield Cable		
		1 Belt (1.6m)		
		1 ECG Cable (Snap style,AHA)		
		1 Adult Disposable Adhesive Electrodes (60 PCS/package)		
		1 Carrying Bag		
		1 ST-1212 STRESS ECG User Manual		
		1 ST-1212 STRESS ECG Quick Reference Card		
	EDA157109851	ECG Cable (Snap style AHA)	\$ 330.00	33.00
	EDA157106750	Belt (1.4m)	\$ 12.00	1.20
	EDA204109847	STRESS ECG Isolation Box	\$ 412.00	41.20
	EDA113109835	USB Connection/BNC External ECG Trigger Cable (for ST-1212 STRESS ECG)	\$ 41.00	4.10
	EDA113109834	RS485 Shield Cable	\$ 33.00	3.30

Image

Code

Product

	Ex GST	+GST
\$	3,750.00	375.00



EDAST1212STRESSECG

EDAST1212STRESSECG

Standard Configuration and Function Including:

Integrated data sampling module and PC based software, compact solution for STRESS ECG

3/6/12 leads real-time waveform and ST segment/trend display

ST segment analysis, trend and full disclosure view

Provide classic protocols, exercise protocols can be customized

Control treadmill, bicycle and exercise blood pressure device by software

Automatically comprehensive form reporting with print preview

Large capacity for data storage in PC, access historical records

EDA204109848

EDA113109835

Standard accessories:

ECG Data Sampling Box

USB Connection/BNC External ECG Trigger Cable (for ST-1212 STRESS ECG)

EDA1201047239

EDA118047229

EDA204109847

EDA113109834

EDA157106750

EDA157109851

N/A

EDA1156078136

N/A

N/A

ST-1212 STRESS ECG Software CD

USB Sentinel (for ST-1212 STRESS ECG software)

STRESS ECG Isolation Box

RS485 Shield Cable

Belt (1.4m)

ECG Cable (Snap Style,AHA)

Adult Disposable Adhesive Electrodes (60PCS/package)

Carrying Bag

User Manual

Quick Reference Card

Options:

N/A

Resting ECG Upgrade Package :

\$	795.00	Exempt
----	---------------	---------------

1 SE-1010 PC ECG Software CD

1 USB Sentinel (for both ST-1212 stress test and SE-1010 PC ECG software)

1 ECG Cable (φ4mm,banana connector,AHA)

1 Set Alligator Clip/Banana Socket Adapters(10PCS/set, match φ4mm ECG cable)

1 Package Disposable Resting Tab electrodes (100 PCS/package)


1 Carrying Bag

1 User Manual

1 Quick Reference Card

1 User Guide for Interpretation

Image



Code
EDASE12E

Product

ExGST

+GST

SE-12 Express**ECG 12 Channel with Folding 12.1" Touch Screen**

\$ 4,975.00

Exempt

Standard Configuration including:

Main unit: twelve channel ECG, folding up 12.1" touch screen, alphanumeric keyboard
120 seconds waveform freeze and review
Auto Analyzing and Diagnostic Software (Interpretation)
Preview and printing for waveform and analysis
Built-in rechargeable Lithium battery, AC/DC supply
Built-in thermal printer

Standard Accessories

EDA157107048 ECG cable (4mm banana connector AHA)
EDA157040172 Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)
EDA1157040189 Disposable Resting Tab electrodes (100 PCS/package)
EDA157107371 Recording paper (Z-fold 210mm*295mm*100P)
EDA113036106 Power Cord (AU, Hospital grade)
EDA112164073 Fuse (1A)
N/A User Manual
N/A Quick Reference Card
N/A User Guide for Interpretation
EDA1121064119 Rechargeable Lithium Battery (4400mAh)

N/A

STRESS ECG

Stress ECG Function and Accessories
includes

\$ 2,750.00

Exempt

1 RS232 Connection Cable for Blood Pressure Monitor
1 BNC External ECG Trigger Cable
1 RS232 Connection Cable for Treadmill
1 RS232 Connection Cable for Bicycle
1 ECG Cable (Snap Style, AHA)
1 Adult Disposable Adhesive Electrodes (60 PCS/package)
1 Belt (1.4m)


Other software options / accessories

EDA11513250101	Fixed Bar for Battery (Necessary accessory for 2200mAh battery)	\$ 2.00	0.20
EDA121064114	Rechargeable Lithium Battery (2200mAh)	\$ 309.00	30.90
EDA1121064119	Rechargeable Lithium Battery (4400mAh)	\$ 618.00	61.80
EDA15732461	Recording Paper (Roll, 210mm*30m)	\$ 12.00	1.20
EDA15732462	Recording Paper (Z-fold, 210mm*295mm*200P)	\$ 41.00	4.10
EDA157107451	Recording Paper (Z-fold, 215*280mm*100P)	\$ 20.00	2.00
EDA15732463	Recording Paper (Roll, 215mm*30m)	\$ 12.00	1.20
EDA111319907	Input and Output Connection Cable	\$ 74.00	7.40
EDA1113114214	Ground Cable	\$ 20.00	2.00
EDA115678118	ECG Carrying Bag	\$ 165.00	16.50
EDA328107634	Trolley (MT-801)	\$ 1,045.00	104.50
EDA204111864	Cable Arm (CA-100 compatible with MT-801)	\$ 185.00	18.50
EDA1118052192	External Ink-jet Printer (HP2568)	\$ 192.00	19.20
EDA1118052188	External Laser Printer (HP P2015)	\$ 1,430.00	143.00
N/A	Service Manual	\$ 20.00	2.00
EDA32438952	SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340 for SMART ECG Viewer)	\$ 33.00	3.30



**SE-12E with MT-801 Trolley
and CA-100 Cable Arm**

Image

Code
EDASE12

Product

ExGST

+GST

SE-12

ECG 12 Channel with Folding 5.7" Screen

\$ 2,970.00

Exempt

Standard Configuration including:

Main unit: twelve channel ECG, folding up 5.7" LCD display, alphanumeric keyboard
120 seconds waveform freeze and review
Auto Analyzing and Diagnostic Software (Interpretation)
Preview and printing for waveform and analysis
Built-in rechargeable Lithium battery, AC/DC supply
Built-in thermal printer

Standard Accessories

EDA0157107048	ECG cable (4mm banana connector AHA)
EDA0157040172	Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)
EDA1157040189	Disposable Resting Tab electrodes (100 PCS/package)
EDA0157107371	Recording paper (Z-fold 210mm*295mm*100P)
EDA0113036106	Power Cord (AU Hospital grade)
EDA112164073	Fuse (1A)
N/A	User Manual
N/A	Quick Reference Card
N/A	User Guide for Interpretation
EDA0121064114	Rechargeable Lithium Battery (2200mAh)
EDA115132501	Fixed Bar for Battery (Necessary accessory for 2200mAh battery)

Other software options / accessories

EDA11513250101	Fixed Bar for Battery (Necessary accessory for 2200 mAh battery)	\$ 2.00	0.20
EDA0121064114	Rechargeable Lithium Battery (2200mAh)	\$ 309.00	30.90
EDA1121064119	Rechargeable Lithium Battery (4400mAh)	\$ 618.00	61.80
EDA015732461	Recording Paper (Roll, 210mm*30m)	\$ 12.00	1.20
EDA015732462	Recording Paper (Z-fold, 210mm*295mm*200P)	\$ 41.00	4.10
EDA111319907	Input and Output Connection Cable	\$ 74.00	7.40
EDA1113114214	Ground Cable	\$ 20.00	2.00
EDA115678118	ECG Carrying Bag	\$ 165.00	16.50
EDA0328111847	Rolling Stand(MT-201)	\$ 412.00	41.20
EDA0204101976	Rolling Stand Basket (in the bottom)	\$ 49.00	4.90
EDA0204111902	Cable Arm (CA-100 compatible with MT-201/MT-202)	\$ 185.00	18.50
EDA0328107634	Trolley (MT-801)	\$ 1,045.00	104.50
EDA0204111864	Cable Arm (CA-100, compatible with MT-801)	\$ 185.00	18.50
N/A	Service Manual	\$ 20.00	2.00
EDA1118052192	External Ink-jet Printer (HP2568)	\$ 192.00	19.20
EDA1118052188	External Laser Printer (HP, P2015)	\$ 1,430.00	143.00
EDA032438952	SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340 for SMART ECG Viewer)	\$ 33.00	3.30



SE-12 with MT201 Trolley

Image

Code

Product

ExGST


+GST

EDASE1200EX

SE-1200 Express ECG

\$ 3,894.00

Exempt

**Standard Configuration including:**

Main unit: twelve channel ECG, 8.4" LCD touch screen, alphanumeric keyboard
 120 seconds waveform freeze and review
 Auto Analyzing and Diagnostic Software (Interpretation)
 Preview and printing for waveform and analysis
 Built-in rechargeable Lithium battery, AC/DC supply
 Built-in thermal printer

Standard accessories:

EDA0157107048	ECG cable (4mm banana connector AHA)
EDA0157040172	Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)
EDA1157040189	Disposable Resting Tab electrodes (100 PCS/package)
EDA0157107371	Recording paper (Z-fold, 210mm*295mm*100P)
EDA0113036106	Power Cord (AU Hospital grade)
EDA112164073	Fuse (1A)
N/A	Paper Roller
N/A	User Manual
N/A	Quick Reference Card
EDA0121064114	User Guide for Interpretation
EDA115132501	Rechargeable Lithium Battery (4400mAh)

Other software options / accessories

EDA11513250101	Fixed Bar for Battery (Necessary accessory for 2200 mAh battery)	\$ 2.00	0.20
EDA0121064114	Rechargeable Lithium Battery (2200mAh)	\$ 309.00	30.90
EDA1121064119	Rechargeable Lithium Battery (4400mAh)	\$ 618.00	61.80
EDA015732461	Recording Paper (Roll 210mm*30m)	\$ 12.00	1.20
EDA015732462	Recording Paper (Z-fold 210mm*295mm*200P)	\$ 41.00	4.10
EDA111319907	Input and Output Connection Cable	\$ 74.00	7.40
EDA1113114214	Ground Cable	\$ 20.00	2.00
EDA115678118	ECG Carrying Bag	\$ 165.00	16.50
EDA0328111847	Rolling Stand (MT-201)	\$ 412.00	41.20
EDA0204101976	Rolling Stand Basket (in the bottom)	\$ 49.00	4.90
EDA0204111902	Cable Arm (CA-100 compatible with MT-201/MT-202)	\$ 185.00	18.50
EDA0328107634	Trolley(MT-801)	\$ 1,045.00	104.50
EDA0204111864	Cable Arm (CA-100 compatible with MT-801)	\$ 185.00	18.50
N/A	External Ink-jet Printer (HP2568)	\$ 192.00	19.20
EDA1118052192	External Laser Printer (HP P2015)	\$ 1,430.00	143.00
EDA1118052188	Service Manual	\$ 20.00	2.00
EDA032438952	SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340, for SMART ECG Viewer)	\$ 33.00	3.30



SE-1200EX with MT-801 Trolley

Image	Code	Product	ExGST	+GST
	EDASE1200	SE 1200 ECG	\$ 2,870.00	Exempt
		Standard Configuration including:		
		Main unit: twelve channel ECG, 5.7" LCD display, alphanumeric keyboard QWERTY Silicon Keypad 120 seconds waveform freeze and review Auto Analyzing and Diagnostic Software (Interpretation) Preview and printing for waveform and analysis Built-in rechargeable Lithium battery, AC/DC supply Built-in thermal printer or print to external laser printer via USB Thumb Drive		
	EDA0157107048	ECG cable (4mm banana connector AHA)		
	EDA0157040172	Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)		
	EDA1157040189	Disposable Resting Tab electrodes (100 PCS/package)		
	EDA0157107371	Recording paper (Z-fold, 210mm*295mm*100P)		
	EDA0113036106	Power Cord		
	EDA112164073	Fuse (1A)		
	N/A	User Manual		
	N/A	Quick Reference Card		
	N/A	User Guide for Interpretation		
	EDA0121064114	Rechargeable Lithium Battery (2200mAH)		
	EDA115132501	Fixed Bar for Battery (Necessary accessory for 2200mAH battery)		
		Other software options / accessories		
	EDA11513250101	Fixed Bar for Battery (Necessary accessory for 2200 mAH battery)	\$ 2.00	0.20
	EDA0121064114	Rechargeable Lithium Battery (2200mAH)	\$ 309.00	30.90
	EDA1121064119	Rechargeable Lithium Battery (4400mAH)	\$ 618.00	61.80
	EDA015732461	Recording Paper (Roll 210mm*30m)	\$ 12.00	1.20
	EDA015732462	Recording Paper (Z-fold 210mm*295mm*200P)	\$ 41.00	4.10
	EDA111319907	Input and Output Connection Cable	\$ 74.00	7.40
	EDA1113114214	Ground Cable	\$ 20.00	2.00
	EDA115678118	ECG Carrying Bag	\$ 165.00	16.50
	EDA0328111847	Rolling Stand(MT-201)	\$ 412.00	41.20
	EDA0204101976	Rolling Stand Basket (in the bottom)	\$ 49.00	4.90
	EDA0204111902	Cable Arm (CA-100 compatible with MT-201/MT-202)	\$ 185.00	18.50
	EDA0328107634	Trolley (MT-801)	\$ 1,045.00	104.50
	EDA0204111864	Cable Arm (CA-100 compatible with MT-801)	\$ 185.00	18.50
	N/A	Service Manual	\$ 20.00	2.00
	EDA1118052192	External Ink-jet Printer (HP2568)	\$ 192.00	19.20
	EDA1118052188	External Laser Printer (HP P2015)	\$ 1,430.00	143.00
	EDA032438952	SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
	EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340 for SMART ECG Viewer)	\$ 33.00	3.30

Image

Code

Product

Ex GST

+GST

EDASE601C

SE601C ECG

\$ 2,380.00

Exempt

**Standard Configuration including:**

Main unit:six-channel ECG, 640*480, 5.7" color LCD screen
 alphanumeric keyboard internal loudspeaker
 12 lead waveforms display simultaneously
 Auto Analyzing and Diagnostic Software (Interpretation)
 Two-step exercise test with periodic recording
 Standard 100 ECGs in internal memory, upgradable to 200 ECGs
 110 mm Z-fold recording paper
 Built-in rechargeable Lithium battery, AC/DC supply
 Built-in thermal printer

Standard accessories:

ECG cable (4mm banana connector AHA)
 Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable)
 Disposable Resting Tab electrodes (100 PCS/package)
 Recording paper (Z-fold 110mm*140mm*144P)
 Power Cord
 Fuse (1A)
 User Manual
 Quick Reference Card
 User Guide for Interpretation
 Rechargeable Lithium Battery (2200mAH)

Other software options / accessories

Rechargeable Lithium Battery (2200mAH)	\$ 309.00	30.90
Recording paper (Z-fold 110mm*140mm*144P)	\$ 12.00	1.20
Input and Output Connection Cable	\$ 74.00	7.40
Ground Cable	\$ 20.00	2.00
ECG Carrying Bag	\$ 123.00	12.30
Rolling Stand (MT-202)	\$ 412.00	41.20
Rolling Stand Basket (in the bottom)	\$ 49.00	4.90
Cable Arm (CA-100 compatible with MT-201/MT-202)	\$ 185.00	18.50
Service Manual	\$ 20.00	2.00
External Ink-jet Printer (HP2568)	\$ 192.00	19.20
External Laser printer (HPP2015)	\$ 1,430.00	143.00
SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
RS232 to USB Adapter and Driver CD (HL 340 for SMART ECG Viewer)	\$ 33.00	3.30



SE-601C on MT-202 Trolley
 with CA-100 Cable Arm

EDA0157110266
 EDA0157040172

EDA1157040189
 EDA0157107560
 EDA0113036106
 EDA112164073
 N/A
 N/A
 N/A
 EDA0121064114

EDA0121064114
 EDA0157107560
 EDA111319907
 EDA1113114214
 EDA0156110351
 EDA0328111848
 EDA0204101976
 EDA0204111902
 N/A
 EDA1118052192
 EDA1118052188
 EDA032438952
 EDA1113036096

Image	Code	Product	Ex GST	+GST
	EDASE601A	SE 601 ECG	\$ 1,955.00	Exempt
		Standard Configuration including: Main unit: six-channel ECG, 192*64, 3.5" LCD screen, alphanumeric keyboard Two-step exercise test with periodic recording Auto Analyzing and Diagnostic Software (Interpretation) Standard 50 ECGs in internal memory, upgrade to 200 ECGs 110 mm Z-fold recording paper Built-in rechargeable Lithium battery AC/DC supply Built-in thermal printer		
		Standard accessories: ECG cable (4mm banana connector AHA) Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable) Disposable Resting Tab electrodes (100 PCS/package) Recording paper (Z-fold 110mm*140mm*144P) Power Cord Fuse (1A) User Manual Quick Reference Card User Guide for Interpretation Rechargeable Lithium Battery (2200mAH)		
		Other software options / accessories		
		Rechargeable Lithium Battery (2200mAH)	\$ 309.00	30.90
	EDA0121064114	Rechargeable Lithium Battery (2200mAH)	\$ 309.00	30.90
	EDA0157107560	Recording paper (Z-fold 110mm*140mm*144P)	\$ 12.00	1.20
	EDA111319907	Input and Output Connection Cable	\$ 74.00	7.40
	EDA1113114214	Ground Cable	\$ 20.00	2.00
	EDA0156110351	ECG Carrying Bag	\$ 123.00	12.30
	EDA0328111848	Rolling Stand (MT-202)	\$ 412.00	41.20
	EDA0204101976	Rolling Stand Basket (in the bottom)	\$ 49.00	4.90
	EDA0204111902	Cable Arm (CA-100 compatible with MT-201/MT-202)	\$ 185.00	18.50
	N/A	Service Manual	\$ 20.00	2.00
	EDA1118052192	External Ink-jet Printer (HP2568)	\$ 192.00	19.20
	EDA1118052188	External Laser printer (HP2015)	\$ 1,430.00	143.00
	N/A	Internal Memory Upgrade to 200 ECGs	\$ 206.00	20.60
	EDA032438952	SMART ECG Viewer (USB sentinel)	\$ 825.00	82.50
	EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340, for SMART ECG Viewer)	\$ 33.00	3.30

SE-601A with MT-202

Image	Code	Product	Ex GST	+GST
	EDASE300A	SE-300A ECG	\$ 1,495.00	Exempt
		Standard Configuration including: Main unit, 192*64 pixel 3.5" LCD display 3-channel representation of all 12 leads simultaneously 100 patient data storage Built-in rechargeable lithium battery, AC/DC supply Built-in thermal printer		
		Standard accessories: EDA0157110375 ECG cable (4mm banana connector AHA) EDA0157040172 Clip/Snap/Banana Socket Adapter (10 PCS/set match 4mm or 3mm ECG cable) EDA0157040162 Disposable Resting Tab electrodes (100 PCS/package) EDA15778076 Recording Paper (Roll 80mm*20m) EDA012164074 Fuse (T400mA) EDA0121064114 Rechargeable Lithium Battery (2200mAH) EDA115119993 Paper Roller N/A User Manual N/A Quick Reference Card		
		Other software options / accessories EDA0121064114 Rechargeable Lithium Battery (2200mAH) \$ 309.00 30.90 EDA015778076 Recording Paper (Roll, 80mm*20m) \$ 6.00 0.60 EDA015778079 Recording Paper (Z-fold, 80mm*70mm*200P) \$ 6.00 0.60 EDA111319907 Input and Output Connection Cable \$ 74.00 7.40 EDA115678042 ECG Carrying Bag \$ 82.00 8.20 EDA1113114214 Ground Cable \$ 20.00 2.00 N/A Service Manual \$ 20.00 2.00 N/A Auto Analyzing and Diagnostic Software (Interpretation) \$ 247.00 24.70 N/A User Guide for Interpretation \$ 20.00 2.00 EDA1118052192 External Ink-jet Printer (HP2568) \$ 192.00 19.20 EDA032438952 SMART ECG Viewer (USB sentinel) \$ 825.00 82.50 EDA1113036096 RS232 to USB Adapter and Driver CD (HL340, for SMART ECG Viewer) \$ 33.00 3.30		

Image

Code

Product

Ex GST

+GST

YM1000 Vital Signs Monitors**YM1000 with Lead Acid Battery**

(up to 3.5hrs battery life with continuous SpO2 measurements and NIBP every 15 minutes)



MEDPA3513	YM1000 VSM NIBP	\$	1,995.00	Exempt
MEDPA351P3	YM1000 VSM NIBP with Printer	\$	2,249.00	Exempt
MEDPA3512	YM1000 VSM NIBP & Temp	\$	2,595.00	Exempt
MEDPA351P2	YM1000 VSM NIBP & Temp with Printer	\$	2,849.00	Exempt
MEDPA3511	YM1000 VSM NIBP & SpO2	\$	2,749.00	Exempt
MEDPA351P1	YM1000 VSM NIBP & SpO2 with Printer	\$	2,995.00	Exempt
MEDPA3510	YM1000 VSM NIBP, SpO2 & Temp	\$	3,249.00	Exempt
MEDPA351P0	YM1000 VSM NIBP, SpO2 & Temp with Printer	\$	3,495.00	Exempt
MEDA00880	YM1000 VSM Mobile Stand	\$	495.00	\$ 49.50

NEW**YM1000 with High Capacity Ni-MH Battery Pack**

(up to 8.5hrs battery life with continuous SpO2 measurements and NIBP every 15 minutes)



YM1000 on MEDA00880 Mobile Stand

MEDPA351PB3	YM1000 VSM (HC Ni-MH Pack) NIBP with Printer	\$	2,349.00	Exempt
MEDPA351B2	YM1000 VSM (HC Ni-MH Pack) NIBP & Temp	\$	2,695.00	Exempt
MEDPA351PB2	YM1000 VSM (HC Ni-MH Pack) NIBP & Temp with Printer	\$	2,949.00	Exempt
MEDPA351B1	YM1000 VSM (HC Ni-MH Pack) NIBP & SpO2	\$	2,849.00	Exempt
MEDPA351PB1	YM1000 VSM (HC Ni-MH Pack) NIBP & SpO2 with Printer	\$	3,095.00	Exempt
MEDPA351B0	YM1000 VSM (HC Ni-MH Pack) NIBP, SpO2 & Temp	\$	3,349.00	Exempt
MEDPA351PB0	YM1000 VSM (HC Ni-MH Pack) NIBP, SpO2 & Temp with Printer	\$	3,595.00	Exempt
MEDA00880	YM1000 VSM Mobile Stand	\$	495.00	\$ 49.50
YM1000 Standard Accessories				
MEDA00190	Reusable adult NIBP cuff			
MEDA00200	Reusable pediatric NIBP cuff			
MEDA00210	NIBP tubing cable			
MEDA00120	Nellcor Reusable SpO2 sensor DS100A (SpO2 models only)			
MEDA00290	Nellcor extension cable DOC-10 (SpO2 models only)			
MEDA00250	Temperature Probe Oral (temp models only)			
N/A	Temperature probe cover x25 (temp models only)			
MEDA00170	Power cord			
MEDA70790	Operating manual			
MEDA00280	Rolling paper 3 rolls (printer models only)			

Cuffs to suit YM1000 and M20/M30 Mediana Monitors

MEDA01380	Latex Free Cuff Adult 22-32cm HEM-CR23	\$	135.30	\$ 13.53
MEDA01390	Latex free CUFF Child 13-22cm HEM-CS23	\$	118.80	\$ 11.88
MEDA01440	Latex free CUFF Large Adult 32-42cm HEM-CL23	\$	155.10	\$ 15.51
MEDA01450	Latex free CUFF Extra Large Adult 42-50cm HEM-CX23	\$	178.20	\$ 17.82
MEDA00540	Omron Neonatal CUFF NO.11 (3cm) 5-7.5cm	\$	39.00	\$ 3.90
MEDA00550	Omron Neonatal CUFF NO.12 (4cm) 7.5-10.5cm	\$	39.00	\$ 3.90
MEDA00560	Omron Neonatal CUFF NO.13 (5cm) 8.5-13cm	\$	39.00	\$ 3.90
MEDA00520	Omron Adult CUFF HOSE (3.5m) Blue Colour	\$	49.50	\$ 4.95
MEDA00530	Omron Neonatal CUFF HOSE No.3 (3.5m) Pink Colour	\$	45.00	\$ 4.50

Image	Code	Product	Ex GST	+GST
<u>ChoiceMed MD300A Pulse Oximeter</u>				
	CHOMD2000A	Table Top Pulse Oximeter Display:SpO2, PR, bargraph, SpO2 waveform Up to 100 patient information and 72 hours record storage Built-in rechargeable battery or AC power Suitable for adult, pediatric and neonatal Optional Built-In Thermal Printer (additional \$495.00)	\$ 795.00	\$ 79.50
	CHOMD2000B	Table Top Vital Signs Monitor LCD and LED LCD Display with SpO2, Pr and SpO2 Waveform LED Display for NIBP Portable - only 1.8kg and 296x166x96mm size 24 Hours operation on internal rechargeable battery Suitable for adult, pediatric and neonatal Optional Built-In Thermal Printer (additional \$495.00) Optional Data Analysis Software	\$ 995.00	Exempt

Image	Code	Product <u>Lucon Monitors</u>	Ex GST	+GST
	MEDP30	LUCON P30 Table Top Pulse Oximeter 4.3" LCF TFT Display with 480x272 Resolution User Friendly Design with Trim Know and Shortcut Buttons 96hrs of Graphic and Tabluar Trend - with 20 seconds of recording time interval Color Plethmograph and number display Various rechargeable battery options including Li-ion (5/10/15hrs) USB port for software upgrade Central Monitoring System Connection Available Ergonomic Design with Grip	\$ 1,495.00	Exempt
	MEDM20M1	LUCON M20 7" Display NIBP & SpO2 (Chip O2, Mediana Brand) & 3 Lead ECG with 2hr Li-ion battery pack, skin temp sensor included	\$ 3,325.00	Exempt
		Standard Included Accessories:		
	MEDA01241	3 Cable Lead Wire with Snap On Adapters		
	MEDA01221	3 Lead Truck Cable		
	MEDA01380	CUFF (22-32cm) HEM-CR23 Medium		
	MEDA01390	CUFF (13-22Cm) HEM-CS23 Small		
	MEDA00520	CUFF Connection Tube (3.5cm) Adult Hose	\$ 69.00	\$ 6.90
	N/A	Lucon Reusable SpO2 sensor		
	N/A	Lucon extension cable		
	MEDA00170	POWER CORD		
	N/A	M20/M30 operating manual		
	Options	Mobile Trolley for M20 and M30	\$ 695.00	\$ 69.50
		Printer	\$ 550.00	\$ 55.00
		Nellcor OxiMAX Spo2	\$ 390.00	\$ 39.00
		LAN Card for CMS	\$ 550.00	\$ 55.00
		4hour battery pack	\$ 275.00	\$ 27.50
		6hour battery pack	\$ 295.00	\$ 29.50
	MEDM301A	LUCON M30 8.4" LCD Display NIBP & SpO2 (Chip O2, Mediana Brand) & 3 Lead ECG with 2hr Li-ion battery pack, skin temp sensor included (optional EtCo2)	\$ 3,795.00	Exempt
		Standard Included Accessories:		
	MEDA01241	3 Cable Lead Wire with Snap On Adapters		
	MEDA01221	3 Lead Truck Cable		
	MEDA01380	CUFF (22-32cm) HEM-CR23 Medium		
	MEDA01390	CUFF (13-22Cm) HEM-CS23 Small		
	MEDA00520	CUFF Connection Tube (3.5cm) Adult Hose	\$ 69.00	\$ 6.90
	N/A	Lucon Reusable SpO2 sensor		
	N/A	Lucon extension cable		
	MEDA00170	POWER CORD		
	N/A	M20/M30 operating manual		
	Options	Mobile Trolley for M20 and M30	\$ 695.00	\$ 69.50
		Printer	\$ 550.00	\$ 55.00
		Nellcor OxiMAX Spo2	\$ 390.00	\$ 39.00
		LAN Card for CMS	\$ 550.00	\$ 55.00
		4hour battery pack	\$ 275.00	\$ 27.50
		6hour battery pack	\$ 295.00	\$ 29.50
		MEDAETCO2 Mainstream (M30 Only)	\$ 3,995.00	Exempt
		MEDAETCO2 Sidestream (M30 Only)	\$ 3,795.00	Exempt

Image	Code	Product	Ex GST	+GST
-------	------	---------	--------	------

M3A Monitors

Standard Configuration includes:

Main Unit
 3.5 inch Color TFT and LED display
 Displays Numeric and Waveform Information Simultaneously
 PR Measurement (from SpO₂/NIBP)
 Trend table review and record
 Trend Graph review and record
 Large Storage Capacity
 Built-in Long Life Lithium-ion Battery



EDAM3AS	M3A Monitor with SpO2 only	\$ 960.00	Exempt
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
EDA11336014	Power Cord (AU standard)		
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 2.2Ah)		
N/A	User Manual		
EDAM3AN	M3A Monitor with NIBP only	\$ 996.00	Exempt
EDA115740029	Adult Cuff (25cm-35cm)		
EDA157471005	NIBP Tube (3m) with connector		
EDA11336014	Power Cord (AU standard)		
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 2.2Ah)		
N/A	User Manual		
EDAM3ASN	M3A Monitor with SpO2+NIBP	\$ 1,295.00	Exempt
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
EDA115740029	Adult Cuff (25cm-35cm)		
EDA157471005	NIBP Tube (3m) with connector		
EDA11336014	Power Cord (AU standard)		
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 2.2Ah)		
N/A	User Manual		
EDAM3ASNT	M3A Monitor with SpO2+NIBP+ Fast TEMP	\$ 1,668.00	Exempt
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
EDA115740029	Adult Cuff (25cm-35cm)		
EDA159036104	NIBP Tube (3m) with connector		
EDA204110140	Oral/Auxiliary Probe (Blue)		
EDA1157110159	Probe cover		
EDA11336014	Power Cord (AU standard)		
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
EDA1113114214	Ground Cable		
N/A	User Manual		

Image

Code

Product

Ex GST

+GST

M3A Monitor Options:**SpO₂**

EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor (Lemo) (Only compatible with EDAN SpO ₂ module) 2.5 m	\$ 206.00	20.60
EDA1201109079	EDAN SH1 Adult Reusable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 206.00	20.60
EDA1201110492	EDAN SH3 Neonate Warp SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 206.00	20.60
EDA1201110515	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 206.00	20.60
EDA201110531	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Immersion Disinfection) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 226.00	22.60
EDA1201110521	EDAN SH5 pediatric Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 206.00	20.60
EDA113210001	EDAN SpO ₂ Extension cable (Only compatible with Disposable SpO ₂ Sensor EDAN SpO ₂ Sensors and EDAN SpO ₂ module) 2m	\$ 82.00	8.20
EDA157040196	Adult Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 61.00	6.10
EDA157040197	Pediatric Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 61.00	6.10
EDA157040198	Infant Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 61.00	6.10
EDA157040199	Neonate Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 61.00	6.10

NIBP

EDA115740029	Adult Cuff (25cm-35cm)	\$ 41.00	4.10
EDA115740074	Large Adult Cuff (33-47cm)	\$ 41.00	4.10
EDA115740018	Child Cuff (18-26cm)	\$ 41.00	4.10
EDA115740020	Infant Cuff (10-19cm)	\$ 41.00	4.10
EDA115740097	Neonatal 3 Disposable Blood Pressure Cuff (5.4-9.1cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$ 41.00	4.10
EDA115740098	Neonatal 4 Disposable Blood Pressure Cuff (6.9-11.7cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$ 41.00	4.10
EDA157040139	Neonatal disposable cuff /(3-6cm) 5101	\$ 41.00	4.10
EDA1157040215	Neonatal disposable cuff /(6-9.5cm) 5102	\$ 41.00	4.10
EDA157040140	Neonatal disposable cuff /(8-12cm) 5103	\$ 41.00	4.10
EDA157040141	Neonatal disposable cuff /(9-14cm) 5104	\$ 41.00	4.10
EDA157040142	Neonatal disposable cuff /(12-18cm) 5105	\$ 41.00	4.10
EDA157471005	NIBP Tube (3m) with connector	\$ 82.00	8.20
EDA115930437	Connecting Tube for Neonatal Cuff (Only compatible with Neonatal Disposable Cuff and NIBP Tube)	\$ 20.00	2.00

Data management

N/A	PatientCare Viewer Management Kit: Oximeter Viewer Data Management Software (One CD) Ethernet cable (3m) USB sentinel	\$ 247.00	24.70
-----	--	-----------	-------

Others

EDA121064115	Rechargeable Lithium-ion Battery (14.8V 4.4Ah)	\$ 330.00	33.00
EDA121064115	Rechargeable Lithium-ion Battery (14.8V 2.2Ah)	\$ 206.00	20.60
EDA201109481	Wall Mount	\$ 302.00	30.20
EDA201101043	Basket (Only compatible with Wall Mount 02.01.109481)	\$ 49.00	4.90
EDA328101950	Rolling Stand (MT-206)	\$ 366.00	36.60
EDA204101976	Rolling Stand Basket (in the bottom)	\$ 44.00	4.40
EDA201109592	Bedrail Clamp	\$ 82.00	8.20
N/A	Service Manual	\$ 20.00	2.00



MT-206 Mobile Trolley Pictured with M3

Image	Code	Product	Ex GST	+GST
	M3 Monitors			
	Features: Main Unit 5.7 inch Color TFT or Blue LCD Screen Backlight Control with Standby Mode Displays Numeric and Waveform Information Simultaneously Nurse Call PR measurement (from SpO ₂ /NIBP) Trend table review and record Trend graph review and record Real-time waveform printing USB data storage and review Large Storage Capacity Built-in Long Life Lithium-ion Battery			
	EDAM3SC	M3 with SpO₂ Only Color TFT Screen	\$ 1,833.00	Exempt
	EDAM3SB	M3 with SpO₂ Only Blue LCD Screen	\$ 1,680.00	Exempt
	EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
	EDA11336014	Power Cord (AU standard)		
	EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
	EDA1113114214	Ground Cable		
	N/A	User Manual		
	EDAM3NC	M3 with NIBP Only Color TFT Screen	\$ 1,986.00	Exempt
	EDAM3NB	M3 with NIBP Only Blue LCD Screen	\$ 1,833.00	Exempt
	EDA115740029	Adult Cuff (25cm-35cm)		
	EDA159036104	NIBP Tube (3m) with connector		
	EDA11336014	Power Cord (AU standard)		
	EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
	EDA1113114214	Ground Cable		
	N/A	User Manual		
	EDAM3SNC	M3 with SpO₂ and NIBP Color TFT Screen	\$ 2,444.00	Exempt
	EDAM3SNB	M3 with SpO₂ and NIBP Blue LCD Screen	\$ 2,291.00	Exempt
	EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
	EDA115740029	Adult Cuff (25cm-35cm)		
	EDA159036104	NIBP Tube (3m) with connector		
	EDA11336014	Power Cord (AU standard)		
	EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
	EDA1113114214	Ground Cable		
	N/A	User Manual		
	EDAM3NTC	M3 with NIBP and Quick Temp Color TFT Screen	\$ 2,597.00	Exempt
	EDA115740029	Adult Cuff (25cm-35cm)		
	EDA159036104	NIBP Tube (3m) with connector		
	EDA204110140	Oral/Auxiliary Probe (Blue)		
	EDA1157110159	Probe cover		
	EDA11336014	Power Cord (AU standard)		
	EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
	EDA1113114214	Ground Cable		
	N/A	User Manual		
	EDAM3SNTC	M3 with SpO₂ and NIBP and Quick Temp Color TFT Screen	\$ 3,055.00	Exempt
	EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor		
	EDA115740029	Adult Cuff (25cm-35cm)		
	EDA159036104	NIBP Tube (3m) with connector		
	EDA204110140	Oral/Auxiliary Probe (Blue)		
	EDA1157110159	Probe cover		
	EDA11336014	Power Cord (AU standard)		
	EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)		
	EDA1113114214	Ground Cable		
	N/A	User Manual		

Code	Product	Ex GST	+GST
<u>M3 Monitor Options: SpO₂</u>			
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module, Extension Cable and DS-100A Adult Sensor (Weak Perfusion Resistance)	\$ 733.00	73.30
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module, Extension Cable and OXI-A/N Adult/Neonate Sensor (Weak Perfusion Resistance)	\$ 880.00	88.00
EDA111530043	Nellcor Reusable Adult SpO ₂ Sensor(DS-100A OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 317.00	31.70
EDA111540096	Nellcor Reusable Adult/Neonate SpO ₂ Sensor(OXI-A/N OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 464.00	46.40
EDA111330131	Nellcor SpO ₂ Extension cable (Compatible with Nellcor Nell-1 OXI-Max SpO ₂ module and Nellcor	\$ 122.00	12.20
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor (Lemo) (Only compatible with EDAN SpO ₂ module) 2.5 m	\$ 183.00	18.30
EDA1201109079	EDAN SH1 Adult Reusable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA1201110492	EDAN SH3 Neonate Warp SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)1m	\$ 183.00	18.30
EDA1201110515	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA201110531	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Immersion Disinfection) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 201.00	20.10
EDA1201110521	EDAN SH5 pediatric Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA113110514	EDAN SpO ₂ Extension cable (Only compatible with Disposable SpO ₂ Sensor, EDAN SpO ₂ Sensors and EDAN SpO ₂ module) 2m	\$ 73.00	7.30
EDA115740125	Envisen Neonate Disposable SpO ₂ Sensor (Only compatible with EDAN SpO ₂ Extension cable)	\$ 48.00	4.80
EDA1115040160	Envisen Pediatric Reusable Silicone Soft Tip Sensor (Only compatible with EDAN SpO ₂ module)	\$ 158.00	15.80
EDA157040196	Adult Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040197	Pediatric Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040198	Infant Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040199	Neonate Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
<u>NIBP</u>			
EDA115740029	Adult Cuff (25cm-35cm)	\$ 36.00	3.60
EDA115740074	Large Adult Cuff (33-47cm)	\$ 36.00	3.60
EDA115740018	Child Cuff (18-26cm)	\$ 36.00	3.60
EDA115740020	Infant Cuff (10-19cm)	\$ 36.00	3.60
EDA115740097	Neonatal 3 Disposable Blood Pressure Cuff (5.4-9.1cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$ 36.00	3.60
EDA115740098	Neonatal 4 Disposable Blood Pressure Cuff (6.9-11.7cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$ 36.00	3.60
EDA159036104	NIBP Tube (3m) with connector	\$ 73.00	7.30
EDA115930437	Connecting Tube for Neonatal Cuff (Only compatible with Neonatal Disposable Cuff and NIBP	\$ 18.00	1.80
<u>Quick Temperature</u>			
EDA204110140	Oral/Auxiliary Probe (White)	\$ 256.00	25.60
EDA204110139	Rectal Probe (Red)	\$ 293.00	29.30
EDA1157110159	Probe cover	\$ 7.00	0.70
<u>Data management</u>			
EDA204240050	PatientCare Viewer Management Kit: Oximeter Viewer Data Management Software (One CD) Ethernet cable (3m) USB sentinel	\$ 220.00	22.00
<u>Others</u>			
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)	\$ 183.00	18.30
EDA120119084	Thermal Printer	\$ 458.00	45.80
EDA15778035	Printing Paper	\$ 3.00	0.30
EDA201109481	Wall Mount	\$ 268.00	26.80
EDA201101043	Basket (Only compatible with Wall Mount MS3R-109481)	\$ 44.00	4.40
EDA328101950	Rolling Stand (MT-206)	\$ 366.00	36.60
EDA204101976	Rolling Stand Basket (in the bottom)	\$ 44.00	4.40
EDA201109592	Bedrail Clamp	\$ 73.00	7.30
N/A	Service Manual	\$ 18.00	1.80

*Image**Code**Product**Ex GST**+GST***M3B Monitors****Standard Configuration includes:**

Main Unit
 5.7 inch Color TFT or Blue LCD Screen
 Backlight Control with Standby Mode
Respironics Sidestream and Mainstream CO₂ measurement
 SpO₂ and Pulse Rate measurement
 Displays Numeric and Waveform Information Simultaneously
 Trend table review and record
 Trend graph review and record
 USB data storage and review
 Nurse Call
 Large Storage Capacity
 Built-in Long Life Lithium-ion Battery

EDAM3BSC	Sidestream ETCO ₂ With Colour TFT	\$ 5,782.00	Exempt
EDAM3BSB	Sidestream ETCO ₂ with Blue LCD	\$ 5,630.00	Exempt
EDAM3BMC	Mainstream ETCO ₂ With Colour TFT	\$ 6,543.00	Exempt
EDAM3BMB	Mainstream ETCO ₂ with Blue LCD	\$ 6,391.00	Exempt

Standard accessories:

EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor
EDA1208078137	Respironics LoFlo™ EtCO ₂ (Side-stream) Module
EDA1157078139	Disposable CO ₂ Nasal Cannula - Adult (Respironics 3468ADU-00)
EDA1157078140	Disposable CO ₂ Nasal Cannula - Pediatric (Respironics 3468PED-00)
EDA1157078141	Disposable CO ₂ Nasal Cannula - Infant (Respironics 3468INF-00)
EDA1157078154	Disposable Sampling Line Kit with Dehumidification Tubing (Respironics 3475-00)
EDA1115040143	Respironics CAPNOSTAT 5 EtCO ₂ (Main-stream) Module 1015928
EDA1159078155	Disposable Adult Airway Adapter (6063-00)
EDA1159078156	Disposable Neonatal(infant/pediatric) Airway Adapter (6312-00)
EDA11336014	Power Cord (AU standard)
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)
EDA1113114214	Ground Cable
N/A	User Manual

Code	Product	Ex GST	+GST
<u>M3B Monitor Options: SpO₂</u>			
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module, Extension Cable and DS-100A Adult Sensor (Weak Perfusion Resistance)	\$ 733.00	73.30
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module, Extension Cable and OXI-A/N Adult/Neonate Sensor (Weak Perfusion Resistance)	\$ 880.00	88.00
EDA111530043	Nellcor Reusable Adult SpO ₂ Sensor(DS-100A OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 317.00	31.70
EDA111540096	Nellcor Reusable Adult/Neonate SpO ₂ Sensor(OXI-A/N OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 464.00	46.40
EDA111330131	Nellcor SpO ₂ Extension cable (Compatible with Nellcor Nell-1 OXI-Max SpO ₂ module and Nellcor	\$ 183.00	18.30
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor (Lemo) (Only compatible with EDAN SpO ₂ module), 2.5 m	\$ 183.00	18.30
EDA1201109079	EDAN SH1 Adult Reusable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable), 1m	\$ 183.00	18.30
EDA1201110492	EDAN SH3 Neonate Warp SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable),1m	\$ 183.00	18.30
EDA1201110515	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable), 1m	\$ 183.00	18.30
EDA201110531	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Immersion Disinfection) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable), 1m	\$ 201.00	20.10
EDA1201110521	EDAN SH5 pediatric Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable), 1m	\$ 183.00	18.30
EDA113110514	EDAN SpO ₂ Extension cable (Only compatible with Disposable SpO ₂ Sensor, EDAN SpO ₂ Sensors and EDAN SpO ₂ module), 2m	\$ 73.00	7.30
EDA115740125	Envisen Neonate Disposable SpO ₂ Sensor (Only compatible with EDAN SpO ₂ Extension cable)	\$ 48.00	4.80
EDA1115040160	Envisen Pediatric Reusable Silicone Soft Tip Sensor (Only compatible with EDAN SpO ₂ module)	\$ 158.00	15.80
EDA157040196	Adult Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040197	Pediatric Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040198	Infant Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040199	Neonate Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
<u>CO₂</u>			
EDA1208078137	Respironics EtCO ₂ (Side-stream) Module with LoFo(tm) Module Mounting Bracket(Respironics 1027730)	\$ 2,933.00	293.30
EDA1208078166			
EDA204100696	Respironics EtCO ₂ (Side-stream) Accessories: - Disposable CO ₂ Nasal Cannula - Adult - Disposable CO ₂ Nasal Cannula - Pediatric - Disposable CO ₂ Nasal Cannula - Infant - Disposable Sampling Line Kit with Dehumidification Tubing	\$ 110.00	11.00
EDA1157078139	Disposable CO ₂ Nasal Cannula - Adult (Respironics 3468ADU-00)	\$ 24.00	2.40
EDA1157078140	Disposable CO ₂ Nasal Cannula - Pediatric (Respironics 3468PED-00)	\$ 24.00	2.40
EDA1157078141	Disposable CO ₂ Nasal Cannula - Infant (Respironics 3468INF-00)	\$ 24.00	2.40
EDA1157078154	Disposable Sampling Line Kit with Dehumidification Tubing (Respironics 3475-00)	\$ 36.00	3.60
EDA204100552	Respironics CAPNOSTAT 5 EtCO ₂ (Main-stream) Module 1015928 with Accessories kit: - Disposable Adult Airway Adapter (6063-00) - Disposable Neonatal(infant/ pediatric) Airway Adapter (6312-00)	\$ 3,617.00	361.70
EDA1115040143	Respironics CAPNOSTAT 5 EtCO ₂ (Main-stream) Module 1015928	\$ 3,544.00	354.40
EDA1159078155	Disposable Adult Airway Adapter (6063-00)	\$ 36.00	3.60
EDA1159078156	Disposable Neonatal(infant/pediatric) Airway Adapter (6312-00)	\$ 36.00	3.60
<u>Data management</u>			
EDA204240050	PatientCare Viewer Management Kit: Oximeter Viewer Data Management Software (One CD) Ethernet cable (3m) USB sentinel	\$ 220.00	22.00
<u>Others</u>			
EDA121064115	Rechargeable Lithium-ion Battery (14.8V, 4.4Ah)	\$ 183.00	18.30
EDA120119084	Thermal Printer	\$ 458.00	45.80
EDA15778035	Printing Paper	\$ 3.00	0.30
EDA201109481	Wall Mount	\$ 268.00	26.80
EDA201101043	Basket (Only compatible with Wall Mount MS3R-109481)	\$ 44.00	4.40
EDA328101950	Rolling Stand (MT-206)	\$ 366.00	36.60
EDA204101976	Rolling Stand Basket (in the bottom)	\$ 44.00	4.40
EDA201109592	Bedrail Clamp	\$ 73.00	7.30
N/A	Service Manual	\$ 18.00	1.80

Code	Product	Ex GST	+GST
M9 Patient Monitor			
EDAM912	12.1" (5-lead ECG, Edan SpO ₂ , NIBP, Resp, 2-Temp)	\$ 3,666.00	Exempt
EDAM9A10	10.4" (5-lead ECG, Edan SpO ₂ , NIBP, Resp, 2-Temp)	\$ 3,470.00	Exempt



Standard Configuration including:

Main Unit
up to 7-lead ECG, RESP, NIBP, Edan SpO₂ (EDAN A8 module), 2-TEMP, PR
Arrhythmia, S-T Analysis, OxyCRG
Rechargeable Lithium-Ion Battery (14.8V, 4Ah)
120 Seconds Full-disclosure Waveforms Review
96 Hour Graphic and Tabular Trends Of All Parameters
USB data storage and review
Bi-directional Communications with Central Monitoring System
Waveform color adjustable
Customized alarm setting

Standard accessories:

EDA115040187	Skin Temperature Probe
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor
EDA115740029	Adult Cuff (25cm-35cm)
EDA159036104	NIBP Tube (3m) with connector
EDA157040190	5-lead ECG integrative Cable with Leadwires, Snap (IEC)
EDA115740010	5-lead ECG integrative Cable with Leadwires, Snap (AHA)
EDA11336014	Power Cord (AU standard)
N/A	Adult Disposable Adhesive Electrodes
EDA1121064116	Rechargeable Lithium-Ion Battery (14.8V, 4Ah)
N/A	User Manual
EDA1113114214	Ground Cable

Code	Product	Ex GST	+GST
M9 Options: ECG			
EDA0201109095& EDA0157040202& EDA0157040203	12-lead ECG kit Snap (IEC): EDAN 12-lead ECG module (instead of existing ECG module) 12-lead ECG trunk Cable (Defibrillation) (IEC) 12-lead ECG Leadwires Snap (IEC)	\$ 1,283.00	128.30
EDA0201109095& EDA0157109100& EDA0157109101	12-lead ECG kit Snap (AHA): EDAN 12-lead ECG module (instead of existing ECG module) 12-lead ECG trunk Cable (Defibrillation) (AHA) 12-lead ECG Leadwires Snap (AHA)	\$ 1,283.00	128.30
EDA0157040202& EDA0157040203	12-lead ECG trunk Cable with Leadwires kit Snap (IEC): 12-lead ECG trunk Cable (Defibrillation) (IEC) 12-lead ECG Leadwires Snap (IEC)	\$ 293.00	29.30
EDA0157109100& EDA0157109101	12-lead ECG trunk Cable with Leadwires kit Snap (AHA): 12-lead ECG trunk Cable (Defibrillation) (AHA) 12-lead ECG Leadwires Snap (AHA)	\$ 293.00	29.30
EDA157040202	12-lead ECG trunk Cable (Defibrillation) (IEC)	\$ 183.00	18.30
EDA157109100	12-lead ECG trunk Cable (Defibrillation) (AHA)	\$ 183.00	18.30
EDA157040203	12-lead ECG Leadwires Snap (IEC)	\$ 110.00	11.00
EDA157109101	12-lead ECG Leadwires Snap (AHA)	\$ 110.00	11.00
EDA0157040206& EDA0157040207	5-lead ECG trunk Cable with Leadwires kit Snap (IEC): 5-lead ECG trunk Cable (Defibrillation) (IEC) 5-lead ECG Leadwires Snap (IEC)	\$ 165.00	16.50
EDA0157040206& EDA0157040208	5-lead ECG trunk Cable with Leadwires kit Grabber (IEC): 5-lead ECG trunk Cable (Defibrillation) (IEC) 5-lead ECG Leadwires Grabber (IEC)	\$ 165.00	16.50
EDA157040206	5-lead ECG trunk Cable (Defibrillation) (IEC)	\$ 91.00	9.10
EDA157040207	5-lead ECG Leadwires Snap (IEC)	\$ 73.00	7.30
EDA157040208	5-lead ECG Leadwires Grabber (IEC)	\$ 73.00	7.30
EDA115740129	5-lead ECG integrative Cable with Leadwires Snap (Defibrillation) (IEC)	\$ 110.00	11.00
EDA157101027	5-lead ECG integrative Cable with Leadwires Snap (Defibrillation) (AHA)	\$ 110.00	11.00
EDA1157040155	5-lead ECG integrative Cable with Leadwires Grabber (AHA)	\$ 91.00	9.10
EDA115740046	3-lead ECG integrative Cable with Leadwires Snap (IEC)	\$ 91.00	9.10
EDA115740028	3-lead ECG integrative Cable with Leadwires Snap (AHA)	\$ 91.00	9.10
M9 Optios: SpO₂			
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module Extension Cable and DS-100A Adult Sensor (Weak Perfusion Resistance)	\$ 733.00	73.30
N/A	Nellcor Nell-1 OXI-Max SpO ₂ Module Extension Cable and OXI-A/N Adult/Neonate Sensor (Weak Perfusion Resistance)	\$ 880.00	88.00
EDA111530043	Nellcor Reusable Adult SpO ₂ Sensor(DS-100A OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 317.00	31.70
EDA111540096	Nellcor Reusable Adult/Neonate SpO ₂ Sensor(OXI-A/N OxiMax) (Only compatible with Nellcor SpO ₂ Extension cable)	\$ 464.00	46.40
EDA111330131	Nellcor SpO ₂ Extension cable (Compatible with Nellcor OXI-Max SpO ₂ module and Nellcor sensor)	\$ 122.00	12.20
EDA1201109069	EDAN SH1 Adult Reusable SpO ₂ Sensor (Lemo) (Only compatible with EDAN SpO ₂ module) 2.5 m	\$ 183.00	18.30
EDA1201109079	EDAN SH1 Adult Reusable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA1201110492	EDAN SH3 Neonate Wrap SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA1201110515	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA201110531	EDAN SH4 Adult Silicone Soft-tip SpO ₂ Sensor (DB9) (Immersion Disinfection) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 201.00	20.10
EDA1201110521	EDAN SH5 pediatric Silicone Soft-tip SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable) 1m	\$ 183.00	18.30
EDA113110514	EDAN SpO ₂ Extension cable (Only compatible with Disposable SpO ₂ Sensor EDAN SpO ₂ Sensors and EDAN SpO ₂ module) 2m	\$ 73.00	7.30
EDA115740125	Envisen Neonate Disposable SpO ₂ Sensor (Only compatible with EDAN SpO ₂ Extension cable)	\$ 73.00	7.30
EDA1115040160	Envisen Pediatric Reusable Silicone Soft Tip Sensor (Only compatible with EDAN SpO ₂ module)	\$ 238.00	23.80
EDA157040196	Adult Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040197	Pediatric Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040198	Infant Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50
EDA157040199	Neonate Disposable SpO ₂ Sensor (DB9) (Only compatible with EDAN SpO ₂ module and EDAN SpO ₂ Extension cable)	\$ 55.00	5.50

Code	Product		Ex GST	+GST
<u>M9 Options: NIBP</u>				
EDA115740029	Adult Cuff (25cm-35cm)	\$	36.00	3.60
EDA115740074	Large Adult Cuff (33-47cm)	\$	36.00	3.60
EDA115740018	Child Cuff (18-26cm)	\$	36.00	3.60
EDA115740020	Infant Cuff (10-19cm)	\$	36.00	3.60
EDA115740097	Neonatal 3 Disposable Blood Pressure Cuff (5.4-9.1cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$	36.00	3.60
EDA115740098	Neonatal 4 Disposable Blood Pressure Cuff (6.9-11.7cm) (Only compatible with Connecting Tube for Neonatal Cuff)	\$	36.00	3.60
EDA159036104	NIBP Tube (3m) with connector	\$	73.00	7.30
EDA115930437	Connecting Tube for Neonatal Cuff (Only compatible with Neonatal Disposable and NIBP Tube)	\$	18.00	1.80
<u>M9 Options: TEMP</u>				
EDA115040187	Skin Temperature Probe	\$	73.00	7.30
EDA115040186	Rectal / Oral Temperature Probe	\$	73.00	7.30
<u>M9 Options: IBP</u>				
EDA12033386401	IBP Module	\$	1,100.00	110.00
EDA20418960	IBP Accessories: 1 set pressure transducer interface cable 1 pcs Disposable pressure transducer kit	\$	440.00	44.00
EDA111336087	Pressure transducer interface cable	\$	293.00	29.30
EDA115740121	Disposable pressure transducer kit (BD DTX TM Plus DT-4812 682000)	\$	146.00	14.60
<u>M9 Options: CO</u>				
N/A	CO Module	\$	1,100.00	110.00
N/A	CO Accessories: 1 Cardiac output cable 1 In-line Injection temperature probe (BD 684056-SP4042) 2 In-line Injection temperature probe housing (BD 680006-SP5045) 2 Control Syringe (Medex MA387)	\$	2,933.00	293.30
EDA1157100174	Cardiac output cable	\$	977.00	97.70
EDA111340119	In-line Injection temperature probe (BD 684056-SP4042)	\$	831.00	83.10
EDA115740120	In-line Injection temperature probe housing (BD 680006-SP5045)	\$	24.00	2.40
EDA1157100175	Control Syringe (Medex MA387)	\$	48.00	4.80

Code	Product	Ex GST	+GST
<u>M9 Options: IBP+CO</u>			
N/A	IBP/CO Modules and IBP/CO Accessories: 1 set pressure transducer interface cable 1 pcs Disposable pressure transducer kit 1 Cardiac output cable 1 In-line Injection temperature probe (BD 684056-SP4042) 2 In-line Injection temperature probe housing (BD 680006-SP5045) 2 Control Syringe (Medex MA387)	\$ 2,982.00	298.20
<u>M9 Options: CO₂</u>			
N/A	Respironics EtCO ₂ Function and interface	\$ 122.00	12.20
EDA1208078137& EDA1208078166	Respironics EtCO ₂ (Side-stream) Module with LoFlo™ Module Mounting Bracket(Respironics 1027730)	\$ 2,933.00	293.30
EDA204100696	Respironics EtCO ₂ (Side-stream) Accessories:	\$ 165.00	16.50
EDA1157078139	Disposable CO ₂ Nasal Cannula - Adult (Respironics 3468ADU-00)	\$ 36.00	3.60
EDA1157078140	Disposable CO ₂ Nasal Cannula - Pediatric (Respironics 3468PED-00)	\$ 36.00	3.60
EDA1157078141	Disposable CO ₂ Nasal Cannula - Infant (Respironics 3468INF-00)	\$ 36.00	3.60
EDA1157078154	Disposable Sampling Line Kit with Dehumidification Tubing (Respironics 3475-00)	\$ 55.00	5.50
EDA204100552	Respironics CAPNOSTAT 5 EtCO ₂ (Main-stream) Module 1015928 with Accessories kit: Disposable Adult Airway Adapter (6063-00) Disposable Neonatal(infant/ pediatric) Airway Adapter (6312-00)	\$ 3,617.00	361.70
EDA1115040143	Respironics CAPNOSTAT 5 EtCO ₂ (Main-stream) Module 1015928	\$ 3,544.00	354.40
EDA1159078155	Disposable Adult Airway Adapter (6063-00)	\$ 55.00	5.50
EDA1159078156	Disposable Neonatal(infant/pediatric) Airway Adapter (6312-00)	\$ 55.00	5.50
<u>M9 Options: Multi-gas</u>			
N/A	Artema Multi-gas without O ₂ and Accessories (Without agent identification):	\$ 9,995.00	999.50
N/A	Artema Multi-gas with O ₂ and Accessories (Without agent identification):	\$ 10,633.00	1,063.30
N/A	Artema Multi-gas without O ₂ and Accessories (With agent identification):	\$ 12,475.00	1,247.50
N/A	Artema Multi-gas with O ₂ and Accessories (With agent identification):	\$ 13,398.00	1,339.80
EDA1157100214	DRYLINE™ Water Trap, Adult (Artema 60-13100-00)	\$ 73.00	7.30
EDA1157100216	DRYLINE™ Water Trap, Neonate (Artema 60-13200-00)	\$ 73.00	7.30
EDA1157100217	DRYLINE™ Sampling Line, Adult (2.5m) (Artema 60-15200-00)	\$ 36.00	3.60
EDA1157100218	DRYLINE™ Sampling Line, Neonate (2.5m) (Artema 60-15300-00)	\$ 36.00	3.60
EDA1112031446	DRYLINE™ Airway Adapter, Straight (Artema 60-14100-00)	\$ 18.00	1.80
EDA1112031447	DRYLINE™ Airway Adapter, Elbow (Artema 60-14200-00)	\$ 18.00	1.80
EDA1115040138	OXIMA™ Galvanic Oxygen Sensor (Artema 60-10351-00)	\$ 641.00	64.10
<u>M9 Options: Battery</u>			
EDA1121064116	Rechargeable Lithium-Ion Battery (14.8V, 4Ah)	\$ 366.00	36.60
EDA1121064103	Rechargeable Lithium-Ion Battery (14.8V, 2Ah)	\$ 183.00	18.30
<u>M9 Options: Others</u>			
EDA120119084	Thermal Printer	\$ 458.00	45.80
EDA15778035	Printing Paper	\$ 3.00	0.30
EDA120130493	Wall Mount (Simple)	\$ 220.00	22.00
EDA20130164	Wall Mount	\$ 268.00	26.80
EDA201101043	Basket (Only compatible with Wall Mount MS3R-30164)	\$ 44.00	4.40
EDA328101952	Rolling Stand (MT-207)	\$ 366.00	36.60
EDA204101976	Rolling Stand Basket (in the bottom)	\$ 44.00	4.40
EDA1113114214	Ground Cable	\$ 18.00	1.80
N/A	Service Manual	\$ 18.00	1.80

Note:

1) The only Swan-Ganz Catheter compatible with EDAN's CO module is EDWARDS 131-HF7

2) Multi-gas includes CO₂ monitoring, ie. EtCO₂ module is not required if Multi-Gas module is selected

Image	Code	Product	ExGST	+GST
	EDACADENCE	Cadence CTG Monitors	\$ 1,995.00	Exempt
		Standard Configuration including:		
		Main Unit FHR, Toco, AFM, Fetal Movement Built-in Thermal Recorder		
	EDACADENCEDUAL	Cadence CTG with Twins Function	\$ 2,295.00	Exempt
		Standard Configuration including:		
		Main Unit Twins FHR, Toco, AFM, Fetal Movement Built-in Thermal Recorder		
		Standard accessories:		
	EDA120110930101	FHR Probe (x2 for EDACADENCEDUAL)		
	EDA12013152701	TOCO Probe		
	EDA1201107673	Event Marker		
	EDA015702264	Belt x2 (x3 on EDACADENCEDUAL)		
	EDA115778008	Ultrasound Gel(CE Mark, 250g)		
	EDA015701921	Recording Paper (90mm×112mm×150p, US Standard)		
	EDA012164066	T16A Fuse		
	EDA011336014	Power Cord (Australian Standard)		
	N/A	Quick Reference		
	N/A	User Manual		
	N/A	Insight Software User Manual		
	EDA011310765911	Insight Connection Cable		
	EDA1201111139	Insight Software (CD)		
		Other software options / accessories		
		Probes		
	EDA120110930101	FHR Probe	\$ 680.00	68.00
	EDA12013152701	TOCO Probe	\$ 556.00	55.60
		Recording Paper		
	EDA015701921	Recording Paper (90mm×112mm×150p, US Standard, per piece)	\$ 8.00	0.80
	EDA015778019	Recording Paper (90mm×112mm×150p, European Standard, per	\$ 8.00	0.80
		Other		
	EDA032717692	Fetal Stimulator	\$ 618.00	61.80
	EDA1201107673	Event Marker	\$ 41.00	4.10
	EDA015702264	Belt (per piece)	\$ 16.00	1.60
	EDA115778001	Ultrasound Gel (PARKER, CE Mark and FDA Approval, 250ml)	\$ 33.00	3.30
	EDA115778008	Ultrasound Gel(CE Mark, 250g)	\$ 20.00	2.00
	EDA1121064117	Rechargeable Lithiumion Battery (6600mAh)	\$ 330.00	33.00
	EDA0328115032	Rolling Stand(MT503)	\$ 412.00	41.20
	EDA0201210033	Wall Mounting Rack	\$ 61.00	6.10
	EDA115678106	Carry Bag	\$ 123.00	12.30
	EDA1125072174	Cable Tie	\$ 20.00	2.00
	EDA1113036096	RS232 to USB Adapter and Driver CD (HL 340)	\$ 33.00	3.30
	EDA0201112891	Basket for Wall Mounting Rack	\$ 49.00	4.90
	EDA020510387010	Register code software for Insight	\$ 206.00	20.60
	N/A	Service Manual	\$ 20.00	2.00
	EDA011310765911	Insight Connection Cable	\$ 20.00	2.00
	EDA1113114214	Ground Wire	\$ 20.00	2.00
	EDA1157471026	Dust Cover	\$ 33.00	3.30

**Cadence II (not priced)
on MT503 Rolling Stand**

NB: Battery can not be retrofit after sale

pictures are for reference only

Image

Code
EDAF6

Product

ExGST +GST
\$ 3,495.00 Exempt

**F6 CTG Monitors****Standard Configuration including:**

Main Unit
10.2" Color LCD
Probe Rack
Display Waveforms and Digitals Simultaneously
150/152mm Wide Paper Support US/International Standard
FHR, Toco, AFM, Fetal Movement,
High Resolution and Long Life Built-in Thermal Printer
Fast Print Speed (Stored Traces): Up to 25mm/sec

EDAF6DUAL

F6 CTG Monitors with Twins Function

\$ 3,795.00 Exempt

Standard Configuration including:

Main Unit
10.2" Color LCD
Probe Rack
Display Waveforms and Digitals Simultaneously
150/152mm Wide Paper Support US/International Standard
Twins FHR, Toco, AFM, Fetal Movement,
High Resolution and Long Life Built-in Thermal Printer
Fast Print Speed (Stored Traces): Up to 25mm/sec

Standard accessories:

EDA120110930101 FHR Probe (x2 on EDAF6Dual)
EDA12013152701 TOCO Probe (F6 without DECG and IUP function)
EDA111533032 TOCO Probe (F6 with DECG and IUP function)
EDA120131112 Event Marker
EDA015702264 Belt x2 (x3 on EDAF6DUAL)
EDA115778008 Ultrasound Gel(CE Mark, 250g)
EDA01577511101 Recording Paper (90mm×152mm×150p, US Standard)
EDA012164066 T1.6AL Fuse
EDA011336014 Power Cord (Australian Standard)
N/A User Manual
N/A Quick Reference
EDA02053302012 Insight Software (CD)
N/A Insight Software User Manual
EDA011310765911 Insight Connection Cable
EDA111320096 Ethernet Cable
EDA1113036096 RS232 to USB Adapter and Driver CD (HL 340)
EDA1113114214 Ground Cable
EDA0124070019 Screwdriver

Other software options / accessories**Probes**

EDA120110930101	FHR Probe	\$	680.00	68.00
EDA12013152701	TOCO Probe (F6 without DECG and IUP Function)	\$	556.00	55.60
EDA111533032	TOCO Probe (F6 with DECG and IUP Function)	\$	556.00	55.60

Recording Paper

EDA01577511201	Recording Paper (90mm×152mm×150p, International Standard, per piece)	\$	8.00	0.80
EDA01577511401	Recording Paper (100mm×150mm×150p, International Standard, per piece)	\$	8.00	0.80

DECG and IUP function and accessories

N/A	DECG and IUP Function and Accessories: (must be assembled by manufacturer) Including 1) DECG and IUP Function Board and Interface 2) DECG Cable 3) IUP Cable and Commutator Cable 4) IUPC 5 pieces, FSE 5 pieces and PAD 5 p	\$	5,500.00	550.00
-----	--	----	----------	--------

N/A	DECG and IUP Function Board and Interface	\$	2,475.00	247.50
EDA1113104152	IUP Cable (Reusable Cable for IUP Commutator Cable, KENDALL)	\$	1,134.00	113.40
EDA0113107796	IUP Commutator Cable (Reusable Cable for IUP Cable and IUPC, Edan)	\$	41.00	4.10
EDA0113107756	DECG Cable (Reusable Cable for FSE, Edan)	\$	1,237.00	123.70
EDA1157104153	IUP Catheter (ACCUTRACE IUPC KENDALL PN:56300), one piece	\$	598.00	59.80
EDA115702145	FSE (Safelinc Single Electrode, KENDALL), one piece	\$	49.00	4.90
EDA115702146	PAD (Attachment Pad Electrode, KENDALL), one piece	\$	20.00	2.00

Others

EDA1201114181	Built-in Wireless Module	\$	453.00	45.30
EDA1121064118	Rechargeable Lithium-ion Battery (4400mAh)	\$	330.00	33.00
EDA032717692	Fetal Stimulator	\$	618.00	61.80
EDA120131112	Event Marker	\$	41.00	4.10
EDA015702264	Belt (per piece)	\$	16.00	1.60
EDA115778001	Ultrasound Gel (PARKER, CE Mark and FDA Approval, 250ml)	\$	33.00	3.30
EDA115778008	Ultrasound Gel(CE Mark, 250g)	\$	20.00	2.00
EDA1201112910	Wall Mounting Rack	\$	61.00	6.10
EDA0201112891	Basket for Wall Mounting Rack	\$	49.00	4.90
EDA020510387010	Register code software for Insight	\$	206.00	20.60
EDA0328108020	Trolley(MT803)	\$	1,045.00	104.50
EDA0328108108	Rolling Stand(MT503)	\$	412.00	41.20
EDA0328108166	Rolling Stand with PC bracket(MT503N)	\$	577.00	57.70
EDA0201210061	Pivot arm wall mount	\$	536.00	53.60
EDA115678106	Carry Bag	\$	123.00	12.30
EDA011310765911	Insight Connection Cable	\$	20.00	2.00

**F9 (not Priced) on MT804 Trolley**

Image	Code	Product	Ex GST	+GST
		DUS 3 Ultrasonic Scanner		
		Standard Configuration including:	\$ 4,888.00	488.80
		Main Unit		
		10 inch non-interlaced monitor		
		One standard transducer connector		
		4-segment TGC control		
		IP(Image Processing) function		
		128-frame cine loop memory		
		56MB image storage capacity		
		Two USB ports(1 host, 1 device)		
		Measurement&Calculation software package		
		Convex array transducer C361-1(2.0/3.0/4.0/5.0/6.0MHz, 80 elements)		
		Standard accessories:		
	EDAMS3102388	Convex array transducer C361-1(2.0/3.0/4.0/5.0/6.0MHz, 80 elements)		
	EDAM21R64066	Fuse		
	EDAMS4102422	Transducer holder		
	EDAMS1R102833A0	Transducer cable holder		
	EDAM5078008	Ultrasound Gel(CE Mark, 250g)		
	EDAM13R36014	Power Cord (AUS standard)		
	EDAMS120016	Ground Cable		
	N/A	User Manual		

Pictures Transducers

	EDAMS3102388	Convex array transducer C361-1 (2.0/3.0/4.0/5.0/6.0MHz,80 elements) Applications: Abdomen, OB, GYN Scanning Angle: 60°	\$ 1,650.00	165.00
	EDAMS3102575	Convex array transducer C341 (2.0/3.0/4.0/5.0/6.0MHz,80 elements) Scanning Angle: 90° Applications: Abdomen + OB + GYN	\$ 1,650.00	165.00
	EDAMS3102581	Linear array transducer L741 (6.0/7.0/8.0/9.0/10.0MHz,80 elements) Applications: Muscle + Skeleton + Vascular Scanning Length: 40mm	\$ 1,650.00	165.00
	EDAMS3102578	Transvaginal transducer E611-1 (4.5/5.5/6.5/7.5/8.5MHz,80 elements) Applications: OB + GYN Scanning Angle: 155°	\$ 1,949.00	194.90
	EDAMS3102578	Micro-convex array transducer C321-1 (2.0/3.0/4.0/5.0/6.0MHz,80 elements) Applications: Cardiac Scanning Angle:90°	\$ 1,949.00	194.90
	EDAMS3102577	Endorectal transducer E741 (6.0/7.0/8.0/9.0/10.0MHz,80 elements) Applications: Urology Scanning Length: 40mm	\$ 1,949.00	194.90

Printer

	EDAM18520146	Video Printer, SONY UP-897MD	\$ 1,989.00	198.90
	EDAM1336032	Remote control cable for video printer		
	EDAM18052194	Video Printer, MITSUBISHI P93W-Z	\$ 1,625.00	162.50
	EDAM1336032	Remote control cable for video printer		


<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>Ex GST</i>	<i>+GST</i>
DUS 3 Options: Trolley				
	EDAMS9102651	Luxury Mobile Trolley, MT-802	\$ 1,161.00	116.10
	EDAM50078183	Mobile Trolley	\$ 611.00	61.10
Pictures Accessories				
	EDAMS3102338	Needle Guide Bracket for convex transducer C361-1, BGK-CR60	\$ 611.00	61.10
	EDAMS3102346	Needle Guide Bracket for convex transducer C341, BGK-CR40	\$ 611.00	61.10
	EDAMS3102380	Needle Guide Bracket for micro-convex transducer C321-1, BGK-CR20	\$ 611.00	61.10
	EDAMS3102363	Needle Guide Bracket for transvaginal transducer E611-1, BGK-CR10UA	\$ 855.00	85.50
	EDAMS3102355	Needle Guide Bracket for linear transducer L741, BGK-LA43	\$ 611.00	61.10
	EDAMS1R102834A0	Carrying Bag	\$ 146.00	14.60

Image	Code	Product	Ex GST	+GST
DUS 6 Ultrasonic Scanner				
EDADUS6		Standard Configuration including: Main Unit 10 inch non-interlaced monitor Two standard transducer connectors 8-segment TGC control IP(Image Processing) function 256-frame cine loop memory 56MB image storage capacity Two USB ports(1 host, 1 device) Measurement&Calculation software package Convex array transducer C363-1(2.0/3.0/4.0/5.0/6.0MHz, 96 elements)	\$ 6,490.00	649.00
Standard accessories:				
	EDAMS319518	Convex array transducer C363-1(2.0/3.0/4.0/5.0/6.0MHz, 96 elements)		
	EDAM21R64066	Fuse		
	EDAMS4102422	Transducer holder		
	EDAMS1R102833A0	Transducer cable holder		
	EDAM5078008	Ultrasound Gel(CE Mark, 250g)		
	EDAM13R36014	Power Cord (AUS standard)		
	EDAMS120016	Ground Cable		
	N/A	User Manual		
DUS 6 Options:				
Transducers				
	EDAMS319518	Convex array transducer C363-1, (2.0/3.0/4.0/5.0/6.0MHz, 96 elements) Applications: Abdomen, OB, GYN, Scanning Angle:60°	\$ 2,138.00	213.80
	EDAMS3102573	Convex array transducer C343-1, (2.0/3.0/4.0/5.0/6.0MHz, 96 elements) Applications: Abdomen, OB, GYN, Scanning Angle: 90°	\$ 2,138.00	213.80
	EDAMS3102615	Convex array transducer C362, (2.0/3.0/4.0/5.0/6.0MHz, 128 elements) Applications: Abdomen, OB, GYN, Scanning Angle: 60°	\$ 2,459.00	245.90
	EDAMS3102351	Linear array transducer L743, (6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Muscle, Skeleton, Vascular, Scanning Length: 40mm	\$ 2,138.00	213.80
	EDAMS3102588	Transvaginal transducer E613 (4.5/5.5/6.5/7.5/8.5MHz, 96 elements) Applications: OB, GYN, Scanning Angle: 155°	\$ 2,780.00	278.00
	EDAMS3102376	Micro-convex array transducer C321 (2.0/3.0/4.0/5.0/6.0MHz, 80 elements) Applications: Cardiac, Scanning Angle:90°	\$ 2,780.00	278.00
	EDAMS3102384	Endorectal transducer E743, (6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Urology, Scanning Length: 40mm	\$ 2,780.00	278.00
Printer				
	EDAM18520146	Video Printer, SONY UP-897MD	\$ 1,989.00	198.90
	EDAM1336032	Remote control cable for video printer		
	EDAM18052194	Video Printer, MITSUBISHI P93W-Z	\$ 1,625.00	162.50
	EDAM1336032	Remote control cable for video printer		

<i>Image</i>		<i>Code</i>	<i>Product</i>	<i>Ex GST</i>	<i>+GST</i>
DUS6 Options: Trolley					
		EDAMS9102651	Luxury Mobile Trolley, MT-802	\$ 1,161.00	116.10
		EDAM50078183	Mobile Trolley	\$ 611.00	61.10
Pictures Accessories					
		EDAMS3102338	Needle Guide Bracket for convex transducer C363-1, BGK-CR60	\$ 611.00	61.10
		EDAMS3102346	Needle Guide Bracket for convex transducer C343-1, BGK-CR40	\$ 611.00	61.10
		EDAMS3102380	Needle Guide Bracket for micro-convex transducer C321, BGK-CR20	\$ 611.00	61.10
		EDAMS3102963	Needle Guide Bracket for transvaginal transducer E613, BGK-CR10UA	\$ 855.00	85.50
		EDAMS3102355	Needle Guide Bracket for linear transducer L743, BGK-LA43	\$ 611.00	61.10
		EDAMS1R102834A0	Carrying Bag	\$ 146.00	14.60

Image	Code	Product	ExGST	+GST
	EDADUS60	DUS 60 Ultrasonic Scanner Standard Configuration including: Main Unit 12.1 inch non-interlaced monitor Two standard transducer connectors 8-segment TGC control IP(Image Processing) function 256-frame cine loop memory 504MB image storage capacity Two USB ports Measurement&Calculation software package Convex array transducer C363UA(2.0/3.0/4.0/5.0/6.0MHz, 96 elements)	\$ 7,995.00	799.50
	EDA1201116212	Convex array transducer C363UA(2.0/3.0/4.0/5.0/6.0MHz, 96 elements)		
	EDA0121064144	Fuse		
	EDA0151113140	Transducer holder		
	EDA0152102833	Transducer cable holder		
	EDA2151113131	Ultrasound gel holder		
	EDA115778008	Ultrasound Gel(CE Mark, 250g)		
	EDA011336014	Power Cord (AUS standard)		
	N/A	User Manual		
	Standard accessories:			
Transducers          	EDA1201116212	Convex array transducer C363UA(2.0/3.0/4.0/5.0/6.0MHz, 96 elements) Applications: Abdomen, OB, GYN, Scanning Angle:60°	\$ 2,495.00	249.50
	EDA1201116213	Convex array transducer C343UA(2.0/3.0/4.0/5.0/6.0MHz, 96 elements) Applications: Abdomen, OB, GYN, Scanning Angle: 90°	\$ 2,495.00	249.50
	EDA1201116217	Convex array transducer C362UA(2.0/3.0/4.0/5.0/6.0MHz, 128 elements) Applications: Abdomen, OB, GYN, Scanning Angle: 60°	\$ 2,995.00	299.50
	EDA1201116222	Linear array transducer L763UA(6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Musculoskeletal, Vascular, Breast, Orthopedics Scanning Length: 40mm	\$ 2,495.00	249.50
	EDA1201116214	Linear array transducer L743UA(6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Small parts Scanning Length: 40mm	\$ 2,495.00	249.50
	EDA1201116220	Linear array transducer L742UA(6.0/7.0/8.0/9.0/10.0MHz, 128 elements) Applications: Small parts Scanning Length: 40mm	\$ 2,995.00	299.50
	EDA1201116221	Micro-convex array transducer C321UA(2.0/3.0/4.0/5.0/6.0MHz, 80 elements) (6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Urology, Scanning Length: 40mm	\$ 3,295.00	329.50
	EDA1201116215	Micro-convex array transducer C613UA(4.5/5.5/6.5/7.5/8.5MHz, 96 elements) Applications: Small parts Scanning Length: 40mm	\$ 3,295.00	329.50
	EDA1201116216	Transvaginal transducer E613UA(4.5/5.5/6.5/7.5/8.5MHz, 96 elements) Applications: OB, GYN Scanning Angle:155°	\$ 3,295.00	329.50
	EDA1201116223	Endorectal transducer E743UA(6.0/7.0/8.0/9.0/10.0MHz, 96 elements) Applications: Urology, Scanning Length: 40mm	\$ 3,295.00	329.50

<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>ExGST</i>	<i>+GST</i>
DUS60 Options: Printer				
	EDAM18520146	Video Printer, SONY UP-897MD	\$ 1,989.00	198.90
	EDAM1336032	Remote control cable for video printer		
	EDAM18052194	Video Printer, MITSUBISHI P93W-Z	\$ 1,625.00	162.50
	EDAM1336032	Remote control cable for video printer		
DUS60 Options: Trolley				
	EDA0328328004	Deluxe Mobile Trolley, MT-805	\$ 1,161.00	116.10
	EDA1207078183	Mobile Trolley	\$ 611.00	61.10
Pictures Accessories				
	EDAMS3102338	Needle Guide Bracket for convex transducer C363UA& C362UA, BGK-CR60	\$ 611.00	61.10
	EDAMS3102346	Needle Guide Bracket for convex transducer C343UA, BGK-CR40	\$ 611.00	61.10
	EDAMS3102380	Needle Guide Bracket for micro-convex transducer C321UA, BGK-CR20	\$ 611.00	61.10
	EDAMS3102963	Needle Guide Bracket for transvaginal transducer E613UA, BGK-CR10UA	\$ 855.00	85.50
	EDAMS3102355	Needle Guide Bracket for linear transducer L743UA&L742UA, BGK-LA43	\$ 611.00	61.10
	EDAMS1R102834A0	Carrying Bag	\$ 146.00	14.60

<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>ExGST</i>
SmartSono MS08 Diagnostic Ultrasonic Scanner			
Mediana SmartSono MS-08 (including triple transducer connector)			\$29,995
Mediana SmartSono high-resolution, all-digital ultrasound system with 15" digital display, triple transducer connector (TTC) and a removable user interface/ultrasound engine that can be attached to any external monitor. This product is designed with an intuitive interface with Chip Fusion Technology. SmartSono's reliability is backed by an 18 month standard warranty, which is included in the price of the system. Standard features include display module, 2D grayscale with SmartMB compound imaging and Auto Gain, M-mode, colour and velocity colour Doppler, Tissue Harmonic Imaging (THI), SmartRES, pulsed and continuous wave Doppler, TCD imaging, OB/GYN calcs., DICOM Print/Store, DICOM Modality Worklist, DICOM Clips Storage, Credentialing Worksheets, HIPAA compliance tool set and comprehensive, application-specific calculation packages. Also includes battery, ultrasound gel, user guides and 4GB flash (CF) card. Please refer to Options Description section for more detailed explanations of feature sets Pc direct connectivity capability available with SmartLink & USB Cable (ordered separately). Images and Clips are captured on a Compact Flash card and software upgrades are accomplished through a dedicated Compact Flash upgrade port. Additional items include a full array of multi-frequency broadband transducers which also carry a standard 18 month warranty.			
Colour and velocity colour Doppler	Velocity colour flow imaging provides the clinician with the colour sensitivity to perform colour Doppler examinations with all transducers during a clinical procedure.		
Tissue Harmonic Imaging (THI)	Transmits at one frequency and receives at a higher harmonic frequency to reduce noise and clutter and improve resolution. Tissue Harmonic Imaging (THI) is available in three frequency settings on the C60e and the P17 transducer.		
SmartRES	SmartRES is an image-processing technique that virtually eliminates speckle noise artifact. This enhances tissue margins and improves contrast resolution by reducing artifacts and improving visualization of texture patterns with in the image. SmartRES is available in 2D imaging on the L38e, HFL38, L25, C60e, P10, P17, and the SLA transducers.		
Pulsed Wave Doppler	Quantitative assessment of blood flow with Duplex imaging. PW Doppler is available on all transducers.		
Continuous Wave Doppler	CW Doppler is a quantitative assessment of blood flow with Duplex imaging for higher flow velocities. CW Doppler is available on the P17 and P10 Transducers.		
TCD Imaging	The TCD feature package includes a comprehensive set of tools used by neurologist or stroke specialists. Provides two TCD exam types on the P17 transducer for imaging both trans-temporally and trans-orbitally.		
OB/GYN Calcs	Advanced calculation package for obstetric and gynecologic imaging applications. A full range of Obstetrical and Gynecological calculations is available on the appropriate transducers.		
DICOM Print and Store	On-board DICOM solution provides connectivity to standard PACS networks. Supports DICOM print and store protocols.		
DICOM Worklist	On-board DICOM solution provides an efficient and accurate method for transferring patient information from a HIS/RIS or PACS to the SmartSono ultrasound modality.		
Clips Storage	On-board ability to digitally store dynamic information for review. <i>Note: Requires SmartLink to view clips on an off-line pc.</i>		
Credentialing Worksheets	Allows up to four separate worksheets to be filled out by the resident physician. Available worksheets are: AAA, FAST, Gallbladder, and Kidney. When used with SiteLink 3.4.1, this allows you to generate PDF or HTML files with linked images and completed data fields from each worksheet.		

<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>ExGST</i>
Smartsono Transducers			
T0001L	L38e / 10-5 MHz transducer	L38e / 10-5 MHz multi-frequency, broadband, 38 mm linear array transducer for small parts, breast, vascular, musculoskeletal, nerve and superficial imaging. Supports 2D, M-mode, color power Doppler, velocity color flow Doppler and pulsed wave Doppler. Biopsy guide available. 1 metre drop-test durability. Maximum depth is 9 cm	\$6,950
T0002L	HFL38 / 13-6 MHz transducer	HFL38 / 13-6 MHz multi-frequency, broadband, 38 mm linear array transducer for small parts, breast, vascular, musculoskeletal, nerve and superficial imaging. Supports 2D, M-mode, color power Doppler, velocity color flow Doppler and pulsed wave Doppler. Biopsy guide available. 1 metre drop-test durability. Maximum depth is 6 cm.	\$8,340
T0003L	L25e / 13-6 MHz transducer	L25e / 13-6 MHz multi-frequency, broadband, 25 mm linear array transducer for nerve, vascular, musculoskeletal, and superficial imaging. Supports 2D with SonoMB™ technology and Auto Gain capabilities, M-mode, color power Doppler, velocity color flow Doppler and pulsed wave Doppler. Transverse biopsy guide available. 1 metre drop-test durability. Maximum depth is 6 cm.	\$8,340
T0004L	SLA / 13-6 MHz transducer	SLA / 13-6 MHz transducer is a 26-mm broadband linear array for vascular, small-parts and superficial musculoskeletal imaging. Supports 2D, M-Mode, Color Flow Doppler, and Pulsed Wave Doppler. Maximum depth is 6.0 cm. A Protective Connector Box, A00004, is recommended to be purchased for protection of transducer interface with STERIS SYSTEM 1 Processor.	\$6,255
T0005C	C60e / 5-2 MHz transducer	C60e / 5-2 MHz multi-frequency, broadband, 60 mm curved array transducer for general purpose, abdominal and obstetric imaging. Supports 2D, M-mode, Tissue Harmonic Imaging, color power Doppler, velocity color flow Doppler and pulsed wave Doppler. Biopsy guide available. 1 metre drop-test durability. Maximum depth is 30 cm.	\$5,282
T0006C	C11e / 8-5 MHz transducer	C11e / 8-5 MHz broadband curved array transducer for pediatric and nerve imaging. Supports 2D with SonoMB™ technology and Auto Gain capabilities, M-mode, color power Doppler, velocity color flow Doppler, and pulsed wave Doppler. 1 metre drop-test durability. Maximum depth is 10 cm.	\$6,255
T0007C	ICT / 8-5 MHz transducer	ICT / 8-5 MHz intracavity curved array broadband 11mm transducer for intracavity gynecologic and obstetrical imaging. Supports 2D, M-mode, color power Doppler, velocity color flow Doppler and pulsed wave Doppler. Biopsy guide available. Maximum depth is 10cm	\$5,282
T0008P	P10 / 8-4 MHz transducer,	P10 / 8-4 MHz phased array transducer for cardiac, abdominal, neonatal, and vascular imaging. Supports 2D, Tissue Harmonic Imaging, Speckle Reduction, M-Mode, Velocity Color Flow Doppler, Color Power Doppler, Pulsed Wave, TDI Pulsed Wave, and Continuous Wave Doppler. 1 metre drop-test durability. Maximum depth is 14 cm.	\$6,950
T0009P	P17 / 5-1 MHz transducer	P17 / 5-1 MHz phased array transducer for cardiac, abdominal and obstetric imaging. Supports 2D, Tissue Harmonic Imaging, M-Mode, Color Flow Doppler, Pulsed Wave and Continuous Wave Doppler. 1 metre drop-test durability. Maximum depth is 35 cm.	\$6,950
T010NI	D2 / 2 MHz transducer	D2 / 2 MHz transducer for cardiac imaging. Supports Continuous Wave Doppler only.	\$1,460
Smartsono Biopsy Attachments			
B00001	Biopsy Guide Starter Kit for the L38e / 10-5 and HFLA / 13-6 linear array transducers	Biopsy Guide Starter Kit for the L38e/10-5 and HFLA/13-6 linear array transducers. Includes one reusable transducer bracket, five disposable needle guides, and five disposable latex sheaths.	\$592
B00002	Biopsy Guide Starter Kit for the C60e/5-2 curved array transducer	Biopsy Guide Starter Kit for the C60e/5-2 curved array transducer. Includes one reusable transducer bracket, five disposable needle guides, and five disposable latex sheaths.	\$592
B00003	Replacement Kit for the L38e/10-5 and C60e/5-2 transducers	Biopsy Needle Guide/Sheath replacement kit for the L38e/10-5 and C60e/5-2 transducers: 24 disposable needle guides and 24 disposable latex sheaths. Includes needle inserts for 14, 16, 18, 20, 22 gauge instruments.	\$507
B00004	Biopsy Guide Starter Kit for the ICTe/8-5 intracavitary array transducer	Biopsy Guide Starter Kit for use with the ICTe/8-5 intracavitary array transducer. Includes 5 disposable sheaths and disposable bracket inserts for 16 to 20 gauge instruments and biopsy user guide. Compatible only with ICT transducer.	\$101
B00005	Biopsy Guide Kit for the ICTe/8-5 intracavitary array transducer	Biopsy Guide Kit for use with the ICTe/8-5 intracavitary array transducer. Includes 24 disposable sheaths and disposable brackets inserts for 16 to 20 gauge instruments. Order Starter Kit B00004 for initial order, includes instructions for use.	\$507
B00006	Biopsy Guide Starter Kit for the P10 / 8-4 transducer	Biopsy Guide Starter Kit for the P10/8-4 transducer. Includes one reusable transducer bracket, five disposable needle guides, and five disposable sheaths.	\$507
B00007	Biopsy Guide Starter Kit for the P17/5-1 transducer	Biopsy Guide Starter Kit for the P17/5-1 transducer. Includes one reusable transducer bracket, five disposable needle guides, and five disposable sheaths.	\$507
B00008	L25 Needle Guide Bracket	Needle Guide Bracket for the L25/10-5 linear array transducer. Includes one reusable needle guide bracket for use	\$237
B00009	L25 18 Gauge Needle Guide/Cover Kit	18 gauge Needle Guide Kit for the L25/10-5 linear array transducer. Includes 24 sterile 18-gauge needle guides and 24 sterile sets of latex-free telescopic-folded transducers covers, gel packets and elastic bands. Requires reusable	\$532
B00010	L25 21 Gauge Needle Guide/Cover Kit	21-gauge Needle Guide Kit for the L25/10-5 linear array transducer. Includes 24 sterile 21-gauge needle guides and 24 sterile sets of latex-free telescopic-folded transducers covers, gel packets and elastic bands. Requires reusable	\$532
B00011	L25 22 Gauge Needle Guide/Cover Kit	22-gauge Needle Guide Kit for the L25/10-5 linear array transducer. Includes 24 sterile 22-gauge needle guides and 24 sterile sets of latex-free telescopic-folded transducers covers, gel packets and elastic bands. Requires reusable	\$532
B00012	L25 / L38 / C15 / P17 sheath-only kit	Sterile, latex-free sheath kit for the L25, L38, C15, or P17 transducer. Contains 24 sets of telescopic-folded	\$338

<i>Image</i>	<i>Code</i>	<i>Product</i>	<i>ExGST</i>
SmartSono Accessories			
A00001	Isolation Transformer Kit	Isolation transformer kit required when more than two OEM peripherals are ordered and installed on the SmartSono. OEM peripherals include: B/W or color printer, VCR, DVD and LCD display. Isolation transformer mounts on the base of the cart. The kit includes: isolation transformer, screws, hex driver, cable clamp and AC power cord.	\$946
A00002	Triple Transducer Connector	Three-transducer module for the SmartSono that allows connection of up to three transducers simultaneously.	\$3,549
A00003	SmartLink Image Manager 3.4.1	Software package to enable image download, in full resolution .bmp format, from SmartSono system to a Windows®-based PC. Combined with the Credentialing Worksheets, this will allow you to generate PDF or HTML files with specific credentialing fields filled out and linked images printed on a 6 on 1 format. SmartLink 3.4.1 also adds the capability to connect up to 5 SmartSono systems at once to a single SmartLink station. CD-ROM includes: SmartLink software, Irfanview image viewer program, and help files. Includes USB cable for PC interface with the SmartSono system. Ethernet interface. Software was verified to work with Windows 2000 and XP.	\$1,183
A00004	Protective Connector Box	Protective Connector Box for the sterilization and pressure leakage test of surgical transducers. The purpose of the connector enclosure is to seal the transducer connector and prevent contact with the peracetic acid, which is used in the <i>STERIS® SYSTEM 1®</i> Processor during sterilization of intraoperative transducers. The pressure leakage test provides a general evaluation of the transducer integrity prior to sterilization for <i>STERIS® SYSTEM 1®</i> Compatible with the SLA / 13-6	\$845
A00005	Compact Flash 1GB	Removable medium for image storage – 1GB.	n/a
A00006	Compact Flash 4GB	Removable medium for image storage – 4GB. One included with every system ordered.	n/a
A00007	ECG Option (EU)	6 ft. (1.8 m) cable connects to ECG port on the SonoSmart system. Allows for display of ECG trace on monitor. Includes a 2 ft. 3 leadwire set, for a total cable length of 8 ft. Labeling for wire placement conforms to EU requirements; red (R), green (F), yellow (L)	\$592
A00008	ECG Option (Rest of World)	6 ft. (1.8 m) cable connects to ECG port on the SonoSmart system.. Allows for display of ECG trace on monitor. Includes a 2 ft. 3 leadwire set, for a total cable length of 8 ft. Labeled for wire placement rest of world; white (RA), red (LL), black (LA)	\$592
A00009	USB Cable	Connects system to a PC for downloading images via SmartLink Image Manager.	\$34
A00010	S-Video Cable	Connects SonoSmart to Sony GV-D800 Digital Video Recorder. 6 feet (1.8m) cable with S-Video-to-S-Video connectors.	\$42
A00011	Ethernet Cable, 10ft.	Connects system to network via Ethernet.	\$34
A00012	Ethernet Cable, 7"	Connects system Dock to 10 ft. Ethernet cable.	\$34
A00013	Video Cable (RCA/BNC)	Connects system to external monitor or video printer. 10 feet (3.1 m) cable with RCA-to-BNC connectors	42.25
A00014	Video Cable (RCA/RCA)	Connects system to Sony Digital Video Recorder. 10 feet (3.1 m) cable with RCA-to-RCA connectors.	42.25
P04922	Panasonic, LQ-MD800, DVD Recorder	Medical grade digital video recorder with RS-232C serial interface. RS232C interface allows control of DVD through the SonoSmart system. AC power 100V-240V, 50/60 Hz.	\$3,887
P01114	Sony UP895 MD B&W Video printer	Medical grade, monochrome video printer with interface cables. Worldwide power (100V-240V, 50/60Hz) and video (NTSC/PAL). North American power cord supplied by manufacturer.	\$2,113
P02755	Sony UP 21MD Color video printer	Medical grade, color video printer with interface cables. Worldwide power (100V-240V, 50/60HZ) and video (NTSC/PAL). North American power cord supplied by manufacturer.	\$3,887
Standard Warranty		A comprehensive 18 month warranty included with the system and transducers, which covers failure due to material and workmanship. Also includes a 12-month warranty on material and workmanship on accessories and printers. Excludes damage due to droppage or mishandling.	

Image

Code

Product

Ex GST

+GST

Hans Rudolph, inc. Spirometer Calibration Syringes

HAN113259

3L Syringe 5530 with 30mm OD Taper
(suit MIR, Cosmed)

\$ 749.00 \$ 74.90

HAN113416

3L Syringe 5570 with 32mm ID 38mm OD Taper
(suit Ndd Easy One, QRS SpiroCard)

\$ 749.00 \$ 74.90

MediCal ECG Patient Simulator

MED430B

430B ECG Patient Simulator

\$ 695.00 \$ 69.50

The Model 430B, 12 Lead ECG Simulator provides a complete PQRS waveform with six preset rates to select from (60, 75, 100, 120, 150, and 200 BPM). There are also six preset amplitude levels to select from (0.1, 0.2, 0.5, 1.0, 2.0, and 5.0 mV) which are +/- 2% referred to lead 1. It is powered by a 9-volt battery with an approximate battery life of 500 hours, and also features a low battery indicator. The output connectors are 5 ECG snap plus 10 - banana jacks. Output impedance is less than 150 ohms.

Malem Universal ECG Alligator Clips

MALECL

Ultimate Easy ECG Clips (Pkt of 12 to suit USA and ISO Colour Standards)

\$ 59.00 \$ 5.90

Locks on to tab electrodes
Snap and Lock over stud electrodes
Fits 3-4mm Banana Plugs
Eliminates Twisting
Holds Electrode Flat
Superior Contact
High Quality Tracing
2x Red, 2x Black, 2x Green, 2x Yellow, 1x Blue, 1x White, 1x Orange, 1x Violet

Code	Product	Ex GST	+GST
	<u>Installation and Support</u>		
Install	Installation Assistance First Hour On Site PC Software Installation Advice, Configuration and Product Training Steriliser Installation, Setup and Training Includes up to 1 hour on site Within 30 minutes travel of nearest authorised service centre	250.00	25.00
InstallHourly	Installation Additional Hourly Rate Travel or On Site	150.00	15.00
TechSupport	Technical / Software Support (phone or email) per 6 minute unit	15.00	1.50

ENQUIRY FAXBACK FORM

(please complete and fax to +61 (0)7 5549 0073)

I would like further information on:

- | | |
|---|---|
| ☐ Diagnostic Ultrasound | ☐ Cryo-Alfa Cryo-Therapy |
| ☐ Sonica Ultrasonic Cleaners | ☐ Bestman Dopplers |
| ☐ Cominox SteriClaves | ☐ Patient Monitoring |
| ☐ MIR Spirometers | ☐ Other Zone Products |
| ☐ LID Examination Lighting | |

Your Name _____

Role _____

Preferred Contact Person _____

Business Name _____

Business Address _____

Phone _____

Fax _____

Email _____

Further information is available at www.zonemedical.com.au or via email to info@zonemedical.com.au



