Mack Standard Features Bid Invitation #HT11-12

The following descriptions are the Mack standard features, as pulled from *Macktraq* dealer quotation database, price book *13A*. Offeror shall price these complete trucks in their entirety, on Form-D, reflecting the entire complement of the base vehicle specification's standard features listed herein, **as well as all normal dealer make-ready and factory-to-dealer destination charges**. Except as ordered by an H-GAC member (e.g. axle upgrade, longer wheelbase, et cetera), the base units described herein and priced on Form-D **shall not require any** additional compulsory components, fees, or services to render them complete, functional, and legal cab-chassis.

H-GAC Product Code: L1 Model: CHU612

Page 1 Nov 7, 2011

2013 CHU612

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0001 CARRIER APPLICATION, VENDOR CARRIER Std

0010001 VEHICLE TYPE, TRACTOR FOR 5TH WHEEL Std

0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10001 PRODUCT TYPE, PRODUCT TYPE - CMM42T TRACTOR Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/FRT AXLE POS/SALES PACKAGES

0021082 CHASSIS (BASE MODEL), CHU602 4-WHEEL TRACTOR Std

7740001 FRONT AXLE FORWARD POSITION Std

ENGINE/TRANSMISSION/CLUTCH

1001554 ENGINE, MACK MP8-415C 415 HP @1500-1700 RPM (PEAK) 1660 LB FT. MAX TORQUE @ 1100-1300 Std RPM

 $1362156\ TRANSMISSION,\ 10\ SPEED\ MANUAL\ (OVERDRIVE),\ FULLER\ FRO-16210B\ (11.06/0.75)\ 10\ SPEED\ Std\ FULLER$

1335602 CLUTCH, SELF ADJUSTING, CL39DC14 EATON ADVANTAGE SOLO 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 4 PADDLES, AUTO ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM CERAMIC PASSIVE Std REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK TURNED OUT Std

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" \times 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

5740000 AIR GOVERNOR - MOUNTED ON CAB FIREWALL Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081005 COOLING PERFORMANCE, STANDARD COOLING PERFORMANCE Std

1100800 ENGINE BRAKE, MACK POWERLEASH Std

Prospective Customer Ref#: AHDS000113A Page 2

Pid Code Description

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std 1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABLE 1400002 FLYWHEEL HOUSING, ALUMINUM Std 2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std 1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std 4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std 4210000 4880000 RADIATOR, ALUMINUM CORE Std 1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std 4110004 ELECTRONIC STARTER INTERLOCK Std 4191001 TETHER DEVICE, FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK Std TRANSMISSION EQUIPMENT/DRIVELINES 4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std 3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std 8260000 mDRIVE - PARKER PUMP, WITHOUT PARKER PUMP FOR mDRIVE TRANSMISSION Std 1920001 TRANSMISSION BELL HOUSING, IRON Std 1390001 TRANS OIL COOLER (INTEGRAL OIL PUMP) Std 7790000 VOCATIONAL PACKAGE - ALLISON, W/O OPTIONAL ELECTRONIC TRANS PACKAGE Std 1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std CAB (A thru G) 1731001 MACK INTEGRAL W/HEATER (COMBO HEATER/AIR CONDITIONER UNIT) W/R134a REFRIGERANT Std 1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std ASH TRAY. (1) LOCATED ON TOP OF DASH Std 1443000 CAB, LH-STEER CA68 CONV CAB Std 2070001 CAB MOUNTING, FOUR POINT SYSTEM W/(2) AIR BAGS AND SHOCKS AT THE REAR Std 9970001 CERTIFIED WEIGHT Std 5750001 CIGAR LIGHTER ON INSTRUMENT PANEL Std COAT HOOK (1) ON REAR WALL BEHIND RIDER'S SEAT Std DRIVERS AND PASSENGER SIDE CUP-HOLDERS DASH MOUNTED (BIG GULP SIZE) Std 9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std DOME LIGHT (4) LAMPS RH/LH DOME LAMPS-DOOR AND SWITCH ACTIVATED, (2) CAB REAR DOME Std LAMPS-SWITCH ACTIVATED 6470002 GALVANIZED STEEL VISIBILITY DOORS Std DOOR INTERIOR TRIM PANELS, MOLDED UPPER DOOR PANEL & PADDED LOWER PANEL Std 3410001 ENGINE SHUTOFF, KEY TYPE Std 1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std GAUGE, AIR PRESSURE Std 8330042 GAUGE CLUSTER, EXHAUST PRYOMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std GAUGE, ENGINE OIL PRESSURE Std 2940001 GAUGE, FUEL LEVEL Std 1980001 GAUGES, ENGLISH/METRIC DISPLAY Std 2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std Prospective Customer Ref#: AHDS000113A Page 3 **Pid Code Description** 4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std 5870000 GRAB HANDLES, BRIGHT FINISH RH & LH BEHIND DOOR Std 4000004 GRILLE, BRIGHT FINISH (CHROME) GRILLE W/BLACK BACKGROUND Std CAB (H thru R) 3710002 HEADLAMP BEZEL - MOLDED PLASTIC (BRIGHT FINISH) Std 8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std 3400001 HOOD AND FENDERS, FIBERGLASS - AXLE FORWARD STYLE Std 6460001 HOOD INSULATION Std 2080001 PAINTED HOOD LATCHES Std 1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std MOUNTED C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE MONITORING) A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std 0041104 INTERIOR TRIM (GENUINE - SLATE GRAY) 3 overhead storage compartments w/nets, rear panel with Std storage pouch w/2 trash bag hooks, 2 cup holders, slate gray door panels & trim, vinyl padded interior sun visors both sides, adjustable tilt/telescoping steering column, 2 overhead dome lights, 1 driver overhead spot light & 1 map non-glare overhead spot light, 2 12V power outlets, 2 coat hangers, RH center storage compartment.

1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std

LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1521004 MIRRORS - EXTERIOR, BODY COLORED AERO MIRRORS WITH INTEGRATED CONVEX MIRROR Std 4150000 OVERHEAD CONSOLE, (3) COMPARTMENT W/NET Std PARKING BRAKE ON INDICATOR LIGHT Std 1746000 AM/FM STEREO CD W/WEATHERBAND Std 1560001 RADIO ANTENNA, ROOF MOUNTED Std 1660001 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH Std 4320002 DASHBOARD MOUNTING STRAP Std 1550001 REAR WINDOW (FIXED TYPE) Std CAB (S thru Z) 1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std 1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std 4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std 5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT WITH FIXED D-RING FOR Std DRIVER AND RIDER SEATS SIDE MARKERS, LAMPS AND REFLECTORS Std 2380001 STARTER SWITCH, KEY TYPE Std 4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std Prospective Customer Ref#: AHDS000113A Page 4 **Pid Code Description** 1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std D0C0001 STORAGE POUCH REAR Std 3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) WITH TICKET HOLDER Std TURN SIGNALS, FRONT (INTEGRAL WITH FENDER) Std 6440005 VENTILATION - CAB, RH DOOR PEEP WINDOW W/O LH DOOR VENT Std 1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std **CAB - SLEEPER BOX** FRAME EQUIPMENT/FUEL TANKS 2791300 BUMPER - FRONT, STAINLESS STEEL CLAD ALUMINUM FLUSH MTD 117.3"/2980 mm BBC Std (CORPORATE 94" x 15.5") 2811000 CROSSMEMBERS, STEEL Std 2910010 BOXED AND TAPERED CROSSMEMBER Std 330 3214 FIFTH WHEEL, AIR SLIDE - LH RELEASE (BOLTED TO OUTBOARD MTG ANGLES), FONTAINE SL6ATB Inc 3329999 SERIES (24" MAXIMUM TRAVEL), CHOOSE A BRACKET HEIGHT 99.99" 8190203 5TH WHEEL MOUNTING ANGLES, OUTBOARD MOUNTED ANGLES WITH MOUNTING HOLES Std 4449004 FLAPS - WHEEL (FRONT), BLACK POLYARMOUR MUD FLAP Std 2860008 TAPERED AND FLANGED RAIL ENDS (28 deg.) Std 2430007 TOWING DEVICE - FRONT, (2) CLEVIS Std 2882093 FUEL TANK - LH, 93 GALLON (350 L) 26" ALUMINUM ROUND Std 2902093 FUEL TANK - RH, 93 GALLON (350 L) 26" ALUMINUM ROUND Std DF11170 18.4 GALLON (70 L) 26" DIAMÈTER TANK LEFT SIDE FRAME MTD Std DF20001 PAINTED FINISH DEF TANK COVER Std C290001 NYLON TUBE Std 5909017 DUAL DRAW AND RETURN FUEL SYSTEM Std FRONT AXLE/EQUIPMENT/TIRES 2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std 9001257 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 295/75R22.5 14 G R280 Std (ALL POSITION) 250 3000 WHEELS - FRONT, ALUMINUM DISC Std 5313730 (2) 22.5x8.25 ALCOA 10-HOLE HUB PILOTED Std 3760013 WHEELS - POLISHED (FRONT), MACHINE CLEAN BUFFED-ALL WHEELS Std 2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std 2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std 6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std 2482000 HUBS - FRONT, ALUMINUM Std 2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std 3850001 SHOCK ABSORBERS, FRONT Std 2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std 2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2 LEAF SPRING) Std 2452118 STEERING, THP60 TRW-PWR (INTEGRAL) Std SL60000 SYNTHETIC LUBRICANT - WHL BEARINGS, FACTORY OPTION FRONT WHEEL BEARINGS LUBRICANT Std Prospective Customer Ref#: AHDS000113A Page 5 **Pid Code Description**

REAR AXLE/EQUIPMENT/TIRES/RATIOS

2522016 REAR AXLE, 23000# (10433kg) MERITOR RS-23-161 SINGLE REDUCTION Std

2601002 SUSPENSION - REAR, 23000# MULTILEAF SPRINGS Std

9011257 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (4) 295/75R22.5 14 G R280 (ALL Std

```
POSITION)
258 0001 ĆARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc
2570000
267 3000 WHEELS - REAR, ALUMINUM DISC Std
3463730 (4) 22.5x8.25 (210 mm) ALCOA 10-HOLE HUB PILOTED (11 1/4" 286mm BOLT CIRCLE) Std
2350013 WHEELS - POLISHED (REAR), MACHINE CLEAN BUFFED - ALL WHEELS Std
2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std
2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std
6380000 DUST SHIELDS - REAR BRAKE, OMIT Std
2642000 HUBS - REAR, ALUMINUM Std
2622003 OIL SEALS, STEMCO (VOYAGER) Std
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2370001 SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE
3000002 SPRING BRAKE CHAMBERS - VENDOR, HALDEX Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
FRAME/WHEELBASE/PLATFORM
2741022 FRAME RAILS, 10.47" x 3.54" x .24" (266 x 90 x 6mm) STEEL Section Modulus: 11.6 cu in/RBM 1.390,000 in Std
lbs per rail
2710166 WHEELBASE, 166" (4210 mm) WB 78" CA (1987 mm) Std
2720117 PLATFORM, 117" LP (2967 mm) 39" AF (980 mm) USED WITH 166" WB Std
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
2801000 AIR RESERVOIRS, STEEL (2) (5600 CUBIC INCH CAPACITY) (SINGLE COMPARTMENT PRIMARY AND Std
TWO COMPARTMENT SUPPLY/SECONDARY)
6982000 ANTI-LOCK BRAKE SYSTEM, MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW Std
CONTROL
M160000 ATC DISABLE SWITCH, W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH Std
5480000 W/O COLLISION WARNING SYSTEM Std
3020002 BRAKE CONTROL VALVE SYSTEM, TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND Std
TRACTOR-TRAILER PARK
DVA0002 DRAIN VALVES, MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY Std
3010001 HAND CONTROL VALVE FOR TRAILER BRAKES Std
3920000 WITHOUT SPRING BRAKE INVERSION VALVE Std
0080000 W/O TRAILER ACCESS PACKAGE Std
TRAILER CONNECTIONS
5170001 TRAILER AIR CONNECTIONS, TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB Std
3070002 HOSE TENDER, POGO STICK (CHASSIS MOUNTED) Std
Prospective Customer Ref#: AHDS000113A Page 6
Pid Code Description
3091012 TRAILER AIR HOSES (12 FT NON-COILED TYPE) Std
3030100 GLAD HAND COUPLINGS - NORTH AMERICAN STD Std
3191012 TRAILER ELECTRICAL CORD (12 FT NON-COILED TYPE) Std
3210001 TRAILER ELECTRICAL RECEPTACLE, SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB Std
3080003 ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE) Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930013 BATTERY BOX - MOUNTING, STEEL BASE FORWARD OF LH FUEL TANK Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
3899000 TRIPLES TRAILER ELECTRICAL PACKAGE INCLUDES: 12 GAUGE WIRE FOR TURN SIGNALS, 12 Std
GAUGE WIRE AND 30 AMP CIRCUIT W/RELAY FOR CLEARANCE AND MARKER LAMPS, 10 GAUGE
WIRE AND 20 AMP CIRCUIT W/RELAY FOR STOP LAMPS, 12 GAUGE WIRE AND 20 AMP CIRCUIT
W/RELAY FOR TAIL LAMPS, AND 8 GAUGE WIRE FOR GROUND
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
3102400 HEADLIGHTS, HALOGEN-SINGLE RECTANGULAR (REPLACABLE BULBS) Std
4830000 REAR LIGHTING, (2) COMBINATION STOP, TAIL DIRECTIONAL AND BACK-UP LIGHTS Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std
PAINT/VINYL STRIPING
950 1100 PAINT/VINYL STRIPING - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
```

6520000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std

6530000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std

PAINT PROCESS CODES

9380000 W/O PAINT FOR BUMPER (5ZB-Z1X) Inc

9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc

9390000 W/O PAINT FOR FUEL TANK (7HB-Z1X) Inc

9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc 9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc PTO/SPECIALTY/ADDITIONAL EQUIPMENT 4420000 W/O OPTIONAL TRANS TORQUE CONVERTER Std V-MAC IV PROGRAMMABLE PARAMETERS CRUISE CONTROL SETTINGS W/O ALLISON TRANS 9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph Prospective Customer Ref#: AHDS000113A Page 7 **Pid Code Description** A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph A1Y0002 IDLE LOGGING DELAY (MIN) 2 PERIODIC TRIP TYPE Monthly Trip Summary C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable) C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable) C0W0001 PERIODIC TRIP DAY OF MONTH 1 DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00 C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit A942100 EHT MAX ENGINE SET SPEED (RPM) 2100 rpm A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph A970100 EHT RAMP RATE (RPM/Sec) A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm AE50000 EHT JUMP-TO-MIN SET SPEED Omit A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1 A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit A3A0000 FAN ACTIVATION WITH PTO Omit A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60 FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J 0002) Std AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0 AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0 AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00 GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc A260002 GOVERNOR TYPE Min-Max Governor AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100 A1I0650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit C0K0000 SMART IDLE FEATURE ACTIVATION Omit Prospective Customer Ref#: AHDS000113A Page 8 **Pid Code Description** C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0Z0000

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0004 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Highway

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

M120000 TIME GAP SETTING, WITHOUT TIME GAP SETTINGS Std

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O mDRIVE OR W/O EATON

AUTO/ULTRASHIFT

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

Prospective Customer Ref#: AHDS000113A Page 9

Pid Code Description

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

H-GAC Product Code: L2 Model: CHU613

Page 1 Nov 7, 2011 2013 CHU613 **Pid Code Description** INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

ORDER/CUSTOMER/VEHICLE INFORMATION

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0001 CARRIER APPLICATION, VENDOR CARRIER Std

0010001 VEHICLE TYPE, TRACTOR FOR 5TH WHEEL Std

0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

6450250 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 76M (250FT) Std

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10003 PRODUCT TYPE, PRODUCT TYPE - CMM64T TRACTOR Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/FRT AXLE POS/SALES PACKAGES

0021084 CHASSIS (BASE MODEL), CHU603 6-WHEEL TRACTOR Std 7740001 FRONT AXLE FORWARD POSITION Std

ENGINE/TRANSMISSION/CLUTCH

1001554 ENGINE, MACK MP8-415C 415 HP @1500-1700 RPM (PEAK) 1660 LB FT. MAX TORQUE @ 1100-1300 Std

1362156 TRANSMISSION, 10 SPEED MANUAL (OVERDRIVE), FULLER FRO-16210B (11.06/0.75) Std

1335602 CLUTCH, SELF ADJUSTING, CL39DC14 EATON ADVANTAGE SOLO 9-SPRING, 2-PLATE, 15.5" Std

CERAMIC CLUTCH, 4 PADDLES, AUTO ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM CERAMIC PASSIVE Std REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK TURNED OUT Std

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

5740000 AIR GOVERNOR - MOUNTED ON CAB FIREWALL Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081005 COOLING PERFORMANCE, STANDARD COOLING PERFORMANCE Std

1100800 ENGINE BRAKE, MACK POWERLEASH Std

Prospective Customer Ref#: AHDS000213A Page 2

Pid Code Description

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABLE

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4191001 TETHER DEVICE, FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK Std

TRANSMISSION EQUIPMENT/DRIVELINES

4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std

```
8260000 mDRIVE - PARKER PUMP, WITHOUT PARKER PUMP FOR mDRIVE TRANSMISSION Std
1920001 TRANSMISSION BELL HOUSING, IRON Std
1390001 TRANS OIL COOLER (INTEGRAL OIL PUMP) Std
7790000 VOCATIONAL PACKAGE - ALLISON, W/O OPTIONAL ELECTRONIC TRANS PACKAGE Std
1951002 DRIVELINE - MAIN, MERITOR 176N W/COATED SPLINES Std
2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK INTEGRAL W/HEATER (COMBO HEATER/AIR CONDITIONER UNIT) W/R134a REFRIGERANT Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
ASH TRAY, (1) LOCATED ON TOP OF DASH Std
1443000 CAB, LH-STEER CA68 CONV CAB Std
2070001 CAB MOUNTING, FOUR POINT SYSTEM W/(2) AIR BAGS AND SHOCKS AT THE REAR Std
9970001 CERTIFIED WEIGHT Std
5750001 CIGAR LIGHTER ON INSTRUMENT PANEL Std
COAT HOOK (1) ON REAR WALL BEHIND RIDER'S SEAT Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS DASH MOUNTED (BIG GULP SIZE) Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
DOME LIGHT (4) LAMPS RH/LH DOME LAMPS-DOOR AND SWITCH ACTIVATED, (2) CAB REAR DOME Std
LAMPS-SWITCH ACTIVATED
6470002 GALVANIZED STEEL VISIBILITY DOORS Std
DOOR INTERIOR TRIM PANELS, MOLDED UPPER DOOR PANEL & PADDED LOWER PANEL Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std.
8330042 GAUGE CLUSTER, EXHAUST PRYOMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
GAUGE, ENGINE OIL PRESSURE Std
2940001 GAUGE, FUEL LEVEL Std
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
Prospective Customer Ref#: AHDS000213A Page 3
Pid Code Description
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 GRAB HANDLES, BRIGHT FINISH RH & LH BEHIND DOOR Std
4000004 GRILLE, BRIGHT FINISH (CHROME) GRILLE W/BLACK BACKGROUND Std
CAB (H thru R)
3710002 HEADLAMP BEZEL - MOLDED PLASTIC (BRIGHT FINISH) Std.
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
3400001 HOOD AND FENDERS, FIBERGLASS - AXLE FORWARD STYLE Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
MOUNTED
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041104 INTERIOR TRIM (GENUINE - SLATE GRAY) 3 overhead storage compartments w/nets, rear panel with Std
storage pouch w/2 trash bag hooks, 2 cup holders, slate gray door panels & trim, vinyl padded interior sun
visors both sides, adjustable tilt/telescoping steering column, 2 overhead dome lights, 1 driver overhead spot
light & 1 map non-glare overhead spot light, 2 12V power outlets, 2 coat hangers, RH center storage
compartment.
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1521004 MIRRORS - EXTERIOR, BODY COLORED AERO MIRRORS WITH INTEGRATED CONVEX MIRROR Std
4150000 OVERHEAD CONSOLE, (3) COMPARTMENT W/NET Std
PARKING BRAKE ON INDICATOR LIGHT Std
1746000 AM/FM STEREO CD W/WEATHERBAND Std
1560001 RADIO ANTENNA, ROOF MOUNTED Std
1660001 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH Std
4320002 DASHBOARD MOUNTING STRAP Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std
4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std
5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT WITH FIXED D-RING FOR Std
```

DRIVER AND RIDER SEATS SIDE MARKERS, LAMPS AND REFLECTORS Std

2380001 STARTER SWITCH, KEY TYPE Std

Prospective Customer Ref#: AHDS000213A Page 4

Pid Code Description

4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std

1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std D0C0001 STORAGE POUCH REAR Std

3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) WITH TICKET HOLDER Std

TURN SIGNALS, FRONT (INTEGRAL WITH FENDER) Std

6440005 VENTILATION - CAB, RH DOOR PEEP WINDOW W/O LH DOOR VENT Std

1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std

M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std

WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std

CAB - SLEEPER BOX

FRAME EQUIPMENT/FUEL TANKS

2791300 BUMPER - FRONT, STAINLESS STEEL CLAD ALUMINUM FLUSH MTD 117.3"/2980 mm BBC Std (CORPORATE 94" x 15.5")

2811000 CROSSMEMBERS, STEEL Std

2910010 BOXED AND TAPERED CROSSMEMBER Std

330 3214 FIFTH WHEEL, AIR SLIDE - LH RELEASE (BOLTED TO OUTBOARD MTG ANGLES), FONTAINE SL6ATB Inc

3329999 SERIES (24" MAXIMUM TRAVEL), CHOOSE A BRACKET HEIGHT 99.99"

8190203 5TH WHÈEL MOUNTING ANGLES, OUTBOARD MOUNTED ANGLES WITH MOUNTING HOLES Std

4449004 FLAPS - WHEEL (FRONT), BLACK POLYARMOUR MUD FLAP Std

2860008 TAPERED AND FLANGED RAIL ENDS (28 deg.) Std

2430007 TOWING DEVICE - FRONT, (2) CLEVIS Std

2882093 FUEL TANK - LH, 93 GALLON (350 L) 26" ALUMINUM ROUND Std

2902093 FUEL TANK - RH, 93 GALLON (350 L) 26" ALUMINUM ROUND Std

DF11170 18.4 GALLON (70 L) 26" DIAMÈTER TANK LEFT SIDE FRAME MTD Std

DF20001 PAINTED FINISH DEF TANK COVER Std

C290001 NYLON TUBE Std

5909017 DUAL DRAW AND RETURN FUEL SYSTEM Std

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std

9001257 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 295/75R22.5 14 G R280 Std (ALL POSITION)

250 3000 WHEELS - FRONT, ALUMINUM DISC Std

5313730 (2) 22.5x8.25 ALCOA 10-HOLE HUB PILOTED Std

3760013 WHEELS - POLISHED (FRONT), MACHINE CLEAN BUFFED-ALL WHEELS Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2482000 HUBS - FRONT, ALUMINUM Std 2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std

3850001 SHOCK ABSORBERS, FRONT Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2441006 SPRINGS - FRONT, MACK TAPERLEAF HD 12000# (5443kg) GROUND LOAD RATING (2 LEAF SPRING) Std 2452118 STEERING, THP60 TRW-PWR (INTEGRAL) Std

Prospective Customer Ref#: AHDS000213A Page 5

Pid Code Description

SL60000 SYNTHETIC LUBRICANT - WHL BEARINGS, FACTORY OPTION FRONT WHEEL BEARINGS LUBRICANT Std **REAR AXLE/EQUIPMENT/TIRES/RATIOS**

268 2113 REAR AXLE/SUSPENSION, 40000# (18144kg) MERITOR MT-40-14X4C AMBOID (HIGH ENTRY), Std 1861515 MT-40-14XC WITH MAXLITE 40 EZ (GEN 2) 40000#

9011257 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 295/75R22.5 14 G R280 (ALL Std POS)

258 0001 CARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 3000 WHEELS - REAR, ALUMINUM DISC Std

3463730 (8) 22.5x8.25 (210 mm) ALCOA 10-HOLE HUB PILOTED (11 1/4" 286mm BOLT CIRCLE) Std

2350013 WHEELS - POLISHED (REAR), MACHINE CLEAN BUFFED - ALL WHEELS Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2642000 HUBS - REAR, ALUMINUM Std

2622003 OIL SEALS, STEMCO (VOYAGER) Std

2560003 POWER DIVIDER LOCKOUT Std

2340010 SHOCK ABSORBERS - (4), MOUNTED ON FORWARD AND REAR AXLES EACH SIDE Inc

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

```
2690052 SUSPENSION - AXLE SPACING, 52" AXLE SPACING (BOGIE WHEELBASE) Std
3230002 SUSPENSION - HEIGHT CONTROL KIT. MACK Std
2370001 SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE
3000002 SPRING BRAKE CHAMBERS - VENDOR, HALDEX Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
3290002 TRANSVERSE TORQUE RODS (BOTH AXLES) Inc
FRAME/WHEELBASE/PLATFORM
2741022 FRAME RAILS, 10.47" x 3.54" x .24" (266 x 90 x 6mm) STEEL Section Modulus: 11.6 cu in/RBM 1,390,000 in Std
lbs per rail
2710178 WHEELBASE, 178" (4520 mm) WB 90" CA (2297 mm) Std
2720147 PLATFORM, 147" LP (3727 mm) 56" AF (1430 mm) USED WITH 178" WB Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
2801000 AIR RESERVOIRS, STEEL (5961 CUBIC INCH CAPACITY) (SINGLE COMPARTMENT PRIMARY AND Std
TWO COMPARTMENT SUPPLY/SECONDARY)
6982000 ANTI-LOCK BRAKE SYSTEM, MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW Std
CONTROL
M160000 ATC DISABLE SWITCH, W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH Std
5480000 W/O COLLISION WARNING SYSTEM Std
3020002 BRAKE CONTROL VALVE SYSTEM, TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND Std
TRACTOR-TRAILER PARK
DVA0003 DRAIN VALVES, MANUAL DRAIN VALVES, WITH LANYARDS ON ALL TANKS Opt
Prospective Customer Ref#: AHDS000213A Page 6
Pid Code Description
3010001 HAND CONTROL VALVE FOR TRAILER BRAKES Std
3920000 WITHOUT SPRING BRAKE INVERSION VALVE Std
0080000 W/O TRAILER ACCESS PACKAGE Std
TRAILER CONNECTIONS
5170001 TRAILER AIR CONNECTIONS, TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB Std
3070002 HOSE TENDER, POGO STICK (CHASSIS MOUNTED) Std
3091012 TRAILER AIR HOSES (12 FT NON-COILED TYPE) Std
3030100 GLAD HAND COUPLINGS - NORTH AMERICAN STD Std
3191012 TRAILER ELECTRICAL CORD (12 FT NON-COILED TYPE) Std
3210001 TRAILER ELECTRICAL RECEPTACLE, SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB Std
3080003 ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE) Std
ELECTRICAL
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930013 BATTERY BOX - MOUNTING, STEEL BASE FORWARD OF LH FUEL TANK Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
3899000 TRIPLES TRAILER ELECTRICAL PACKAGE INCLUDES: 12 GAUGE WIRE FOR TURN SIGNALS, 12 Std
GAUGE WIRE AND 30 AMP CIRCUIT W/RELAY FOR CLEARANCE AND MARKER LAMPS. 10 GAUGE
WIRE AND 20 AMP CIRCUIT W/RELAY FOR STOP LAMPS, 12 GAUGE WIRE AND 20 AMP CIRCUIT
W/RELAY FOR TAIL LAMPS, AND 8 GAUGE WIRE FOR GROUND
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
3102400 HEADLIGHTS, HALOGEN-SINGLE RECTANGULAR (REPLACABLE BULBS) Std
4830000 REAR LIGHTING, (2) COMBINATION STOP, TAIL DIRECTIONAL AND BACK-UP LIGHTS Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std
PAINT/VINYL STRIPING
950 1100 PAINT/VINYL STRIPING - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
6520000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std
6530000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std
PAINT PROCESS CODES
9380000 W/O PAINT FOR BUMPER (5ZB-Z1X) Inc
9220000 CHASSIS RUNNING GEAR - STD CÓLOR (MACK BLACK) (6AB-Z1X) Inc
9390000 W/O PAINT FOR FUEL TANK (7HB-Z1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4420000 W/O OPTIONAL TRANS TORQUE CONVERTER Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
```

A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph

Prospective Customer Ref#: AHDS000213A Page 7

Pid Code Description

A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish

AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph

DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable) C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

Prospective Customer Ref#: AHDS000213A Page 8

Pid Code Description

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0Z0000

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0004 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Highway

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

M120000 TIME GAP SETTING, WITHOUT TIME GAP SETTINGS Std

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O mDRIVE OR W/O EATON

AUTO/ULTRASHIFT

Prospective Customer Ref#: AHDS000213A Page 9

Pid Code Description

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

ON HWY FIFTH WHEEL OFFSET LIMIT, 22" Inc

H-GAC Product Code: L3 Model: CXU612

Page 1

Nov 7, 2011 2013 CXU612

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0001 CARRIER APPLICATION, VENDOR CARRIER Std

0010001 VEHICLE TYPE, TRACTOR FOR 5TH WHEEL Std

0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10001 PRODUCT TYPE, PRODUCT TYPE - CMM42T TRACTOR Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/FRT AXLE POS/SALES PACKAGES

0021088 CHASSIS (BASE MODEL), CXU602 4-WHEEL TRACTOR Std

7740002 FRONT AXLE BACK POSITION Std

ENGINE/TRANSMISSION/CLUTCH

1001554 ENGINE, MACK MP8-415C 415 HP @1500-1700 RPM (PEAK) 1660 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1362156 TRANSMISSION, 10 SPEED MANUAL (OVERDRIVE), FULLER FRO-16210B (11.06/0.75) 10 SPEED Std FULLER

1335602 CLUTCH, SELF ADJUSTING, CL39DC14 EATON ADVANTAGE SOLO 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 4 PADDLES, AUTO ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK TURNED OUT Std B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

5740000 AIR GOVERNOR - MOUNTED ON CAB FIREWALL Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081004 COOLING PERFORMANCE, STANDARD COOLING PERFORMANCE Std

1100800 ENGINE BRAKE, MACK POWERLEASH Std

Prospective Customer Ref#: AHDS000413A Page 2

Pid Code Description

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COÒL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CÓNTROLLED Std VARIABLE

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4191001 TETHER DEVICE, FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK Std

TRANSMISSION EQUIPMENT/DRIVELINES

4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std

```
8260000 mDRIVE - PARKER PUMP, WITHOUT PARKER PUMP FOR mDRIVE TRANSMISSION Std
1920001 TRANSMISSION BELL HOUSING, IRON Std
1390001 TRANS OIL COOLER (INTEGRAL OIL PUMP) Std
7790000 VOCATIONAL PACKAGE - ALLISON, W/O OPTIONAL ELECTRONIC TRANS PACKAGE Std
1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK INTEGRAL W/HEATER (COMBO HEATER/AIR CONDITIONER UNIT) W/R134a REFRIGERANT Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
1443000 CAB, LH-STEER CA68 CONV CAB Std
2070001 CAB MOUNTING, FOUR POINT SYSTEM W/(2) AIR BAGS AND SHOCKS AT THE REAR Std
9970001 CERTIFIED WEIGHT Std
5750001 CIGAR LIGHTER ON INSTRUMENT PANEL Std
COAT HOOK (2) ON REAR WALL BEHIND RIDER'S AND DRIVER'S SEAT Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS DASH MOUNTED (BIG GULP SIZE) Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
5760005 DOME LIGHT (4) LAMPS RH/LH DOME LAMPS-DOOR AND SWITCH ACTIVATED, (2) CAB REAR DOME Std
LAMPS-SWITCH ACTIVATED
6470002 GALVANIZED STEEL VISIBILITY DOORS Std
4241000 VISIBILITY DOOR Std
DOOR INTERIOR TRIM PANELS. MOLDED UPPER DOOR PANEL & PADDED LOWER PANEL Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std
8330042 GAUGE CLUSTER, EXHAUST PRYOMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
GAUGE, ENGINE OIL PRESSURE Std
2940001 GAUGE, FUEL LEVEL Std
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
Prospective Customer Ref#: AHDS000413A Page 3
Pid Code Description
4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 GRAB HANDLES, BLACK FINISH RH & LH BEHIND DOOR Std
4000013 GRILLE, BRIGHT FINISH BARS W/BRIGHT FINISH SURROUND HOOD MOUNTED Std
CAB (H thru R)
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
4030000 OMIT STD HEATER Std
3400010 HOOD AND FENDERS, FIBERGLASS - AXLE BACK STYLE Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
MOUNTED
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
MONITORING)
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041104 INTERIOR TRIM (GENUINE - SLATE GRAY) 3 overhead storage compartments w/nets, rear panel with Std
storage pouch w/2 trash bag hooks, 2 cup holders, slate gray door panels & trim, vinyl padded interior sun
visors both sides, adjustable tilt/telescoping steering column, 2 overhead dome lights, 1 driver overhead spot
light & 1 map non-glare overhead spot light, 2 12V power outlets, 2 coat hangers, RH center storage
compartment.
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1521004 MIRRORS - EXTERIOR, BODY COLORED AERO MIRRORS WITH INTEGRATED CONVEX MIRROR Std
1530000 MIRRORS - CONVEX TYPE CAB DOORS, WITH AERO MIRRORS Std
4150000 OVERHEAD CONSOLE, (3) COMPARTMENT W/NET Std
PARKING BRAKE ON INDICATOR LIGHT Std
1746000 AM/FM STEREO CD W/WEATHERBAND Std
1560001 RADIO ANTENNA, ROOF MOUNTED Std
1660001 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH Std
4320002 DASHBOARD MOUNTING STRAP Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std
4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std
5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT WITH FIXED D-RING FOR Std
```

DRIVER AND RIDER SEATS

SIDE MARKERS, LAMPS AND REFLECTORS Std

2380001 STARTER SWITCH, KEY TYPE Std

Prospective Customer Ref#: AHDS000413A Page 4

Pid Code Description

4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std

1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std

D0C0001 STORAGE POUCH REAR Std

3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) WITH TICKET HOLDER Std

TURN SIGNALS, FRONT (INTEGRAL WITH FENDER) Std

6440005 PEEP WINDOW - CAB, RH DOOR PEEP WINDOW W/O LH DOOR VENT Std

1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std

M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std

WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std

CAB - SLEEPER BOX

FRAME EQUIPMENT/FUEL TANKS

2791405 BUMPER - FRONT, FLUSH NON-METALLIC AERO ARGENT 117.3"/2980 mm BBC W/CHARCOAL ACCENT Std 2811000 CROSSMEMBERS, STEEL Std

2910010 BOXED AND TAPERED CROSSMEMBER Std

330 3214 FIFTH WHEEL, AIR SLIDE - LH RELEASE (BOLTED TO OUTBOARD MTG ANGLES), FONTAINE SL6ATB Inc

3329999 SERIES (24" MAXIMUM TRAVEL), CHOOSE A BRACKET HEIGHT 99.99"

8190203 5TH WHEEL MOUNTING ANGLES, OUTBOARD MOUNTED ANGLES WITH MOUNTING HOLES Std

4449004 FLAPS - WHEEL (FRONT), BLACK POLYARMOUR MUD FLAP Std

2860008 TAPERED AND FLANGED RAIL ENDS (28 deg.) Std

2430007 TOWING DEVICE - FRONT, (2) CLEVIS Std

PH10000 W/O REAR TOWING DEVICE Std

2882072 FUEL TANK - LH, 72 GALLON (272 L) 26" ALUMINUM ROUND Std

2902072 FUEL TANK - RH, 72 GALLON (272 L) 26" ALUMINUM ROUND Std

DF11170 18.4 GALLON (70 L) 26" DIAMÈTER TANK LEFT SIDE FRAME MTD Std

DF20001 PAINTED FINISH DEF TANK COVER Std

C290001 NYLON TUBE Std

5909017 DUAL DRAW AND RETURN FUEL SYSTEM Std

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std

9001257 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 295/75R22.5 14 G R280 Std (ALL POSITION)

250 3000 WHEELS - FRONT, ALUMINUM DISC Std

5313730 (2) 22.5x8.25 ALCOA 10-HOLE HUB PILOTED Std

3760013 WHEELS - POLISHED (FRONT), MACHINE CLEAN BUFFED-ALL WHEELS Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2482000 HUBS - FRONT, ALUMINUM Std 2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std

3850001 DOUBLE ACTING TYPE Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2 LEAF SPRING) Std

2452107 STEERING, TAS-65 TRW INTEGRAL POWER Std

Prospective Customer Ref#: AHDS000413A Page 5

Pid Code Description

SL60000 SYNTHETIC LUBRICANT - WHL BEARINGS, FACTORY OPTION FRONT WHEEL BEARINGS LUBRICANT Std **REAR AXLE/EQUIPMENT/TIRES/RATIOS**

2522016 REAR AXLE, 23000# (10433kg) MERITOR RS-23-161 SINGLE REDUCTION Std

2601002 SUSPENSION - REAR, 23000# MULTILEAF SPRINGS Std

9011257 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (4) 295/75R22.5 14 G R280 (ALL Std POSITION)

258 0001 CARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 3000 WHEELS - REAR, ALUMINUM DISC Std

3463730 (4) 22.5x8.25 (210 mm) ALCOA 10-HOLE HUB PILOTED (11 1/4" 286mm BOLT CIRCLE) Std

2350013 WHEELS - POLISHED (REAR), MACHINE CLEAN BUFFED - ALL WHEELS Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std 6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2642000 HUBS - REAR, ALUMINUM Std

2622003 OIL SEALS, STEMCO (VOYAGER) Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

2370001 SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std RELEASE

3000002 SPRING BRAKE CHAMBERS - VENDOR, HALDEX Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std

FRAME/WHEELBASE/PLATFORM

2741022 FRAME RAILS, 10.47" x 3.54" x .24" (266 x 90 x 6mm) STEEL Section Modulus: 11.6 cu in/RBM 1,390,000 in Std lbs per rail

2710156 WHEELBASE, 156" (3950 mm) WB 90" CA (2287 mm) Std

2720131 PLATFORM, 131" LP (3317 mm) 41" AF (1030 mm) USED WITH 156" WB Std

AIR/BRAKE

AIR BRAKE SYSTEM, DUAL Std

2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL (2) (5600 CUBIC INCH CAPACITY) (SINGLE COMPARTMENT PRIMARY AND Std TWO COMPARTMENT SUPPLY/SECONDARY)

6982000 ANTI-LOCK BRAKE SYSTEM, MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW Std CONTROL

M160000 ATC DISABLE SWITCH, W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH Std 5480000 W/O COLLISION WARNING SYSTEM Std

3020002 BRAKE CONTROL VALVE SYSTEM, TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND Std TRACTOR-TRAILER PARK

DVA0002 DRAIN VALVES, MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY Std

3010001 HAND CONTROL VALVE FOR TRAILER BRAKES Std

3920000 WITHOUT SPRING BRAKE INVERSION VALVE Std

0080000 W/O TRAILER ACCESS PACKAGE Std

TRAILER CONNECTIONS

5170001 TRAILER AIR CONNECTIONS, TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB Std

Prospective Customer Ref#: AHDS000413A Page 6

Pid Code Description

3070002 HOSE TENDER, POGO STICK (CHASSIS MOUNTED) Std

3091012 TRAILER AIR HOSES (12 FT NON-COILED TYPE) Std

3030100 GLAD HAND COUPLINGS - NORTH AMERICAN STD Std

3191012 TRAILER ELECTRICAL CORD (12 FT NON-COILED TYPE) Std

3210001 TRAILER ELECTRICAL RECEPTACLE, SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB Std

3080003 ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE) Std

ELECTRICAL

4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std

3939101 BATTERY BOX - MOUNTING, (4) BATTERY MAX, MTD LHS LOWER UNDER CAB, PARALLEL TO FRAME Std W/STEPS AND W/AIR RESVR. MTD BELOW

COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std

3899000 TRIPLES TRAILER ELECTRICAL PACKAGE INCLUDES: 12 GAUGE WIRE FOR TURN SIGNALS, 12 Std

GAUGE WIRE AND 30 AMP CIRCUIT W/RELAY FOR CLEARANCE AND MARKER LAMPS, 10 GAUGE

WIRE AND 20 AMP CIRCUIT W/RELAY FOR STOP LAMPS, 12 GAUGE WIRE AND 20 AMP CIRCUIT

W/RELAY FOR TAIL LAMPS, AND 8 GAUGE WIRE FOR GROUND

8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std

WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std

3102500 HEADLIGHTS, SINGLE FLUSH MOUNTED RECTANGULAR HALOGEN LAMPS W/LEXAN LENS Std (REPLACABLE BULBS)

4830000 REAR LIGHTING, (2) COMBINATION STOP, TAIL DIRECTIONAL AND BACK-UP LIGHTS Std

3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std

PAINT/VINYL STRIPING

950 1100 PAINT/VINYL STRIPING - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std 9442007

9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std

9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std

6520000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std

6530000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std

PAINT PROCESS CODES

9380000 W/O PAINT FOR BUMPER (5ZB-Z1X) Inc

9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc

9390000 W/O PAINT FOR FUEL TANK (7HB-Z1X) Inc

9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc

9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc

PTO/SPECIALTY/ADDITIONAL EQUIPMENT

4420000 W/O OPTIONAL TRANS TORQUE CONVERTER Std

V-MAC IV PROGRAMMABLE PARAMETERS

CRUISE CONTROL SETTINGS W/O ALLISON TRANS

9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph

A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph

A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish

AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph

DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std

Prospective Customer Ref#: AHDS000413A Page 7

Pid Code Description

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable)

C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ÁCCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

2100 rpm

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEÈD CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00 GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc.

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

Prospective Customer Ref#: AHDS000413A Page 8 **Pid Code Description**

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0Z0000

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0004 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Highway

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

M120000 TIME GAP SETTING, WITHOUT TIME GAP SETTINGS Std

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O mDRIVE OR W/O EATON

AUTO/ULTRASHIFT

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS000413A Page 9

Pid Code Description

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std ON HWY FIFTH WHEEL OFFSET LIMIT, 30" Inc

H-GAC Product Code: L4 Model: CXU613

Page 1 Nov 7, 2011 2013 CXU613 **Pid Code Description** ORDER/CUSTOMER/VEHICLE INFORMATION INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std 0130001 TYPE OF SERVICE, COMMERCIAL Std APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc CAR0001 CARRIER APPLICATION, VENDOR CARRIER Std 0010001 VEHICLE TYPE, TRACTOR FOR 5TH WHEEL Std 0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION COMMODITIES, UNKNOWN 6450250 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 76M (250FT) Std PB1013A PRICE BOOK LEVEL. 2013A PRICE BOOK LEVEL Std PT10003 PRODUCT TYPE, PRODUCT TYPE - CMM64T TRACTOR Opt PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std **BVS/FRT AXLE POS/SALES PACKAGES** 0021090 CHASSIS (BASE MODEL), CXU603 6-WHEEL TRACTOR Std 7740002 FRONT AXLE BACK POSITION Std **ENGINE/TRANSMISSION/CLUTCH** 1001554 ENGINE, MACK MP8-415C 415 HP @1500-1700 RPM (PEAK) 1660 LB FT. MAX TORQUE @ 1100-1300 Std RPM. 1362156 TRANSMISSION, 10 SPEED MANUAL (OVERDRIVE), FULLER FRO-16210B (11.06/0.75) 10 SPEED Std **FULLER** 1335602 CLUTCH, SELF ADJUSTING, CL39DC14 EATON ADVANTAGE SOLO 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 4 PADDLES, AUTO ADJ **EXHAUST/EMISSIONS** DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std 1305001 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK TURNED OUT Std B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std **ENGINE EQUIPMENT** 1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std 1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD 5740000 AIR GOVERNOR - MOUNTED ON CAB FIREWALL Std 1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std 3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std 1190004 TO -34 DEGREES F (-37 DEGREES C) Std 1230011 MACK COOLANT CONDITIONER Std 5081004 COOLING PERFORMANCE, STANDARD COOLING PERFORMANCE Std Prospective Customer Ref#: AHDS000513A Page 2 **Pid Code Description** 1100800 ENGINE BRAKE, MACK POWERLEASH Std ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std 1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std **VARIABLE** 1400002 FLYWHEEL HOUSING, ALUMINUM Std 2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std 1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std 4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std 4210000 4880000 RADIATOR, ALUMINUM CORE Std 1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4191001 TETHER DEVICE, FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std

TRANSMISSION EQUIPMENT/DRIVELINES

```
3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std
8260000 mDRIVE - PARKER PUMP, WITHOUT PARKER PUMP FOR mDRIVE TRANSMISSION Std
1920001 TRANSMISSION BELL HOUSING, IRON Std
1390001 TRANS OIL COOLER (INTEGRAL OIL PUMP) Std
7790000 VOCATIONAL PACKAGE - ALLISON, W/O OPTIONAL ELECTRONIC TRANS PACKAGE Std
1951002 DRIVELINE - MAIN, MERITOR 176N W/COATED SPLINES Std
2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK INTEGRAL W/HEATER (COMBO HEATER/AIR CONDITIONER UNIT) W/R134a REFRIGERANT Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
1443000 CAB, LH-STEER CA68 CONV CAB Std
2070001 CAB MOUNTING, FOUR POINT SYSTEM W/(2) AIR BAGS AND SHOCKS AT THE REAR Std
9970001 CERTIFIED WEIGHT Std
5750001 CIGAR LIGHTER ON INSTRUMENT PANEL Std
COAT HOOK (2) ON REAR WALL BEHIND RIDER'S AND DRIVER'S SEAT Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS DASH MOUNTED (BIG GULP SIZE) Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
5760005 DOME LIGHT (4) LAMPS RH/LH DOME LAMPS-DOOR AND SWITCH ACTIVATED, (2) CAB REAR DOME Std
LAMPS-SWITCH ACTIVATED
6470002 GALVANIZED STEEL VISIBILITY DOORS Std
4241000 VISIBILITY DOOR Std
DOOR INTERIOR TRIM PANELS, MOLDED UPPER DOOR PANEL & PADDED LOWER PANEL Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std
8330042 GAUGE CLUSTER, EXHAUST PRYOMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
GAUGE, ENGINE OIL PRESSURE Std
2940001 GAUGE, FUEL LEVEL Std
Prospective Customer Ref#: AHDS000513A Page 3
Pid Code Description
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 GRAB HANDLES, BLACK FINISH RH & LH BEHIND DOOR Std
4000013 GRILLE, BRIGHT FINISH BARS W/BRIGHT FINISH SURROUND HOOD MOUNTED Std
CAB (H thru R)
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
4030000 OMIT STD HEATER Std
3400010 HOOD AND FENDERS, FIBERGLASS - AXLE BACK STYLE Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
MOUNTED
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
MONITORING)
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041104 INTERIOR TRIM (GENUINE - SLATE GRAY) 3 overhead storage compartments w/nets, rear panel with Std
storage pouch w/2 trash bag hooks, 2 cup holders, slate gray door panels & trim, vinyl padded interior sun
visors both sides, adjustable tilt/telescoping steering column, 2 overhead dome lights, 1 driver overhead spot
light & 1 map non-glare overhead spot light, 2 12V power outlets, 2 coat hangers, RH center storage
compartment.
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1521004 MIRRORS - EXTERIOR, BODY COLORED AERO MIRRORS WITH INTEGRATED CONVEX MIRROR Std
1530000 MIRRORS - CONVEX TYPE CAB DOORS, WITH AERO MIRRORS Std
4150000 OVERHEAD CONSOLE, (3) COMPARTMENT W/NET Std
PARKING BRAKE ON INDICATOR LIGHT Std
1746000 AM/FM STEREO CD W/WEATHERBAND Std
1560001 RADIO ANTENNA, ROOF MOUNTED Std
1660001 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH Std
4320002 DASHBOARD MOUNTING STRAP Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
```

1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std

```
4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std
5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT WITH FIXED D-RING FOR Std
DRIVER AND RIDER SEATS
Prospective Customer Ref#: AHDS000513A Page 4
```

Pid Code Description

SIDE MARKERS, LAMPS AND REFLECTORS Std

2380001 STARTER SWITCH, KEY TYPE Std

4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std

1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std

D0C0001 STORAGE POUCH REAR Std

3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) WITH TICKET HOLDER Std

TURN SIGNALS, FRONT (INTEGRAL WITH FENDER) Std

6440005 PEEP WINDOW - CAB, RH DOOR PEEP WINDOW W/O LH DOOR VENT Std

1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std

M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std

WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std

CAB - SLEEPER BOX

FRAME EQUIPMENT/FUEL TANKS

2791405 BUMPER - FRONT, FLUSH NON-METALLIC AERO ARGENT 117.3"/2980 mm BBC W/CHARCOAL ACCENT Std 2811000 CROSSMEMBERS, STEEL Std

2910010 BOXED AND TAPERED CROSSMEMBER Std

330 3214 FIFTH WHEEL, AIR SLIDE - LH RELEASE (BOLTED TO OUTBOARD MTG ANGLES), FONTAINE SL6ATB Inc 3329999 SERIES (24" MAXIMUM TRAVEL), CHOOSÈ A BRACKET HEIGHT 99.99"

8190203 5TH WHEEL MOUNTING ANGLES, OUTBOARD MOUNTED ANGLES WITH MOUNTING HOLES Std

4449004 FLAPS - WHEEL (FRONT), BLACK POLYARMOUR MUD FLAP Std

2860008 TAPERED AND FLANGED RAIL ENDS (28 deg.) Std

2430007 TOWING DEVICE - FRONT, (2) CLEVIS Std

PH10000 W/O REAR TOWING DEVICE Std

2882072 FUEL TANK - LH, 72 GALLON (272 L) 26" ALUMINUM ROUND Std

2902072 FUEL TANK - RH, 72 GALLON (272 L) 26" ALUMINUM ROUND Std

DF11170 18.4 GALLON (70 L) 26" DIAMETER TANK LEFT SIDE FRAME MTD Std

DF20001 PAINTED FINISH DEF TANK COVER Std

C290001 NYLON TUBE Std

5909017 DUAL DRAW AND RETURN FUEL SYSTEM Std

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std

9001257 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 295/75R22.5 14 G R280 Std (ALL POSITION)

250 3000 WHEELS - FRONT, ALUMINUM DISC Std

5313730 (2) 22.5x8.25 ALCOA 10-HOLE HUB PILOTED Std

3760013 WHEELS - POLISHED (FRONT), MACHINE CLEAN BUFFED-ALL WHEELS Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2482000 HUBS - FRONT, ALUMINUM Std

2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std

3850001 DOUBLE ACTING TYPE Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

Prospective Customer Ref#: AHDS000513A Page 5

Pid Code Description

2441006 SPRINGS - FRONT, MACK TAPERLEAF HD 12000# (5443kg) GROUND LOAD RATING (2 LEAF SPRING) Std 2452107 STEERING, TAS-65 TRW INTEGRAL POWER Std

SL60000 SYNTHETIC LUBRICANT - WHL BEARINGS, FACTORY OPTION FRONT WHEEL BEARINGS LUBRICANT Std **REAR AXLE/EQUIPMENT/TIRES/RATIOS**

268 2113 REAR AXLE/SUSPENSION, 40000# (18144kg) MERITOR MT-40-14X4C AMBOID (HIGH ENTRY), Std 1861515 MT-40-14XC WITH MAXLITE 40 EZ (GEN 2) 40000#

9011257 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 295/75R22.5 14 G R280 (ALL Std POS)

258 0001 CARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 3000 WHEELS - REAR, ALUMINUM DISC Std

3463730 (8) 22.5x8.25 (210 mm) ALCOA 10-HOLE HUB PILOTED (11 1/4" 286mm BOLT CIRCLE) Std

2350013 WHEELS - POLISHED (REAR), MACHINE CLEAN BUFFED - ALL WHEELS Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2642000 HUBS - REAR, ALUMINUM Std

2622003 OIL SEALS, STEMCO (VOYAGER) Std

2560003 POWER DIVIDER LOCKOUT Std

```
2340010 SHOCK ABSORBERS - (4), MOUNTED ON FORWARD AND REAR AXLES EACH SIDE Inc
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2690052 SUSPENSION - AXLE SPACING, 52" AXLE SPACING (BOGIE WHEELBASE) Std
3230002 SUSPENSION - HEIGHT CONTROL KIT, MACK Std
2370001 SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RFI FASE
3000002 SPRING BRAKE CHAMBERS - VENDOR, HALDEX Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
SL30000 LUBRICANT - TANDEM REAR AXLE, FACTORY OPTION REAR AXLE LUBRICANT Std
3290002 TRANSVERSE TORQUE RODS (BOTH AXLES) Inc
FRAME/WHEELBASE/PLATFORM
2741022 FRAME RAILS, 10.47" x 3.54" x .24" (266 x 90 x 6mm) STEEL Section Modulus: 11.6 cu in/RBM 1,390,000 in Std
2710162 WHEELBASE, 162" (4110 mm) WB 96" CA (2447 mm) Std
2720153 PLATFORM, 153" LP (3877 mm) 56" AF (1430 mm) USED WITH 162" WB Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
2801000 AIR RESERVOIRS, STEEL (5961 CUBIC INCH CAPACITY) (SINGLE COMPARTMENT PRIMARY AND Std
TWO COMPARTMENT SUPPLY/SECONDARY)
6982000 ANTI-LOCK BRAKE SYSTEM, MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW Std
M160000 ATC DISABLE SWITCH, W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH Std
5480000 W/O COLLISION WARNING SYSTEM Std
Prospective Customer Ref#: AHDS000513A Page 6
Pid Code Description
3020002 BRAKE CONTROL VALVE SYSTEM, TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND Std
TRACTOR-TRAILER PARK
DVA0002 DRAIN VALVES, MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY Std
3010001 HAND CONTROL VALVE FOR TRAILER BRAKES Std
3920000 WITHOUT SPRING BRAKE INVERSION VALVE Std
0080000 W/O TRAILER ACCESS PACKAGE Std
TRAILER CONNECTIONS
5170001 TRAILER AIR CONNECTIONS, TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB Std
3070002 HOSE TENDER, POGO STICK (CHASSIS MOUNTED) Std
3091012 TRAILER AIR HOSES (12 FT NON-COILED TYPE) Std
3030100 GLAD HAND COUPLINGS - NORTH AMERICAN STD Std
3191012 TRAILER ELECTRICAL CORD (12 FT NON-COILED TYPE) Std
3210001 TRAILER ELECTRICAL RECEPTACLE, SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB Std
3080003 ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE) Std
ELECTRICAL
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3939101 BATTERY BOX - MOUNTING, (4) BATTERY MAX, MTD LHS LOWER UNDER CAB, PARALLEL TO FRAME Std
W/STEPS AND W/AIR RESVR. MTD BELOW
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
3899000 TRIPLES TRAILER ELECTRICAL PACKAGE INCLUDES: 12 GAUGE WIRE FOR TURN SIGNALS, 12 Std
GAUGE WIRE AND 30 AMP CIRCUIT W/RELAY FOR CLEARANCE AND MARKER LAMPS, 10 GAUGE
WIRE AND 20 AMP CIRCUIT W/RELAY FOR STOP LAMPS, 12 GAUGE WIRE AND 20 AMP CIRCUIT
W/RELAY FOR TAIL LAMPS, AND 8 GAUGE WIRE FOR GROUND
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
3102500 HEADLIGHTS, SINGLE FLUSH MOUNTED RECTANGULAR HALOGEN LAMPS W/LEXAN LENS Std
(REPLACABLE BULBS)
4830000 REAR LIGHTING, (2) COMBINATION STOP, TAIL DIRECTIONAL AND BACK-UP LIGHTS Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std
PAINT/VINYL STRIPING
950 1100 PAINT/VINYL STRIPING - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
6520000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std
6530000 WITHOUT SPECIAL PRE-FINISHED OPTIONS Std
PAINT PROCESS CODES
9380000 W/O PAINT FOR BUMPER (5ZB-Z1X) Inc
```

9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc 9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc

9390000 W/O PAINT FOR FUEL TANK (7HB-Z1X) Inc

PTO/SPECIALTY/ADDITIONAL EQUIPMENT

9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc

Prospective Customer Ref#: AHDS000513A Page 7

Pid Code Description

4420000 W/O OPTIONAL TRANS TORQUE CONVERTER Std

V-MAC IV PROGRAMMABLE PARAMETERS

CRUISE CONTROL SETTINGS W/O ALLISON TRANS

9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph

A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph

A2W0001 CRUISE CONTROL AUTORESUME W/CLÚTCH Furnish

AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph

DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable)

C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ÁCCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

2100 rpm

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

Prospective Customer Ref#: AHDS000513A Page 8

Pid Code Description

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100 A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0Z0000

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0004 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Highway

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

Prospective Customer Ref#: AHDS000513A Page 9

Pid Code Description

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

M120000 TIME GAP SETTING, WITHOUT TIME GAP SETTINGS Std

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O mDRIVE OR W/O EATON **AUTO/ULTRASHIFT**

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std ON HWY FIFTH WHEEL OFFSET LIMIT, 30" Inc

H-GAC Product Code: L5 Model: GU433

Page 1 Nov 7, 2011 2013 GU433 **Pid Code Description** ORDER/CUSTOMER/VEHICLE INFORMATION INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std 0130001 TYPE OF SERVICE, COMMERCIAL Std APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc CAR0001 CARRIER APPLICATION, NOT AVAILABLE Inc. 0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std 0060001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION COMMODITIES, UNKNOWN 6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std PT10007 PRODUCT TYPE, PRODUCT TYPE - CML64R TRUCK Opt PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std **BVS/FRT AXLE POS/SALES PACKAGES** 0021094 CHASSIS (BASE MODEL), GU403 6-WHEEL TRUCK Std **ENGINE/TRANSMISSION/CLUTCH** 1003200 ENGINE, CUMMINS ISL-D 345 HP @1400 RPM (PEAK) 1150 LB. FT. MAX. TORQUE @ 1400 RPM Std 1362141 TRANSMISSION, 10 SPEED MANUAL (OVERDRIVE), FULLER FRO-11210C (12.69/0.74) Std 1335501 CLUTCH, MANUAL ADJUSTING, 1335501 EATON ADVANTAGE EZ-PEDAL, 7-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 4 PADDLES, MANUAL ADJ **EXHAUST/EMISSIONS** DPF0201 DPF, DPF, HORIZ RH SIDE UNDER CAB & BEHIND STEP CUMMINS SWITCHBACK Std EASO201 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM SELECTIVE Std CATALYST REDUCTION PLUS DPF VERSION 3 CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std 1305101 EXHAUST, SINGLE (R/S) VERT EXHAUST CAB MOUNTED, LOWER VENTURI DIFFUSER, TURNED END Std B600007 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD DPF (CUMMINS) Std **ENGINE EQUIPMENT** 1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std 1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD AIR GOVERNOR Std 1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std 3164104 BATTERIES, (2) MACK 12V 1000/2000 CCA THREADED STUD TYPE Std 1210001 BUG SCREEN, RADIATOR MOUNTED Std 1199003 TEXACO EXTENDED LIFE COOLANT W/NITRITES (50/50 MIX) TO -34 DEG Std 1100000 ENGINE BRAKE, W/O ENGINE BRAKE Std ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std 1180004 FAN DRIVE, HORTON ON/OFF CLUTCH W/LIGHT WEIGHT PLASTIC FAN Std 1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std Prospective Customer Ref#: AHDS000713A Page 2 **Pid Code Description** 2931008 FUEL-WATER SEPARATOR, DAVCO 382, NON-HEATED W/VENDOR PRIM & MACK SEC FUEL FILTER Std HAND PRIMER PUMP Inc 1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std 4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std 4210000 4880000 RADIATOR, ALUMINUM CORE Std 1280008 ELECTRIC PREHEATER Std 1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std 4110004 ELECTRONIC STARTER INTERLOCK Std 4190000 TETHER DEVICE, W/O TETHER DEVICE Std TRANSMISSION EQUIPMENT/DRIVELINES

SL40000 SYNTHETIC LUBRICANT - TRANSMISSION, W/O SYNTHETIC LUBE, FACTORY OPTION Std

4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std 3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std 1920001 TRANSMISSION BELL HOUSING, IRON Std

3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std 1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std 2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std CAB (A thru G) 1730200 MANUAL CONTROLLED CLIMATE CONT HEATER UNIT ONLY Std 5930000 AIR CONDITIONING COMPRESSOR, W/O AIR CONDITIONER COMPRESSOR Std 1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std ASH TRAY Std 1443000 CAB, LH-DRIVE CA68 CONV CAB Std CAB MOUNTING, AIR SUSPENSION Std 9970001 CERTIFIED WEIGHT Opt 5750001 CIGAR LIGHTER Std COAT HOOK (2) Std DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std. 9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std (4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std ACTIVATED DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std 3410001 ENGINE SHUTOFF, KEY TYPE Std $\,$ 2090004 FENDER EXTENSIONS, FENDER EXTENSIONS Std 1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std GAUGE, AIR PRESSURE Std GAUGE, VOLTMETER Std 8330142 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std GAUGE, ENGINE COOLANT TEMPERATURE Std GAUGE, ENGINE OIL PRESSURE Std GAUGE, ENGINE OIL TEMPERATURE Std 1980001 GAUGES, ENGLISH/METRIC DISPLAY Std Prospective Customer Ref#: AHDS000713A Page 3 **Pid Code Description** 2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std 1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std 2000010 ENGINE TACHOMETER Std 4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std 5870000 STANDARD GRAB HANDLE OPTION RH & LH, BEHIND DOOR Std B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std 4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std CAB (H thru R) 8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std 3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std 6460001 HOOD INSULATION Std 2080001 PAINTED HOOD LATCHES Std 1540006 HORN - AIR, TWIN-U/CAB TRUMPET Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std C0J0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE MONITORING) A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std 0041103 INTERIOR TRIM (PUREBRED - SLATE GRAY) Vinyl headliner & seat covering, 2 netted storage Std compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch, polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank lh/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH storage compartment, RH Door Peep Window 1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS) 1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std 4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std FOR CB PROVISIONS

1740010 RADIO ACCOMMODATION PKG INCLUDES-ANTENNA, POWER SUPPLY AND TWO SPEAKERS (NO Std

PARKING BRAKE ON INDICATOR LIGHT Std

POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std

```
RADIO)
1560004 RADIO ANTENNA. CAB MOUNTED BEHIND LH DOOR Std
1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std
Prospective Customer Ref#: AHDS000713A Page 4
Pid Code Description
4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
1970000 SEAT - RIDER, OMIT RIDER SEAT Std
SEAT ARM RESTS,
4851099 SEAT COVERING, ALL VINYL DRIVER SEAT ONLY Std
5920003 LAP AND SHOULDER (DRIVER'S SEAT ONLY) Std
3730000 W/O ROOF VENT VENTILATION Std
2380001 STARTER SWITCH, KEY TYPE Std
4390002 STEERING COLUMN, FIXED Std
1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std
D0C0001 STORAGE POUCH REAR Std
3540008 SUN VISOR - DRIVER SIDE Std
1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std
M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std
WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std
1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std
FRAME EQUIPMENT/FUEL TANKS
2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std
2811054 CROSSMEMBERS, BOC CROSSMEMBER, STEEL HD BACK-TO-BACK CHANNEL INTERMEDIATE(S), Std
CHANNEL TYPE
4670007 CROSSMEMBER (BEHIND REAR AXLE), W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE Std
4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std
2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std
2430009 TOWING DEVICE - FRONT, HOOKS Std
288S066 FUEL TANK - LH, 66 GALLON (250 L) STEEL, SLEEVED D-SHAPED Std
2900000 FUEL TANK - RH, OMIT RH STANDARD Std
DF12025 6.6 GALLON (25 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Inc
DF20000 WITHOUT DEF TANK COVER Inc
FRONT AXLE/EQUIPMENT/TIRES
2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std
9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std
(STEER)
250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std
5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std
3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std
2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std
2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std
6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std
2481000 HUBS - FRONT, FERROUS Std
2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std
3850001 SHOCK ABSORBERS, FRONT Std
Prospective Customer Ref#: AHDS000713A Page 5
Pid Code Description
2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std
2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std
2452213 STEERING, SHEPPARD SD110 Std
REAR AXLE/EQUIPMENT/TIRES/RATIOS
268 2114 REAR AXLE/SUSPENSION, 40000# (18144kg) MERITOR MT-40-14X4D HYPOID (LOW ENTRY), Std
1861511 MT-40-14X4D MACK AL-402 AIR 40000# CAPACITY
9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std
POSITION)
258 0001 CARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc
2570000
267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std
3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std
2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std
2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std
```

2340010 SHOCK ABSORBERS - (4), MOUNTED ON FORWARD AND REAR AXLES EACH SIDE Inc

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std

2641000 HUBS - REAR, FERROUS Std

```
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2690052 SUSPENSION - AXLE SPACING, 52" AXLE SPACING (BOGIE WHEELBASE) Inc
3230002 SUSPENSION - HEIGHT CONTROL KIT, MACK Inc
2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE, (2) MOUNTED ON EACH AXLE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
3290002 TRANSVERSE TORQUE RODS (BOTH AXLES) Inc
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
in lbs per rail
2710211 WHEELBASE, 211" (5370 mm) WB 124" CA (3147 mm) Std
2720186 PLATFORM, 186" LP (4727 mm) 62" AF (1580 mm) USED WITH 211" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1411000 (1) UNDER BATTERY BOX, REMAINING BETWEEN FRAME RAILS Std
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
Prospective Customer Ref#: AHDS000713A Page 6
Pid Code Description
TRAILER CONNECTIONS
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE, WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930071 BATTERY BOX - MOUNTING, RIGHT HAND UNDER CAB Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
PAINT
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0000 CRUISE CONTROL AUTORESUME W/CLUTCH Omit
AL10000 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 0 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm
```

Prospective Customer Ref#: AHDS000713A Page 7

Pid Code Description

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable)

COV0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
COW0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

2100 rpm

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A1I0650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340060 IDLE SHUTDOWN TIME (MINS) 60

Prospective Customer Ref#: AHDS000713A Page 8

Pid Code Description

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPÈRATÚRE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130000 IDLE S/D OVERRIDE W/PTO Omit

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

A3C0000 IDLE S/D OVERRIDE W/PTO Omit

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A410000 PTO 1 MAX ENGINE SET SPEED (RPM) 0000 rpm

A980700 PTO 1 MIN ENGINE SET SPEED (RPM) 700 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0250 PTO 1 RAMP RATE (RPM/Sec) 250

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A050000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0000 PTO 2 MIN ENGINE SET SPEED (RPM) 0 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A610000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320085 CUSTOMER VEHICLE LIMITING SPEED (MPH) 85 mph

A200000 LGVLS FEATURE ACTIVATION Omit
A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 0.0" (0mm) FROM BACK OF CAB Std

H-GAC Product Code: L6 Model: GU533

Page 1 Nov 7, 2011 2013 GU533 **Pid Code Description** ORDER/CUSTOMER/VEHICLE INFORMATION INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std 0130001 TYPE OF SERVICE, COMMERCIAL Std APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc CAR0001 CARRIER APPLICATION, NOT AVAILABLE Inc 0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std 0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION COMMODITIES, UNKNOWN 6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std PT10007 PRODUCT TYPE, PRODUCT TYPE - CML64R TRUCK Opt PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std **BVS/FRT AXLE POS/SALES PACKAGES** 0021095 CHASSIS (BASE MODEL), GU503 6-WHEEL TRUCK Std **ENGINE/TRANSMISSION/CLUTCH** 1003200 ENGINE, CUMMINS ISL-D 345 HP @1400 RPM (PEAK) 1150 LB. FT. MAX. TORQUE @ 1400 RPM Std 1362141 TRANSMISSION, 10 SPEED MANUAL (OVERDRIVE), FULLER FRO-11210C (12.69/0.74) Std 1335501 CLUTCH, MANUAL ADJUSTING, 1335501 EATON ADVANTAGE EZ-PEDAL, 7-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 4 PADDLES, MANUAL ADJ **EXHAUST/EMISSIONS** DPF0201 DPF, DPF, HORIZ RH SIDE UNDER CAB & BEHIND STEP CUMMINS SWITCHBACK Std EASO201 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM SELECTIVE Std CATALYST REDUCTION PLUS DPF VERSION 3 CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std 1305101 EXHAUST, SINGLE (R/S) VERT EXHAUST CAB MOUNTED, LOWER VENTURI DIFFUSER, TURNED END Std B600007 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD DPF (CUMMINS) Std **ENGINE EQUIPMENT** 1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std 1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD AIR GOVERNOR Std 1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std 3164104 BATTERIES, (2) MACK 12V 1000/2000 CCA THREADED STUD TYPE Std 1210001 BUG SCREEN, RADIATOR MOUNTED Std 1199003 TEXACO EXTENDED LIFE COOLANT W/NITRITES (50/50 MIX) TO -34 DEG Std 1100000 ENGINE BRAKE, W/O ENGINE BRAKE Std ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std 1180004 FAN DRIVE, HORTON ON/OFF CLUTCH W/LIGHT WEIGHT PLASTIC FAN Std 1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std Prospective Customer Ref#: AHDS000813A Page 2 **Pid Code Description** 2931008 FUEL-WATER SEPARATOR, DAVCO 382, NON-HEATED W/VENDOR PRIM & MACK SEC FUEL FILTER Std HAND PRIMER PUMP Inc 1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std 4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std 4210000 4880000 RADIATOR, ALUMINUM CORE Std 1280008 ELECTRIC PREHEATER Std 1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std 4110004 ELECTRONIC STARTER INTERLOCK Std 4190000 TETHER DEVICE, W/O TETHER DEVICE Std TRANSMISSION EQUIPMENT/DRIVELINES 4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std

SL40000 SYNTHETIC LUBRICANT - TRANSMISSION, W/O SYNTHETIC LUBE, FACTORY OPTION Std

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std 1920001 TRANSMISSION BELL HOUSING, IRON Std

3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std 1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std 2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std CAB (A thru G) 1730200 MANUAL CONTROLLED CLIMATE CONT HEATER UNIT ONLY Std 5930000 AIR CONDITIONING COMPRESSOR, W/O AIR CONDITIONER COMPRESSOR Std 1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std ASH TRAY Std 1443000 CAB, LH-DRIVE CA68 CONV CAB Std CAB MOUNTING, AIR SUSPENSION Std 9970001 CERTIFIED WEIGHT Opt 5750001 CIGAR LIGHTER Std COAT HOOK (2) Std DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std. 9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std (4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std ACTIVATED DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std 3410001 ENGINE SHUTOFF, KEY TYPE Std $\,$ 2090004 FENDER EXTENSIONS, FENDER EXTENSIONS Std 1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std GAUGE, AIR PRESSURE Std GAUGE, VOLTMETER Std 8330142 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std GAUGE, ENGINE COOLANT TEMPERATURE Std GAUGE, ENGINE OIL PRESSURE Std GAUGE, ENGINE OIL TEMPERATURE Std 1980001 GAUGES, ENGLISH/METRIC DISPLAY Std Prospective Customer Ref#: AHDS000813A Page 3 **Pid Code Description** 2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std 1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std 2000010 ENGINE TACHOMETER Std 4920000 GEAR SHIFT, W/O OPTIONAL GEAR SHIFTER Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std 5870000 STANDARD GRAB HANDLE OPTION RH & LH, BEHIND DOOR Std B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std 4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std CAB (H thru R) 8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std 3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std 6460001 HOOD INSULATION Std 2080001 PAINTED HOOD LATCHES Std 1540006 HORN - AIR, TWIN-U/CAB TRUMPET Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std C0J0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE MONITORING) A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std 0041103 INTERIOR TRIM (PUREBRED - SLATE GRAY) Vinyl headliner & seat covering, 2 netted storage Std compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch, polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank lh/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH storage compartment, RH Door Peep Window 1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS) 1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std 4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std FOR CB PROVISIONS

1740010 RADIO ACCOMMODATION PKG INCLUDES-ANTENNA, POWER SUPPLY AND TWO SPEAKERS (NO Std

PARKING BRAKE ON INDICATOR LIGHT Std

POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std

```
RADIO)
1560004 RADIO ANTENNA. CAB MOUNTED BEHIND LH DOOR Std
1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std
Prospective Customer Ref#: AHDS000813A Page 4
Pid Code Description
4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
1970000 SEAT - RIDER, OMIT RIDER SEAT Std
SEAT ARM RESTS,
4851099 SEAT COVERING, ALL VINYL DRIVER SEAT ONLY Std
5920003 LAP AND SHOULDER (DRIVER'S SEAT ONLY) Std
3730000 W/O ROOF VENT VENTILATION Std
2380001 STARTER SWITCH, KEY TYPE Std
4390002 STEERING COLUMN, FIXED Std
1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std
D0C0001 STORAGE POUCH REAR Std
3540008 SUN VISOR - DRIVER SIDE Std
1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std
M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std
WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std
1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std
FRAME EQUIPMENT/FUEL TANKS
2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std
2811054 CROSSMEMBERS, BOC CROSSMEMBER, STEEL HD BACK-TO-BACK CHANNEL INTERMEDIATE(S), Std
CHANNEL TYPE
4671013 CROSSMEMBER (BEHIND REAR AXLE), STEEL SINGLE CHANNEL (1) W/AF of 70" to 129". Inc
4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std
2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std
2430009 TOWING DEVICE - FRONT, HOOKS Std
288S066 FUEL TANK - LH, 66 GALLON (250 L) STEEL, SLEEVED D-SHAPED Std
2900000 FUEL TANK - RH, OMIT RH STANDARD Std
DF12025 6.6 GALLON (25 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Inc
DF20000 WITHOUT DEF TANK COVER Inc
4890000 RELOCATE FUEL TANK, W/O RELOCATED FUEL TANK(S) Std
FRONT AXLE/EQUIPMENT/TIRES
2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std
9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std
250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std
5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std
3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std
2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std
2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std
6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std
2481000 HUBS - FRONT, FERROUS Std
2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std
Prospective Customer Ref#: AHDS000813A Page 5
Pid Code Description
3850001 SHOCK ABSORBERS, FRONT Std
2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std
2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std
2452117 STEERING, TAS-66 TRW-POWER (INTEGRAL) Std
REAR AXLE/EQUIPMENT/TIRES/RATIOS
268 2114 REAR AXLE/SUSPENSION, 40000# (18144kg) MERITOR MT-40-14X4D HYPOID (LOW ENTRY), Std
1861511 MT-40-14X4D MACK AL-402 AIR 40000# CAPACITY
9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std
POSITION)
258 0001 CARRIER/RATIO - REAR AXLE, MALLEABLE HOUSING, 99.99 CHOOSE A VALID RATIO Inc
2570000
267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std
3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std
```

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std 2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2641000 HUBS - REAR, FERROUS Std

2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std

```
2340010 SHOCK ABSORBERS - (4), MOUNTED ON FORWARD AND REAR AXLES EACH SIDE Inc
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2690052 SUSPENSION - AXLE SPACING, 52" AXLE SPACING (BOGIE WHEELBASE) Inc
3230002 SUSPENSION - HEIGHT CONTROL KIT, MACK Inc
2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE, (2) MOUNTED ON EACH AXLE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
3290002 TRANSVERSE TORQUE RODS (BOTH AXLES) Inc
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
2710193 WHEELBASE, 193" (4910 mm) WB 128" CA (3247 mm) Std
2720202 PLATFORM, 202" LP (5127 mm) 74" AF (1880 mm) USED WITH 193" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1411000 (2) UNDER BATTERY BOX, REMAINING BETWEEN FRAME RAILS Std
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
Prospective Customer Ref#: AHDS000813A Page 6
Pid Code Description
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
TRAILER CONNECTIONS
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE. WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930072 BATTERY BOX - MOUNTING, RIGHT HAND BEHIND SCR Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
PAINT
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMÉTERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0000 CRUISE CONTROL AUTORESUME W/CLUTCH Omit
AL10000 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 0 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
```

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

Prospective Customer Ref#: AHDS000813A Page 7

Pid Code Description

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

COU0000 PERIODIC TRIP HOUR OF DAY 0 (disable) COV0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A1I0650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS000813A Page 8

Pid Code Description

9340060 IDLE SHUTDOWN TIME (MINS) 60

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130000 IDLE S/D OVERRIDE W/PTO Omit

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

A3C0000 IDLE S/D OVERRIDE W/PTO Omit

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A410000 PTO 1 MAX ENGINE SET SPEED (RPM) 0000 rpm

A980700 PTO 1 MIN ENGINE SET SPEED (RPM) 700 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0250 PTO 1 RAMP RATE (RPM/Sec) 250

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A050000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0000 PTO 2 MIN ENGINE SET SPEED (RPM) 0 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A610000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320085 CUSTOMER VEHICLE LIMITING SPEED (MPH) 85 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std 4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc.

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

Prospective Customer Ref#: AHDS000813A Page 9

Pid Code Description

BACK OF CAB INTERFERENCES, 0.0" (0mm) FROM BACK OF CAB Std

H-GAC Product Code: L7 Model: GU712

Page 1

Nov 7, 2011 2013 GU712

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0045 CARRIER APPLICATION, WITH CRD151, Unlimited miles on max 3% gravel/packed dirt or paved, max 15% Std miles on max 10% grade maintained gravel/packed dirt or paved, max 10% miles on 5% unmaintained,

maintained gravel, packed dirt, or paved. 45000# (20500 kgs) MAX GCW. (Carrier Code USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0060001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10005 PRODUCT TYPE, PRODUCT TYPE - CML42R TRUCK Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS

0021096 CHASSIS (BASE MODEL), GU702 4-WHEEL TRUCK Std

PK70010 CHASSIS PACKAGING SOLUTIONS, PACKAGE 1 INCLUDES: HHS Emission, B Box RH side Under Cab, Std Air Tank(s) Under B Box - remaining on rail REQUIRES: LH Fuel Tank Round or D-Shaped (Not Sleeved), Omit or Isolate RH Tank

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, EXHAUST - SINGLE STANCHION OR SINGLE CAB MTD, SINGLE (R/S) VERTICAL STRAIGHT Std EXHAUST STACK TURNED OUT

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

AIR GOVERNOR Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

Prospective Customer Ref#: AHDS000913A Page 2

Pid Code Description

3165105 BATTERIES, (3) MACK 12V M/F GROUP 31 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

1210001 BUG SCREEN, RADIATOR MOUNTED Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

1100700 ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABLE

1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std

 $2930001\ \text{FUEL-WATER}$ SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std HAND PRIMER PUMP Inc

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

```
4110004 ELECTRONIC STARTER INTERLOCK Std
TRANSMISSION EQUIPMENT/DRIVELINES
4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std
3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std
1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std
3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std
1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK (BERGSTROM) INTEGRAL W/HEATER COMBINATION HEATER/DEFROSTER AND CONDITIONER Std
AIR CONDITIONING COMPRESSOR, ROTARY FREON Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
ASH TRAY Std
1443000 CAB, LH-DRIVE CA68 CONV CAB Std
CAB MOUNTING, AIR SUSPENSION Std
9970001 CERTIFIED WEIGHT Opt
5750001 CIGAR LIGHTER Std
COAT HOOK (2) Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
(4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std
ACTIVATED
DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
2090004 FENDER EXTENSIONS. FENDER EXTENSIONS Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std
GAUGE, VOLTMETER Std
Prospective Customer Ref#: AHDS000913A Page 3
Pid Code Description
8330042 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
GAUGE, ENGINE COOLANT TEMPERATURE Std
GAUGE, ENGINE OIL PRESSURE Std
GAUGE, ENGINE OIL TEMPERATURE Std
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std
2000010 ENGINE TACHOMETER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 STANDARD GRAB HANDLE OPTION RH & LH. BEHIND DOOR Std
B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std
4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std
CAB (H thru R)
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
MOUNTED
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
MONITORING)
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041102 INTERIOR TRIM (PUREBRED - SANDSTONE) Vinyl headliner & seat covering, 2 netted storage Std
compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch,
polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door
panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane
cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank
lh/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V
power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH
storage compartment, RH Door Peep Window
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std
ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS)
1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std
4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std
```

FOR CB PROVISIONS

PARKING BRAKE ON INDICATOR LIGHT Std

POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std

Prospective Customer Ref#: AHDS000913A Page 4

Pid Code Description

1746000 AM/FM STEREO CD W/WEATHERBAND Std

1560004 RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR Inc

1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std

4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CÓNSOLE Std

1550001 REAR WINDOW (FIXED TYPE) Std

CAB (S thru Z)

1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std

1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std

SEAT ARM RESTS,

4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std

5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT Std

3730000 W/O ROOF VENT VENTILATION Std

2380001 STARTER SWITCH, KEY TYPE Std

4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std

1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std

D0C0001 STORAGE POUCH REAR Std

3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) Std

1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std

M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std

WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std

FRAME EQUIPMENT/FUEL TANKS

2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std

2811055 CROSSMEMBERS, BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL Std

4670007 CROSSMEMBER (BEHIND REAR AXLE), W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE Std

8190000 WITHOUT FIFTH WHEEL MOUNTING ANGLES Std

4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std

2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std

2430009 TOWING DEVICE - FRONT, HOOKS Std

2881A50 FUEL TANK - LH, 50 GALLON (190 L) STEEL ROUND Std

2900000 FUEL TANK - RH, OMIT RH STANDARD Std

DF12025 6.6 GALLON (25 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Inc

DF20000 WITHOUT DEF TANK COVER Inc

5900000 W/O FUEL LINE OPTION Inc

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std

9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std (STEER)

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std

3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

Prospective Customer Ref#: AHDS000913A Page 5

Pid Code Description

2481000 HUBS - FRONT, FERROUS Std

2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std

3850001 SHOCK ABSORBERS, FRONT Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std

2452213 STEERING, SHEPPARD SD110 Std

REAR AXLE/EQUIPMENT/TIRES/RATIOS

2521010 REAR AXLE, 23000# (10433kg) MACK RA23R SINGLE DRIVE, DUAL REDUCTION AXLE WITH INDUSTRY Std STANDARD "R" SERIES SPINDLE AND WHEEL END EQUIPMENT FABRICATED STEEL HOUSING

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (4) 11R22.5 14 G R250F (ALL Std POSITION)

018 0151 CARRIER/RATIO - REAR AXLE, CRD151 (FOR RA23R AXLE), 99.99 CHOOSE A VALID RATIO Inc 2570000

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (4) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std

2350000 WHEELS - POLISHED (REAR), W/O REAR DISC WHEEL BRIGHT FINISH Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std 6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

```
2641000 HUBS - REAR, FERROUS Inc
2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2601031 SUSPENSION - REAR, 23000# MULTILEAF NO ANTI-SWAY Std
SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RFI FASE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
in lbs per rail
2710180 WHEELBASE, 180" (4572 mm) WB 92" CA (2336 mm) Std
2720154 PLATFORM, 154" LP (3911 mm) 62" AF (1580 mm) USED WITH 180" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1410000 UNDER BATTERY BOX, REMAINING ON FRAME RAILS Std
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
Prospective Customer Ref#: AHDS000913A Page 6
Pid Code Description
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
TRAILER CONNECTIONS
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE, WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930071 BATTERY BOX - MOUNTING, RIGHT HAND UNDER CAB Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
PAINT
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish
AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
```

Prospective Customer Ref#: AHDS000913A Page 7

```
Pid Code Description
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable)
C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std
C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00
C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph
C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level
D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit
D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit
A942100 EHT MAX ENGINE SET SPEED (RPM)
2100 rpm
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish
A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish
A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish
A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1
A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit
A3A0000 FAN ACTIVATION WITH PTO Omit
A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60
FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J 0002) Std
AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive
AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0
AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph
A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0
AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph
AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00
GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc
A260002 GOVERNOR TYPE Min-Max Governor
AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100
A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm
Prospective Customer Ref#: AHDS000913A Page 8
Pid Code Description
A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit
C0K0000 SMART IDLE FEATURE ACTIVATION Omit
C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10
B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit
9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit
9340010 IDLE SHUTDOWN TIME (MINS) 10
M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30
A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100
A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5
A140000 IDLE S/D OVERRIDE W/EHT Omit
A130002 IDLE S/D OVERRIDE W/PTO Furnish
A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish
C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish
C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational
AG60090 MAINTENANCE DUE WARNING PERCENT 90
A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm
A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm
A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100
2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit
A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm
A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit
```

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std 4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

Prospective Customer Ref#: AHDS000913A Page 9

Pid Code Description

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

H-GAC Product Code: L8 Model: GU713

Page 1

USA-V1)

Nov 7, 2011 2013 GU713

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5% unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0060001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10007 PRODUCT TYPE, PRODUCT TYPE - CML64R TRUCK Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/FRT AXLE POS/SALES PACKAGES

0021098 CHASSIS (BASE MODEL), GU703 6-WHEEL TRUCK Std

PK79999 CHASSIS PACKAGING SOLUTIONS, CHOOSE A VALID PACKAGE SOLUTION Inc

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std PPM

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, EXHAUST - SINGLE STANCHION OR SINGLE CAB MTD, SINGLE (R/S) VERTICAL STRAIGHT Std EXHAUST STACK TURNED OUT

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" \acute{x} 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

AIR GOVERNOR Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V M/F GROUP 31 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

Prospective Customer Ref#: AHDS001013A Page 2

Pid Code Description

1210001 BUG SCREEN, RADIATOR MOUNTED Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

1100700 ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABI F

1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std HAND PRIMER PUMP Inc

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

```
4110004 ELECTRONIC STARTER INTERLOCK Std
TRANSMISSION EQUIPMENT/DRIVELINES
4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std
3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std
1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std
3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std
1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std
2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK (BERGSTROM) INTEGRAL W/HEATER COMBINATION HEATER/DEFROSTER AND CONDITIONER Std
AIR CONDITIONING COMPRESSOR, ROTARY FREON Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
ASH TRAY Std
1443000 CAB, LH-DRIVE CA68 CONV CAB Std
CAB MOUNTING, AIR SUSPENSION Std
9970001 CERTIFIED WEIGHT Opt
5750001 CIGAR LIGHTER Std
COAT HOOK (2) Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
(4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std
DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
2090004 FENDER EXTENSIONS, FENDER EXTENSIONS Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std
GAUGE, VOLTMETER Std
Prospective Customer Ref#: AHDS001013A Page 3
Pid Code Description
8330042 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
GAUGE, ENGINE COOLANT TEMPERATURE Std
GAUGE, ENGINE OIL PRESSURE Std
GAUGE, ENGINE OIL TEMPERATURE Std
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std
2000010 ENGINE TACHOMETER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 STANDARD GRAB HANDLE OPTION RH & LH, BEHIND DOOR Std
B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std
4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std
CAB (H thru R)
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
MONITORING)
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041102 INTERIOR TRIM (PUREBRED - SANDSTONE) Vinyl headliner & seat covering, 2 netted storage Std
compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch,
polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door
panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane
cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank
Ih/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V
power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH
storage compartment, RH Door Peep Window
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std
ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS)
1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std
```

4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std

FOR CB PROVISIONS PARKING BRAKE ON INDICATOR LIGHT Std POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std Prospective Customer Ref#: AHDS001013A Page 4 **Pid Code Description** 1746000 AM/FM STEREO CD W/WEATHERBAND Std 1560004 RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR Inc 1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std 4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE Std 1550001 REAR WINDOW (FIXED TYPE) Std CAB (S thru Z) 1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std 1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std SEAT ARM RESTS. 4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std 5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT Std 3730000 W/O ROOF VENT VENTILATION Std 2380001 STARTER SWITCH, KEY TYPE Std 4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std 1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std D0C0001 STORAGE POUCH REAR Std 3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) Std 1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std 1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std FRAME EQUIPMENT/FUEL TANKS 2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std 2811055 CROSSMEMBERS, BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL Std 4670007 CROSSMEMBER (BEHIND REAR AXLE), W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE Std 8190000 WITHOUT FIFTH WHEEL MOUNTING ANGLES Std 4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std 2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std 2430009 TOWING DEVICE - FRONT, HOOKS Std 2881A50 FUEL TANK - LH, 50 GALLON (190 L) STEEL ROUND Std 2900000 FUEL TANK - RH, OMIT RH STANDARD Std DF11045 11.8 GALLON (45 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Std DF20001 PAINTED FINISH DEF TANK COVER Std 5900000 W/O FUEL LINE OPTION Inc FRONT AXLE/EQUIPMENT/TIRES 2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std 9070000 FRONT AXLE - TWIN STEER, WITH SINGLE STEER FRONT AXLE Std 9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std (STEER) 250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std 5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std 3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std 2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std Prospective Customer Ref#: AHDS001013A Page 5 **Pid Code Description** 2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std 6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std 2481000 HUBS - FRONT, FERROUS Std 2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std 3850001 SHOCK ABSORBERS, FRONT Std 2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std 2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std 2452213 STEERING, SHEPPARD SD110 Std **REAR AXLE/EQUIPMENT/TIRES/RATIOS** 268 1028 REAR AXLE/SUSPENSION, 38000# (17237kg) MACK S38R FABRICATED STEEL HOUSING, SS38 MACK Std 1861031 MULTILEAF (CAMELBACK) 38000# CAPACITY 9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION) 018 0153 CARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc 2570000 267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std 3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std HOLE)

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

```
2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std
6380000 DUST SHIELDS - REAR BRAKE, OMIT Std
2641000 HUBS - REAR, FERROUS Std
2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std
4020002 SPRINGS, ANTI-SWAY Std
2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE, (2) MOUNTED ON EACH AXLE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
3290000 WITHOUT TRANSVERSE TORQUE RODS Std
2700003 URETHANE TRUNNION BUSHING Std
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
in lbs per rail
2710210 WHEELBASE, 210" (5345 mm) WB 123" CA (3122 mm) Std 2720185 PLATFORM, 185" LP (4702 mm) 62" AF (1580 mm) USED WITH 210" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1410000 UNDER BATTERY BOX. REMAINING ON FRAME RAILS Std
Prospective Customer Ref#: AHDS001013A Page 6
Pid Code Description
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
TRAILER CONNECTIONS
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE, WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930071 BATTERY BOX - MOUNTING, RIGHT HAND UNDER CAB Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
```

Prospective Customer Ref#: AHDS001013A Page 7

Pid Code Description

A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish

AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph

DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable) C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

Prospective Customer Ref#: AHDS001013A Page 8

Pid Code Description

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS001013A Page 9

Pid Code Description

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

H-GAC Product Code: L9 Model: GU812

Page 1

Nov 7, 2011 2013 GU812

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0045 CARRIER APPLICATION, WITH CRD151, Unlimited miles on max 3% gravel/packed dirt or paved, max 15% Std miles on max 10% grade maintained gravel/packed dirt or paved, max 10% miles on 5% unmaintained,

maintained gravel, packed dirt, or paved. 45000# (20500 kgs) MAX GCW. (Carrier Code USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10005 PRODUCT TYPE, PRODUCT TYPE - CML42R TRUCK Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS

0021102 CHASSIS (BASE MODEL), GU802 4-WHEEL TRUCK Std

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, EXHAUST - SINGLE STANCHION OR SINGLE CAB MTD, SINGLE (R/S) VERTICAL STRAIGHT Std EXHAUST STACK TURNED OUT

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" \dot{x} 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

AIR GOVERNOR Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V M/F GROUP 31 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std

1210001 BUG SCREEN, RADIATOR MOUNTED Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

Prospective Customer Ref#: AHDS001213A Page 2

Pid Code Description

1230011 MACK COOLANT CONDITIONER Std

1100700 ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABLE

1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std

 $2930001\ \text{FUEL-WATER}$ SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std HAND PRIMER PUMP Inc

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

TRANSMISSION EQUIPMENT/DRIVELINES

4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std 1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std 3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std 1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std CAB (A thru G) 1731001 MACK (BERGSTROM) INTEGRAL W/HEATER COMBINATION HEATER/DEFROSTER AND CONDITIONER Std AIR CONDITIONING COMPRESSOR, ROTARY FREON Std 1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std ASH TRAY Std 1443000 CAB, LH-DRIVE CA68 CONV CAB Std CAB MOUNTING, AIR SUSPENSION Std 9970001 CERTIFIED WEIGHT Opt 5750001 CIGAR LIGHTER Std COAT HOOK (2) Std DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std 9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std (4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std **ACTIVATED** DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std 3410001 ENGINE SHUTOFF, KEY TYPE Std 2090004 FENDER EXTENSIONS, FENDER EXTENSIONS Std 1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std GAUGE, AIR PRESSURE Std GAUGE, VOLTMETER Std 8330042 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std GAUGE, ENGINE COOLANT TEMPERATURE Std GAUGE, ENGINE OIL PRESSURE Std Prospective Customer Ref#: AHDS001213A Page 3 **Pid Code Description** GAUGE, ENGINE OIL TEMPERATURE Std 1980001 GAUGES, ENGLISH/METRIC DISPLAY Std 2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std 1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std 2000010 ENGINE TACHOMETER Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std 5870000 STANDARD GRAB HANDLE OPTION RH & LH, BEHIND DOOR Std B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std 4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std CAB (H thru R) 8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std 3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std 6460001 HOOD INSULATION Std 2080001 PAINTED HOOD LATCHES Std 1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std C0J0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE MONITORING) A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std 0041102 INTERIOR TRIM (PUREBRED - SANDSTONE) Vinyl headliner & seat covering, 2 netted storage Std compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch, polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank lh/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH storage compartment, RH Door Peep Window 1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS) 1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std 4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std FOR CB PROVISIONS

PARKING BRAKE ON INDICATOR LIGHT Std

1746000 AM/FM STÈREO CD W/WEATHERBAND Std

POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std

```
1560004 RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR Inc
1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std
Prospective Customer Ref#: AHDS001213A Page 4
Pid Code Description
4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std
1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std
SEAT ARM RESTS.
4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std
5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT Std
3730000 W/O ROOF VENT VENTILATION Std
2380001 STARTER SWITCH, KEY TYPE Std
4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std
1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std
D0C0001 STORAGE POUCH REAR Std
3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) Std
1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std
M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std
WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std
FRAME EQUIPMENT/FUEL TANKS
2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std
2811055 CROSSMEMBERS, BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL Std
4670007 CROSSMEMBER (BEHIND REAR AXLE), W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE Std
8190000 WITHOUT FIFTH WHEEL MOUNTING ANGLES Std
4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std
2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std
2430009 TOWING DEVICE - FRONT, HOOKS Std
2881A50 FUEL TANK - LH, 50 GALLON (190 L) STEEL ROUND Std
2900000 FUEL TANK - RH, OMIT RH STANDARD Std
DF11045 11.8 GALLON (45 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Std
DF20001 PAINTED FINISH DEF TANK COVER Std
5900000 W/O FUEL LINE OPTION Inc
4890000 RELOCATE FUEL TANK, W/O RELOCATED FUEL TANK(S) Std
FRONT AXLE/EQUIPMENT/TIRES
2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std 9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std
(STEER)
250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std
5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std
3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std
2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std
2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std
6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std
2481000 HUBS - FRONT, FERROUS Std
2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std
Prospective Customer Ref#: AHDS001213A Page 5
Pid Code Description
3850001 SHOCK ABSORBERS, FRONT Std
2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std
2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std
2452117 STEERING, TAS-66 TRW-POWER (INTEGRAL) Std
REAR AXLE/EQUIPMENT/TIRES/RATIOS
2521010 REAR AXLE, 23000# (10433kg) MACK RA23R SINGLE DRIVE, DUAL REDUCTION AXLE WITH INDUSTRY Std
STANDARD "R" SERIES SPINDLE AND WHEEL END EQUIPMENT FABRICATED STEEL HOUSING
9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (4) 11R22.5 14 G R250F (ALL Std
POSITION)
018 0151 CARRIER/RATIO - REAR AXLE, CRD151 (FOR RA23R AXLE), 99.99 CHOOSE A VALID RATIO Inc
2570000
267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std
3462720 (4) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std
2350000 WHEELS - POLISHED (REAR), W/O REAR DISC WHEEL BRIGHT FINISH Std
2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std
2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std
6380000 DUST SHIELDS - REAR BRAKE, OMIT Std
2641000 HUBS - REAR, FERROUS Inc
```

2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std

```
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2601031 SUSPENSION - REAR, 23000# MULTILEAF NO ANTI-SWAY Std
SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
in lbs per rail
2710159 WHEELBASE, 159" (4038 mm) WB 93" CA (2362 mm) Std
2720156 PLATFORM, 156" LP (3962 mm) 62" AF (1580 mm) USED WITH 159" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1410000 (2) UNDER BATTERIES, (2) STACKED ON RAIL Std
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc.
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
TRAILER CONNECTIONS
Prospective Customer Ref#: AHDS001213A Page 6
Pid Code Description
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE, WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930072 BATTERY BOX - MOUNTING, RIGHT HAND BEHIND SCR Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
PAINT
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB. URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish
AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
```

Prospective Customer Ref#: AHDS001213A Page 7

```
Pid Code Description
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable)
C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std
C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00
C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph
C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level
D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit
D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit
A942100 EHT MAX ENGINE SET SPEED (RPM)
2100 rpm
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish
A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish
A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish
A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1
A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit
A3A0000 FAN ACTIVATION WITH PTO Omit
A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60
FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J 0002) Std
AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive
AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0
AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph
A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0
AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph
AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00
GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc.
A260002 GOVERNOR TYPE Min-Max Governor
AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100
A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm
A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit
C0K0000 SMART IDLE FEATURE ACTIVATION Omit
Prospective Customer Ref#: AHDS001213A Page 8
Pid Code Description
C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10
B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit
9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit
9340010 IDLE SHUTDOWN TIME (MINS) 10
M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30
A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100
A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5
A140000 IDLE S/D OVERRIDE W/EHT Omit
A130002 IDLE S/D OVERRIDE W/PTO Furnish
A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish
C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish
C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational
AG60090 MAINTENANCE DUE WARNING PERCENT 90
A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm
A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm
A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100
2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit
A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm
A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit
AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit
```

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std

M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std 4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc.

STANDARD SHIPPING INSTRUCTIONS Std

Prospective Customer Ref#: AHDS001213A Page 9

Pid Code Description

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

H-GAC Product Code: L10 Model: GU813

Page 1

Nov 7, 2011 2013 GU813

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0003 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5% unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code

USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0050001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

6450310 BRAKE - STOPPING DISTANCE, BRAKE REGULATION, STOPPING DISTANCE 94M (310FT) Std

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10007 PRODUCT TYPE, PRODUCT TYPE - CML64R TRUCK Opt

PC10028 PRODUCT CLASS, PRODUCT CLASS 28 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/FRT AXLE POS/SALES PACKAGES

0021104 CHASSIS (BASE MODEL), GU803 6-WHEEL TRUCK Std

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0103 DPF, CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE Std

EASO102 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC PASSIVE REGEN

CS10003 DPF SMART SWITCH, NO INHIBIT DPF REGENERATION SWITCH Std

1305001 EXHAUST, EXHAUST - SINGLE STANCHION OR SINGLE CAB MTD, SINGLE (R/S) VERTICAL STRAIGHT Std EXHAUST STACK TURNED OUT

B600004 FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD MACK CAP DPF Std

ENGINE EQUIPMENT

1134100 AIR COMPRESSOR, MERITOR/WABCO 318 18.7 CFM Std

1250101 AIR CLEANER, 11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR Std INTAKE FROM BOTH SIDES OF HOOD

AIR GOVERNOR Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V M/F GROUP 31 650/1950 CCA THREADED STUD TYPE W/KALAS CABLES Std 1210001 BUG SCREEN, RADIATOR MOUNTED Std

Prospective Customer Ref#: AHDS001313A Page 2

Pid Code Description

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

1100700 ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180055 FAN DRIVE, BORG WARNER COOL LOGIC FAN DRIVE (HDMS) ELECTRONICALLY CONTROLLED Std VARIABLE

1400002 FLYWHEEL HOUSING, LIGHT WEIGHT, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std HAND PRIMER PUMP Inc

1240003 HOSES - RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

4210000

4880000 RADIATOR, ALUMINUM CORE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

```
TRANSMISSION EQUIPMENT/DRIVELINES
4630002 CLUTCH ASSIST (AIR), MECHANICAL CABLE Std
3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std
1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std
3380000 WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING Std
1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std
2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1731001 MACK (BERGSTROM) INTEGRAL W/HEATER COMBINATION HEATER/DEFROSTER AND CONDITIONER Std
AIR CONDITIONING COMPRESSOR, ROTARY FREON Std
1260000 AIR RESTRICTION MONITOR (INTAKE), W/O AIR RESTRICTION MONITOR Std
ASH TRAY Std
1443000 CAB, LH-DRIVE CA68 CONV CAB Std
CAB MOUNTING, AIR SUSPENSION Std
9970001 CERTIFIED WEIGHT Opt
5750001 CIGAR LIGHTER Std
COAT HOOK (2) Std
DRIVERS AND PASSENGER SIDE CUP-HOLDERS Std
9050003 PARK BRAKE AND ENGINE RUNNING ACTIVATED Std
(4) LAMPS RH & LH DOME LAMPS-DOOR & SWITCH ACTIVATED; (2) CAB REAR DOME LAMPS-SWITCH Std
ACTIVATED
DOOR INTERIOR TRIM PANELS, PADDED VINYL WITH ARM REST PADS Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
2090004 FENDER EXTENSIONS. FENDER EXTENSIONS Std
1840007 FLOOR COVERING, POLYURETHANE FLOOR MAT Std
GAUGE, AIR PRESSURE Std
GAUGE, VOLTMETER Std
8330042 GAUGE CLUSTER, EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES Std
Prospective Customer Ref#: AHDS001313A Page 3
Pid Code Description
GAUGE, ENGINE COOLANT TEMPERATURE Std
GAUGE, ENGINE OIL PRESSURE Std
GAUGE, ENGINE OIL TEMPERATURE Std
1980001 GAUGES, ENGLISH/METRIC DISPLAY Std
2150000 WITHOUT REAR AXLE OIL TEMPERATURE GAUGE Std
1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std
2000010 ENGINE TACHOMETER Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD, SIDE AND REAR WINDOWS Std
5870000 STANDARD GRAB HANDLE OPTION RH & LH. BEHIND DOOR Std
B700003 GRILLE - HOOD AIR INTAKE, GRILLE PAINTED GRAY Std
4000014 GRILLE, SILVER PAINTED W/O GRILLE SURROUND Std
CAB (H thru R)
8210002 HEADLINER, VINYL COVERED FOAM PADDED HEADLINER Std
3400014 HOOD AND FENDERS, COMPOSITE MATERIAL Std
6460001 HOOD INSULATION Std
2080001 PAINTED HOOD LATCHES Std
1540001 HORN - AIR, (1) MACK RECTANGULAR SINGLE TRUMPET Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120015 IDENTIFICATION/CLEARANCE LIGHTS, (5) MARKER AND CLEARANCE, INCANDESCENT, SURFACE Std
MOUNTED
C0I0001 IN-DASH STORAGE, MEMO AREA AND CLIP Std
COJ0002 INSTRUMENT CLUSTER DISPLAY, CO-PILOT DRIVER DISPLAY (ENHANCED 4.5" DIAGONAL GRAPHIC Std
LCD DISPLAY W/4-BUTTON STALK CONTROL) (INCLUDES GUARDOG ROUTINE MAINTENANCE
MONITORING)
A270000 INSTRUMENT PANEL, CHARCOAL GRAY Std
0041102 INTERIOR TRIM (PUREBRED - SANDSTONE) Vinyl headliner & seat covering, 2 netted storage Std
compartments and center CB radio mounting provisions in overhead console, rear panel with storage pouch,
polyurethane floor mat, 2 cup holders, slate gray instrument panel with black gauge bezel, Sandstone door
panels & trim, RH door peep window, padded interior sun &visors both sides, 2 spoke slate grey urethane
cushion grip steering wheel with Bulldog horn button, adjustable tilt/telescoping steering column, hand crank
lh/rh windows, 2 general overhead lights, 1 driver overhead light & 1 map non-glare overhead light, 2 12V
power sources, seat belts, lap and shoulder w/cab mtd shoulderbelt, 2 coat hangers, 2 trash bag hooks, RH
storage compartment, RH Door Peep Window
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std
```

4150003 OVERHEAD CONSOLE, (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING Std

ARMS/BRACKETS (FOR 96" AND 102" TRAILER WIDTHS)

FOR CB PROVISIONS

1532002 MIRRORS - CONVEX TYPE, BRIGHT FINISH, LH & RH, 8" DIA. CONVEX Std

PARKING BRAKE ON INDICATOR LIGHT Std POWER OUTLETS, (2) 12-VOLT AUXILIARY POWER OUTLETS - DASH MOUNTED Std 1746000 AM/FM STEREO CD W/WEATHERBAND Std Prospective Customer Ref#: AHDS001313A Page 4 **Pid Code Description** 1560004 RADIO ANTENNA. CAB MOUNTED BEHIND LH DOOR Inc. 1660003 POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE Std 4320004 CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE Std 1550001 REAR WINDOW (FIXED TYPE) Std CAB (S thru Z) 1962265 SEAT - DRIVER, BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION Std 1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std SEAT ARM RESTS, 4850000 SEAT COVERING, ALL VINYL DRIVER & RIDER SEATS Std 5920002 SEAT BELTS, LAP AND SHOULDER W/CAB MOUNTED SHOULDER BELT Std 3730000 W/O ROOF VENT VENTILATION Std 2380001 STARTER SWITCH, KEY TYPE Std 4390001 STEERING COLUMN, ADJUSTABLE TILT TELESCOPE Std 1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std D0C0001 STORAGE POUCH REAR Std 3540002 SUN VISOR - INTERIOR, BOTH SIDES (PADDED VINYL) Std 1460001 WINDOW CONTROLS, HAND CRANK OPERATION Std M060002 WINDSHIELD, 2-PIECE WINDSHIELD Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/RESERVOIR MOUNTED UNDER HOOD Std 1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std FRAME EQUIPMENT/FUEL TANKS 2794102 BUMPER - FRONT, EXT.-SWEPT BACK-STEEL CHANNEL 122.5"/3112 mm BBC Std 2811055 CROSSMEMBERS, BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL Std 4671013 CROSSMEMBER (BEHIND REAR AXLE), STEEL SINGLE CHANNEL (1) W/AF of 70" to 129". Std 8190000 WITHOUT FIFTH WHEEL MOUNTING ANGLES Std 4449004 FLAPS - MUD (FRONT), BLACK POLYARMOUR MUD FLAP Std 2241035 FRONT FRAME EXTENSION, 6" BOLT ON FRAME EXTENSION Std 2430009 TOWING DEVICE - FRONT, HOOKS Std 2881A50 FUEL TANK - LH, 50 GALLON (190 L) STEEL ROUND Std 2900000 FUEL TANK - RH, OMIT RH STANDARD Std DF11045 11.8 GALLON (45 L) 22" DIAMETER TANK LEFT SIDE FRAME MTD Std DF20001 PAINTED FINISH DEF TANK COVER Std 5900000 W/O FUEL LINE OPTION Inc 4890000 RELOCATE FUEL TANK, W/O RELOCATED FUEL TANK(S) Std FRONT AXLE/EQUIPMENT/TIRES 2401506 FRONT AXLE, 12000# (5443kg) MACK FXL12 Std 9070000 FRONT AXLE - TWIN STEER, WITH SINGLE STEER FRONT AXLE Std 9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std (STEER) 250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std 5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std 3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std 2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std Prospective Customer Ref#: AHDS001313A Page 5 **Pid Code Description** 2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std 6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std 2481000 HUBS - FRONT, FERROUS Std 2463000 FAG SCHAEFFLER, FRONT HUB OIL SEAL Std 3850001 SHOCK ABSORBERS, FRONT Std 2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std 2441025 SPRINGS - FRONT, MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2-LEAF SPRING) Std 2452117 STEERING, TAS-66 TRW-POWER (INTEGRAL) Std **REAR AXLE/EQUIPMENT/TIRES/RATIOS** 268 1028 REAR AXLE/SUSPENSION, 38000# (17237kg) MACK S38R FABRICATED STEEL HOUSING, SS38 MACK Std 1861031 MULTILEAF (CAMELBACK) 38000# CAPACITY 9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION) 018 0153 CARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc 2570000 267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

HOLE)

```
2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std
6380000 DUST SHIELDS - REAR BRAKE, OMIT Std
2641000 HUBS - REAR, FERROUS Std
2621000 OIL SEALS, CHICAGO RAWHIDE (SCOTSEAL) Std
2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std
2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std
4020002 SPRINGS, ANTI-SWAY Std
2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std
RELEASE, (2) MOUNTED ON EACH AXLE
3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std
4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std
3290000 WITHOUT TRANSVERSE TORQUE RODS Std
2700003 URETHANE TRUNNION BUSHING Std
B430000 W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM Std
FRAME/WHEELBASE/PLATFORM
2741026 FRAME RAILS, 11.811" x 3.54" x .32" (300 x 90 x 8mm) STEEL Section Modulus: 17.7 cu in/RBM 2,120,000 Std
in lbs per rail
2710192 WHEELBASE, 192" (4885 mm) WB 127" CA (3222 mm) Std 2720201 PLATFORM, 201" LP (5102 mm) 74" AF (1880 mm) USED WITH 192" WB Std
2730000 FRAME REINFORCEMENT - INSIDE, W/O 5MM INSIDE CHANNEL REIFORCEMENT Std
AIR/BRAKE
AIR BRAKE SYSTEM, DUAL Std
2960003 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL FILTER Std
1410000 (2) UNDER BATTERIES, (2) STACKED ON RAIL Std
Prospective Customer Ref#: AHDS001313A Page 6
Pid Code Description
2801000 AIR RESERVOIRS, STEEL Std
6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX WITHOUT TRACTION CONTROL Std
3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc
3020001 BRAKE CONTROL VALVE SYSTEM, SINGLE VALVE SYSTEM Std
DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std
TRAILER CONNECTIONS
5170000 TRAILER AIR CONNECTIONS, OMIT TRAILER AIR BRAKE CONNECTIONS Std
3070000 WITHOUT HOSE TENDER Std
3210000 TRAILER ELECTRICAL RECEPTACLE, WITHOUT TRAILER ELECTRICAL RECEPTACLE Std
3080000 OMIT TRAILER CONNECTORS HOLDER Std
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3930072 BATTERY BOX - MOUNTING, RIGHT HAND BEHIND SCR Std
COURTESY LIGHT SWITCH (HEADLAMP AND CLEARANCE) Std
8690004 ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED Std
WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830025 "BODY LINK" III W/CAB PASS-THRU Std
3102500 HEADLIGHTS, HALOGEN FLUSH Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED FLASHER FOR TURN SIGNAL Std
PAINT
950 3100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
```

Prospective Customer Ref#: AHDS001313A Page 7

Pid Code Description

A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish

AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph

DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std

A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm

A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm

A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph

A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph

A1Y0002 IDLE LOGGING DELAY (MIN) 2

PERIODIC TRIP TYPE Monthly Trip Summary

C0U0000 PERIODIC TRIP HOUR OF DAY 0 (disable) C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)

C0W0001 PERIODIC TRIP DAY OF MONTH 1

DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH Std

C0Q0000 DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00

C0R0000 DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph

C420001 CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level

D0E0000 FLEET MANAGEMENT VIA CO-PILOT Omit

D0B0000 DEL MESSAGES CO-PILOT ACTIVATION Omit

A942100 EHT MAX ENGINE SET SPEED (RPM)

A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm

A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A970100 EHT RAMP RATE (RPM/Sec)

A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit

A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm

AE50000 EHT JUMP-TO-MIN SET SPEED Omit

A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish

A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit

A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (COJ 0002) Std

AK50000 FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive

AK70000 FEI PENALTY TARGET FUEL ECONOMY (MPG) 0.0

AK80000 FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph

A860000 FEI REWARD TARGET FUEL ECONOMY (MPG) 0.0

AK60000 FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph

AK90000 FEI DISTANCE CALCULATION INTERVAL (Miles) 00

Prospective Customer Ref#: AHDS001313A Page 8

Pid Code Description

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

TRANSMISSION SETTINGS, TRANSMISSION SETTINGS FOR USE W/O EATON AUTO/ULTRASHIFT Std M050000 EATON AUTOSHIFT/ULTRASHIFT SHIFT MODE W/O Eaton Auto/Ultrashift Mode

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS001313A Page 9

Pid Code Description

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, 12.0" (305mm) FROM BACK OF CAB Std

H-GAC Product Code: L11 Model: MRU612

Page 1

Nov 7, 2011 2013 MRU612

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0002 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0045 CARRIER APPLICATION, WITH CRD151, Unlimited miles on max 3% gravel/packed dirt or paved, max 15% Std miles on max 10% grade maintained gravel/packed dirt or paved, max 10% miles on 5% unmaintained,

maintained gravel, packed dirt, or paved. 45000# (20500 kgs) MAX GCW. (Carrier Code USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0070001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10017 PRODUCT TYPE, PRODUCT TYPE - OM42R TRUCK Opt

PC10029 PRODUCT CLASS, PRODUCT CLASS 29 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/WHEELBASE/PLATFORM

0021114 CHASSIS (BASE MODEL), MRU602 4-WHEEL TRUCK Std

2741008 FRAME RÅILS, 13.25" x 3.25" x 3.25" x 3.325" (337 x 83 x 8mm) STEEL Section Modulus 19.79 cu in/RBM Std 2,374,800 in lbs per rail.

2710169 WHEELBASE, 169" (4293 mm) WB 166" CA (4216 mm) Std

2720249 PLATFORM, 249" LP (6325 mm) 83" AF (2108 mm) USED WITH 169" WB Std

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0102 DPF, CLEARTECH VV DPF VERTICAL LH SIDE BACK OF CAB W/SCR VERT RH SIDE BOC Std EAS0101 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std

FILTER CERAMIC ACTIVE REGEN

 ${\tt RGN0003\ DPF\ REGENERATION\ CONTROL,\ AUTO\ IN\ MOTION,\ MAN.\ STATIONARY\ MAN.\ INHIBIT\ Std}$

CS10001 DPF SMART SWITCH, LOCKING INHIBIT DPF REGENERATION SWITCH Std

1305021 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK PLAIN END, SIDE Std OUTLET DIFFUSER

ENGINE EQUIPMENT

1134101 AIR COMPRESSOR, MERITOR/WABCO 636 (37.4 CFM) Std

1250002 AIR CLEANER, 13" (330 mm) DIAMETER BEHIND CAB W/SNORKEL, SINGLE ELEMENT DRY TYPE Std

1060001 PRE-CLEANER (DRY TYPE CLEANER) Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE Std

Prospective Customer Ref#: AHDS001713A Page 2

Pid Code Description

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081008 COOLING PERFORMANCE, W/O AUXILIARY COOLING Std

ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180026 FAN DRIVE, BEHR FAN AND ELECTRONIC MODULATING FAN DRIVE Std

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std TURBOCHARGER HEAT SHIELD Std

1240002 HOSES - RADIATOR/HEATER, SILICONE Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

CLUTCH/TRANS EQUIPMENT/DRIVELINES

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std

1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std PTO SIDE GEARS, SH AND RH Std 3380000 W/O DRIVESHAFT GUARD Std 1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std CAB (A thru G) 1730000 AIR CONDITIONING, OMIT AIR CONDITIONER Inc 1260001 AIR RESTRICTION MONITOR (INTAKE), GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED) Std ASH TRAY, (1) W/HINGED COVER (LOCATED ON TOP OF CONSOLE) Std 1440602 CAB, CA531 LOW-PROFILE COE (WELDED STEEL GALVANIZED SHELL) INCLUDES MACK RUST Std PREVENTATIVE PROCEDURES CAB MOUNTING, FOUR POINT FIXED TYPE Std 3260003 CAB LIFT/TILT. LOCATED IN STD LOCATION Std 9970001 CERTIFIED WEIGHT Opt COAT HOOK (1) Std 9050001 PARK BRAKE ACTIVATED Std 4240004 DOORS, FIBERGLASS (INCLUDES SLIDING TYPE SIDE WINDOWS, SCREENED VENT IN LH DOOR, Std AND PEEP WINDOW IN RH DOOR) 3410001 ENGINE SHUTOFF, KEY TYPE Std 4600102 FENDERS, POLYUREA FOR CHASSIS AND CAB SECTIONS Std FLOOR COVERING, RUBBER MATS W/CLOSED CELL VINYL NITRILE FOAM BACKING Std GAUGE, DUAL AIR PRESSURE Std 2180001 GAUGE, VOLTMETER Std GAUGE, ENGINE COOLANT TEMPERATURE Std GAUGE, ENGINE OIL PRESSURE Std GAUGE, FUEL LEVEL Std 1980001 GAUGES, ENGLISH DISPLAY Std 1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std GAUGE, TACHOMETER Std Prospective Customer Ref#: AHDS001713A Page 3 **Pid Code Description** 2140004 TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD SIDE AND REAR WINDOWS Std EXTERIOR GRAB HANDLES, ALUMINUM, RH & LH, BEHIND DOOR AND INTERIOR RH AND LH ON Std WINDSHIELD POST 4000000 GRILLE, STANDARD FINISH Std CAB (H thru R) 4030001 HEATER WITH INTEGRAL DEFROSTER Std 1540006 HORN - AIR, (1) TWIN TRUMPET (MOUNTED UNDER CAB) Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120001 IDENTIFICATION/CLEARANCE LIGHTS, (7) MARKER AND CLEARANCE Std INSTRUMENT PANEL, TMC RECOMMENDED TYPE (PAINTED SILVER GRAY) Std INTERIOR TRIM Std 1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std ARMS AND BRACKETS 4440002 MUD FLAPS, 12" FRONT FENDER MOUNTED Std 4150006 FORWARD OVERHEAD STORAGE, (2) RADIO SHELF, DRIVER SIDE Std PARKING BRAKE CONTROL W/WARNING LIGHT Std 1746000 AM/FM STEREO CD W/WEATHERBAND Std 1569002 RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE Inc 1661001 FURNISH IN OVERHEAD CONSOLE Std 1550001 REAR WINDOW (FIXED TYPE) Std CAB (S thru Z) 1962273 SEAT - DRIVER, BOSTROM TALLADEGA 905 (MID-BACK) AIR SUSPENSION Std 1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std 4850000 SEAT COVERING, ALL VINYL, CAB INTERIOR DEPENDENT COLOR DRIVER & RIDER SEATS Std 5920002 SEAT BELTS, LAP AND SHOULDER W/LOCKING SEAT BELT RETRACTORS & "KOMFORT LATCH" FOR Std DRIVER AND RIDER SEATS 1500002 DRIVER'S AND RIDER'S SEAT Std SIDE MARKERS, LAMPS AND REFLECTORS TO MEET OR EXCEED FEDERAL REGULATIONS Std 2380001 STARTER SWITCH, KEY TYPE Std 4390002 STEERING COLUMN, FIXED Std 1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std SUN VISOR - INTERIOR, BOTH SIDES Std TURN SIGNALS, FRONT Std 2390009 TURN SIGNAL SWITCH, MANUAL CANCELING SWITCH Std W/S CORNER WIND DEFLECTOR, WINDSHIELD CORNER Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/7 QT (6.6 L) RESERVOIR Std

1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std

FRAME EQUIPMENT/FUEL TANKS

2794101 BUMPER - FRONT, SWEPT BACK STEEL CHANNEL TYPE EXTENDED 63"/1600 mm BBC W/CENTER Std TOW PIN (92.62" x 11.25")

Prospective Customer Ref#: AHDS001713A Page 4

Pid Code Description

2819017 CROSSMEMBERS, STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL, Std

4670007 CROSSMEMBER (BEHIND REAR AXLE), W/O CROSSMEMBER BEHIND REAR AXLE Std

2240000 W/O FRONT FRAME EXTENSION Std

2430008 TOWING DEVICE - FRONT, TOW PIN Std

2760000 TOWING DEVICE - REAR, W/O REAR TOWING DEVICE Std

2907070 FUEL TANK - RH, 70 GALLON (265 L) STEEL, 26"x24" RECTANGULAR Std

DF14025 6.6 GALLON (25 L) 22" DIAMETER TANK RIGHT SIDE MTD Std

5901000 FUEL DRAW/RETURN SYSTEM, ALL HOSE Std

8520002 FOR RH FUEL TANK, INCLUDES SUMP Std

4890023 RELOCATE FUEL TANK, LOCATE RH TANK AS FAR FORWARD AS POSSIBLE, 5" BELOW TOP OF RAIL Std

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLES, 12000# (5443kg) MACK FXL12 Std

9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std (STEER)

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std

3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2481000 HUBS - FRONT, FERROUS Inc

3850000 WITHOUT SHOCK ABSORBERS Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2442006 SPRINGS - FRONT, MACK MULTILEAF 12000# (5443kg) GROUND LOAD RATING Std

2452206 STEERING, M100P SHEPPARD POWER (INTEGRAL) Štd

REAR AXLE/EQUIPMENT/TIRES/RATIOS

2521010 REAR AXLE, 23000# (10433kg) MACK RA23R SINGLE DRIVE, DUAL REDUCTION AXLE WITH INDUSTRY Std STANDARD "R" SERIES SPINDLE AND WHEEL END EQUIPMENT FABRICATED STEEL HOUSING

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (4) 11R22.5 14 G R250F (ALL Std POSITION)

018 0151 CARRIER/RATIO - REAR AXLE, CRD151 (FOR RA23R AXLE), 99.99 CHOOSE A VALID RATIO Inc 2570000

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (4) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC)(TWO HAND Std HOLE)

2350000 WHEELS - POLISHED (REAR), W/O REAR DISC WHEEL BRIGHT FINISH Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

5400000 BRAKE DIAPHRAGMS, W/O BRAKE DIAPHRAGM OPTION Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2641000 HUBS - REAR, FERROUS Inc

2622003 OIL SEALS, STEMCO (VOYAGER) Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

Prospective Customer Ref#: AHDS001713A Page 5

Pid Code Description

2601002 SUSPENSION - REAR, 23000# MULTILEAF SPRINGS Std

4020000 W/O ANTI-SPRINGS Std

3770000 W/O HELPER SPRINGS Std

2370001 SPRING BRAKE CHAMBERS - QUANTITY, (2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std REI FASE

3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std

AIR/BRAKE

2990000 AIR LINES (CHASSIS), W/O ALL HOSE CHASSIS (STD AIR PIPING) Std

AIR BRAKE SYSTEM, DUAL Std

2961005 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1800 W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL (3623 CUBIC INCH CAPACITY - ONE SUPPLY (WET) TANK AND ONE DUAL Std COMPARTMENT PRIMARY/SECONDARY TANK)

6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX ABS Std

3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc

DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std

ELECTRICAL

1850001 BATTERY BOX(ES), STEEL BASE Std

4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std

```
3939048 BATTERY BOX - MOUNTING, SINGLE BOX 3 BATTERY MAX. PERP TO FRAME 11" FROM NTOF Std
9749006 COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT Std
8690002 ELECTRIC CIRCUIT PROTECTION PACKAGE, 12 VOLT W/CIRCUIT BREAKERS (HEADLAMP CIRCUIT: Std
SAE TYPE I; ALL OTHER CIRCUITS SAE TYPE II) NEGATIVE GROUND SYSTEM
3980001 WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830030 CONTROL LINK II REFUSE BODYBUILDER ELECTRICAL CONNECTION SYSTEM Std
M110001 CONSOLE INCLUDED WITH CONTROL LINK II Std
3102100 HEADLIGHTS, (2) SINGLE ROUND HALOGEN LAMPS Std
4830000 REAR LIGHTING, FURNISH STANDARD TAIL-LIGHTS Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std
3470000 W/O PWR TERMINAL-STROBE LIGHT OPTION Std
PAINT
950 4100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9410000 PAINT - CAB INTERIOR, SAME COLOR AS CAB EXTERIOR COLOR Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
Prospective Customer Ref#: AHDS001713A Page 6
Pid Code Description
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
8260000 HYDRAULIC PUMP, WITHOUT HYDRAULIC PUMP Std
4420000 W/O TORQUE CONVERTER OPTION Inc
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0001 CRUISE CONTROL AUTORESUME W/CLUTCH Furnish
AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM)
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0024 PERIODIC TRIP HOUR OF DAY Midnight
C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
A942100 EHT MAX ENGINE SET SPEED (RPM)
2100 rpm
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish
A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish
A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish
A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1
A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit
A3A0000 FAN ACTIVATION WITH PTO Omit
```

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

Prospective Customer Ref#: AHDS001713A Page 7

Pid Code Description

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

Prospective Customer Ref#: AHDS001713A Page 8

Pid Code Description

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, VERTICAL EXHAUST, 21" (533mm) FROM BACK OF CAB Std

H-GAC Product Code: L12 **Model: MRU613**

Page 1

Nov 7, 2011 2013 MRU613

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0002 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5%

unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code

USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0070001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10019 PRODUCT TYPE, PRODUCT TYPE - OM64R TRUCK Opt

PC10029 PRODUCT CLASS, PRODUCT CLASS 29 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/WHEELBASE/PLATFORM

0021115 CHASSIS (BASE MODEL), MRU603 6-WHEEL TRUCK Std

2741008 FRAME RAILS, 13.25" x 3.25" x 3.125" (337 x 83 x 8mm) STEEL Combined rating w/inside channel Std

reinforcement Section Modulus 26.06 cu in/RBM 3,127,200 in lbs per rail.

2710173 WHEELBASE, 173" (4394 mm) WB 170" CA (4318 mm) Std

2720273 PLATFORM, 273" LP (6934 mm) 103" AF (2616 mm) USED WITH 173" WB Std

2731001 FRAME REINFORCEMENT - INSIDE, 1/4" STEEL CHANNEL Inc

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std

1361322 TRANSMISSION, 8 SPEED MANUAL, MACK TM308 (17.77/0.71) Std

1335503 CLUTCH, MANUAL ADJUSTING, CL39DC13 EATON ADVANTAGE EZ-PEDAL, 9-SPRING, 2-PLATE, 15.5" Std CERAMIC CLUTCH, 6 PADDLES, MANUAL ADJ

EXHAUST/EMISSIONS

DPF0102 DPF, CLEARTECH VV DPF VERTICAL LH SIDE BACK OF CAB W/SCR VERT RH SIDE BOC Std

EASO101 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC ACTIVE REGEN

RGN0003 DPF REGENERATION CONTROL, AUTO IN MOTION, MAN. STATIONARY MAN. INHIBIT Std

CS10001 DPF SMART SWITCH, LOCKING INHIBIT DPF REGENERATION SWITCH Std

1305021 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK PLAIN END, SIDE Std **OUTLET DIFFUSER**

ENGINE EQUIPMENT

1134101 AIR COMPRESSOR, MERITOR/WABCO 636 (37.4 CFM) Std

1250002 AIR CLEANER, 13" (330 mm) DIAMETER BEHIND CAB W/SNORKEL, SINGLE ELEMENT DRY TYPE Std 1060001 PRE-CLEANER (DRY TYPE CLEANER) Std

Prospective Customer Ref#: AHDS001813A Page 2

Pid Code Description

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE Std

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081008 COOLING PERFORMANCE, W/O AUXILIARY COOLING Std

ENGINE BRAKE, MACK POWERLEASH Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180026 FAN DRIVE, BEHR FAN AND ELECTRONIC MODULATING FAN DRIVE Std

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std TURBOCHARGER HEAT SHIELD Std

1240002 HOSES - RADIATOR/HEATER, SILICONE Std

4310000 OIL PAN HEATER, W/O OIL PAN HEATER Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

CLUTCH/TRANS EQUIPMENT/DRIVELINES

3350002 CLUTCH PEDAL, CLUTCH PEDAL RUBBER PAD Std

1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std

PTO SIDE GEARS, SH AND RH Std

3380000 W/O DRIVESHAFT GUARD Std

1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std

2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std

CAB (A thru G)

1730000 AIR CONDITIONING, OMIT AIR CONDITIONER Inc

1260001 AIR RESTRICTION MONITOR (INTAKE), GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED) Std

ASH TRAY, (1) W/HINGED COVER (LOCATED ON TOP OF CONSOLE) Std

1440602 CAB, CA531 LOW-PROFILE COE (WELDED STEEL GALVANIZED SHELL) INCLUDES MACK RUST Std PREVENTATIVE PROCEDURES

CAB MOUNTING, FOUR POINT FIXED TYPE Std

3260003 CAB LIFT/TILT, LOCATED IN STD LOCATION Std

9970001 CERTIFIED WEIGHT Opt

COAT HOOK (1) Std

9050001 PARK BRAKE ACTIVATED Std

 $4240004\ DOORS,\ FIBERGLASS\ (INCLUDES\ SLIDING\ TYPE\ SIDE\ WINDOWS,\ SCREENED\ VENT\ IN\ LH\ DOOR,\ Std$

AND PEEP WINDOW IN RH DOOR)

3410001 ENGINE SHUTOFF, KEY TYPE Std

4600102 FENDERS, POLYUREA FOR CHASSIS AND CAB SECTIONS Std

FLOOR COVERING, RUBBER MATS W/CLOSED CELL VINYL NITRILE FOAM BACKING Std

GAUGE, DUAL AIR PRESSURE Std

2180001 GAUGE, VOLTMETER Std

GAUGE, ENGINE COOLANT TEMPERATURE Std

GAUGE, ENGINE OIL PRESSURE Std

GAUGE, FUEL LEVEL Std

Prospective Customer Ref#: AHDS001813A Page 3

Pid Code Description

1980001 GAUGES, ENGLISH DISPLAY Std

1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std

GAUGE, TACHOMETER Std

2140004 TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT Std

1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD SIDE AND REAR WINDOWS Std

EXTERIOR GRAB HANDLES, ALUMINUM, RH & LH, BEHIND DOOR AND INTERIOR RH AND LH ON Std

WINDSHIELD POST

4000000 GRILLE, STANDARD FINISH Std

CAB (H thru R)

4030001 HEATER WITH INTEGRAL DEFROSTER Std

1540006 HORN - AIR, (1) TWIN TRUMPET (MOUNTED UNDER CAB) Std

3610002 HORN - ELECTRIC, SINGLE TONE Std

3120001 IDENTIFICATION/CLEARANCE LIGHTS, (7) MARKER AND CLEARANCE Std

INSTRUMENT PANEL, TMC RECOMMENDED TYPE (PAINTED SILVER GRAY) Std

INTERIOR TRIM Std

1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std

LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std

1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std ARMS AND BRACKETS

4440002 MUD FLAPS, 12" FRONT FENDER MOUNTED Std

4150006 FORWARD OVERHEAD STORAGE, (2) RADIO SHELF, DRIVER SIDE Std

PARKING BRAKE CONTROL W/WARNING LIGHT Std

1746000 AM/FM STEREO CD W/WEATHERBAND Std

1569002 RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE Std

1661001 FURNISH IN OVERHEAD CONSOLE Std

1550001 REAR WINDOW (FIXED TYPE) Std

CAB (S thru Z)

1962273 SEAT - DRIVER, BOSTROM TALLADEGA 905 (MID-BACK) AIR SUSPENSION Std

1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std

4850000 SEAT COVERING, ALL VINYL, CAB INTÉRIOR DEPENDENT COLOR DRIVER & RIDER SEATS Std

5920002 SEAT BELTS, LAP AND SHOULDER W/LOCKING SEAT BELT RETRACTORS & "KOMFORT LATCH" FOR Std DRIVER AND RIDER SEATS

1500002 DRIVER'S AND RIDER'S SEAT Std

SIDE MARKERS, LAMPS AND REFLECTORS TO MEET OR EXCEED FEDERAL REGULATIONS Std

2380001 STARTER SWITCH, KEY TYPE Std

4390002 STEERING COLUMN, FIXED Std

1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std

SUN VISOR - INTERIOR, BOTH SIDES Std

TURN SIGNALS, FRONT Std

2390009 TURN SIGNAL SWITCH, MANUAL CANCELING SWITCH Std

W/S CORNER WIND DEFLECTOR, WINDSHIELD CORNER Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/7 QT (6.6 L) RESERVOIR Std 1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std

Prospective Customer Ref#: AHDS001813A Page 4

Pid Code Description

FRAME EQUIPMENT/FUEL TANKS

2794101 BUMPER - FRONT, SWEPT BACK STEEL CHANNEL TYPE EXTENDED 63"/1600 mm BBC W/CENTER Std TOW PIN (92.62" x 11.25")

2819017 CROSSMEMBERS, STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL, Std

4671013 CROSSMEMBER (BEHIND REAR AXLE), WEB CHANNEL TYPE Std

2240000 W/O FRONT FRAME EXTENSION Std

2430008 TOWING DEVICE - FRONT, TOW PIN Std 2760000 TOWING DEVICE - REAR, W/O REAR TOWING DEVICE Std

2907070 FUEL TANK - RH, 70 GALLON (265 L) STEEL, 26"x24" RECTANGULAR Std

DF14025 6.6 GALLON (25 L) 22" DIAMETER TANK RIGHT SIDE MTD Std

5901000 FUEL DRAW/RETURN SYSTEM, ALL HOSE Std

8520002 FOR RH FUEL TANK, INCLUDES SUMP Std

4890023 RELOCATE FUEL TANK, LOCATE RH TANK AS FAR FORWARD AS POSSIBLE, 5" BELOW TOP OF RAIL Std FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLES, 12000# (5443kg) MACK FXL12 Std

9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std

3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2481000 HUBS - FRONT, FERROUS Inc

3850000 WITHOUT SHOCK ABSORBERS Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2442006 SPRINGS - FRONT, MACK MULTILEAF 12000# (5443kg) GROUND LOAD RATING Std

2452206 STEERING, M100P SHEPPARD POWER (INTEGRAL) Std

REAR AXLE/EQUIPMENT/TIRES/RATIOS

268 1028 REAR AXLE/SUSPENSION, 38000# (17237kg) MACK S38R FABRICATED STEEL HOUSING, SS38 MACK Std 1861031 MULTILEAF (CAMELBACK) 38000# CAPACITY

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION)

018 0153 CARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"286 mm BC)(TWO HAND HOLE) Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

5400000 BRAKE DIAPHRAGMS, W/O BRAKE DIAPHRAGM OPTION Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std 2641000 HUBS - REAR, FERROUS Inc

2622003 OIL SEALS, STEMCO (VOYAGER) Std

Prospective Customer Ref#: AHDS001813A Page 5

Pid Code Description

3910001 RAISED REAR BRAKE CHAMBERS (REAR REAR AXLE ONLY) Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std

4020002 SPRINGS, ANTI-SWAY Std

2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std

RELEASE, (2) MOUNTED ON EACH AXLE

3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std 3290000 WITHOUT TRANSVERSE TORQUE RODS Std

2700003 URETHANE TRUNNION BUSHING Inc.

AIR/BRAKE

2990000 AIR LINES (CHASSIS), W/O ALL HOSE CHASSIS (STD AIR PIPING) Std

AIR BRAKE SYSTEM, DUAL Std

2961005 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1800 W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL (5100 CUBIC INCH CAPACITY - ONE SUPPLY (WET) TANK AND ONE DUAL Std COMPARTMENT PRIMARY/SECONDARY TANK)

6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX ABS Std

3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc

DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std

```
ELECTRICAL
1850001 BATTERY BOX(ES), STEEL BASE Std
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3939048 BATTERY BOX - MOUNTING, SINGLE BOX 3 BATTERY MAX. PERP TO FRAME 11" FROM NTOF Std
9749006 COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT Std
8690002 ELECTRIC CIRCUIT PROTECTION PACKAGE, 12 VOLT W/CIRCUIT BREAKERS (HEADLAMP CIRCUIT: Std
SAE TYPE I; ALL OTHER CIRCUITS SAE TYPE II) NEGATIVE GROUND SYSTEM
3980001 WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830030 CONTROL LINK II REFUSE BODYBUILDER ELECTRICAL CONNECTION SYSTEM Std
M110001 CONSOLE INCLUDED WITH CONTROL LINK II Std
3102100 HEADLIGHTS, (2) SINGLE ROUND HALOGEN LAMPS Std
4830000 REAR LIGHTING, FURNISH STANDARD TAIL-LIGHTS Std
3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std
3470000 W/O PWR TERMINAL-STROBE LIGHT OPTION Std
PAINT
950 4100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9410000 PAINT - CAB INTERIOR, SAME COLOR AS CAB EXTERIOR COLOR Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
Prospective Customer Ref#: AHDS001813A Page 6
Pid Code Description
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
8260000 HYDRAULIC PUMP, WITHOUT HYDRAULIC PUMP Std
4420000 W/O TORQUE CONVERTER OPTION Inc
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS W/O ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0001 CRUISE CONTROL AUTORESUME W/CLÚTCH Furnish
AL10003 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 3 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM)
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0024 PERIODIC TRIP HOUR OF DAY Midnight
C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
A942100 EHT MAX ENGINE SET SPEED (RPM)
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish
```

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

Prospective Customer Ref#: AHDS001813A Page 7

Pid Code Description

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

GOVERNOR SETTINGS FOR USE WITHOUT AUTOMATIC TRANSMISSIONS Inc.

A260002 GOVERNOR TYPE Min-Max Governor

AZQ2100 ENGINE HIGH IDLE SPEED IN UPPER GEARS 2100

A110650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

Prospective Customer Ref#: AHDS001813A Page 8

Pid Code Description

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, VERTICAL EXHAUST, 21" (533mm) FROM BACK OF CAB Std

H-GAC Product Code: L13 Model: MRU633

Page 1

Nov 7, 2011 2013 MRU633

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0001 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - BASIC Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5%

unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0070001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10019 PRODUCT TYPE, PRODUCT TYPE - OM64R TRUCK Opt

PC10029 PRODUCT CLASS, PRODUCT CLASS 29 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/WHEELBASE/PLATFORM

0023015 CHASSIS (BASE MODEL), MRU633 6-WHEEL TRUCK Std

2741008 FRAME RAILS, 13.25" x 3.25" x 3.125" (337 x 83 x 8mm) STEEL Combined rating w/inside channel Std

reinforcement Section Modulus 26.06 cu in/RBM 3,127,200 in lbs per rail.

2710173 WHEELBASE, 173" (4394 mm) WB 170" CA (4318 mm) Std

2720273 PLATFORM, 273" LP (6934 mm) 103" AF (2616 mm) USED WITH 173" WB Std

2731001 FRAME REINFORCEMENT - INSIDE, 1/4" STEEL CHANNEL Inc

ENGINE/TRANSMISSION/CLUTCH

1003100 ENGINE, CUMMINS ISL-G 320 HP @2000 RPM (PEAK) 1000 LB FT. MAX TORQUE @ 1300 RPM Std

1364940 TRANSMISSION, 6 SPEED AUTOMATIC, ALLISON 4500-RDS-6 (4.70/0.67) RUGGED DUTY SERIES GEN Std 4 INCLUDES DIRECT MOUNT OIL COOLER, INTERNAL FILTER, AND OIL LEVEL SENSOR.

EXHAUST/EMISSIONS

1305021 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK PLAIN END, SIDE Std **OUTLET DIFFUSER**

ENGINE EQUIPMENT

1133100 AIR COMPRESSOR, CUMMINS TWIN 30.4 CFM Std

1060001 PRE-CLEANER (DRY TYPE CLEANER) Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE Std

1199003 TEXACO EXTENDED LIFE COOLANT #7998 W/NITRITES (50/50 MIX) TO -34 DEG Std

1293100 ENGINE BLOCK HEATER, CUMMINS Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1181008 FAN DRIVE, HORTON DM ADVANTAGE 2 SPEED FAN Std

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2933100 FUEL-WATER SEPARATOR, CUMMINS CNG COALESCING FUEL FILTER, STANCHION MTD ON FRAME Std TURBOCHARGER HEAT SHIELD Std

Prospective Customer Ref#: AHDS001913A Page 2

Pid Code Description

1240002 HOSES - RADIATOR/HEATER, SILICONE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4190008 TETHER DEVICE, PLASTIC COATED CABLE, MOUNTED FRONT OF EACH BATTERY BOX LENGTH TO Std ALLOW COVER TO SET ON GROUND

CLUTCH/TRANS EQUIPMENT/DRIVELINES

3350003 CLUTCH PEDAL, W/O CLUTCH PEDAL Std

1920002 TRANSMISSION BELL HOUSING, ALUMINUM Std

1393100 REMOTE MTD OIL COLLER FURNISH FOR ALLISON TRANSMISSION Std

SL40008 SYNTHETIC LUBRICANT - TRANSMISSION, TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS Std 7790542 VOCATIONAL PACKAGE - ALLISON, ALLISON VOCATIONAL PKG. #105142 RUGGED DUTY SERIES Std (RDS)-REFUSE (AG) - ONE SELECTOR

3380000 W/O DRIVESHAFT GUARD Std

1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std

2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std

```
CAB (A thru G)
1730000 AIR CONDITIONING, OMIT AIR CONDITIONER Inc.
1260001 AIR RESTRICTION MONITOR (INTAKE), GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED) Std
ASH TRAY, (1) W/HINGED COVER (LOCATED ON TOP OF CONSOLE) Std
1440602 CAB, CA531 LOW-PROFILE COE (WELDED STEEL GALVANIZED SHELL) INCLUDES MACK RUST Std
PREVENTATIVE PROCEDURES
CAB MOUNTING, FOUR POINT FIXED TYPE Std
3260003 CAB LIFT/TILT, LOCATED IN STD LOCATION Std
9970001 CERTIFIED WEIGHT Opt
COAT HOOK (1) Std
9050001 PARK BRAKE ACTIVATED Std
4240004 DOORS, FIBERGLASS (INCLUDES SLIDING TYPE SIDE WINDOWS, SCREENED VENT IN LH DOOR, Std
AND PEEP WINDOW IN RH DOOR)
3410001 ENGINE SHUTOFF, KEY TYPE Std
4600102 FENDERS, POLYUREA FOR CHASSIS AND CAB SECTIONS Std
FLOOR COVERING, RUBBER MATS W/CLOSED CELL VINYL NITRILE FOAM BACKING Std
GAUGE, DUAL AIR PRESSURE Std
2180001 GAUGE, VOLTMETER Std
GAUGE, ENGINE COOLANT TEMPERATURE Std
GAUGE, ENGINE OIL PRESSURE Std
2940000 OMIT FUEL GAUGE Std
1980001 GAUGES, ENGLISH DISPLAY Std
1990008 GAUGE, SPEEDOMETER W/TRIP ODOMETER (ELECTRONIC 1% ACCURACY) Std
GAUGE, TACHOMETER Std
2140004 TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT Std
4920101 GEAR SHIFT, NEUTRAL TO RANGE INHIBIT Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD SIDE AND REAR WINDOWS Std
EXTERIOR GRAB HANDLES, ALUMINUM, RH & LH, BEHIND DOOR AND INTERIOR RH AND LH ON Std
Prospective Customer Ref#: AHDS001913A Page 3
Pid Code Description
WINDSHIELD POST
4000000 GRILLE, STANDARD FINISH Std
CAB (H thru R)
4030001 HEATER WITH INTEGRAL DEFROSTER Std
1540006 HORN - AIR, (1) TWIN TRUMPET (MOUNTED UNDER CAB) Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120001 IDENTIFICATION/CLEARANCE LIGHTS, (7) MARKER AND CLEARANCE Std
INSTRUMENT PANEL, TMC RECOMMENDED TYPE (PAINTED SILVER GRAY) Std
INTERIOR TRIM Std
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1522002 MIRRORS - EXTERIOR, WEST COAST, RH & LH BRIGHT FINISH MACK BULLDOG W/STAINLESS STEEL Std
ARMS AND BRACKETS
4440002 MUD FLAPS, 12" FRONT FENDER MOUNTED Std
4150006 FORWARD OVERHEAD STORAGE, (2) RADIO SHELF, DRIVER SIDE Std
PARKING BRAKE CONTROL W/WARNING LIGHT Std
1746000 AM/FM STEREO CD W/WEATHERBAND Std
1569002 RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE Std
1661001 FURNISH IN OVERHEAD CONSOLE Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962273 SEAT - DRIVER, BOSTROM TALLADEGA 905 (MID-BACK) AIR SUSPENSION Std
1971107 SEAT - RIDER, MACK FIXED (MID-BACK) NON-SUSPENSION Std
4850000 SEAT COVERING, ALL VINYL, CAB INTERIOR DEPENDENT COLOR DRIVER & RIDER SEATS Std
5920002 SEAT BELTS, LAP AND SHOULDER W/LOCKING SEAT BELT RETRACTORS & "KOMFORT LATCH" FOR Std
DRIVER AND RIDER SEATS
1500002 DRIVER'S AND RIDER'S SEAT Std
SIDE MARKERS, LAMPS AND REFLECTORS TO MEET OR EXCEED FEDERAL REGULATIONS Std
2380001 STARTER SWITCH, KEY TYPE Std
4390002 STEERING COLUMN, FIXED Std
1610012 STEERING WHEEL, TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP Std
SUN VISOR - INTERIOR, BOTH SIDES Std
TURN SIGNALS, FRONT Std
2390009 TURN SIGNAL SWITCH, MANUAL CANCELING SWITCH Std
```

D. . . #4 . COF

WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/7 QT (6.6 L) RESERVOIR Std 1480011 WINDSHIELD WIPERS, 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE Std

W/S CORNER WIND DEFLECTOR, WINDSHIELD CORNER Std

FRAME EQUIPMENT/FUEL TANKS

TOW PIN (92.62" x 11.25")

2794101 BUMPER - FRONT, SWEPT BACK STEEL CHANNEL TYPE EXTENDED 63"/1600 mm BBC W/CENTER Std

2819017 CROSSMEMBERS, STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL, Std 4671013 CROSSMEMBER (BEHIND REAR AXLE), WEB CHANNEL TYPE Std

2240000 W/O FRONT FRAME EXTENSION Std

Prospective Customer Ref#: AHDS001913A Page 4

Pid Code Description

2430008 TOWING DEVICE - FRONT, TOW PIN Std

2760000 TOWING DEVICE - REAR, W/O REAR TOWING DEVICE Std

2889300 FUEL TANK - LH, DELETE LH FUEL DIESEL TANK - FOR LOCAL COMPLETION & CERTIFICATION OF Std CNG SYSTEM

 $2909300\ \text{FUEL}\ \text{TANK}$ - RH, DELETE RH DIESEL TANK - FOR LOCAL COMPLETION & CERTIFICATION OF CNG Std SYSTEM

5903100 FUEL DRAW/RETURN SYSTEM. FLEXIBLE HOSE FOR NATURAL GAS Std

FRONT AXLE/EQUIPMENT/TIRES

2401506 FRONT AXLES, 12000# (5443kg) MACK FXL12 Std

9001187 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 11R22.5 14 G R250F Std (STEER)

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312720 (2) 22.5x8.25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (TWO HAND HOLE) Std

3760000 WHEELS - POLISHED (FRONT), W/O FRONT DISC WHEEL BRIGHT FINISH Std

2414207 BRAKES - FRONT, BENDIX ES165-05D, 16.5" x 5" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2481000 HUBS - FRONT, FERROUS Inc

3850000 WITHOUT SHOCK ABSORBERS Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2442006 SPRINGS - FRONT, MACK MULTILEAF 12000# (5443kg) GROUND LOAD RATING Std

2452206 STEERING, M100P SHEPPARD POWER (INTEGRAL) Std

REAR AXLE/EQUIPMENT/TIRES/RATIOS

268 1028 REAR AXLE/SUSPENSION, 38000# (17237kg) MACK S38R FABRICATED STEEL HOUSING, SS38 MACK Std 1861031 MULTILEAF (CAMELBACK) 38000# CAPACITY

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION)

018 0153 ĆARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"286 mm BC)(TWO HAND HOLE) Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

5400000 BRAKE DIAPHRAGMS, W/O BRAKE DIAPHRAGM OPTION Std $\,$

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2641000 HUBS - REAR, FERROUS Inc

2622003 OIL SEALS, STEMCO (VOYAGER) Std

3910001 RAISED REAR BRAKE CHAMBERS (REAR REAR AXLE ONLY) Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std $\,$

4020002 SPRINGS, ANTI-SWAY Std

2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING Std RELEASE, (2) MOUNTED ON EACH AXLE

Prospective Customer Ref#: AHDS001913A Page 5

Pid Code Description

3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std

3290000 WITHOUT TRANSVERSE TORQUE RODS Std

2700003 URETHANE TRUNNION BUSHING Inc

AIR/BRAKE

2990000 AIR LINES (CHASSIS), W/O ALL HOSE CHASSIS (STD AIR PIPING) Std

AIR BRAKE SYSTEM, DUAL Std

2960005 AIR DRYER, MERITOR/WABCO AIR DRYER, 1800 HEATED W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL (5100 CUBIC INCH CAPACITY - ONE SUPPLY (WET) TANK AND ONE DUAL Std COMPARTMENT PRIMARY/SECONDARY TANK)

6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX ABS Std

3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc.

DVA0001 DRAIN VALVES, MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS Std

ELECTRICAL

1850001 BATTERY BOX(ES), STEEL BASE Std

4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std

3939048~BATTERY~BOX - MOUNTING, SINGLE BOX 3 BATTERY MAX. PERP TO FRAME 11" FROM NTOF Std

9749006 COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT Std

8690002 ELECTRIC CIRCUIT PROTECTION PACKAGE, 12 VOLT W/CIRCUIT BREAKERS (HEADLAMP CIRCUIT: Std

SAE TYPE I; ALL OTHER CIRCUITS SAE TYPE II) NEGATIVE GROUND SYSTEM 3980001 WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std B830030 CONTROL LINK II REFUSE BODYBUILDER ELECTRICAL CONNECTION SYSTEM Std M110001 CONSOLE INCLUDED WITH CONTROL LINK II Std 3102100 HEADLIGHTS, (2) SINGLE ROUND HALOGEN LAMPS Std 4830000 REAR LIGHTING, FURNISH STANDARD TAIL-LIGHTS Std 3152013 SIGNAL FLASHER TYPE, TRANSISTORIZED TURN SIGNAL, ACD TRITON Std 3470000 W/O PWR TERMINAL-STROBE LIGHT OPTION Std **PAINT** 950 4100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std 9442007 9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std 9410000 PAINT - CAB INTERIOR, SAME COLOR AS CAB EXTERIOR COLOR Std 9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc 9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std 9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Std 6520002 FRONT WHEELS PRE-FINISHED WHITE Std 6530002 REAR WHEELS PRE-FINISHED WHITE Std **PAINT PROCESS CODES** 9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc 9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc 9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc. Prospective Customer Ref#: AHDS001913A Page 6 **Pid Code Description** 9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc 9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc PTO/SPECIALTY/ADDITIONAL EQUIPMENT 1830000 PTO - CRANKSHAFT ADAPTER, W/O FRONT END PTO DRIVE Std 8260000 HYDRAULIC PUMP, WITHOUT HYDRAULIC PUMP Std 4420008 FURNISH TC521 FOR USE W/ALLISON (HD, RDS) TRANSMISSION Std V-MAC IV PROGRAMMABLE PARAMETERS CRUISE CONTROL SETTINGS WITH ALLISON TRANS 9330065 CRUISE CONTROL MAX SET SPEED (MPH) A020020 CRUISE CONTROL MIN SET SPEED (MPH) A2W0000 CRUISE CONTROL AUTORESUME W/CLÚTCH Omit AL10000 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph A1Y0002 IDLE LOGGING DELAY (MIN) 2 PERIODIC TRIP TYPE Monthly Trip Summary C0U0024 PERIODIC TRIP HOUR OF DAY Midnight C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable) C0W0001 PERIODIC TRIP DAY OF MONTH 1 A942100 EHT MAX ENGINE SET SPEED (RPM) 2100 rpm A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph A970100 EHT RAMP RATE (RPM/Sec) A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm AE50000 EHT JUMP-TO-MIN SET SPEED Omit A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish A260002 GOVERNOR TYPE Min-Max Governor AZQ0000 ENGINE HIGH IDLE SPEED IN UPPER GEARS 0000 A1I0650 ENGINE LOW IDLE SET SPEED (RPM) 650 rpm A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit C0K0000 SMART IDLE FEATURE ACTIVATION Omit C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10 B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS001913A Page 7

Pid Code Description

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, VERTICAL EXHAUST, 21" (533mm) FROM BACK OF CAB Std

H-GAC Product Code: L14 Model: LEU613

Page 1

Nov 7, 2011

2013 LEU613

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0002 IDLE EMISSION CERTIFICATION, IDLE EMISSION CERTIFICATION - CARB 08 Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5%

unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code

USA-V1)

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0060001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10016 PRODUCT TYPE, PRODUCT TYPE - OL64R TRUCK Opt

PC10029 PRODUCT CLASS, PRODUCT CLASS 29 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/WHEELBASE/PLATFORM

0021113 CHASSIS (BASE MODEL), LEU603 6-WHEEL TRUCK Std

2741010 FRAME RAILS, 13.375" x 3.25" x .375" (340 x 83 x 10mm) STEEL Section Modulus 23.49 cu in/RBM Std 2,818,800 in lbs per rail.

2710197 WHEELBASE, 197" (5004 mm) WB 206" CA (5232 mm) Std

2720286 PLATFORM, 286" LP (7264 mm) 80" AF (2024 mm) USED WITH 197" WB Std

ENGINE/TRANSMISSION/CLUTCH

1001544 ENGINE, MACK MP7-325M 325 HP @1500-1900 RPM (PEAK) 1200 LB FT. MAX TORQUE @ 1100-1300 Std RPM

1364940 TRANSMISSION, 6 SPEED AUTOMATIC, ALLISON 4500-RDS-6 (4.70/0.67) RUGGED DUTY SERIES GEN Std 4 INCLUDES DIRECT MOUNT OIL COOLER, EXTERNAL OIL COOLER, INTERNAL FILTER, AND OIL LEVEL SENSOR

EXHAUST/EMISSIONS

DPF0102 DPF, CLEARTECH VV DPF VERTICAL LH SIDE BACK OF CAB W/SCR VERT RH SIDE BOC Std EAS0101 EXHAUST AFTER-TREATMENT SYSTEM, EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC Std FILTER CERAMIC ACTIVE REGEN

RGN0003 DPF REGENERATION CONTROL, AUTO IN MOTION, MAN. STATIONARY MAN. INHIBIT Std

CS10001 DPF SMART SWITCH, LOCKING INHIBIT DPF REGENERATION SWITCH Std

1305021 EXHAUST, DPF, OUTBOARD, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK PLAIN END, SIDE Std OUTLET DIFFUSER

ENGINE EQUIPMENT

1250002 AIR CLEANER, 13" (330 mm) DIAMETER BEHIND CAB W/SNORKEL, SINGLE ELEMENT DRY TYPE Std

1060001 PRE-CLEANER (DRY TYPE CLEANER) Std

1321228 ALTERNATOR, DELCO 12V 130A (24SI) BRUSH-TYPE Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE TERMINALS Std

Prospective Customer Ref#: AHDS001513A Page 2

Pid Code Description

1190004 TO -34 DEGREES F (-37 DEGREES C) Std

1230011 MACK COOLANT CONDITIONER Std

5081008 COOLING PERFORMANCE, W/O AUXILIARY COOLING Std

1290009 ENGINE BLOCK HEATER, 120V 1500 WATT ENGINE BLOCK HEATER Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1180026 FAN DRIVE, BEHR FAN AND ELECTRONIC MODULATING FAN DRIVE Std

1400002 FLYWHEEL HOUSING, ALUMINUM Std

2930001 FUEL-WATER SEPARATOR, MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER) Std

1240002 HOSES - RADIATOR/HEATER, SILICONE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4190008 TETHER DEVICE, PLASTIC COATED CABLE, MOUNTED FRONT OF EACH BATTERY BOX LENGTH TO Std ALLOW COVER TO SET ON GROUND

CLUTCH/TRANS EQUIPMENT/DRIVELINES

SL40008 SYNTHETIC LUBRICANT - TRANSMISSION, TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS Std 7790583 VOCATIONAL PACKAGE - ALLISON, ALLISON VOCATIONAL PKG. #105183 RUGGED DUTY SERIES Std

```
(RDS) REFUSE W/AUTO NEUTRAL (AG) - SB DUAL SELECTOR
3380000 W/O DRIVESHAFT GUARD Std
1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std
2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std
CAB (A thru G)
1730000 AIR CONDITIONING, HEATER/DEFROSTER W/O INTEGRAL AIR CONDITIONER Std
5930000 AIR CONDITIONING COMPRESSOR, W/O AIR CONDITIONER COMPRESSOR Std
1260001 AIR RESTRICTION MONITOR (INTAKE), GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED) Std
ASH TRAY, (1) W/HINGED COVER (LOCATED ON TOP OF CONSOLE) Std
1442001 CAB, LOW-ENTRY LH DRIVE WITH RH OPERATING POSITION Std
CAB MOUNTING, FOUR POINT FIXED TYPE REAR MOUNTED Std
3260003 CAB LIFT/TILT, LOCATED IN STD LOCATION Std
9970001 CERTIFIED WEIGHT Opt
COAT HOOK (1) Std
9050002 ENGINE RUNNING ACTIVATED Std
DOME LIGHTS, (2) W/SELF-CONTAINED SWITCH (ONE EACH SIDE) Std
4240007 "LE" RH REAR OPENING FOLD UP DOOR AND LH DOOR WITH ROLL-UP WINDOW Std
3410001 ENGINE SHUTOFF, KEY TYPE Std
GAUGE, DUAL AIR PRESSURE Std
2180001 GAUGE, VOLTMETER Std
GAUGE, ENGINE COOLANT TEMPERATURE Std
GAUGE, ENGINE OIL PRESSURE Std
GAUGE, FUEL LEVEL Std
1980001 GAUGES. ENGLISH DISPLAY Std
1990008 GAUGE, ÉLECTRONIC SPEEDOMETER/ODOMETER PROXIMITY PICK-UP, AND MAGNETIC SENSOR Std
GAUGE, TACHOMETER Std
2140004 TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT Std
Prospective Customer Ref#: AHDS001513A Page 3
Pid Code Description
4920101 GEAR SHIFT, WITH NEUTRAL-TO-RANGE INHIBIT Std
1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD SIDE AND REAR WINDOWS Std
EXTERIOR GRAB HANDLES, ALUMINUM, RH & LH, BEHIND DOOR AND INTERIOR RH AND LH ON Std
WINDSHIELD POST AND RH ON INSTRUMENT PANEL
4000000 GRILLE, STANDARD FINISH Std
CAB (H thru R)
4030001 HEATER WITH INTEGRAL DEFROSTER Std
1540015 HORN - AIR, (1) TWIN TRUMPET WITH DUAL LANYARD CONTROL (MOUNTED UNDER CAB) Std
3610002 HORN - ELECTRIC, SINGLE TONE Std
3120001 IDENTIFICATION/CLEARANCE LIGHTS, (7) MARKER AND CLEARANCE Std
INTERIOR TRIM - (SILVER GRAY VINYL) Std
1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std
LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std
1523003 MIRRORS - EXTERIOR, MOTO MIRROR, LH AND RH MOTORIZED WITH HEATED RETRACTABLE ARMS Std
AND BRACKETS (LH DOOR MOUNTED, RH "A" POST MOUNTED)
4440002 MUD FLAPS, 12" FRONT FENDER MOUNTED Std
PARKING BRAKE CONTROL W/WARNING LIGHT Std
1746000 AM/FM STEREO CD W/WEATHERBAND Std
1569002 RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE Std
1660001 5-WAY BINDING POSTS FOR CB Std
1550001 REAR WINDOW (FIXED TYPE) Std
CAB (S thru Z)
1962214 SEAT - DRIVER, AIR-BOSTROM TALLADEGA 910 (MID-BACK) Std
1975100 SEAT - RIDER, MACK FOLD-UP, LOW BACK Std
4850003 SEAT COVERING, ALL CLOTH, BLACK DUPONT CORDURA, DRIVER AND RIDER SEATS Std
5929005 SEAT BELTS (ORANGE)/RETRACTORS, LAP AND SHOULDER FOR DRIVER AND LAP BELT FOR Std
FOLD-UP RIDER SEAT
1500002 DRIVER'S AND RIDER'S SEAT Std
SIDE MARKERS, LAMPS AND REFLECTORS TO MEET OR EXCEED FEDERAL REGULATIONS Std
STARTER SWITCH, KEY TYPE Std
4390002 STEERING COLUMN, FIXED Std
SUN VISOR - INTERIOR, BOTH SIDES Std
TURN SIGNALS, FRONT Std
2390009 TURN SIGNAL SWITCH, MANUAL CANCELING SWITCH Std
6440002 VENTILATION - CAB, FURNISH LH DOOR VENT Std
1900001 WINDSHIELD PROTECTOR, FURNISH Std
WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/7 QT (6.6 L) RESERVOIR Std
1480009 WINDSHIELD WIPERS, SPRAGUE-2 SPD ELECTRIC MOTOR W/INTERMITTENT FEATURE Std
FRAME EQUIPMENT/FUEL TANKS
2791100 BUMPER - FRONT, PAINTED STEEL FLUSH MTD 59"/1488 mm BBC (CORP 94" x 15.5") Std
2819017 CROSSMEMBERS, STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW RAIL, 1ST XMBR BOC RR Std
```

38.17" FROM AL LINE

4671004 CROSSMEMBER (BEHIND REAR AXLE), 1/2" PLATE (ONE) BACK TO BACK Std

Prospective Customer Ref#: AHDS001513A Page 4

Pid Code Description

2430008 TOWING DEVICE - FRONT, TOW PIN Std

2760000 TOWING DEVICE - REAR, W/O REAR TOWING DEVICE Std

2880000 FUEL TANK - LH, WITHOUT LH FUEL TANK Std

2907070 FUEL TANK - RH, 70 GALLON (265 L) STEEL, 26"x24" RECTANGULAR Std

DF14025 6.6 GALLON (25 L) 22" DIAMETER TANK RIGHT SIDE MTD Std

5901100 FUEL DRAW/RETURN SYSTEM, AEROQUIP FIRE RESISTANT Std

8520002 FILLER NECK SCREENS Std

4890023 RELOCATE FUEL TANK, LOCATE RH TANK AS FAR FORWARD AS POSSIBLE, 5" BELOW TOP OF RAIL Std

FRONT AXLE/EQUIPMENT/TIRES

2401501 FRONT AXLES, 20000# (9072kg) MACK FXL20 WIDE PIVOT CENTER Std

9001304 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 315/80R22.5 20 L M860 Std (ALL POS)

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312723 (2) 22.5x9.0 (228 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC)(FIVE HAND Std HOLE)(6.42" INSET)

2414204 BRAKES - FRONT, BENDIX ES165-06D, 16.5" x 6" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2481000 HUBS - FRONT, FERROUS Std

3850001 SHOCK ABSORBERS, FRONT Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2441011 SPRINGS - FRONT, MACK TAPERLEAF 20000# (9072kg) GROUND LOAD RATING Std

3840001 STATIC LOAD CUSHIONS Std

2452209 STEERING, M100P PLUS RIGHT SIDE ASSIST CYLINDER Std

REAR AXLE/EQUIPMENT/TIRES/RATIOS

268 1020 REAR AXLE/SUSPENSION, 46000# (20866kg) MACK S462 CAST DUCTILE IRON HOUSING, SS462 MACK Std 1861035 MULTILEAF (CAMELBACK) 46000#

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION)

018 0153 CARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC) (TWO HAND Std HOLE)

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

5400000 BRAKE DIAPHRAGMS, W/O BRAKE DIAPHRAGM OPTION Std

2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2641000 HUBS - REAR, FERROUS Inc

2622003 OIL SEALS, STEMCO (VOYAGER) Std

3910001 HIGH MOUNT REAR BRAKE CHAMBERS (REAR REAR AXLE ONLY) Std

2300001 SHOCK INSULATORS, HEAVY DUTY URETHANE Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

Prospective Customer Ref#: AHDS001513A Page 5

Pid Code Description

2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std

4020000 W/O ANTI-SPRINGS Std

2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) CHAMBERS Std

3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std

3290001 TRANSVERSE TORQUE ROD (REAR AXLE ONLY) Std

2700002 BRONZE TRUNNION BUSHING Inc

AIR/BRAKE

2990000 AIR LINES (CHASSIS), EXTRUDED NYLON TUBING (1/8" & 1/4" LINES ARE SINGLE EXTRUSION; 3/8" Std AND LARGER HAVE POLYESTER REINFORCED CENTER)

AIR BRAKE SYSTEM, DUAL Std

2961005 AIR DRYER, MERITOR/WABCO HEATED AIR DRYER, 1800 W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL Std

6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX ABS Std

3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc

 $\hbox{DVA}0004 \hbox{ DRAIN VALVES, AUTOMATIC DRAIN VALVE, HEATED ON SUPPLY TANK, MANUAL (PETCOCK) ON ALL Std OTHER TANKS \\$

ELECTRICAL

3179002 BACK-UP ALARM, PRECO, MODEL 1059 Std

BATTERY BOX(ES), STEEL BASE Std

```
4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std
3939048 BATTERY BOX - MOUNTING, SINGLE BOX 3 BATTERY MAX. PERP TO FRAME 11" FROM NTOF Std
3180010 FLAMING RIVER BIG SWITCH WIRED ON POSITIVE SIDE Std
3250002 BATTERY SWITCH WARNING LIGHT, FURNISH ON OR NEAR BATTERY BOX (LIGHT ON IN RUN Std
POSITION)
9749006 COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT Std
8690002 ELECTRIC CIRCUIT PROTECTION PACKAGE, 12 VOLT W/CIRCUIT BREAKERS (HEADLAMP CIRCUIT: Std
SAE TYPE I; ALL OTHER CIRCUITS SAE TYPE II) NEGATIVE GROUND SYSTEM
3980001 WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830030 CONTROL LINK II REFUSE BODYBUILDER ELECTRICAL CONNECTION SYSTEM Std
3102100 HEADLIGHTS, (2) SINGLE ROUND HALOGEN LAMPS Std
4839019 REAR LIGHTING, BRAKE LIGHTS CIRCUIT ACTIVATED WHEN SPRING BRAKES ARE APPLIED AND Std
KEY IN RUN POSITION-NO TAIL LIGHTS
3159004 SIGNAL FLASHER TYPE, KYSOR #1039-07732-10 W/PACKARD 3 PIN SEALED CONNECTOR MOUNTED Std ON STEERING COLUMN NEAR BOTTOM OF DASH
3470000 W/O PWR TERMINAL-STROBE LIGHT OPTION Std
PAINT
950 4100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB. URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
PAINT - FUEL TANK, SAME AS CHASSIS RUNNING GEAR Inc
Prospective Customer Ref#: AHDS001513A Page 6
Pid Code Description
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Inc
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
9390001 SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
4160000 PTO - REAR ENGINE (REPTO), WITHOUT REAR ENGINE POWER TAKE OFF Std
8260005 HYDRAULIC PUMP, FÜRNISH PUMP MTG PROVISIONS - INCLUDE WIRING, SWITCHES, AND Std
INDICATORS AS REQUIRED
4420003 FURNISH TC541 FOR USE W/ALLISON (HD) SERIES WORLD TRANSMISSION Std
7270001 FURNISH WORK BRAKE Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS WITH ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0000 CRUISE CONTROL AUTORESUME W/CLUTCH Omit
AL10000 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 0 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM)
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0024 PERIODIC TRIP HOUR OF DAY Midnight C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
A942100 EHT MAX ENGINE SET SPEED (RPM)
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
```

Prospective Customer Ref#: AHDS001513A Page 7

```
Pid Code Description
C0X0001 ENGINE PRO
```

C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish

A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish

A830001 ALLOW FAN OVERRIDE WHEN MOVING Furnish

A840001 FAN OVERRIDE TIME WHEN MOVING (MIN) 1

A820000 ALLOW FAN OVERRIDE WHEN PARKED Omit

A3A0000 FAN ACTIVATION WITH PTO Omit

A810060 AIR CONDITIONING OVERRIDE TIME (SEC) 60

A260002 GOVERNOR TYPE Min-Max Governor

AZQ0000 ENGINE HIGH IDLE SPEED IN UPPER GEARS 0000

A110700 ENGINE LOW IDLE SET SPEED (RPM) 700 rpm

A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit

C0K0000 SMART IDLE FEATURE ACTIVATION Omit

C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPERATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

Prospective Customer Ref#: AHDS001513A Page 8

Pid Code Description

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

WAR0003 ENGINE WARRANTY, 2YR/250,000 MILES ENGINE WARRANTY US10 Std

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std

PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, VERTICAL EXHAUST, 34" (762mm) FROM BACK OF CAB Std

H-GAC Product Code: L15 Model: LEU633

Page 1

USA-V1)

Nov 7, 2011 2013 LEU633

Pid Code Description

ORDER/CUSTOMER/VEHICLE INFORMATION

INITIAL REGISTRATION LOCATION, UNITED STATES, Unassigned

CIR0001 IDLE EMISSION CERTIFICATION. IDLE EMISSION CERTIFICATION - BASIC Std

0130001 TYPE OF SERVICE, COMMERCIAL Std

APP0000 VEHICLE APPLICATION CLASS, CHOOSE A VEHICLE APPLICATION CLASS Inc

CAR0090 CARRIER APPLICATION, WITH CRD150-151, Unlimited miles on 3% grade maintained gravel/packed dirt or Std paved, Max 15% miles on 10% grade maintained gravel/packed dirt or paved, Max 10% miles on 5% unmaintained, maintained gravel, packed dirt, or paved. 90000# (41000 kg) MAX GCW. (Carrier Code

0010002 VEHICLE TYPE, STRAIGHT TRUCK WITHOUT TRAILER Std

0060001 VEHICLE USE AND BODY/TRAILER TYPE, SELECT AN APPLICATION

COMMODITIES, UNKNOWN

PB1013A PRICE BOOK LEVEL, 2013A PRICE BOOK LEVEL Std

PT10016 PRODUCT TYPE, PRODUCT TYPE - OL64R TRUCK Opt

PC10029 PRODUCT CLASS, PRODUCT CLASS 29 Opt

US00010 BACK OFFICE PROCESS, BACK OFFICE PROCESS Std

BVS/WHEELBASE/PLATFORM

0023016 CHASSIS (BASE MODEL), LEU633 6-WHEEL TRUCK Std

2741010 FRAME RAILS, 13.375" \times 3.25" \times .375" (340 \times 83 \times 10mm) STEEL Section Modulus 23.49 cu in/RBM Std 2,818,800 in lbs per rail.

2710197 WHEELBASE, 197" (5004 mm) WB 206" CA (5232 mm) Std

2720286 PLATFORM, 286" LP (7264 mm) 80" AF (2024 mm) USED WITH 197" WB Std

ENGINE/TRANSMISSION/CLUTCH

1003100 ENGINE, CUMMINS ISL-G 320 HP @2000 RPM (PEAK) 1000 LB FT. MAX TORQUE @ 1300 RPM Std 1364940 TRANSMISSION, 6 SPEED AUTOMATIC, ALLISON 4500-RDS-6 (4.70/0.67) RUGGED DUTY SERIES GEN Std 4 INCLUDES DIRECT MOUNT OIL COOLER, EXTERNAL OIL COOLER, INTERNAL FILTER, AND OIL LEVEL SENSOR

EXHAUST/EMISSIONS

1305021 EXHAUST, NO MUFFLER, SINGLE (R/S) VERTICAL STRAIGHT EXHAUST STACK PLAIN END, SIDE Std OUTLET DIFFUSER, OUTBOARD

ENGINE EQUIPMENT

1133100 AIR COMPRESSOR, CUMMINS TWIN 30.4 CFM Std

1060001 PRE-CLEANER (DRY TYPE CLEANER) Std

1321236 ALTERNATOR, DELCO 12V 160A (24SI) Std

3165105 BATTERIES, (3) MACK 12V 650/1950 CCA THREADED STUD TYPE TERMINALS Std $\,$

1199003 TEXACO EXTENDED LIFE COOLANT #7998 W/NITRITES (50/50 MIX) TO -34 DEG Std

5081008 COOLING PERFORMANCE, W/O AUXILIARY COOLING Std

1293100 ENGINE BLOCK HEATER, CUMMINS Std

ENGINE HOSES AND TUBING, SILICONE (DOES NOT INCLUDE HEATER & RADIATOR HOSES) Std

1181008 FAN DRIVE, HORTON DM ADVANTAGE 2 SPEED FAN Std

1400002 FLYWHEEL HOUSING, ALUMINUM Std

Prospective Customer Ref#: AHDS001613A Page 2

Pid Code Description

2933100 FUEL-WATER SEPARATOR, CUMMINS CNG COALESCING FUEL FILTER, STANCHION MTD ON FRAME Std 1240002 HOSES - RADIATOR/HEATER, SILICONE Std

1311215 STARTER, 12 VOLT DELCO 39MT-MXT Std

4110004 ELECTRONIC STARTER INTERLOCK Std

4190008 TETHER DEVICE, PLASTIC COATED CABLE, MOUNTED FRONT OF EACH BATTERY BOX LENGTH TO Std ALLOW COVER TO SET ON GROUND

CLUTCH/TRANS EQUIPMENT/DRIVELINES

1393100 REMOTE MTD OIL COLLER FURNISH FOR ALLISON TRANSMISSION Std

SL40008 SYNTHETIC LUBRICANT - TRANSMISSION, TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS Std 7790583 VOCATIONAL PACKAGE - ALLISON, ALLISON VOCATIONAL PKG. #105183 RUGGED DUTY SERIES Std (RDS) REFUSE W/AUTO NEUTRAL (AG) - SB DUAL SELECTOR

3380000 W/O DRIVESHAFT GUARD Std

1951001 DRIVELINE - MAIN, MERITOR 17N HD W/COATED SPLINES Std

2041002 DRIVELINE - INTERAXLE, MERITOR 17N HD W/COATED SPLINES Std

CAB (A thru G)

1730000 AIR CONDITIONING, HEATER/DEFROSTER W/O INTEGRAL AIR CONDITIONER Std 5930000 AIR CONDITIONING COMPRESSOR, W/O AIR CONDITIONER COMPRESSOR Std 1260001 AIR RESTRICTION MONITOR (INTAKE), GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED) Std ASH TRAY, (1) W/HINGED COVER (LOCATED ON TOP OF CONSOLE) Std 1442001 CAB, LOW-ENTRY LH DRIVE WITH RH OPERATING POSITION Std CAB MOUNTING, FOUR POINT FIXED TYPE REAR MOUNTED Std 3260003 CAB LIFT/TILT, LOCATED IN STD LOCATION Std 9970001 CERTIFIED WEIGHT Opt COAT HOOK (1) Std 9050002 ENGINE RUNNING ACTIVATED Std DOME LIGHTS, (2) W/SELF-CONTAINED SWITCH (ONE EACH SIDE) Std 4240007 "LE" RH REAR OPENING FOLD UP DOOR AND LH DOOR WITH ROLL-UP WINDOW Std 3410001 ENGINE SHUTOFF, KEY TYPE Std GAUGE, DUAL AIR PRESSURE Std 2180001 GAUGE, VOLTMETER Std GAUGE, ENGINE COOLANT TEMPERATURE Std GAUGE, ENGINE OIL PRESSURE Std 2940000 OMIT FUEL GAUGE Std 1980001 GAUGES, ENGLISH DISPLAY Std 1990008 GAUGE, ELECTRONIC SPEEDOMETER/ODOMETER PROXIMITY PICK-UP, AND MAGNETIC SENSOR Std GAUGE, TACHOMETER Std 2140004 TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT Std 4920101 GEAR SHIFT, WITH NEUTRAL-TO-RANGE INHIBIT Std 1450001 GLASS - CAB WINDOW, SAFETY TINTED WINDSHIELD SIDE AND REAR WINDOWS Std EXTERIOR GRAB HANDLES, ALUMINUM, RH & LH, BEHIND DOOR AND INTERIOR RH AND LH ON Std WINDSHIELD POST AND RH ON INSTRUMENT PANEL 4000000 GRILLE, STANDARD FINISH Std CAB (H thru R) Prospective Customer Ref#: AHDS001613A Page 3 **Pid Code Description** 4030001 HEATER WITH INTEGRAL DEFROSTER Std 1540015 HORN - AIR, (1) TWIN TRUMPET WITH DUAL LANYARD CONTROL (MOUNTED UNDER CAB) Std 3610002 HORN - ELECTRIC, SINGLE TONE Std 3120001 IDENTIFICATION/CLEARANCE LIGHTS, (7) MARKER AND CLEARANCE Std INTERIOR TRIM - (SILVER GRAY VINYL) Std 1600001 CHASSIS KEYED AT RANDOM - 2 KEYS Std LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER Std 1523003 MIRRORS - EXTERIOR, MOTO MIRROR, LH AND RH MOTORIZED WITH HEATED RETRACTABLE ARMS Std AND BRACKETS (LH DOOR MOUNTED, RH "A" POST MOUNTED) 4440002 MUD FLAPS, 12" FRONT FENDER MOUNTED Std PARKING BRAKE CONTROL W/WARNING LIGHT Std 1746000 AM/FM STEREO CD W/WEATHERBAND Std 1569002 RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE Std 1660001 5-WAY BINDING POSTS FOR CB Std 1550001 REAR WINDOW (FIXED TYPE) Std CAB (S thru Z) 1962214 SEAT - DRIVER, AIR-BOSTROM TALLADEGA 910 (MID-BACK) Std 1975100 SEAT - RIDER, MACK FOLD-UP, LOW BACK Std 4850003 SEAT COVERING, ALL CLOTH, BLACK DUPONT CORDURA, DRIVER AND RIDER SEATS Std 5929005 SEAT BELTS (ORANGE)/RETRACTORS, LAP AND SHOULDER FOR DRIVER AND LAP BELT FOR Std FOLD-UP RIDER SEAT 1500002 DRIVER'S AND RIDER'S SEAT Std SIDE MARKERS, LAMPS AND REFLECTORS TO MEET OR EXCEED FEDERAL REGULATIONS Std STARTER SWITCH, KEY TYPE Std 4390002 STEERING COLUMN, FIXED Std SUN VISOR - INTERIOR, BOTH SIDES Std TURN SIGNALS, FRONT Std 2390009 TURN SIGNAL SWITCH, MANUAL CANCELING SWITCH Std 6440002 VENTILATION - CAB, FURNISH LH DOOR VENT Std 1900001 WINDSHIELD PROTECTOR, FURNISH Std WINDSHIELD WASHERS, ELECTRIC, WIPER MOUNTED W/7 QT (6.6 L) RESERVOIR Std 1480009 WINDSHIELD WIPERS, SPRAGUE-2 SPD ELECTRIC MOTOR W/INTERMITTENT FEATURE Std FRAME EQUIPMENT/FUEL TANKS 2791100 BUMPER - FRONT, PAINTED STEEL FLUSH MTD 59"/1488 mm BBC (CORP 94" x 15.5") Std 2819017 CROSSMEMBERS, STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW RAIL, 1ST XMBR BOC RR Std 38.17" FROM AL LINE 4671004 CROSSMEMBER (BEHIND REAR AXLE), 1/2" PLATE (ONE) BACK TO BACK Std 2430008 TOWING DEVICE - FRONT, TOW PIN Std

2889300 FUEL TANK - LH, DELETE LH FUEL DIESEL TANK - FOR LOCAL COMPLETION & CERTIFICATION OF Std

2760000 TOWING DEVICE - REAR, W/O REAR TOWING DEVICE Std

CNG SYSTEM

2909300 FUEL TANK - RH, DELETE RH DIESEL TANK - FOR LOCAL COMPLETION & CERTIFICATION OF CNG Std

Prospective Customer Ref#: AHDS001613A Page 4

Pid Code Description

5903100 FUEL DRAW/RETURN SYSTEM. FLEXIBLE HOSE FOR NATURAL GAS Std

4890000 RELOCATE FUEL TANK, W/O RELOCATED FUEL TANK(S) Std

FRONT AXLE/EQUIPMENT/TIRES

2401501 FRONT AXLES, 20000# (9072kg) MACK FXL20 WIDE PIVOT CENTER Std

9001304 TIRES BRAND/TYPE - FRONT, BRIDGESTONE - TUBELESS RADIAL PLY, (2) 315/80R22.5 20 L M860 Std (ALL POS)

250 2000 WHEELS - FRONT, STEEL DISC (10-HOLE) Std

5312723 (2) 22.5x9.0 (228 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286mm BC)(FIVE HAND Std HOLE)(6.42" INSET)

2414204 BRAKES - FRONT, BENDIX ES165-06D, 16.5" x 6" CAST SPIDER Std

2472200 BRAKE DRUMS - FRONT, CAST OUTBOARD MOUNTED Std

6370000 DUST SHIELDS - FRONT BRAKE, OMIT Std

2481000 HUBS - FRONT, FERROUS Std

3850001 SHOCK ABSORBERS, FRONT Std

2420009 SLACK ADJUSTERS - FRONT, GUNITE 2000 - AUTOMATIC Std

2441011 SPRINGS - FRONT, MACK TAPERLEAF 20000# (9072kg) GROUND LOAD RATING Std

3840001 STATIC LOAD CUSHIONS Std

2452209 STEERING, M100P PLUS RIGHT SIDE ASSIST CYLINDER Std

REAR AXLE/EQUIPMENT/TIRES/RATIOS

268 1020 REAR AXLE/SUSPENSION, 46000# (20866kg) MACK S462 CAST DUCTILE IRON HOUSING, SS462 MACK Std 1861035 MULTILEAF (CAMELBACK) 46000#

9011187 TIRES BRAND/TYPE - REAR, BRIDGESTONE - TUBELESS RADIAL PLY, (8) 11R22.5 14 G R250F (ALL Std POSITION)

018 0153 CARRIER/RATIO - REAR AXLE, CRDP150/151, 99.99 CHOOSE A VALID RATIO Inc 2570000

267 2000 WHEELS - REAR, STEEL DISC (10 HOLE) Std

3462720 (8) 22.5x8.25 (210 mm) HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4"/286 mm BC) (TWO HAND Std

2534201 BRAKES - REAR, BENDIX ES165-07D, 16.5x7 CAST SPIDER Std

5400000 BRAKE DIAPHRAGMS, W/O BRAKE DIAPHRAGM OPTION Std 2632200 BRAKE DRUMS - REAR, CAST OUTBOARD MOUNTED Std

6380000 DUST SHIELDS - REAR BRAKE, OMIT Std

2641000 HUBS - REAR, FERROUS Inc

2622003 OIL SEALS, STEMCO (VOYAGER) Std

3910001 HIGH MOUNT REAR BRAKE CHAMBERS (REAR REAR AXLE ONLY) Std

2300001 SHOCK INSULATORS, HEAVY DUTY URETHANE Std

2550009 SLACK ADJUSTERS - REAR, GUNITE 2000 - AUTOMATIC Std

2690050 SUSPENSION - AXLE SPACING, 50" AXLE SPACING (BOGIE WHEELBASE) Std

4020000 W/O ANTI-SPRINGS Std

2370002 SPRING BRAKE CHAMBERS - QUANTITY, (4) CHAMBERS Std

3009005 SPRING BRAKE CHAMBERS - VENDOR, MGM MODEL TR-T (TAMPER RESISTANT) Std

4790001 SPRING BRAKE CHAMBERS, TYPE 30/30 REAR Std

3290001 TRANSVERSE TORQUE ROD (REAR AXLE ONLY) Std

Prospective Customer Ref#: AHDS001613A Page 5

Pid Code Description

2700002 BRONZE TRUNNION BUSHING Inc

AIR/BRAKE

2990000 AIR LINES (CHASSIS), EXTRUDED NYLON TUBING (1/8" & 1/4" LINES ARE SINGLE EXTRUSION; 3/8" Std AND LARGER HAVE POLYESTER REINFORCED CENTER)

AIR BRAKE SYSTEM, DUAL Std

2960005 AIR DRYER, MERITOR/WABCO AIR DRYER, 1800 HEATED W/COALESCING OIL FILTER Std

2801000 AIR RESERVOIRS, STEEL Std

6980006 ANTI-LOCK BRAKE SYSTEM, BENDIX ABS Std

3520100 AIR CONTROL VALVES - VENDOR, BENDIX SWITCHES AND VALVES WHERE POSSIBLE Inc

DVA0004 DRAIN VALVES, AUTOMATIC DRAIN VALVE, HEATED ON SUPPLY TANK, MANUAL (PETCOCK) ON ALL Std OTHER TANKS

ELECTRICAL

3179002 BACK-UP ALARM, PRECO, MODEL 1059 Std

BATTERY BOX(ES), STEEL BASE Std

4050005 BATTERY BOX COVERS, MOLDED PLASTIC Std

3939048 BATTERY BOX - MOUNTING. SINGLE BOX 3 BATTERY MAX, PERP TO FRAME 11" FROM NTOF Std

3180010 FLAMING RIVER BIG SWITCH WIRED ON POSITIVE SIDE Std

3250002 BATTERY SWITCH WARNING LIGHT, FURNISH ON OR NEAR BATTERY BOX (LIGHT ON IN RUN Std POSITION)

```
9749006 COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT Std
8690002 ELECTRIC CIRCUIT PROTECTION PACKAGE, 12 VOLT W/CIRCUIT BREAKERS (HEADLAMP CIRCUIT: Std
SAE TYPE I; ALL OTHER CIRCUITS SAE TYPE II) NEGATIVE GROUND SYSTEM
3980001 WATERPROOF ELECTRICAL CONNECTIONS SPRAYED W/PROTECTIVE COATING Std
B830030 CONTROL LINK II REFUSE BODYBUILDER ELECTRICAL CONNECTION SYSTEM Std
3102100 HEADLIGHTS, (2) SINGLE ROUND HALOGEN LAMPS Std
4839019 REAR LIGHTING, BRAKE LIGHTS CIRCUIT ACTIVATED WHEN SPRING BRAKES ARE APPLIED AND Std
KEY IN RUN POSITION-NO TAIL LIGHTS
3159004 SIGNAL FLASHER TYPE, KYSOR #1039-07732-10 W/PACKARD 3 PIN SEALED CONNECTOR MOUNTED Std
ON STEERING COLUMN NEAR BOTTOM OF DASH
3470000 W/O PWR TERMINAL-STROBE LIGHT OPTION Std
PAINT
950 4100 PAINT - CAB EXTERIOR, SINGLE COLOR, MACK WHITE (HIGH GLOSS) Std
9442007
9960001 PAINT - CAB, URETHANE BASE COAT W/O CLEAR COAT Std
9512006 PAINT - CHASSIS RUNNING GEAR, MACK BLACK (URETHANE) Std
PAINT - BUMPER, SAME AS CHASSIS RUNNING GEAR Inc
9520000 PAINT - FRONT SPOKE WHEELS, WITHOUT OPTIONAL SPOKE WHEEL PAINT Std
9530000 WITHOUT OPTIONAL SPOKE WHEEL PAINT Inc
6520002 FRONT WHEELS PRE-FINISHED WHITE Std
6530002 REAR WHEELS PRE-FINISHED WHITE Std
PAINT PROCESS CODES
9380001 SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X) Inc
9220000 CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X) Inc
Prospective Customer Ref#: AHDS001613A Page 6
Pid Code Description
9390000 W/O PAINT FOR FUEL TANK (7HB-Z1X) Inc
9860000 W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X) Inc
9850000 W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X) Inc
PTO/SPECIALTY/ADDITIONAL EQUIPMENT
1830000 PTO - CRANKSHAFT ADAPTER, W/O FRONT END PTO DRIVE Std
4420008 FURNISH TC521 FOR USE W/ALLISON (HD, RDS) TRANSMISSION Std
7270001 FURNISH WORK BRAKE Std
V-MAC IV PROGRAMMABLE PARAMETERS
CRUISE CONTROL SETTINGS WITH ALLISON TRANS
9330065 CRUISE CONTROL MAX SET SPEED (MPH) 65 mph
A020020 CRUISE CONTROL MIN SET SPEED (MPH) 20 mph
A2W0000 CRUISE CONTROL AUTORESUME W/CLÚTCH Omit
AL10000 CRUISE'N BRAKE ENGAGEMENT DELAY (MPH) 0 mph
DATAMAX SETTING FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J002) Std
A902200 ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm
A3K2100 FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM)
A880075 VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph
A870070 FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph
A1Y0002 IDLE LOGGING DELAY (MIN) 2
PERIODIC TRIP TYPE Monthly Trip Summary
C0U0024 PERIODIC TRIP HOUR OF DAY Midnight
C0V0000 PERIODIC TRIP DAY OF WEEK 0 (disable)
C0W0001 PERIODIC TRIP DAY OF MONTH 1
A942100 EHT MAX ENGINE SET SPEED (RPM)
A030700 EHT MIN ENGINE SET SPEED (RPM) 700 rpm
A010010 EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph
A970100 EHT RAMP RATE (RPM/Sec)
A950000 EHT SINGLE SPEED CONTROL ACTIVATION Omit
A960000 EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm
AE50000 EHT JUMP-TO-MIN SET SPEED Omit
A070001 ENGINE PROTECTION - OIL PRESSURE SHUTDOWN Furnish
A080000 ENGINE PROTECTION - COOLANT LEVEL SHUTDOWN Omit
A060001 ENGINE PROTECTION - COOLANT TEMP SHUTDOWN Furnish
C0X0001 ENGINE PROTECTION - ENGINE OIL TEMP SHUTDOWN Furnish
A2Y0001 ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish
A260002 GOVERNOR TYPE Min-Max Governor
AZQ0000 ENGINE HIGH IDLE SPEED IN UPPER GEARS 0000
A110700 ENGINE LOW IDLE SET SPEED (RPM) 700 rpm
A100000 DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit
C0K0000 SMART IDLE FEATURE ACTIVATION Omit
C0T0010 SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10
```

B690000 IDLE COOLDOWN FEATURE ACTIVATION Omit

Prospective Customer Ref#: AHDS001613A Page 7

Pid Code Description

9080000 IDLE SHUTDOWN FEATURE ACTIVATION Omit

9340010 IDLE SHUTDOWN TIME (MINS) 10

M020030 IDLE SHUTDOWN WARNING TIME (SECS) 30

A170100 IDLE SHUTDOWN WARM-UP TEMPÈRATURE (DEG F) 100

A160005 IDLE SHUTDOWN WARM-UP TIMER (MINS) 5

A140000 IDLE S/D OVERRIDE W/EHT Omit

A130002 IDLE S/D OVERRIDE W/PTO Furnish

A230001 IDLE S/D OVERRIDE W/ENGINE LOAD Furnish

C0N0001 MAINTENANCE MONITOR FEATURE ACTIVATION Furnish

C0P0005 MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational

AG60090 MAINTENANCE DUE WARNING PERCENT 90

A412100 PTO 1 MAX ENGINE SET SPEED (RPM) 2100 rpm

A980600 PTO 1 MIN ENGINE SET SPEED (RPM) 600 rpm

A1A0010 PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A2B0100 PTO 1 RAMP RATE (RPM/Sec) 100

2330000 PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit

A051000 PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5K0000 PTO 1 SINGLE SPEED CONTROL AUTOSET Omit

AF60000 PTO 1 JUMP-TO-MIN SET SPEED Omit

M030060 PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph

A622100 PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm

A1B0600 PTO 2 MIN ENGINE SET SPEED (RPM) 600 rpm

A1D0010 PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph

A1E0100 PTO 2 RAMP RATE (RPM/Sec) 100

A1Z0000 PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit

A611000 PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 1000 rpm

A5L0000 PTO 2 SINGLE SPEED CONTROL AUTOSET Omit

AK10000 PTO 2 JUMP-TO-MIN SET SPEED Omit

M040060 PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph

DTS0001 SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish

A790050 SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50

9320065 CUSTOMER VEHICLE LIMITING SPEED (MPH) 65 mph

A200000 LGVLS FEATURE ACTIVATION Omit

A210000 LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph

DEALER INFORMATION

4460001 MANUALS, PEDIGREED PROTECTION PLAN TECH. SERVICE MANUAL PROVIDED Std

PILOT INSPECTION, CHOOSE AN OPTION Inc

STANDARD SHIPPING INSTRUCTIONS Std PERFORMANCE/GRAPHICS/TECH DATA

AMBIENT TEMPERATURE, 77F (25.0C) Std

BACK OF CAB INTERFERENCES, VERTICAL EXHAUST, 34" (762mm) FROM BACK OF CAB Std